

Package ‘RInside’

July 21, 2025

Title C++ Classes to Embed R in C++ (and C) Applications

Version 0.2.19

Date 2025-04-22

Description C++ classes to embed R in C++ (and C) applications

A C++ class providing the R interpreter is offered by this package making it easier to have ``R inside" your C++ application. As R itself is embedded into your application, a shared library build of R is required. This works on Linux, OS X and even on Windows provided you use the same tools used to build R itself. Numerous examples are provided in the nine subdirectories of the examples/ directory of the installed package: 'standard', 'mpi' (for parallel computing), 'qt' (showing how to embed 'RInside' inside a Qt GUI application), 'wt' (showing how to build a ``web-application" using the Wt toolkit), 'armadillo' (for 'RInside' use with 'RcppArmadillo'), 'eigen' (for 'RInside' use with 'RcppEigen'), and 'c_interface' for a basic C interface and 'Ruby' illustration. The examples use 'GNUmakefile(s)' with GNU extensions, so a GNU make is required (and will use the 'GNUmakefile' automatically). 'Doxygen'-generated documentation of the C++ classes is available at the 'RInside' website as well.

Imports Rcpp

LinkingTo Rcpp

URL <https://github.com/eddelbuettel/rinside/>,
<https://dirk.eddelbuettel.com/code/rinside.html>

License GPL (>= 2)

BugReports <https://github.com/eddelbuettel/rinside/issues>

MailingList Please send questions and comments regarding RInside to
rcpp-devel@lists.r-forge.r-project.org

NeedsCompilation yes

Author Dirk Eddelbuettel [aut, cre] (ORCID:

<https://orcid.org/0000-0001-6419-907X>),

Romain Francois [aut] (ORCID: <https://orcid.org/0000-0002-2444-4226>),

Lance Bachmeier [ctb]

Maintainer Dirk Eddelbuettel <edd@debian.org>

Repository CRAN

Date/Publication 2025-04-22 23:20:02 UTC

Contents

RInside-package	2
Index	3

RInside-package	<i>Embedding R in C++ applications</i>
-----------------	--

Description

The **RInside** package makes it easier to embed R in your C++ applications. There is no code you would execute directly from the R environment. Rather, you write C++ programs that embed R which is illustrated by some the included examples.

Author(s)

Dirk Eddelbuettel and Romain Francois

Index

- * **interface**

- RInside-package, [2](#)

- * **programming**

- RInside-package, [2](#)

RInside (RInside-package), [2](#)

RInside-package, [2](#)