

Package ‘Sysrecon’

July 21, 2025

Type Package

Title Systematical Metabolic Reconstruction

Version 0.1.3

Description In the past decade, genome-scale metabolic reconstructions have widely been used to comprehend the systems biology of metabolic pathways within an organism. Different GSMs are constructed using various techniques that require distinct steps, but the input data, information conversion and software tools are neither concisely defined nor mathematically or programmatically formulated in a context-specific manner. The tool that quantitatively and qualitatively specifies each reconstruction steps and can generate a template list of reconstruction steps dynamically selected from a reconstruction step reservoir, constructed based on all available published papers.

License GPL-3

Imports ape, dplyr, ggplot2, ggtree, magrittr, methods, patchwork, plyr, RColorBrewer, rlang, SnowballC, stats, stringr, tm, utils

Config/Needs/website pkgdown

Encoding UTF-8

LazyData true

RoxygenNote 7.2.2

Depends R (>= 3.5.0)

URL <https://oyshilin.github.io/sysrecon/>

NeedsCompilation no

Author Shilin Ouyang [aut, cre],
Zihao Li [aut],
Jiamin Hu [aut],
Miyuan Cao [aut],
Feng Yu [aut],
Longfei Mao [aut],
RStudio [cph, fnd]

Maintainer Shilin Ouyang <ouyangshilin@hnu.edu.cn>

Repository CRAN

Date/Publication 2023-02-20 08:50:02 UTC

Contents

contentTypes	2
conversionMatrix	3
conversionTypes	5
draw_conversion_tree	5
draw_step_tree	6
get_term_matrix	7
inputTxt	7
map_word_to_step	8
matrixProcess	8
matrixProcessConversion	11
matrixProcessFile	13
slotsFunction	14
stepsMatrix	14
stepTypes	17
Sysrecon	18
systemrecon-class	19
text	21
toolsMatrix	22
toolsTypes	23
vizProcess	24
vizTools	24
vizTransformation	25
wordsMatrix	26
Index	27

contentTypes	<i>A data frame contains the labels and groups of the contents of metabolic reconstruction</i>
--------------	--

Description

A data frame contains the labels and groups of the contents of metabolic reconstruction

Usage

contentTypes

Format

- label** the contents of the metabolic reconstruction
- group** the classification of the labels

conversionMatrix	<i>A data frame contains the details of the transformation of the metabolic reconstruction</i>
------------------	--

Description

A data frame contains the details of the transformation of the metabolic reconstruction

Usage

```
conversionMatrix
```

Format

A data frame contains 93 rows and 67 variables:

MarkerWords the key words of the steps of metabolic reconstruction

ThresholdValue the values filter the steps after the mapping

Steps the steps of metabolic reconstruction

Group the classification of the steps

SpeciesName 1 means the output of Species name.

TaxonID 1 means the output of Taxon ID.

NCBI 1 means the output of NCBI.

Uniprot 1 means the output of Uniprot.

KEGG 1 means the output of KEGG.

MetaCyc 1 means the output of MetaCyc.

PubChem 1 means the output of PubChem.

Brenda 1 means the output of Brenda.

Download 1 means the output of Download.

GeneticInformation 1 means the output of Genetic information.

ProteinInformation 1 means the output of Protein information.

GenomeSequence 1 means the output of Genome sequence.

ProteinSequence 1 means the output of Protein sequence.

MetabolicFunctionInformation 1 means the output of Metabolic function information.

Metabolites 1 means the output of Metabolites.

Cofactor 1 means the output of Cofactor.

Nucleotides 1 means the output of Nucleotides.

AminoAcid 1 means the output of Amino acid.

MolecularWeight 1 means the output of Molecular weight.

DryWeight 1 means the output of Dry weight.

MetabolicReaction 1 means the output of Metabolic reaction.

TerminalMetabolite 1 means the output of Terminal metabolite.

Secretion 1 means the output of Secretion.

BiomassReaction 1 means the output of Biomass reaction.

DemandReaction 1 means the output of Demand reaction.

SinkReaction 1 means the output of Sink reaction.

GapReaction 1 means the output of Gap reaction.

SpontaneousReaction 1 means the output of Spontaneous reaction.

ExtracellularAndPeriplasmicTransportReactions 1 means the output of Extracellular and periplasmic transport reactions reaction.

ExchangeReaction 1 means the output of Exchange reaction.

IntracellularTransportReaction 1 means the output of Intracellular transport reaction.

ReactionFlux 1 means the output of Reaction flux.

GPR 1 means the output of GPR.

BlastComparison 1 means the output of Blast comparison.

Homology 1 means the output of Homology.

HomologousGene 1 means the output of Homology gene.

StoichiometricMatrix 1 means the output of Stoichiometric matrix.

Knockout 1 means the output of Knockout.

TargetReaction 1 means the output of Target reaction.

Restrictions 1 means the output of Restrictions.

GrowthConditions 1 means the output of Growth conditions.

MinORMax 1 means the output of min | max.

ReconstructionData 1 means the output of Reconstruction data.

FVA 1 means the output of FVA.

MetabolicFlux 1 means the output of Metabolic flux.

Statistics 1 means the output of Metabolic Statistics.

NeutralMolecularFormula 1 means the output of Neutral molecular formula.

ChargedMolecularFormula 1 means the output of Charged molecular formula.

LiteratureDataCollection 1 means the output of Literature data collection.

ConservationOfMassAndCharge 1 means the output of Conservation of mass and charge.

GibbsFreeEnergy 1 means the output of Gibbs free energy.

CellCompartmentInformation 1 means the output of Cell compartment information.

SubsystemInformation 1 means the output of Subsystem information.

MetaboliteIdentification 1 means the output of Metabolite Identification.

Unite 1 means the output of Unite.

ManualPlanning 1 means the output of Manual planning.

- Coefficient** 1 means the output of Coefficient.
- ScatterPlot** 1 means the output of Scatter plot.
- TestReport** 1 means the output of Test Report.
- TypeIIIPath** 1 means the output of Type III path.
- SBML** 1 means the output of SBML file.
- Mat** 1 means the output of Mat file.
- Excel** 1 means the output of Excel file.

conversionTypes	<i>A data frame contains the labels and groups of the transformation of metabolic reconstruction</i>
-----------------	--

Description

A data frame contains the labels and groups of the transformation of metabolic reconstruction

Usage

conversionTypes

Format

- A data frame contains 63 rows and 2 variables:
- label** the transformation of the metabolic reconstruction
 - group** the classification of the labels

draw_conversion_tree	<i>draw_conversion_tree</i>
----------------------	-----------------------------

Description

Drawing of metabolic process matrix diagram and phylogenetic tree diagram

Usage

draw_conversion_tree(infomatrix, Matrix, stepTypes, conversionTypes)

Arguments

- infomatrix Matrix generated using the words2steps function
- Matrix The matrix about the step or transformation or databases and tools used in the metabolic reconstruction
- stepTypes Grouping information for reconstruction processes
- conversionTypes Grouping information for conversion content

Value

a plot

Examples

```
p1 <- draw_conversion_tree(matrixProcessConversion, conversionMatrix,
  stepTypes, conversionTypes)
```

draw_step_tree	<i>draw_step_tree</i>
----------------	-----------------------

Description

Drawing of metabolic process matrix diagram and phylogenetic tree diagram

Usage

```
draw_step_tree(infomatrix, Matrix, stepTypes, contentTypes)
```

Arguments

- infomatrix Matrix generated using the words2steps function
- Matrix The matrix about the steps or transformation or the databases and tools of the metabolic reconstruction.
- stepTypes Grouping information for metabolic processes
- contentTypes Grouping information for metabolic content

Value

a plot

Examples

```
p1 <- draw_step_tree(matrixProcess, stepsMatrix, stepTypes, contentTypes)
```

get_term_matrix	<i>get_term_matrix</i>
-----------------	------------------------

Description

get_term_matrix

Usage

```
get_term_matrix(data)
```

Arguments

data	information of data text
------	--------------------------

Value

words matrix

Examples

```
wordsMatrix <- get_term_matrix(text)
```

inputTxt	<i>inputTxt</i>
----------	-----------------

Description

A variable containing the contents of the metabolic reconstruction:

Usage

```
inputTxt
```

Format

A data frame with characters:

V1 the contents of the metabolic reconstruction

map_word_to_step	<i>map_word_to_step</i>
------------------	-------------------------

Description

map_word_to_step

Usage

```
map_word_to_step(wordsMatrix, stepsMatrix)
```

Arguments

wordsMatrix	The word matrix generated by the function TermDocumentMatrix in the tm package.
stepsMatrix	Manually constructed metabolic process matrix.

Value

Specific metabolic process matrix based on text content mapping.

Examples

```
matrixProcess <- map_word_to_step(wordsMatrix, stepsMatrix)
```

matrixProcess	<i>A data frame produced by the function map_word_to_step</i>
---------------	---

Description

A data frame produced by the function map_word_to_step

Usage

```
matrixProcess
```

Format

A data frame contains 67 variables

degree the number of the steps used in a article.

SpeciesName -1 means the input of Species name. 1 means the output of Species name.

TaxonID -1 means the input of Taxon ID. 1 means the output of Taxon ID.

KEGG -1 means the input of KEGG reaction. 1 means the output of KEGG reaction.

NCBI -1 means the input of NCBI gene. 1 means the output of NCBI gene.

Uniprot -1 means the input of Uniprot gene. 1 means the output of Uniprot.

MetaCyc -1 means the input of MetaCyc gene. 1 means the output of MetaCyc.

PubChem -1 means the input of PubChem molecular formula. 1 means the output of PubChem molecular formula.

Brenda identify whether input the Brenda. -1 means the input of Brenda. 1 means the output of Brenda.

Chebi -1 means the input of Chebi information. 1 means the the output of Chebi information.

WebGCM -1 means the input of Web GCM. 1 means the the output of Web GCM.

SpontaneousReaction -1 means the input of spontaneous reaction. 1 means the the output of spontaneous reaction.

ExtracellularAndPeriplasmicTransportReactions -1 means the input of Extracellular and periplasmic transport reactions. 1 means the the output of Extracellular and periplasmic transport reactions.

ExchangeReaction -1 means the input of exchange reaction. 1 means the the output of exchange reaction.

MissingExchangeReaction -1 means the input of missing exchange reaction. 1 means the the output of missing exchange reaction.

IntracellularTransportReaction -1 means the input of intracellular transport reaction. 1 means the the output of intracellular transport reaction.

Gene -1 means the input of gene. 1 means the the output of gene.

Protein -1 means the input of protein. 1 means the the output of protein.

Knockout -1 means the input of knockout. 1 means the the output of knockout.

StoichiometricMatrix -1 means the input of stoichiometric matrix. 1 means the the output of stoichiometric matrix.

ObjectiveReaction -1 means the input of objective reaction. 1 means the the output of objective reaction.

Constraints -1 means the input of constraints. 1 means the the output of constraints.

Secretion -1 means the input of secretion. 1 means the the output of secretion.

Mutisecretion -1 means the input of mutisecretion. 1 means the the output of mutisecretion.

RichMedia -1 means the input of rich media. 1 means the the output of rich media.

GenomeSequence -1 means the input of genome sequence. 1 means the the output of genome sequence.

ProteomeSequence -1 means the input of proteome sequence. 1 means the the output of proteome sequence.

AminoAcidWeight -1 means the input of amino acid weight. 1 means the the output of amino acid weight.

AminoAcidMolecularWeight -1 means the input of amino acid molecular weight. 1 means the the output of amino acid molecular weight.

NucleotideWeight -1 means the input of nucleotide weight. 1 means the the output of nucleotide weight.

NucleotideMolecularWeight -1 means the input of nucleotide molecular weight. 1 means the the output of nucleotide molecular weight.

DryWeight -1 means the input of dry weight. 1 means the the output of dry weight.

BiomassReaction -1 means the input of biomass reaction. 1 means the the output of biomass reaction.

DemandReaction -1 means the input of demand reaction. 1 means the the output of demand reaction.

SinkReaction -1 means the input of sink reaction. 1 means the the output of sink reaction.

GapReaction -1 means the input of gap reaction. 1 means the the output of gap reaction.

MinORMax -1 means the input of gap reaction. 1 means the the output of gap reaction.

GeneticInformation -1 means the input of genetic information. 1 means the the output of genetic information.

MetabolicFunction -1 means the input of metabolic function. 1 means the the output of metabolic function.

Metabolites -1 means the input of metabolites. 1 means the the output of metabolites.

BiomassMetabolites -1 means the input of biomass metabolites. 1 means the the output of biomass metabolites.

MetabolicReaction -1 means the input of metabolic reaction. 1 means the the output of metabolic reaction.

ReconstructionData -1 means the input of reconstruction data. 1 means the the output of reconstruction data.

DataStatistics -1 means the input of data statistics. 1 means the the output of data statistics.

NeutralMolecularFormula -1 means the input of neutral molecular formula. 1 means the the output of neutral molecular formula.

ChargedMolecularFormula -1 means the input of charged molecular formula. 1 means the the output of charged molecular formula.

ConservationOfMassAndCharge -1 means the input of conservation of mass and charge. 1 means the the output of conservation of mass and charge.

GibbsFreeEnergyInformation -1 means the input of gibbs free energy information. 1 means the the output of gibbs free energy information.

Mass_ChargeConservationAssessment -1 means the input of mass-charge conservation assessment. 1 means the the output of conservation assessment.

CellularCompartment -1 means the input of cellular compartment. 1 means the the output of cellular compartment.

SubsystemInformation -1 means the input of subsystem information. 1 means the the output of subsystem information.

IdentifiersInKEGG -1 means the input of identifiers in KEGG. 1 means the the output of identifiers in KEGG.

IdentifiersInMetaCyc -1 means the input of identifiers in MetaCyc. 1 means the the output of identifiers in MetaCyc.

UniformIdentifier -1 means the input of uniform identifier. 1 means the the output of uniform identifier.

Coefficient -1 means the input of coefficient. 1 means the the output of coefficient.

ScatterPlot -1 means the input of scatter plot. 1 means the the output of scatter plot.

TerminalMetabolite -1 means the input of terminal metabolite. 1 means the the output of terminal metabolite.

TypeIIIPathway -1 means the input of Type III pathway. 1 means the the output of Type III pathway.

NetworkGap -1 means the input of network gap. 1 means the the output of network gap.

Growth -1 means the input of growth. 1 means the the output of growth.

BlockReaction -1 means the input of block reaction. 1 means the the output of block reaction.

MetabolicFlux -1 means the input of metabolic flux. 1 means the the output of metabolic flux.

ModelPredictCorrectly 1 means the output of model PredictCorrectly.

ModelGrowingTooFast -1 means the input of model growing too fast. 1 means the the output of model growing too fast.

SBML -1 means the input of SBML file. 1 means the the output of SBML file.

Mat -1 means the input of Mat file. 1 means the the output of Mat file.

Excel -1 means the input of Excel file. 1 means the the output of Excel file.

matrixProcessConversion

A data frame produced by the function map_word_to_step

Description

A data frame produced by the function map_word_to_step

Usage

```
matrixProcessConversion
```

Format

A data frame contains 64 variables

degree the number of the steps used in a article.

SpeciesName 1 means the output of Species name.

TaxonID 1 means the output of Taxon ID.

NCBI 1 means the output of NCBI.

Uniprot 1 means the output of Uniprot.

KEGG 1 means the output of KEGG.

MetaCyc 1 means the output of MetaCyc.

PubChem 1 means the output of PubChem.

Brenda 1 means the output of Brenda.

Download 1 means the output of Download.

GeneticInformation 1 means the output of Genetic information.

ProteinInformation 1 means the output of Protein information.

GenomeSequence 1 means the output of Genome sequence.

ProteinSequence 1 means the output of Protein sequence.

MetabolicFunctionInformation 1 means the output of Metabolic function information.

Metabolites 1 means the output of Metabolites.

Cofactor 1 means the output of Cofactor.

Nucleotides 1 means the output of Nucleotides.

AminoAcid 1 means the output of Amino acid.

MolecularWeight 1 means the output of Molecular weight.

DryWeight 1 means the output of Dry weight.

MetabolicReaction 1 means the output of Metabolic reaction.

TerminalMetabolite 1 means the output of Terminal metabolite.

Secretion 1 means the output of Secretion.

BiomassReaction 1 means the output of Biomass reaction.

DemandReaction 1 means the output of Demand reaction.

SinkReaction 1 means the output of Sink reaction.

GapReaction 1 means the output of Gap reaction.

SpontaneousReaction 1 means the output of Spontaneous reaction.

ExtracellularAndPeriplasmicTransportReactions 1 means the output of Extracellular and periplasmic transport reactions reaction.

ExchangeReaction 1 means the output of Exchange reaction.

IntracellularTransportReaction 1 means the output of Intracellular transport reaction.

ReactionFlux 1 means the output of Reaction flux.

GPR 1 means the output of GPR.

BlastComparison 1 means the output of Blast comparison.

Homology 1 means the output of Homology.

HomologousGene 1 means the output of Homology gene.

StoichiometricMatrix 1 means the output of Stoichiometric matrix.

Knockout 1 means the output of Knockout.

TargetReaction 1 means the output of Target reaction.

Restrictions 1 means the output of Restrictions.

GrowthConditions 1 means the output of Growth conditions.

MinORMax 1 means the output of min | max.

ReconstructionData 1 means the output of Reconstruction data.

FVA 1 means the output of FVA.

MetabolicFlux 1 means the output of Metabolic flux.

Statistics 1 means the output of Metabolic Statistics.

NeutralMolecularFormula 1 means the output of Neutral molecular formula.

ChargedMolecularFormula 1 means the output of Charged molecular formula.

LiteratureDataCollection 1 means the output of Literature data collection.

ConservationOfMassAndCharge 1 means the output of Conservation of mass and charge.

GibbsFreeEnergy 1 means the output of Gibbs free energy.

CellCompartmentInformation 1 means the output of Cell compartment information.

SubsystemInformation 1 means the output of Subsystem information.

MetaboliteIdentification 1 means the output of Metabolite Identification.

Unite 1 means the output of Unite.

ManualPlanning 1 means the output of Manual planning.

Coefficient 1 means the output of Coefficient.

ScatterPlot 1 means the output of Scatter plot.

TestReport 1 means the output of Test Report.

TypeIIIPath 1 means the output of Type III path.

SBML 1 means the output of SBML file.

Mat 1 means the output of Mat file.

Excel 1 means the output of Excel file.

matrixProcessFile	<i>A data frame produced by the function map_to_word in the function vizProcess</i>
-------------------	---

Description

A data frame produced by the function map_to_word in the function vizProcess

Usage

```
matrixProcessFile
```

Format

A data frame contains with 3 variables

step the steps used in the metabolic reconstruction

degree the number that steps used in the metabolic reconstruction occur in an article

step_ID the order of the steps used in the metabolic reconstruction

slotsFunction	<i>slotsFunction</i>
---------------	----------------------

Description

slotsFunction

Usage

slots(variablesFile)

Arguments

variablesFile A data frame contains three different variables.

stepsMatrix	<i>A data frame contains the details of the steps of the metabolic reconstruction</i>
-------------	---

Description

A data frame contains the details of the steps of the metabolic reconstruction

Usage

stepsMatrix

Format

A data frame with 93 rows and 70 variables:

MarkerWords the key words of the steps of metabolic reconstruction

ThresholdValue the values filter the steps after the mapping

Steps the steps of metabolic reconstruction

Group the classification of the steps

SpeciesName -1 means the input of Species name. 1 means the output of Species name.

TaxonID -1 means the input of Taxon ID. 1 means the output of Taxon ID.

KEGG -1 means the input of KEGG reaction. 1 means the output of KEGG reaction.

NCBI -1 means the input of NCBI gene. 1 means the output of NCBI gene.

Uniprot -1 means the input of Uniprot gene. 1 means the output of Uniprot.

MetaCyc -1 means the input of MetaCyc gene. 1 means the output of MetaCyc.

PubChem -1 means the input of PubChem molecular formula. 1 means the output of PubChem molecular formula.

Brenda identify whether input the Brenda. -1 means the input of Brenda. 1 means the output of Brenda.

Chebi -1 means the input of Chebi information. 1 means the the output of Chebi information.

WebGCM -1 means the input of Web GCM. 1 means the the output of Web GCM.

SpontaneousReaction -1 means the input of spontaneous reaction. 1 means the the output of spontaneous reaction.

ExtracellularAndPeriplasmicTransportReactions -1 means the input of Extracellular and periplasmic transport reactions. 1 means the the output of Extracellular and periplasmic transport reactions.

ExchangeReaction -1 means the input of exchange reaction. 1 means the the output of exchange reaction.

MissingExchangeReaction -1 means the input of missing exchange reaction. 1 means the the output of missing exchange reaction.

IntracellularTransportReaction -1 means the input of intracellular transport reaction. 1 means the the output of intracellular transport reaction.

Gene -1 means the input of gene. 1 means the the output of gene.

Protein -1 means the input of protein. 1 means the the output of protein.

Knockout -1 means the input of knockout. 1 means the the output of knockout.

StoichiometricMatrix -1 means the input of stoichiometric matrix. 1 means the the output of stoichiometric matrix.

ObjectiveReaction -1 means the input of objective reaction. 1 means the the output of objective reaction.

Constraints -1 means the input of constraints. 1 means the the output of constraints.

Secretion -1 means the input of secretion. 1 means the the output of secretion.

Mutisecretion -1 means the input of mutisecretion. 1 means the the output of mutisecretion.

RichMedia -1 means the input of rich media. 1 means the the output of rich media.

GenomeSequence -1 means the input of genome sequence. 1 means the the output of genome sequence.

ProteomeSequence -1 means the input of proteome sequence. 1 means the the output of proteome sequence.

AminoAcidWeight -1 means the input of amino acid weight. 1 means the the output of amino acid weight.

AminoAcidMolecularWeight -1 means the input of amino acid molecular weight. 1 means the the output of amino acid molecular weight.

NucleotideWeight -1 means the input of nucleotide weight. 1 means the the output of nucleotide weight.

NucleotideMolecularWeight -1 means the input of nucleotide molecular weight. 1 means the the output of nucleotide molecular weight.

DryWeight -1 means the input of dry weight. 1 means the the output of dry weight.

BiomassReaction -1 means the input of biomass reaction. 1 means the the output of biomass reaction.

DemandReaction -1 means the input of demand reaction. 1 means the the output of demand reaction.

SinkReaction -1 means the input of sink reaction. 1 means the the output of sink reaction.

GapReaction -1 means the input of gap reaction. 1 means the the output of gap reaction.

MinORMax -1 means the input of gap reaction. 1 means the the output of gap reaction.

GeneticInformation -1 means the input of genetic information. 1 means the the output of genetic information.

MetabolicFunction -1 means the input of metabolic function. 1 means the the output of metabolic function.

Metabolites -1 means the input of metabolites. 1 means the the output of metabolites.

BiomassMetabolites -1 means the input of biomass metabolites. 1 means the the output of biomass metabolites.

MetabolicReaction -1 means the input of metabolic reaction. 1 means the the output of metabolic reaction.

ReconstructionData -1 means the input of reconstruction data. 1 means the the output of reconstruction data.

DataStatistics -1 means the input of data statistics. 1 means the the output of data statistics.

NeutralMolecularFormula -1 means the input of neutral molecular formula. 1 means the the output of neutral molecular formula.

ChargedMolecularFormula -1 means the input of charged molecular formula. 1 means the the output of charged molecular formula.

ConservationOfMassAndCharge -1 means the input of conservation of mass and charge. 1 means the the output of conservation of mass and charge.

GibbsFreeEnergyInformation -1 means the input of conservation of gibbs free energy information. 1 means the the output of gibbs free energy information.

Mass_ChargeConservationAssessment -1 means the input of mass-charge conservation assessment. 1 means the the output of mass-charge conservation assessment.

CellularCompartment -1 means the input of cellular compartment. 1 means the the output of cellular compartment.

SubsystemInformation -1 means the input of subsystem information. 1 means the the output of subsystem information.

IdentifiersInKEGG -1 means the input of subsystem information. 1 means the the output of subsystem information.

IdentifiersInMetaCyc -1 means the input of identifiers in MetaCyc. 1 means the the output of identifiers in MetaCyc.

UniformIdentifier -1 means the input of uniform identifier. 1 means the the output of uniform identifier.

Coefficient -1 means the input of coefficient. 1 means the the output of coefficient.

ScatterPlot -1 means the input of scatter plot. 1 means the the output of scatter plot.

TerminalMetabolite -1 means the input of terminal metabolite. 1 means the the output of terminal metabolite.

TypeIIIPathway -1 means the input of Type III pathway. 1 means the the output of Type III pathway.

NetworkGap -1 means the input of network gap. 1 means the the output of network gap.

Growth -1 means the input of growth. 1 means the the output of growth.

BlockReaction -1 means the input of block reaction. 1 means the the output of block reaction.

MetabolicFlux -1 means the input of metabolic flux. 1 means the the output of metabolic flux.

ModelPredictCorrectly -1 means the input of model predict correctly. 1 means the the output of model predict correctly.

ModelGrowingTooFast -1 means the input of model growing too fast. 1 means the the output of model growing too fast.

SBML -1 means the input of SBML file. 1 means the the output of SBML file.

Mat -1 means the input of Mat file. 1 means the the output of Mat file.

Excel -1 means the input of Excel file. 1 means the the output of Excel file.

stepTypes	<i>A data frame contains the labels and groups of the steps of metabolic reconstruction</i>
-----------	---

Description

A data frame contains the labels and groups of the steps of metabolic reconstruction

Usage

```
stepTypes
```

Format

A data frame contains 93 rows and 2 variables:

label the steps of the metabolic reconstruction

group the classification of the labels

Sysrecon

Sysrecon

Description

Input the txt and output the visualization of the steps, transformation and databases and tools.

Usage

```
Sysrecon(
  inputTxt,
  stepsMatrix,
  stepTypes,
  conversionMatrix,
  conversionTypes,
  toolsMatrix,
  toolsTypes,
  contentTypes
)
```

Arguments

inputTxt	A txt contains the methods and contents of the metabolic reconstruction in articles.
stepsMatrix	A data frame the marker words, threshold value, steps, group and other information about the metabolic reconstruction. The default file is in the data.
stepTypes	A data frame the labels and groups of the metabolic reconstructions steps. The default file is in the data.
conversionMatrix	A data frame contains the marker words, threshold value, steps, group and other transformation information about the metabolic reconstruction. The default file is in the data.
conversionTypes	A data frame contains the labels and groups of the metabolic reconstructions transformation. The default file is in the data.
toolsMatrix	A data frame contains the marker words, threshold value, steps, group and other information about the metabolic reconstruction databases and tools. The default file is in the data.
toolsTypes	A data frame contains the databases and the tools used in the metabolic reconstruction.
contentTypes	A data frame contains the labels and groups of the metabolic reconstructions content The default file is in the data.

Details

Input takes a data.frame x with two variables v and w and returns the maximum knapsack value and which elements (rows in the data.frame).

Value

The pictures that visualize the steps, transformation and databases and tools of the metabolic reconstruction.

Examples

```
exam <- Sysrecon(inputTxt, stepsMatrix, stepTypes, conversionMatrix, conversionTypes,
  toolsMatrix, toolsTypes, contentTypes)
```

systemrecon-class	<i>systemrecon-class</i>
-------------------	--------------------------

Description

systemrecon-class

Usage

label

Format

An object of class character of length 72.

Slots

Taxon_id Taxonomy ID
 NCBI_gene Gene information from NCBI
 Uniprot_gene Gene information from Uniprot
 Genetic_information Genetic information
 KEGG_reaction Reactions in KEGG
 MetaCyc_reaction Reactions in MetaCyc
 Metabolic_function Metabolic function
 Metabolic_reaction Metabolic reaction
 Metabolites_id Metabolites ID
 Reconstruction_data Reconstruction data
 Genome_sequence Genome sequence
 Genome_sequence_reference Reference of genome sequence
 Reconstruction_data_reference Reference of reconstruction data
 Data_statistics_metabolites Data statistics of metabolites
 PubChem_molecular_formula Molecular formula in PubChem database
 Brenda_molecular_formula Molecular formula in Brenda database

Neutral_molecular_formula Neutral molecular formula
Charged_molecular_formula Charged molecular formula
Chebi_molecular_formula Chebi molecular formula
Conservation_of_mass_and_charge Conservation of mass and charge
Web_GCM_Gibbs Web GCM Gibbs
Gibbs_free_energy_information Information of gibbs free energy
Gene_id Gene ID
Protein_id Protein ID
Cellular_compartment Information of cellualr compartment
Subsystem_information Subsystem information
Uniform_identifier_metabolites Uniform identifiers of metabollites
Spontaneous_reactions Spontaneous reactions
Extracellular_and_periplasmic_transport_reactions Extracellular and periplasmic transport reactions
Exchange_reactions Exchange reactions
Intracellular_transport_reactions ntracellular transport reactions
Amino_acid_weight Amino acid weight
Amino_acid_molecular_weight Amino acid_molecular weight
Dry_weight Dry weight
Amino_acid_coefficient Amino acid coefficient
Nucleotide_coefficient Nucleotide coefficient
Nucleotide_weight Nucleotide weight
Nucleotide_molecular_weight Nucleotide molecular weight
Biomass_reactions Biomass reactions
Demand_reactions Demand reactions
Sink_reactions Sink reactions
Scatter_plot_stoichiometric_matrix Scatter plot of stoichiometric matrix
Objective_reaction Objective reaction
Constraints Constraints of the model
Mass_charge_conservation_assessment assessment of conservation of mass and charge
Terminal_metabolites Terminal metabolites
Gap_reactions Gap reactions
Missing_exchange_reactions Missing exchange reactions
Type_III_pathway Type III pathway
Network_gaps Network gaps
Biomass_metabolites Biomass metabolites
miniaml_or_maxiaml miniaml or maxiaml

Metabolic_flux_value Value of metabolic flux
Growth Prediction of the growth of model
Secretion_product Product of secretion
Mutisecretion Multisecretion
Rich_media Environment of rich media
Block_reactions Block reactions
Knockout Knockout the single gene or reaction
Model_predict_correctly Predict the model correctly
Model_growing_too_fast Assess whether the model grow too fast
Cofactors Cofactors
FBA Flux balance analysis
GPR Gene-protein reaction
Output Output the file
Iteration Iteration
Test Test
Assessment Assessment
Identifiers_metabolites Identifiers of metabolites
Output_file Output the file
Elemental_balance Elemental balance
Biomass_metabolites_coefficient Coefficients of biomass and metabolites

text

A list of characters from the inputTxt.

Description

A list of characters from the inputTxt.

Usage

text

Format

An object of class character of length 1.

toolsMatrix	<i>A data frame contains the details of the databases and tools of the metabolic reconstruction</i>
-------------	---

Description

A data frame contains the details of the databases and tools of the metabolic reconstruction

Usage

```
toolsMatrix
```

Format

A data frame contains the 93 rows and 46 variables.

the key words of the steps of metabolic reconstruction

MarkerWord the values filter the steps after the mapping

Steps the steps of metabolic reconstruction

Group the classification of the steps

UniProtKnowledgeBase 1 means the output of UniProt Knowledgebase.

NCBI_Gene 1 means the output of NCBI Gene.

KEGG_Genes 1 means the output of KEGG Genes.

KEGG_Genome 1 means the output of KEGG Genome.

NCBI_Protein 1 means the output of NCBI Protein.

KEGG_Pathway 1 means the output of KEGG Pathway.

KEGG_Compound 1 means the output of KEGG Compound.

KEGG_Reaction 1 means the output of KEGG Reaction.

BioCyc 1 means the output of BioCyc.

MetaCycCompound 1 means the output of MetaCyc Compound.

MetaCycReaction 1 means the output of MetaCyc Reaction.

KEGGREST 1 means the output of KEGGREST.

COBRA 1 means the output of COBRA.

RAVEN 1 means the output of RAVEN.

CarveMe 1 means the output of CarveMe.

AuReMe 1 means the output of AuReMe.

MetaDraft 1 means the output of MetaDraft.

ModelSEED 1 means the output of ModelSEED.

PathwayTools 1 means the output of Pathway Tools.

Merlin 1 means the output of Merlin.

AGORA 1 means the output of AGORA.
COBRAPy 1 means the output of COBRAPy.
BLAST 1 means the output of BLAST.
ExperimentOrLiterature 1 means the output of Experiment or literature.
BRENDA 1 means the output of BRENDA.
minval 1 means the output of minval.
ChEBI 1 means the output of ChEBI.
PubChem_Compound 1 means the output of PubChem-compound.
ChEMBL_Compound 1 means the output of ChEMBL compound.
Rhea 1 means the output of Rhea.
pKa_DB 1 means the output of pKa DB.
rsbml 1 means the output of rsbml.
PipelinePilot 1 means the output of Pipeline Pilot.
Sybil 1 means the output of Sybil.
BUSCA 1 means the output of BUSCA.
PSORT 1 means the output of PSORT.
PASUB 1 means the output of PASUB.
PubChem_Substance 1 means the output of PubChem substance.
STRING 1 means the output of STRING.
ManualPlanning 1 means the output of Manual planning.
CMR 1 means the output of CMR.
g2f 1 means the output of g2f.

toolsTypes	<i>A data frame contains the labels and groups of the databases and tools of metabolic reconstruction</i>
------------	---

Description

A data frame contains the labels and groups of the databases and tools of metabolic reconstruction

Usage

```
toolsTypes
```

Format

label the databases and tools of the metabolic reconstruction

group the classification of the labels

<code>vizProcess</code>	<i>vizProcess</i>
-------------------------	-------------------

Description

Create a function can visualiaze the steps used in the metabolic reconstruction.

Usage

```
vizProcess(text, stepsMatrix, stepTypes, contentTypes)
```

Arguments

<code>text</code>	The characters processed with the collapse = ' '.
<code>stepsMatrix</code>	A data frame contains the marker words, threshold value, steps, group and other information about the metabolic reconstruction. The default file is in the data.
<code>stepTypes</code>	A data frame contains the labels and groups of the metabolic reconstructions steps. The default file is in the data.
<code>contentTypes</code>	A data frame contains the labels and groups of the metabolic reconstructions content The default file is in the data.

Value

The pictures that visualize the steps of the metabolic reconstruction.

Examples

```
exam <- vizProcess(text, stepsMatrix, stepTypes,contentTypes)
```

<code>vizTools</code>	<i>vizTools</i>
-----------------------	-----------------

Description

Input the txt and output the visualization of the steps, transformation and databases and tools.

Usage

```
vizTools(text, toolsMatrix, stepTypes, toolsTypes)
```


Arguments

text	The characters processed with the collapse = ' '.
toolsMatrix	A data frame contains the marker words, threshold value, steps, group and other information about the metabolic reconstruction databases and tools. The default file is in the data.
stepTypes	A data frame contains the labels and groups of the metabolic reconstructions steps. The default file is in the data.
toolsTypes	A data frame contains the databases and the tools used in the metabolic reconstruction.

Value

The pictures that visualize the databases and tools of the metabolic reconstruction.

Examples

```
exam <- vizTools(text, toolsMatrix, stepTypes, toolsTypes)
```

vizTransformation	<i>vizTransformation</i>
-------------------	--------------------------

Description

Input the txt and output the visualization of the steps, transformation and databases and tools.

Usage

```
vizTransformation(text, conversionMatrix, stepTypes, conversionTypes)
```

Arguments

text	The characters processed with the collapse = ' '.
conversionMatrix	A data frame contains the marker words, threshold value, steps, group and other transformation information about the metabolic reconstruction. The default file is in the data.
stepTypes	A data frame contains the labels and groups of the metabolic reconstructions steps. The default file is in the data.
conversionTypes	A data frame contains the labels and groups of the metabolic reconstructions transformation. The default file is in the data.

Value

The pictures that visualize the transformation of the metabolic reconstruction.

Examples

```
exam <- vizTransformation(text, conversionMatrix, stepTypes, conversionTypes)
```

wordsMatrix

A data frame produced by the function get_term_matrix

Description

A data frame produced by the function get_term_matrix

Usage

```
wordsMatrix
```

Format

A data frame contains 4 variables

freq the frequency of the word occurs in a article.

prevalent the words type that often occurs in a article.

longest the longest type of a word.

shortest the shortest type of a word.

Index

* **datasets**

- contentTypes, [2](#)
- conversionMatrix, [3](#)
- conversionTypes, [5](#)
- inputTxt, [7](#)
- matrixProcess, [8](#)
- matrixProcessConversion, [11](#)
- matrixProcessFile, [13](#)
- stepsMatrix, [14](#)
- stepTypes, [17](#)
- systemrecon-class, [19](#)
- text, [21](#)
- toolsMatrix, [22](#)
- toolsTypes, [23](#)
- wordsMatrix, [26](#)

* **vizProcess**

- slotsFunction, [14](#)
- systemrecon-class, [19](#)

- contentTypes, [2](#)
- conversionMatrix, [3](#)
- conversionTypes, [5](#)

- draw_conversion_tree, [5](#)
- draw_step_tree, [6](#)

- get_term_matrix, [7](#)

- inputTxt, [7](#)

- label (systemrecon-class), [19](#)

- map_word_to_step, [8](#)
- matrixProcess, [8](#)
- matrixProcessConversion, [11](#)
- matrixProcessFile, [13](#)

- slots (slotsFunction), [14](#)
- slotsFunction, [14](#)
- stepsMatrix, [14](#)
- stepTypes, [17](#)

- Sysrecon, [18](#)
- systemrecon-class, [19](#)

- text, [21](#)
- toolsMatrix, [22](#)
- toolsTypes, [23](#)

- vizProcess, [24](#)
- vizTools, [24](#)
- vizTransformation, [25](#)

- wordsMatrix, [26](#)