

Package ‘bayesEO’

July 22, 2025

Type Package

Version 0.2.1

Title Bayesian Smoothing of Remote Sensing Image Classification

Maintainer Gilberto Camara <gilberto.camara.inpe@gmail.com>

Description A Bayesian smoothing method for post-processing of remote sensing image classification which refines the labelling in a classified image in order to enhance its classification accuracy. Combines pixel-based classification methods with a spatial post-processing method to remove outliers and misclassified pixels.

Encoding UTF-8

Language en-US

Depends R (>= 4.0.0)

URL <https://github.com/e-sensing/bayesEO/>

BugReports <https://github.com/e-sensing/bayesEO/issues>

License GPL-3

ByteCompile true

Imports dplyr, ggplot2, grDevices, purrr, Rcpp, stars, stats, terra, tibble, tidyr, tmap, yaml

Suggests RcppArmadillo, testthat

LinkingTo Rcpp, RcppArmadillo

RoxygenNote 7.3.1

Collate 'api_check.R' 'bayes_colors.R' 'bayes_label.R' 'bayes_plot.R' 'bayes_read.R' 'bayes_smooth.R' 'bayes_utils.R' 'bayes_variance.R' 'RcppExports.R' 'zzz.R'

NeedsCompilation yes

Author Gilberto Camara [aut, cre],
Renato Assuncao [aut],
Rolf Simoes [aut],
Felipe Souza [aut]

Repository CRAN

Date/Publication 2024-06-04 09:44:41 UTC

Contents

bayes_colors	2
bayes_colors_show	3
bayes_label	3
bayes_plot_hist	4
bayes_plot_map	5
bayes_plot_probs	7
bayes_plot_rgb	8
bayes_plot_var	9
bayes_read_image	10
bayes_read_probs	11
bayes_run_examples	12
bayes_run_tests	12
bayes_smooth	13
bayes_summary	14
bayes_variance	15
bilateral_smooth	16
gaussian_smooth	17
Index	19

bayes_colors	<i>Function to retrieve bayesEO color table</i>
--------------	---

Description

Returns a color table

Usage

bayes_colors()

Value

A tibble with color names and values

Author(s)

Gilberto Camara, <gilberto.camara@inpe.br>

bayes_colors_show	<i>Function to show colors in SITS</i>
-------------------	--

Description

Shows the default SITS colors

Usage

```
bayes_colors_show()
```

Value

no return, called for side effects

Author(s)

Gilberto Camara, <gilberto.camara@inpe.br>

bayes_label	<i>Label probability images to create categorical maps</i>
-------------	--

Description

Takes a classified image with probabilities, and labels the image with the pixel of higher probability

Usage

```
bayes_label(x)
```

Arguments

x	SpatRaster object with probabilities images
---	---

Value

A SpatRaster object

Author(s)

Gilberto Camara, <gilberto.camara@inpe.br>

Examples

```

if (bayes_run_examples()) {
  # select a file with probability values
  data_dir <- system.file("/extdata/probs/", package = "bayesE0")
  file <- list.files(data_dir)
  # create a SpatRaster object from the file
  probs_file <- paste0(data_dir, "/", file)
  # provide the labels
  labels <- c("Water", "ClearCut_Burn", "ClearCut_Soil",
             "ClearCut_Veg", "Forest", "Wetland")
  # read the probs file
  probs <- bayes_read_probs(probs_file, labels)
  # produce a labelled map
  map <- bayes_label(probs)
  # plot the labelled map
  bayes_plot_map(map)
}

```

bayes_plot_hist

Plot histogram

Description

Plot histogram

Usage

```
bayes_plot_hist(x, scale = 1, quantile = NULL, sample_size = 15000)
```

Arguments

x	SpatRaster to be plotted.
scale	Scale factor for SpatRaster
quantile	Threshold of values that will be plotted
sample_size	Number of samples to extract values

Value

A plot object

Author(s)

Gilberto Camara, <gilberto.camara@inpe.br>

Examples

```

if (bayes_run_examples()) {
  # get the probability file
  data_dir <- system.file("/extdata/probs/", package = "bayesE0")
  file <- list.files(data_dir)
  # read the probability file into a SpatRaster
  x <- terra::rast(paste0(data_dir, "/", file))
  # include the labels
  labels <- c("Water", "ClearCut_Burn", "ClearCut_Soil",
             "ClearCut_Veg", "Forest", "Wetland")
  # associate the labels to the names of the SpatRaster
  names(x) <- labels
  # calculate the variance
  v <- bayes_variance(x)
  # Plot the variance histogram
  bayes_hist(v, quantile = 0.75)
}

```

bayes_plot_map

*Plot labelled map***Description**

Plot labelled map

Usage

```

bayes_plot_map(
  x,
  legend = NULL,
  palette = "Spectral",
  xmin = NULL,
  xmax = NULL,
  ymin = NULL,
  ymax = NULL,
  tmap_graticules_labels_size = 0.6,
  tmap_legend_title_size = 0.7,
  tmap_legend_text_size = 0.7,
  tmap_legend_bg_color = "white",
  tmap_legend_bg_alpha = 0.5,
  tmap_max_cells = 1e+06
)

```

Arguments

x	SpatRaster to be plotted.
legend	Named vector that associates labels to colors.

<code>palette</code>	A sequential RColorBrewer palette
<code>xmin</code>	Subset to be shown (xmin)
<code>xmax</code>	Subset to be shown (xmax)
<code>ymin</code>	Subset to be shown (ymin)
<code>ymax</code>	Subset to be shown (ymax)
<code>tmap_graticules_labels_size</code>	Size of graticules labels (default: 0.7)
<code>tmap_legend_title_size</code>	Size of legend title (default: 1.5)
<code>tmap_legend_text_size</code>	Size of legend text (default: 1.2)
<code>tmap_legend_bg_color</code>	Color of legend background (default: "white")
<code>tmap_legend_bg_alpha</code>	Transparency of legend background (default: 0.5)
<code>tmap_max_cells</code>	Maximum number of cells for tmap (default = 1e+06)

Value

A plot object

Author(s)

Gilberto Camara <gilberto.camara@inpe.br>

Examples

```
if (bayes_run_examples()) {
  # Define location of a probability file
  data_dir <- system.file("/extdata/probs",
    package = "bayesE0")
  # list the file
  file <- list.files(data_dir)
  # build the full path
  probs_file <- paste0(data_dir, "/", file)
  # define labels
  labels <- c("Water", "ClearCut_Burn", "ClearCut_Soil",
    "ClearCut_Veg", "Forest", "Wetland")

  probs_image <- bayes_read_probs(probs_file, labels)
  # Label the probs image
  y <- bayes_label(x)
  # produce a map of the labelled image
  bayes_plot_map(y)
}
```

bayes_plot_probs	<i>Plot probability maps</i>
------------------	------------------------------

Description

Plot probability maps

Usage

```
bayes_plot_probs(  
  x,  
  scale = 1e-04,  
  labels = NULL,  
  palette = "YlGnBu",  
  tmap_scale = 1  
)
```

Arguments

x	SpatRaster to be plotted.
scale	Scaling factor to apply to the data
labels	Labels to be plotted
palette	An RColorBrewer palette
tmap_scale	Global scale parameter for map (default: 1.0)

Value

A plot object

Author(s)

Gilberto Camara, <gilberto.camara@inpe.br>

Examples

```
if (bayes_run_examples()) {  
  # get the probability file  
  data_dir <- system.file("/extdata/probs/", package = "bayesE0")  
  file <- list.files(data_dir)  
  # build the full path  
  probs_file <- paste0(data_dir, "/", file)  
  # include the labels  
  labels <- c("Water", "ClearCut_Burn", "ClearCut_Soil",  
             "ClearCut_Veg", "Forest", "Wetland")  
  # associate the labels to the names of the SpatRaster  
  probs <- bayes_read_probs(probs_file, labels)  
  # Plot the probability image
```

```
    bayes_plot_probs(probs,  
                      scale = 0.0001,  
                      tmap_scale = 1.0)  
  }
```

bayes_plot_rgb	<i>Plot RGB data cubes</i>
----------------	----------------------------

Description

Plot RGB raster cube

Usage

```
bayes_plot_rgb(  
  image,  
  red,  
  green,  
  blue,  
  xmin = NULL,  
  xmax = NULL,  
  ymin = NULL,  
  ymax = NULL  
)
```

Arguments

image	Object of class SpatRaster.
red	Band for red color.
green	Band for green color.
blue	Band for blue color.
xmin	Subset to be shown (xmin)
xmax	Subset to be shown (xmax)
ymin	Subset to be shown (ymin)
ymax	Subset to be shown (ymax)

Value

A plot object with an RGB image

Author(s)

Gilberto Camara, <gilberto.camara@inpe.br>

Examples

```

if (bayes_run_examples()) {
# Define location of a RGB files
rgb_dir <- system.file("/extdata/rgb", package = "bayesE0")
# list the file
files <- list.files(rgb_dir)
# build the full path
image_files <- paste0(rgb_dir, "/", files)
rgb_image <- bayes_read_image(image_files)
bayes_plot_rgb(rgb_image, red = "B11", green = "B8A", blue = "B03")
}

```

bayes_plot_var	<i>Plot variance maps</i>
----------------	---------------------------

Description

Plot variance maps

Usage

```

bayes_plot_var(
  x,
  labels = NULL,
  quantile = 0.75,
  n = 15,
  style = "equal",
  palette = "YlGnBu",
  tmap_scale = 1
)

```

Arguments

x	SpatRaster to be plotted.
labels	Labels to be plotted
quantile	Thereshold of values to be plotted
n	Preferred number of classes
style	Method to process the color scale
palette	An RColorBrewer palette
tmap_scale	Global scale parameter for map (default: 1.5)

Value

A plot object

Author(s)

Gilberto Camara, <gilberto.camara@inpe.br>

Examples

```
if (bayes_run_examples()) {
  # get the probability file
  data_dir <- system.file("/extdata/probs/", package = "bayesE0")
  file <- list.files(data_dir)
  # build the full path
  probs_file <- paste0(data_dir, "/", file)
  # include the labels
  labels <- c("Water", "ClearCut_Burn", "ClearCut_Soil",
             "ClearCut_Veg", "Forest", "Wetland")
  # associate the labels to the names of the SpatRaster
  probs <- bayes_read_probs(probs_file, labels)
  # calculate the variance
  var <- bayes_variance(probs)
  # Plot the variance image
  bayes_plot_var(var,
    n = 15,
    style = "order",
    quantile = 0.75,
    palette = "YlGn",
    labels = c("Forest", "ClearCut_Veg"))
}
```

bayes_read_image

Read probability maps

Description

Read probability maps

Usage

```
bayes_read_image(files)
```

Arguments

files Full path to raster files

Value

A SpatRaster object

Author(s)

Gilberto Camara, <gilberto.camara@inpe.br>

Examples

```

if (bayes_run_examples()) {
  # Define location of a probability file
  data_dir <- system.file("/extdata/rgb", package = "bayesE0")
  # list the file
  files <- list.files(data_dir)
  # build the full path
  image_files <- paste0(data_dir, "/", files)
  rgb_image <- bayes_read_image(image_files)
}

```

bayes_read_probs	<i>Read probability maps</i>
------------------	------------------------------

Description

Read probability maps

Usage

```
bayes_read_probs(probs_file, labels)
```

Arguments

probs_file	Full path to raster multi-band file containing probability matrices
labels	Labels to be assigned to the bands

Value

A SpatRaster object

Author(s)

Gilberto Camara, <gilberto.camara@inpe.br>

Examples

```

if (bayes_run_examples()) {
  # Define location of a probability file
  data_dir <- system.file("/extdata/probs", package = "bayesE0")
  # list the file
  file <- list.files(data_dir)
  # build the full path
  probs_file <- paste0(data_dir, "/", file)
  # define labels
  labels <- c("Water", "ClearCut_Burn", "ClearCut_Soil",
             "ClearCut_Veg", "Forest", "Wetland")

  probs_image <- bayes_read_probs(probs_file, labels)
}

```

bayes_run_examples	<i>Informs if examples should run</i>
--------------------	---------------------------------------

Description

This function informs if examples should run. To run the examples, set "BAYES_RUN_EXAMPLES" environment variable to "YES" using `Sys.setenv("BAYES_RUN_EXAMPLES" = "YES")` To come back to the default behaviour, please unset the environment variable `Sys.unsetenv("BAYES_RUN_EXAMPLES")`

Usage

```
bayes_run_examples()
```

Value

A logical value

bayes_run_tests	<i>Informs if tests should run</i>
-----------------	------------------------------------

Description

This function informs if tests should run. To run the examples, set "BAYES_RUN_TESTS" environment variable to "YES" using `Sys.setenv("BAYES_RUN_TESTS" = "YES")` To come back to the default behaviour, please unset the environment variable `Sys.unsetenv("BAYES_RUN_TESTS")`

Usage

```
bayes_run_tests()
```

Value

TRUE/FALSE

bayes_smooth	<i>Smooth probability images</i>
--------------	----------------------------------

Description

Takes a classified image with probabilities, and reduces outliers and smoothens probability according to Bayesian statistics

Usage

```
bayes_smooth(x, window_size = 7, neigh_fraction = 0.5, smoothness = 10)
```

Arguments

x	SpatRaster object with probabilities images
window_size	Size of the neighborhood.
neigh_fraction	Fraction of neighbors with high probabilities to be used in Bayesian inference.
smoothness	Estimated variance of logit of class probabilities (Bayesian smoothing parameter). It can be either a vector or a scalar.

Value

A SpatRaster object

Author(s)

Gilberto Camara, <gilberto.camara@inpe.br>

Examples

```
if (bayes_run_examples()) {
  # select a file with probability values
  data_dir <- system.file("/extdata/probs/", package = "bayesE0")
  file <- list.files(data_dir)
  # create a full path for the file
  probs_file <- paste0(data_dir, "/", file)
  # provide the labels
  labels <- c("Water", "ClearCut_Burn", "ClearCut_Soil",
             "ClearCut_Veg", "Forest", "Wetland")
  # read the probs file
  probs <- bayes_read_probs(probs_file, labels)
  # smooth the probability image
  probs_smooth <- bayes_smooth(probs,
                               window_size = 7,
                               smoothness = 20)
  # plot the probability image
  bayes_plot_probs(probs_smooth)
```

```
}
```

bayes_summary	<i>Summary of categorical maps</i>
---------------	------------------------------------

Description

Takes a classified image with probabilities, and labels the image with the pixel of higher probability

Usage

```
bayes_summary(x, scale = 1, sample_size = 15000)
```

Arguments

x	SpatRaster categorical object
scale	Scale to apply to data
sample_size	Sample size

Value

A tibble with information

Author(s)

Gilberto Camara, <gilberto.camara@inpe.br>

Examples

```
if (bayes_run_examples()) {
  # select a file with probability values
  data_dir <- system.file("/extdata/probs/", package = "bayesE0")
  file <- list.files(data_dir)
  # create a SpatRaster object from the file
  probs_file <- paste0(data_dir, "/", file)
  # provide the labels
  labels <- c("Water", "ClearCut_Burn", "ClearCut_Soil",
             "ClearCut_Veg", "Forest", "Wetland")
  # read the probs file
  probs <- bayes_read_probs(probs_file, labels)
  # produce a labelled map
  map <- bayes_label(probs)
  # plot the labelled map
  bayes_summary(map)
}
```

bayes_variance	<i>Calculate the variance of a probability cube</i>
----------------	---

Description

Takes a probability cube and estimate the local variance of the logit of the probability, to support the choice of parameters for Bayesian smoothing.

Usage

```
bayes_variance(x, window_size = 9, neigh_fraction = 0.5)
```

Arguments

x SpatRaster object containing probabilities.
window_size Size of the neighborhood.
neigh_fraction Fraction of neighbors with highest probability to be used in Bayesian inference.

Value

A variance SpatRaster object.

Author(s)

Gilberto Camara, <gilberto.camara@inpe.br>
Rolf Simoes, <rolf.simoes@inpe.br>

Examples

```
if (bayes_run_examples()) {  
  # select a file with probability values  
  data_dir <- system.file("/extdata/probs/", package = "bayesE0")  
  file <- list.files(data_dir)  
  # create a SpatRaster object from the file  
  x <- terra::rast(paste0(data_dir, "/", file))  
  # provide the labels  
  labels <- c("Water", "ClearCut_Burn", "ClearCut_Soil",  
             "ClearCut_Veg", "Forest", "Wetland")  
  # name the layers in the SpatRaster with the labels  
  names(x) <- labels  
  # calculate the variance  
  v <- bayes_variance(x)  
  # plot the variance  
  bayes_plot_var(v, quantile = 0.75)  
}
```

bilateral_smooth	<i>Smooth probability images with Gaussian filter</i>
------------------	---

Description

Takes a classified image with probabilities, and reduces outliers and smoothens probability according to a Gaussian filter

Usage

```
bilateral_smooth(x, window_size = 5, sigma = 8, tau = 0.1)
```

Arguments

x	SpatRaster object with probabilities images
window_size	Size of the neighborhood.
sigma	Standard deviation of the spatial Gaussian kernel
tau	Standard deviation of the class probs value

Value

A SpatRaster object

Author(s)

Gilberto Camara, <gilberto.camara@inpe.br>

Examples

```
if (bayes_run_examples()) {
  # select a file with probability values
  data_dir <- system.file("/extdata/probs/", package = "bayesE0")
  file <- list.files(data_dir)
  # create a full path for the file
  probs_file <- paste0(data_dir, "/", file)
  # provide the labels
  labels <- c("Water", "ClearCut_Burn", "ClearCut_Soil",
             "ClearCut_Veg", "Forest", "Wetland")
  # read the probs file
  probs <- bayes_read(probs_file, labels)
  # smooth the probability image
  bilat <- bilateral_smooth(probs,
                           window_size = 5,
                           sigma = 8,
                           tau = 0.1
  )
  # plot the probability image
  bayes_plot(bilat, scale = 0.0001)
```

```
}
```

gaussian_smooth

Smooth probability images with Gaussian filter

Description

Takes a classified image with probabilities, and reduces outliers and smoothens probability according to a Gaussian filter

Usage

```
gaussian_smooth(x, window_size = 5, sigma = 1)
```

Arguments

x	SpatRaster object with probabilities images
window_size	Size of the neighborhood.
sigma	Standard deviation of the spatial Gaussian kernel

Value

A SpatRaster object

Author(s)

Gilberto Camara, <gilberto.camara@inpe.br>

Examples

```
if (bayes_run_examples()) {
  # select a file with probability values
  data_dir <- system.file("/extdata/probs/", package = "bayesE0")
  file <- list.files(data_dir)
  # create a full path for the file
  probs_file <- paste0(data_dir, "/", file)
  # provide the labels
  labels <- c("Water", "ClearCut_Burn", "ClearCut_Soil",
             "ClearCut_Veg", "Forest", "Wetland")
  # read the probs file
  probs <- bayes_read(probs_file, labels)
  # smooth the probability image
  gauss <- gaussian_smooth(probs,
                           window_size = 5,
                           sigma = 1)
  # plot the probability image
  bayes_plot_probs(gauss)
```

}

Index

bayes_colors, [2](#)
bayes_colors_show, [3](#)
bayes_label, [3](#)
bayes_plot_hist, [4](#)
bayes_plot_map, [5](#)
bayes_plot_probs, [7](#)
bayes_plot_rgb, [8](#)
bayes_plot_var, [9](#)
bayes_read_image, [10](#)
bayes_read_probs, [11](#)
bayes_run_examples, [12](#)
bayes_run_tests, [12](#)
bayes_smooth, [13](#)
bayes_summary, [14](#)
bayes_variance, [15](#)
bilateral_smooth, [16](#)

gaussian_smooth, [17](#)