

# Package ‘dosedesignR’

July 22, 2025

**Type** Package

**Title** Interactive Designing of Dose Finding Studies

**Version** 0.3.0

**Author** F. Mendolia, K. Walkamp, K. Roth, T. Schmelter, C. Neumann, Z. Gao, A. Kaiser, S. Jeske, H. Kulmann

**Maintainer** T. Schmelter <thomas.schmelter@bayer.com>

**Description** Provides the user with an interactive application which can be used to facilitate the planning of dose finding studies by applying the theory of optimal experimental design.

**Depends** R (>= 3.6.0)

**License** GPL-3

**Encoding** UTF-8

**Imports** utils, shiny, DT, latticeExtra, ggplot2, shinyjs, purrr, stringr, shinyWidgets, DoseFinding, shinyBS, readxl, knitr, kableExtra, Rsolnp

**VignetteBuilder** knitr

**NeedsCompilation** no

**RoxygenNote** 7.2.3

**Repository** CRAN

**Date/Publication** 2023-02-20 13:00:07 UTC

## Contents

run_dosedesignR . . . . .	<a href="#">2</a>
<b>Index</b>	<a href="#">4</a>

---

run\_dosedesignR

*run\_dosedesignR - Launches the Shiny application*


---

## Description

Starts the dosedesignR application in the client's browser.

## Usage

```
run_dosedesignR(
  ColorBG = "#424242",
  ColorText = "#828282",
  browser = getOption("shiny.launch.browser", interactive()),
  host = NULL,
  port = NULL,
  numberCandidateModels = 4
)
```

## Arguments

ColorBG	background color (defaults to "#424242")
ColorText	text color (defaults to "#828282")
browser	path to browser exe (defaults to standard browser)
host	host link (defaults to the local machine "127.0.0.1")
port	port number (randomly chosen unless specified as a certain number)
numberCandidateModels	number of panels(default: 6)

## Details

Further information on how to use this application can be found in the vignette of this package.

## Examples

```
if(interactive()){
## Launch application on localhost (127.0.0.1)
## -----
## By default run_dosedesignR starts the application on localhost
## and a randomly selected port (e.g. 9876), in which case you can connect
## to the running application by navigating your browser to
## http://localhost:9876.
run_dosedesignR()

## Launch application on a different host
## -----
## You can also run the application on a different host
## by specifying a hostname and port. Just make sure to
```

```
## use an open port on your machine. Here "open" means
## that the port should not be used by another service
## and the port is opened by your firewall.
run_dosedesignR(host="your-hostname", port=8888)

## Make the application available to your coworkers
## -----
## within your local area network even without a
## dedicated Shiny server. The value set through the
## host argument says to accept any connection (not just from localhost).
## Then take note of your local IP (if you are under linux,
## you can see it through ifconfig). Say your IP is 192.168.1.70.
## Your colleagues can use your app by inserting in the address
## bar of their browser 192.168.1.70:8888, i.e. your IP followed
## by : and the port number you selected.
run_dosedesignR(host="0.0.0.0", port=8888)

## Launch application on a different browser
## -----
## To run the shiny app on a different browser than your standard browser
## use the "browser" argument to set the path to the respective .exe file.
runDoseDesignR(browser = "C:/Program Files/Mozilla Firefox/firefox.exe")
}
```

# Index

## \* **dosedesignR**

run\_dosedesignR, [2](#)

run\_dosedesignR, [2](#)