

Package ‘dynpanel’

July 22, 2025

Type Package

Title Dynamic Panel Data Models

Version 0.1.0

Author Taha Zaghdoudi

Maintainer Taha Zaghdoudi <zedtaha@gmail.com>

Description Computes the first stage GMM estimate of a dynamic linear model with p lags of the dependent variables.

License GPL-3

LazyData TRUE

RoxygenNote 5.0.1

Depends R (>= 3.3.0)

Imports stats, gtools

NeedsCompilation no

Repository CRAN

Date/Publication 2016-08-28 13:24:47

Contents

dynpanel-package	2
dpd	3
dpd.formula	3
Produc	4
summary.dpd	5
Index	6

 dynpanel-package

Dynamic Panel Data Models

Description

This package computes the first stage GMM estimate of a dynamic linear model with p lags of the dependent variables.

Details

Package: dynpanel
 Type: Package
 Version: 1.0
 Date: 2016-08-26
 License: GPL-3

In this package, we apply the generalized method of moments to estimate the dynamic panel data models.

Author(s)

Taha Zaghdoudi
 Taha Zaghdoudi <zedtaha@gmail.com>

References

Anderson, T. W.; Hsiao, Cheng (1981). Estimation of dynamic models with error components. *Journal of the American Statistical Association*. **76** (375), pp. 598-606.
 Arellano, Manuel; Bond, Stephen (1991). Some tests of specification for panel data: Monte Carlo evidence and an application to employment equations. *Review of Economic Studies*. **58**, pp.2)-277.
 Cameron, A. Colin; Trivedi, Pravin K. (2005). Dynamic Models. *Microeconometrics: Methods and Applications*. New York: Cambridge University Press. pp. 763-768.
 Hsiao, Cheng (2014). Dynamic Simultaneous Equations Models. *Analysis of Panel Data*. New York: Cambridge University Press. pp. 397-402.
 Munnell AH (1990). Why has Productivity Growth Declined? Productivity and Public Investment, *New England Economic Review*, pp. 3-22.

Examples

```

# Load data
data(Produc)
# Fit the dynamic panel data using the Arellano Bond (1991) instruments
reg<-dpd(log(gsp) ~ log(pcap) + log(pc) + log(emp) + unemp,Produc,index=c("state","year"),1,4)
summary(reg)
# Fit the dynamic panel data using an automatic selection of appropriate IV matrix

```

```
#reg<-dpd(log(gsp) ~ log(pcap) + log(pc) + log(emp) + unemp,Produc,index=c("state","year"),1,0)
#summary(reg)
# Fit the dynamic panel data using the GMM estimator with the smallest set of instruments
#reg<-dpd(log(gsp) ~ log(pcap) + log(pc) + log(emp) + unemp,Produc,index=c("state","year"),1,1)
#summary(reg)
# Fit the dynamic panel data using a reduced form of IV from method 3
#reg<-dpd(log(gsp) ~ log(pcap) + log(pc) + log(emp) + unemp,Produc,index=c("state","year"),1,2)
#summary(reg)
# Fit the dynamic panel data using the IV matrix where the number of moments grows with kT
# K: variables number and T: time per group
#reg<-dpd(log(gsp) ~ log(pcap) + log(pc) + log(emp) + unemp,Produc,index=c("state","year"),1,3)
#summary(reg)
```

dpd	<i>method</i>
-----	---------------

Description

method

Usage

dpd(x, ...)

Arguments

- x a numeric design matrix for the model.
- ... not used

Author(s)

Zaghdoudi Taha

dpd.formula	<i>formula</i>
-------------	----------------

Description

formula

Usage

```
## S3 method for class 'formula'
dpd(formula, data = list(), index = c("id", "time"), p,
     meth = c(0, 1, 2, 3, 4), ...)
```

Arguments

formula	PIB~INF+TIR
data	the dataframe
index	: id is the name of the identity groups and time is the time per group
p	scalar, autoregressive order for dependent variable
meth	scalar, indicator for the Instruments to use
...	not used

Produc	<i>US States Production</i>
--------	-----------------------------

Description

- statethe state
- yearthe year
- pcappprivate capital stock
- hwyhighway and streets
- waterwater and sewer facilities
- utilother public buildings and structures
- pcpublic capital
- gspgross state products
- emplabor input measured by the employment in non–agricultural payrolls
- unempstate unemployment rate

Usage

data(Produc)

Format

A data frame with 816 rows and 10 variables

summary.dpd	<i>Summary</i>
-------------	----------------

Description

Summary

Usage

```
## S3 method for class 'dpd'
summary(object, ...)
```

Arguments

object	is the object of the function
...	not used

Index

`dpd`, [3](#)
`dpd.formula`, [3](#)
`dynpanel` (`dynpanel-package`), [2](#)
`dynpanel-package`, [2](#)
`Produc`, [4](#)
`summary.dpd`, [5](#)