

Package ‘epo’

July 22, 2025

Type Package

Title Enhanced Portfolio Optimization (EPO)

Version 0.1.0

Maintainer Bernardo Reckziegel <bernardo_cse@hotmail.com>

Description Implements the Enhanced Portfolio Optimization (EPO) method as described in Pedersen, Babu and Levine (2021)
<[doi:10.2139/ssrn.3530390](https://doi.org/10.2139/ssrn.3530390)>.

License MIT + file LICENSE

URL <https://github.com/Reckziegel/epo>,
<https://reckziegel.github.io/epo/>

BugReports <https://github.com/Reckziegel/epo/issues>

Encoding UTF-8

RoxygenNote 7.2.3

Imports assertthat (>= 0.2.1), dplyr (>= 1.1.2), rlang (>= 1.1.1), xts
(>= 0.13.1)

Suggests testthat (>= 3.0.0)

Config/testthat/edition 3

NeedsCompilation no

Author Bernardo Reckziegel [aut, cre, cph]

Repository CRAN

Date/Publication 2023-08-17 15:22:46 UTC

Contents

epo	2
Index	5

epo

Enhanced Portfolio Optimization (EPO)

Description

Computes the optimal portfolio allocation using the EPO method.

Usage

```
epo(  
  x,  
  signal,  
  lambda,  
  method = c("simple", "anchored"),  
  w,  
  anchor = NULL,  
  normalize = TRUE,  
  endogenous = TRUE  
)
```

Default S3 method:

```
epo(  
  x,  
  signal,  
  lambda,  
  method = c("simple", "anchored"),  
  w,  
  anchor = NULL,  
  normalize = TRUE,  
  endogenous = TRUE  
)
```

S3 method for class 'tbl'

```
epo(  
  x,  
  signal,  
  lambda,  
  method = c("simple", "anchored"),  
  w,  
  anchor = NULL,  
  normalize = TRUE,  
  endogenous = TRUE  
)
```

S3 method for class 'xts'

```
epo(  
  x,
```

```

    signal,
    lambda,
    method = c("simple", "anchored"),
    w,
    anchor = NULL,
    normalize = TRUE,
    endogenous = TRUE
  )

## S3 method for class 'matrix'
epo(
  x,
  signal,
  lambda,
  method = c("simple", "anchored"),
  w,
  anchor = NULL,
  normalize = TRUE,
  endogenous = TRUE
)

```

Arguments

<code>x</code>	A data-set with asset returns. It should be a tibble, a xts or a matrix.
<code>signal</code>	A double vector with the investor's belief's (signals, forecasts).
<code>lambda</code>	A double with the investor's risk-aversion preference.
<code>method</code>	A character. One of: "simple" or "anchored".
<code>w</code>	A double between 0 and 1. The shrinkage level increases from 0 to 1.
<code>anchor</code>	A double vector with the anchor (benchmark) in which the allocation should not deviate too much from. Only used when <code>method = "anchored"</code> .
<code>normalize</code>	A boolean indicating whether the allocation should be normalized to sum 1 (full-investment constraint). The default is <code>normalize = TRUE</code> .
<code>endogenous</code>	A boolean indicating whether the risk-aversion parameter should be considered endogenous (only used when <code>method = "anchored"</code>). The default is <code>endogenous = TRUE</code> .

Value

The optimal allocation vector.

Examples

```

x <- diff(log(EuStockMarkets)) # stock returns
s <- colMeans(x) # it could be any signal

#####
### Simple EPO ###
#####

```

```
# Traditional Mean-Variance Analysis
epo(x = x, signal = s, lambda = 10, method = "simple", w = 0)

# 100% Shrinkage
epo(x = x, signal = s, lambda = 10, method = "simple", w = 1)

# 50% Classical MVO and 50% Shrinkage
epo(x = x, signal = s, lambda = 10, method = "simple", w = 0.5)

#####
### Anchored EPO ###
#####

benchmark <- rep(0.25, 4) # 1/N Portfolio

# Traditional Mean-Variance Analysis
epo(x = x, signal = s, lambda = 10, method = "anchored", w = 0.0, anchor = benchmark)

# 100% on the Anchor portfolio
epo(x = x, signal = s, lambda = 10, method = "anchored", w = 1.0, anchor = benchmark)

# Somewhere between the two worlds
epo(x = x, signal = s, lambda = 10, method = "anchored", w = 0.5, anchor = benchmark)
```

Index

epo, [2](#)