

Package ‘expsmooth’

July 22, 2025

Title Data Sets from ``Forecasting with Exponential Smoothing''

Description

Data sets from the book ``Forecasting with exponential smoothing: the state space approach'' by Hyndman, Koehler, Ord and Snyder (Springer, 2008).

Version 2.3

Date 2015-09-04

Depends R ($\geq 2.0.0$), forecast

LazyData yes

LazyLoad yes

Author Rob J Hyndman <Rob.Hyndman@monash.edu>

Maintainer Rob J Hyndman <Rob.Hyndman@monash.edu>

License GPL (≥ 2)

URL <https://github.com/robjhyndman/expsmooth>

NeedsCompilation no

Repository CRAN

Date/Publication 2015-04-09 07:47:21

Contents

expsmooth-package	2
ausgdp	2
bonds	3
cangas	4
carparts	4
dji	5
djiclose	6
enplanements	6
fmsales	7
freight	8
frexport	8
gasprice	9

hospital	10
jewelry	10
mcopper	11
msales	12
partx	12
ukcars	13
unemp.cci	14
usgdp	14
usnetelec	15
utility	16
vehicles	16
visitors	17
xrates	18
Index	19

expsmooth-package	<i>Data sets for "Forecasting with exponential smoothing"</i>
-------------------	---

Description

Data sets from the book "Forecasting with exponential smoothing: the state space approach" by Hyndman, Koehler, Ord and Snyder (Springer, 2008).

Author(s)

Rob J Hyndman. <Rob.Hyndman@buseco.monash.edu.au>

References

Hyndman, R.J., Koehler, A.B., Ord, J.K., and Snyder, R.D., (2008) *Forecasting with exponential smoothing: the state space approach*, Springer. www.exponentialsMOOTHING.net.

ausgdp	<i>Quarterly Australian GDP</i>
--------	---------------------------------

Description

Quarterly Australian GDP per capita, 1971:1 - 1998:1

Usage

data(ausgdp)

Format

time series

Source

Hyndman, R.J., Koehler, A.B., Ord, J.K., and Snyder, R.D., (2008) *Forecasting with exponential smoothing: the state space approach*, Springer.

References

<http://www.exponentialsMOOTHING.net>

Examples

```
plot(ausgdp,main="Australian GDP per capita",ylab="dollars",xlab="Year")
```

bonds

Monthly US government bond yields

Description

Monthly US government 10-year bond yields (percent pa) from Jan 1994 to May 2004

Usage

```
data(bonds)
```

Format

time series

Source

Hyndman, R.J., Koehler, A.B., Ord, J.K., and Snyder, R.D., (2008) *Forecasting with exponential smoothing: the state space approach*, Springer.

References

<http://www.exponentialsMOOTHING.net>

Examples

```
plot(bonds,main="US 10-year bonds yield",ylab="Percentage per annum",xlab="Year")
```

cangas	<i>Monthly Canadian gas production</i>
--------	--

Description

Monthly Canadian gas production, billions of cubic metres, January 1960 - February 2005

Usage

```
data(cangas)
```

Format

time series

Source

Hyndman, R.J., Koehler, A.B., Ord, J.K., and Snyder, R.D., (2008) *Forecasting with exponential smoothing: the state space approach*, Springer.

References

<http://www.exponentialsMOOTHING.net>

Examples

```
plot(cangas,main="Monthly Canadian gas production",ylab="billion cubic metres",xlab="Year")
```

carparts	<i>Monthly sales car parts</i>
----------	--------------------------------

Description

Monthly sales car parts. 2674 series. Jan 1998 - Mar 2002.

Usage

```
data(carparts)
```

Format

multiple time series

Source

Hyndman, R.J., Koehler, A.B., Ord, J.K., and Snyder, R.D., (2008) *Forecasting with exponential smoothing: the state space approach*, Springer

References

<http://www.exponentialsMOOTHING.net>

Examples

```
plot(carparts[,2001:2010],main="Monthly car part sales",xlab="Year")
```

dji	<i>Monthly Dow Jones Index</i>
-----	--------------------------------

Description

Monthly Dow Jones Index: Open, High, Low, Close. Jan 1990 - Mar 2007

Usage

```
data(dji)
```

Format

multiple time series

Source

Hyndman, R.J., Koehler, A.B., Ord, J.K., and Snyder, R.D., (2008) *Forecasting with exponential smoothing: the state space approach*, Springer.

References

<http://www.exponentialsMOOTHING.net>

Examples

```
plot(dji,plot.type="single",main="Dow Jones Index",xlab="Year",ylab="",col=1:4)  
legend("bottomright",legend=colnames(dji),col=1:4,lty=1)
```

`djiclose`*Monthly Dow Jones Index: closing*

Description

Closing values of the Dow Jones Index on the first day of each month, October 1928 - Dec 2007.
Two columns: close and pcreturn.

Usage

```
data(djiclose)
```

Format

multiple time series

Source

Hyndman, R.J., Koehler, A.B., Ord, J.K., and Snyder, R.D., (2008) *Forecasting with exponential smoothing: the state space approach*, Springer.

References

<http://www.exponentialsMOOTHING.net>

Examples

```
plot(djiclose,main="Dow Jones Index",xlab="Year")
```

`enplanements`*Monthly US domestic enplanements*

Description

"Domestic Revenue Enplanements (millions): 1996-2000. SOURCE: Department of Transportation, Bureau of Transportation Statistics, Air Carrier Traffic Statistic Monthly.

Usage

```
data(enplanements)
```

Format

time series

Source

Hyndman, R.J., Koehler, A.B., Ord, J.K., and Snyder, R.D., (2008) *Forecasting with exponential smoothing: the state space approach*, Springer

References

<http://www.exponentialsMOOTHING.net>

Examples

```
plot(enplanements,main="US domestic enplanements",ylab="millions",xlab="Year")
```

fmsales

Weekly FM sales

Description

Sales of a product for 62 weeks starting in early 2003.

Usage

```
data(fmsales)
```

Format

time series

Source

Hyndman, R.J., Koehler, A.B., Ord, J.K., and Snyder, R.D., (2008) *Forecasting with exponential smoothing: the state space approach*, Springer.

References

<http://www.exponentialsMOOTHING.net>

Examples

```
plot(fmsales,ylab="FM sales (thousands)",xlab="Week")
```

freight	<i>Annual US new freight cars</i>
---------	-----------------------------------

Description

Annual US new freight cars, 1947-1993. Freight cars, new (excl. rebuilt), new orders, equip. mfrs. Series N0193 from the M3 competition.

Usage

```
data(freight)
```

Format

time series

Source

Hyndman, R.J., Koehler, A.B., Ord, J.K., and Snyder, R.D., (2008) *Forecasting with exponential smoothing: the state space approach*, Springer. www.exponentialsmoothing.net

Examples

```
plot(freight,main="New freight cars shipped in USA",xlab="Year",ylab="")
```

frexport	<i>Quarterly French exports</i>
----------	---------------------------------

Description

Quarterly exports of a French company. (in thousands of francs) taken from Makridakis et al. (1998, p.162).

Usage

```
data(frexport)
```

Format

time series

Source

Hyndman, R.J., Koehler, A.B., Ord, J.K., and Snyder, R.D., (2008) *Forecasting with exponential smoothing: the state space approach*, Springer.

References

<http://www.exponentialsMOOTHING.net>

Examples

```
plot(frexport,ylab="thousands of francs",main="Quarterly exports",xlab="Year")
```

gasprice	<i>US gasoline prices</i>
----------	---------------------------

Description

Monthly US retail gasoline price (the average price per gallon, in dollars) and the spot price of a barrel of West Texas Intermediate (WTI) oil in dollars as traded at Cushing, Oklahoma. Jan 1991 - Nov 2006.

Usage

```
data(gasprice)
```

Format

bivariate time series

Source

Hyndman, R.J., Koehler, A.B., Ord, J.K., and Snyder, R.D., (2008) *Forecasting with exponential smoothing: the state space approach*, Springer.

References

<http://www.exponentialsMOOTHING.net>. These series are available from the US Energy Information Administration website <http://www.eia.doe.gov>.

Examples

```
par(mar=c(5,4,2,5))
plot(gasprice[,1], xlab="Year", ylab="Average retail price per gallon (dollars)",
     main="Gasoline and oil prices")
par(new=TRUE)
plot(gasprice[,2], col="blue", xaxt="n", yaxt="n", xlab="", ylab="")
axis(4)
mtext("Spot price per barrel (dollars)", side=4, line=3)
legend("topleft", col=c("black","blue"), lty=1,
     legend=c("Ave retail price of gasoline", "Spot price of WTI oil"))
```

hospital	<i>Monthly patient count</i>
----------	------------------------------

Description

Monthly patient count for products that are related to medical problems. There are 767 time series that had a mean count of at least 10 and no zeros.

Usage

```
data(hospital)
```

Format

multiple time series

Source

Hyndman, R.J., Koehler, A.B., Ord, J.K., and Snyder, R.D., (2008) *Forecasting with exponential smoothing: the state space approach*, Springer

References

<http://www.exponentialsMOOTHING.net>

Examples

```
plot(hospital[,1:10],main="Monthly patient count",xlab="Year")
```

jewelry	<i>Weekly jewelry sales</i>
---------	-----------------------------

Description

Weekly sales of 314 costume jewelry items over the period week 5, 1998 to week 24, 2000.

Usage

```
data(jewelry)
```

Format

multiple time series

Source

Hyndman, R.J., Koehler, A.B., Ord, J.K., and Snyder, R.D., (2008) *Forecasting with exponential smoothing: the state space approach*, Springer.

References

<http://www.exponentialsMOOTHING.net>

Examples

```
plot(jewelry[,1:10],main="Weekly sales of costume jewelry items",xlab="Year")
```

mcopper

Monthly copper prices

Description

Monthly copper prices. Copper, grade A, electrolytic wire bars/cathodes,LME,cash (pounds/ton)
Source: UNCTAD (<http://stats.unctad.org/Handbook>).

Usage

```
data(mcopper)
```

Format

time series

Source

Hyndman, R.J., Koehler, A.B., Ord, J.K., and Snyder, R.D., (2008) *Forecasting with exponential smoothing: the state space approach*, Springer

References

<http://www.exponentialsMOOTHING.net>

Examples

```
plot(mcopper,main="Monthly copper price",ylab="pounds per ton",xlab="Year")
```

msales	<i>Monthly product sales</i>
--------	------------------------------

Description

Monthly sales for a product with shortage indicators. Contains sales (first column) and stockout indicator (second column).

Usage

```
data(msales)
```

Format

time series

Source

Hyndman, R.J., Koehler, A.B., Ord, J.K., and Snyder, R.D., (2008) *Forecasting with exponential smoothing: the state space approach*, Springer

References

<http://www.exponentialsMOOTHING.net>

Examples

```
plot(msales[,1],main="Monthly sales of a product",ylab="Sales",xlab="Year")
points(msales,pch=(msales[, "stockouts"]==1)+1)
legend("bottomright",pch=1:2,legend=c("Excess stock","Stock shortage"))
```

partx	<i>Monthly sales of an automobile part</i>
-------	--

Description

Monthly sales of an automobile part.

Usage

```
data(partx)
```

Format

time series

Source

Hyndman, R.J., Koehler, A.B., Ord, J.K., and Snyder, R.D., (2008) *Forecasting with exponential smoothing: the state space approach*, Springer

References

<http://www.exponentialsMOOTHING.net>

Examples

```
plot(partx,main="Monthly sales of an automobile part",ylab="Sales",xlab="Year")
```

ukcars

Quarterly UK passenger car production

Description

Quarterly UK passenger car production (thousands of cars). 1977:1-2005:1

Usage

```
data(ukcars)
```

Format

time series

Source

Hyndman, R.J., Koehler, A.B., Ord, J.K., and Snyder, R.D., (2008) *Forecasting with exponential smoothing: the state space approach*, Springer

References

<http://www.exponentialsMOOTHING.net>

Examples

```
plot(ukcars,main="UK passenger vehicle production",ylab="Thousands of cars",xlab="Year")
```

`unemp.cci`*Unemployment and the CCI*

Description

100 monthly observations on the consumer confidence index (`cci`) and seasonally adjusted civilian unemployment (`unemp`) in the US, covering the period June 1997 – September 2005. The third column is an "terrorism" indicator variable taking value 1 from September 2001.

Usage

```
data(unemp.cci)
```

Format

multiple time series

Source

Hyndman, R.J., Koehler, A.B., Ord, J.K., and Snyder, R.D., (2008) *Forecasting with exponential smoothing: the state space approach*, Springer.

References

<http://www.exponentialsMOOTHING.net>

Examples

```
plot(unemp.cci[,1:2],main="Unemployment and the CCI",xlab="Year")
```

`usgdp`*Quarterly US GDP*

Description

Quarterly US GDP. 1947:1 - 2006.1.

Usage

```
data(usgdp)
```

Format

time series

Source

Hyndman, R.J., Koehler, A.B., Ord, J.K., and Snyder, R.D., (2008) *Forecasting with exponential smoothing: the state space approach*, Springer

References

<http://www.exponentialsMOOTHING.net>

Examples

```
plot(usgdp,main="Quarterly US GDP",xlab="Year",ylab="US Dollars")
```

usnetelec

Annual US net electricity generation

Description

Annual US net electricity generation (billion kwh) for 1949-2003

Usage

```
data(usnetelec)
```

Format

time series

Source

Hyndman, R.J., Koehler, A.B., Ord, J.K., and Snyder, R.D., (2008) *Forecasting with exponential smoothing: the state space approach*, Springer.

References

<http://www.exponentialsMOOTHING.net>

Examples

```
plot(usnetelec,main="Annual US net electricity generation",ylab="billion kwh",xlab="Year")
```

utility	<i>Hourly utility demand</i>
---------	------------------------------

Description

Hourly utility demand, mid western USA from 1 Jan 2003

Usage

```
data(utility)
```

Format

time series

Source

Hyndman, R.J., Koehler, A.B., Ord, J.K., and Snyder, R.D., (2008) *Forecasting with exponential smoothing: the state space approach*, Springer.

References

<http://www.exponentialsMOOTHING.net>

Examples

```
plot(utility,main="Hourly utility demand",ylab="MW",xlab="Day")
```

vehicles	<i>Hourly vehicle counts</i>
----------	------------------------------

Description

Hourly vehicle counts on Monash Freeway, outside Melbourne in Victoria, Australia, beginning August 1995.

Usage

```
data(vehicles)
```

Format

time series

Source

Hyndman, R.J., Koehler, A.B., Ord, J.K., and Snyder, R.D., (2008) *Forecasting with exponential smoothing: the state space approach*, Springer.

References

<http://www.exponentialsMOOTHING.net>

Examples

```
plot(vehicles,main="Hourly vehicle count",xlab="Day",ylab="Number of vehicles")
```

visitors

Monthly Australian overseas visitors

Description

Monthly Australian short-term overseas visitors. May 1985-April 2005

Usage

```
data(visitors)
```

Format

time series

Source

Hyndman, R.J., Koehler, A.B., Ord, J.K., and Snyder, R.D., (2008) *Forecasting with exponential smoothing: the state space approach*, Springer.

References

<http://www.exponentialsMOOTHING.net>

Examples

```
plot(visitors,main="Overseas visitors to Australia",ylab="Thousands of people",xlab="Year")
```

`xrates`*Monthly exchange rates*

Description

Monthly foreign exchange rates: US dollar and UK pound against the Australia dollar. `audusd` contains USD/AUD and `audukp` contains UKP/AUD.

Usage

```
data(xrates)
```

Format

multiple time series

Source

Hyndman, R.J., Koehler, A.B., Ord, J.K., and Snyder, R.D., (2008) *Forecasting with exponential smoothing: the state space approach*, Springer.

References

<http://www.exponentialsMOOTHING.net>

Examples

```
plot(xrates,main="Foreign exchange rates",xlab="Year")
```

Index

* datasets

- ausgdp, [2](#)
- bonds, [3](#)
- cangas, [4](#)
- carparts, [4](#)
- dji, [5](#)
- djiclose, [6](#)
- enplanements, [6](#)
- fmsales, [7](#)
- freight, [8](#)
- frexport, [8](#)
- gasprice, [9](#)
- hospital, [10](#)
- jewelry, [10](#)
- mcopper, [11](#)
- msales, [12](#)
- partx, [12](#)
- ukcars, [13](#)
- unemp.cci, [14](#)
- usgdp, [14](#)
- usnetelec, [15](#)
- utility, [16](#)
- vehicles, [16](#)
- visitors, [17](#)
- xrates, [18](#)

* package

- expsmooth-package, [2](#)

[ausgdp, 2](#)

[bonds, 3](#)

[cangas, 4](#)

[carparts, 4](#)

[dji, 5](#)

[djiclose, 6](#)

[enplanements, 6](#)

[expsmooth \(expsmooth-package\), 2](#)

[expsmooth-package, 2](#)

[fmsales, 7](#)

[freight, 8](#)

[frexport, 8](#)

[gasprice, 9](#)

[hospital, 10](#)

[jewelry, 10](#)

[mcopper, 11](#)

[msales, 12](#)

[partx, 12](#)

[ukcars, 13](#)

[unemp.cci, 14](#)

[usgdp, 14](#)

[usnetelec, 15](#)

[utility, 16](#)

[vehicles, 16](#)

[visitors, 17](#)

[xrates, 18](#)