

Package ‘factorplot’

July 23, 2025

Type Package
Title Presenting Pairwise Comparisons
Version 1.2.4
Depends multcomp
Suggests nnet, carData
Description The tools herein calculate, print, summarize and plot pairwise differences that result from generalized linear models, general linear hypothesis tests and multinomial logistic regression models. For more information, see Armstrong (2013) <[doi:10.32614/RJ-2013-021](https://doi.org/10.32614/RJ-2013-021)>.
License GPL (>= 2)
LazyLoad yes
RoxygenNote 7.3.2
Encoding UTF-8
NeedsCompilation no
Author Dave Armstrong [aut, cre]
Maintainer Dave Armstrong <davearmstrong.ps@gmail.com>
Repository CRAN
Date/Publication 2025-07-23 13:10:02 UTC

Contents

factorplot	2
france	5
plot.factorplot	6
print.factorplot	8
squares	9
summary.factorplot	10
Index	11

factorplot

*Calculate Pairwise Differences***Description**

This function calculates all pairwise difference from the input data. The input data can be the result of a GLM (produced with `glm`), a multinomial logit model (produced with `multinom` from the **nnet** package), a general linear hypothesis test (produced with `glht` from the **multcomp** package), an object of class `eff` from the `effects` package or any vector of values and a corresponding variance-covariance matrix.

Usage

```
factorplot(obj, adjust.method = "none", ...)

## S3 method for class 'glm'
factorplot(
  obj,
  adjust.method = "none",
  order = "natural",
  factor.variable = NULL,
  pval = 0.05,
  two.sided = TRUE,
  ...
)

## S3 method for class 'lm'
factorplot(
  obj,
  adjust.method = "none",
  order = "natural",
  factor.variable = NULL,
  pval = 0.05,
  two.sided = TRUE,
  ...
)

## S3 method for class 'summary.glht'
factorplot(obj, ...)

## S3 method for class 'glht'
factorplot(obj, adjust.method = "none", pval = 0.05, ...)

## S3 method for class 'sims'
factorplot(obj, adjust.method = "none", order = "natural", pval = 0.05, ...)

## Default S3 method:
```

```

factorplot(
  obj,
  adjust.method = "none",
  order = "natural",
  var,
  resdf = Inf,
  pval = 0.05,
  two.sided = TRUE,
  ...
)

## S3 method for class 'eff'
factorplot(
  obj,
  adjust.method = "none",
  order = "natural",
  pval = 0.05,
  two.sided = TRUE,
  ordby = NULL,
  ...
)

## S3 method for class 'multinom'
factorplot(
  obj,
  adjust.method = "none",
  order = "natural",
  variable,
  pval = 0.05,
  two.sided = TRUE,
  ...
)

```

Arguments

<code>obj</code>	An object of class <code>glm</code> or <code>lm</code> , <code>glht</code> , <code>summary.glht</code> , <code>multinom</code> or a vector of values (of class <code>numeric</code>) for which pairwise differences will be calculated. Alternatively, an object of class <code>sims</code> which gives an <code>Nsim</code> x <code>Nstimulus</code> matrix of predictions from which differences will be calculated.
<code>adjust.method</code>	For objects of class <code>multinom</code> and <code>numeric</code> - one of the methods allowed by p.adjust in stats - 'holm', 'hochberg', 'hommel', 'bonferroni', 'BH', 'BY', 'fdr', 'none'. See help for the p.adjust for more information on these different adjustment methods. For objects of class <code>glm</code> , <code>lm</code> or <code>glht</code> , additional arguments of 'single-step', 'Shaffer', 'Westfall' and 'free' are possible. See glht from the multcomp package for details.
<code>...</code>	Additional arguments to be passed to summary.glht , including, but not limited to level and alternative.
<code>order</code>	One of 'natural', 'alph', or 'size' indicating how the levels of the factor should

be ordered for presentation. The ‘natural’ option (the default) leaves the levels as they are in the factor contrasts. ‘alph’ sorts the levels alphabetically and ‘size’ sorts the levels by size of coefficient.

<code>factor.variable</code>	String containing the name of the factor for which pairwise coefficient differences will be calculated (if a <code>glm</code> or <code>lm</code> class object is passed to the function)
<code>pval</code>	The (uncorrected) Type I error probability required, default = 0.05
<code>two.sided</code>	Logical argument indicating whether the hypothesis test should be against a two-sided alternative if <code>TRUE</code> (default) or a one-sided alternative if <code>FALSE</code>
<code>var</code>	Variance-covariance matrix to be used if <code>obj</code> is a numeric vector. This could also be a vector of quasi/floating variances from which a diagonal variance-covariance matrix will be produced
<code>resdf</code>	Residual degrees of freedom used as the degrees of freedom for the t-distribution from which p-values will be generated if <code>obj</code> is a numeric vector
<code>ordby</code>	For objects of class <code>eff</code> with interactions, <code>ordby</code> is a string indicating the variable by which the plot should be ordered.
<code>variable</code>	String containing the name of the column of the model matrix for which pairwise differences will be calculated if a <code>multinom</code> class object is passed to the function

Details

This function calculates pairwise differences that can be passed to a novel plotting method that does not suffer from some of the same problems as floating/quasi confidence intervals and is easier to apprehend immediately than a compact letter display.

While the `factorplot` function and its `print` and `summary` methods work equally well regardless of the number of levels in the `factor.variable`, the `plot` function automatically scales the resulting graph to the appropriate size, but will be less useful as the number of contrasts gets large (e.g., > 30). If more than one factor covariate is present and the `factor.variable` option is `NULL`, the function generates a text-based menu in the R GUI that will allow the users to pick the term for which they want to calculate the results.

Value

<code>b.diff</code>	An upper-triangular matrix of pairwise differences between row and column levels of the factor
<code>b.sd</code>	An upper-triangular matrix of standard errors of the pairwise differences represented in <code>b.diff</code>
<code>pval</code>	An upper-triangular matrix of uncorrected (one-sided) p-values corresponding to the entries of <code>b.diff</code>
<code>p</code>	The p-value specified in the command

Author(s)

Dave Armstrong

References

- Easton, D.F., J. Peto and G.A.G. Babiker. 1991. Floating absolute risk: An alternative to relative risk in survival and case control analysis avoiding an arbitrary reference group. *Statistics in Medicine* **10**: 1025–1035.
- Firth, David and Renee X. de Menzes. 2004. Quasi-variances. *Biometrika* **91.1**: 65–80.
- Plummer, M. 2004. Improved estimates of floating absolute risk. *Statistics in Medicine* **23**: 93–104.

Examples

```
## for lm/glm
x <- as.factor(round(runif(1000, .5, 5.5)))
levels(x) <- paste("lab", 1:20, sep="")
X <- model.matrix(~x)
Y <- X %*% rnorm(ncol(X), 0, 4) + rnorm(1000)
mod <- lm(Y ~ x)
fp <- factorplot(mod, factor.variable="x", pval = 0.05, order="alph")

## for glht
library(multcomp)
mod.glht <- glht(mod, linfct = mcp('x' = 'Tukey'))
fp2 <- factorplot(mod.glht, adjust.method='single-step')

## for vector of values
b <- c(0, mod$coef[-1])
v <- rbind(0, cbind(0, vcov(mod)[-1,-1]))
names(b) <- colnames(v) <- rownames(v) <- mod$xlevels[["x"]]
fp3 <- factorplot(b, var=v, resdf=mod$df.residual)

## for multinomial logit
data(france)
library(nnet)
multi.mod <- multinom(vote ~ retnat + lrself + male + age, data=france)
fp4 <- factorplot(multi.mod, variable="lrself")
```

france

Example data for factorplot function

Description

A subset of data from the 1994 Eurobarometer for France

Format

A data frame with 542 observations on the following 5 variables.

lrself respondent's left-right self-placement on a 1(left)-10(right) scale

male a dummy variable coded 1 for males and 0 for females

age respondent's age

vote a factor indicating vote choice with levels PCF, PS, Green, RPR and UDF

retnat a factor indicating the respondent's retrospective national economic evaluation with levels Better, Same and Worse

References

Reif, Karlheinz and Eric Marlier. 1997. *Euro-barometer 42.0: The First Year of the New European Union, November-December 1994*. Inter-university Consortium for Political and Social Research (ICPSR) [distributor].

plot.factorplot	<i>Plot method for objects of class factorplot</i>
-----------------	--

Description

Creates a plot akin to an upper-triangular levelplot (though using plot rather than levelplot) where the coloring of the squares represents significance and text inside the squares represents the pairwise difference and its corresponding standard error.

Usage

```
## S3 method for class 'factorplot'
plot(
  x,
  ...,
  abbrev.char = 10,
  polycol = NULL,
  textcol = NULL,
  trans = NULL,
  print.sig.leg = TRUE,
  print.square.leg = TRUE,
  scale.text = 1,
  space.text = 1,
  print.est = TRUE,
  print.se = TRUE
)
```

Arguments

x	An object of class factorplot, produced by factorplot .
...	Other arguments to be passed to plot, currently not implemented
abbrev.char	The number of characters that should be used to abbreviate the levels of the factor. Set to a large value for unabbreviated names.
polycol	A vector of three colors indicating the colors of polygons when the difference is significant negative, insignificant, and significant positive, in that order. Defaults to c('gray80', 'white', 'gray40').

<code>textcol</code>	A vector of three colors indicating the text color for polygons that are significant negative, insignificant, and significant positive, in that order. Defaults to <code>c('black', 'black', 'white')</code>
<code>trans</code>	A character string representing the post-hypothesis-testing transformation to be performed on the estimates. For example, if the estimates provided to the <code>factorplot</code> command are log-floating absolute risks, you could use the transformation <code>'exp'</code> . The transformation is performed through a call to <code>do.call</code>
<code>print.sig.leg</code>	logical indicating whether the legend identifying the meaning of the different colors should be included.
<code>print.square.leg</code>	logical indicating whether the legend identifying the meaning of the numbers in each square should be included.
<code>scale.text</code>	optional scale factor to be applied to text, numbers bigger than 1 make text bigger than default and numbers smaller than 1 do the opposite
<code>space.text</code>	optional text spacing factor, numbers bigger than 1 push text toward the extent of the boxes and numbers smaller than one bring text in toward the center
<code>print.est</code>	logical argument indicating whether the estimates should be printed in the boxes
<code>print.se</code>	logical argument indicating whether the standard errors should be printed in the boxes

Value

a graph	For m categories, the plot returns an $m-1 \times m-1$ matrix where the nexus of the row and column values represent the pairwise difference between the row and column values along with the standard error of the difference on the linear scale (unless a transformation is performed).
---------	--

Author(s)

Dave Armstrong

See Also

[factorplot](#)

Examples

```
est1 <- log(c(1.00, 2.12, 1.44, 1.31, 1.44,
             1.46, 0.90))
var1 <- c(0.242, 0.096, 0.156, 0.140,
          0.380, 0.484, 0.375)^2
names(est1) <- c(
  "Normal & superficial gastritis",
  "Chronic gastritis",
  "Chronic atrophic gastritis",
  "Intestinal metaplasia I",
  "Intestinal metaplasia II",
  "Intestinal metaplasia III",
```

```

"Dysplasia")

plummer_fp1 <- factorplot(est1, var=var1, resdf=Inf)
plot(plummer_fp1, trans="exp", abbrev.char = 100)

```

print.factorplot	<i>Print method for objects of class factorplot</i>
------------------	---

Description

Prints the output from an object of class `factorplot`. By default, the function prints all pairwise differences along with standard errors and p-values (optionally adjusted for multiple testing). Optionally, it can print only significant differences.

Usage

```

## S3 method for class 'factorplot'
print(x, ..., digits = 3, sig = FALSE, trans = NULL)

```

Arguments

<code>x</code>	An object of class <code>factorplot</code> .
<code>...</code>	Other arguments passed to print, currently not implemented
<code>digits</code>	The number of digits to print in each column
<code>sig</code>	Logical indicating whether only significant differences should be printed.
<code>trans</code>	A character string representing the post-hypothesis-testing transformation to be performed on the estimates. For example, if the estimates provided to the <code>factorplot</code> command are log-floating absolute risks, you could use the transformation 'exp'. The transformation is performed through a call to <code>do.call</code>

Value

Printed output	The printed output shows the difference between all pairs of stimuli (i.e., levels of the factor) along with their standard errors and (optionally adjusted) p-values. If a transformation is implemented, the difference is transformed accordingly, but the standard errors and other values are on the linear scale.
----------------	---

Author(s)

Dave Armstrong

See Also

`factorplot`

Examples

```
est1 <- log(c(1.00,2.12,1.44,1.31,1.44,
             1.46,0.90))
var1 <- c(0.242,0.096,0.156,0.140,
          0.380,0.484,0.375)^2
names(est1) <- c(
  "Normal & superficial gastritis",
  "Chronic gastritis",
  "Chronic atrophic gastritis",
  "Intestinal metaplasia I",
  "Intestinal metaplasia II",
  "Intestinal metaplasia III",
  "Dysplasia")
plummer_fp1 <- factorplot(est1, var=var1, resdf=Inf)
print(plummer_fp1, trans="exp")
```

squares

*Auxiliary Function to Plot a Square***Description**

An auxiliary function to plot squares, used by the `plot.factorplot` function

Usage

```
squares(ll, width = 1, col)
```

Arguments

<code>ll</code>	The (x,y) coordinate of the lower-left corner of the square
<code>width</code>	a scalar indicating how wide the squares should be
<code>col</code>	a color with which the square will be filled in

Details

This is a function called by `plot.factorplot` and not intended to be directly used by the user; however, it is possible that this could be of more general use as a utility. The function is simply a wrapper to `polygon` that obviates the need to specify all (x,y) coordinates for the polygon.

Value

<code>square</code>	A square is printed on the graph, but nothing else is returned
---------------------	--

Author(s)

Dave Armstrong

summary.factorplot	<i>Summary method for objects of class factorplot</i>
--------------------	---

Description

Summarizes the number of significant positive and negative differences for objects of class [factorplot](#)

Usage

```
## S3 method for class 'factorplot'
summary(object, ...)
```

Arguments

object	An object of class factorplot
...	Other arguments passed to summary, currently not implemented

Value

Printed Output	The printed output summarises the number of stimuli that are significantly higher or lower and not significantly different from each other.
----------------	---

Author(s)

Dave Armstrong

See Also

[factorplot](#)

Examples

```
x <- as.factor(round(runif(1000, .5, 5.5)))
levels(x) <- paste("lab", 1:20, sep="")
X <- model.matrix(~x)
b <- rnorm(ncol(X), 0, 4)
Y.hat <- X %*% b
Y <- Y.hat + rnorm(1000)
mod <- lm(Y ~ x)
fp <- factorplot(mod, factor.variable="x", pval=0.05, order="alph")
summary(fp)
```

Index

* **datasets**

france, [5](#)

factorplot, [2](#), [6–8](#), [10](#)

france, [5](#)

glht, [2](#), [3](#)

glm, [2](#)

p.adjust, [3](#)

plot.factorplot, [6](#), [9](#)

print.factorplot, [8](#)

squares, [9](#)

summary.factorplot, [10](#)

summary.glht, [3](#)