

Package ‘freshr’

July 22, 2025

Type Package

Title Make R Environment Fresh Again

Version 1.0.2

Description A simple way to unload none-base packages and remove all global variables.

License MIT + file LICENSE

URL <https://github.com/shawnlinxl/freshr>

BugReports <https://github.com/shawnlinxl/freshr/issues>

Encoding UTF-8

RoxygenNote 7.2.1

Suggests testthat (>= 3.0.0), usethis

Config/testthat/edition 3

NeedsCompilation no

Author Shawn Lin [aut, cre] (ORCID: <<https://orcid.org/0000-0001-5564-8371>>)

Maintainer Shawn Lin <shawnlin.xl@gmail.com>

Repository CRAN

Date/Publication 2022-10-03 17:20:02 UTC

Contents

freshr	2
Index	3

freshr	<i>Unload none-base packages and remove all objects from environment</i>
--------	--

Description

Ever experienced a time when you pass an R script to your colleague, and it does not work on their machine because you forgot to add a library import that you did interactively? freshr is here to help! By calling `freshr::freshr()` at the top of your every script, you create a fresh environment for you to test reproducibility before you send your script to someone else.

Usage

```
freshr(pkgexc = NULL, varexc = NULL)
```

Arguments

<code>pkgexc</code>	list of packages to exclude from removal
<code>varexc</code>	list of variables to exclude from removal

Value

This function returns no value. It is called for its side effect of cleaning up the global environment at script's start up/

Index

freshr, [2](#)