

Package ‘ggetho’

July 22, 2025

Title Visualisation of High-Throughput Behavioural (i.e. Ethomics)
Data

Date 2022-11-17

Version 0.3.7

Description Extension of 'ggplot2' providing layers, scales and preprocessing functions
useful to represent behavioural variables that are recorded over multiple animals and days.
This package is part of the 'rethomics' framework <<https://rethomics.github.io/>>.

Depends R (>= 3.00), ggplot2, behavr

Imports data.table, stringr, scales, labeling, rlang, cli

Suggests testthat, covr, knitr, zeitgebr

License GPL-3

Encoding UTF-8

URL <https://github.com/rethomics/ggetho>

BugReports <https://github.com/rethomics/ggetho/issues>

RoxygenNote 7.2.2

NeedsCompilation no

Author Quentin Geissmann [aut, cre]

Maintainer Quentin Geissmann <qgeissmann@gmail.com>

Repository CRAN

Date/Publication 2022-11-24 09:40:08 UTC

Contents

geom_peak	2
ggetho	4
ggperio	6
ggspectro	8
id_labeller	9
stat_bar_tile_etho	10
stat_ld_annotations	12
stat_pop_etho	14
time_scales	17

geom_peak

*Visualise peaks in a power spectrum or periodogram***Description**

This function draws points on the x-y coordinates of selected peaks and write their (y) value on the bottom of the plot.

Usage

```
geom_peak(
  mapping = NULL,
  data = NULL,
  stat = "identity",
  position = "identity",
  ...,
  na.rm = TRUE,
  show.legend = NA,
  inherit.aes = TRUE,
  peak_rank = 1,
  conversion = hours
)
```

Arguments

mapping	Set of aesthetic mappings created by aes() . If specified and <code>inherit.aes = TRUE</code> (the default), it is combined with the default mapping at the top level of the plot. You must supply mapping if there is no plot mapping.
data	<p>The data to be displayed in this layer. There are three options:</p> <p>If <code>NULL</code>, the default, the data is inherited from the plot data as specified in the call to ggplot().</p> <p>A <code>data.frame</code>, or other object, will override the plot data. All objects will be fortified to produce a data frame. See fortify() for which variables will be created.</p> <p>A function will be called with a single argument, the plot data. The return value must be a <code>data.frame</code>, and will be used as the layer data. A function can be created from a formula (e.g. <code>~ head(.x, 10)</code>).</p>
stat	The statistical transformation to use on the data for this layer, either as a ggproto Geom subclass or as a string naming the stat stripped of the <code>stat_</code> prefix (e.g. "count" rather than "stat_count")
position	Position adjustment, either as a string naming the adjustment (e.g. "jitter" to use <code>position_jitter</code>), or the result of a call to a position adjustment function. Use the latter if you need to change the settings of the adjustment.

...	Other arguments passed on to <code>layer()</code> . These are often aesthetics, used to set an aesthetic to a fixed value, like <code>colour = "red"</code> or <code>size = 3</code> . They may also be parameters to the paired geom/stat.
<code>na.rm</code>	If FALSE, the default, missing values are removed with a warning. If TRUE, missing values are silently removed.
<code>show.legend</code>	logical. Should this layer be included in the legends? NA, the default, includes if any aesthetics are mapped. FALSE never includes, and TRUE always includes. It can also be a named logical vector to finely select the aesthetics to display.
<code>inherit.aes</code>	If FALSE, overrides the default aesthetics, rather than combining with them. This is most useful for helper functions that define both data and aesthetics and shouldn't inherit behaviour from the default plot specification, e.g. <code>borders()</code> .
<code>peak_rank</code>	numerical vector specifying the rank(s) of peak(s) to draw
<code>conversion</code>	function to convert values of x to a specific unit. The default, <code>hours</code> , will write x (time) in decimal hours.

Details

In the input data, peaks are encoded as an additional column/aesthetic with values corresponding to peak ranks (and 0 when the point is not a peak). In other word, the mapping must provide x, y and peak. Only peaks matching `peak_rank` will be drawn (see example).

Value

A ggplot layer.

References

- The relevant [rethomic tutorial section](#)

See Also

- [ggperio](#) to create a periodogram
- [zeitgebr::find_peaks](#) to automatically add a peak column on periodogram data

Other layers: [stat_bar_tile_etho\(\)](#), [stat_ld_annotations\(\)](#), [stat_pop_etho\(\)](#)

Examples

```
# We make a data frame by hand with five rows
# There are two peaks: in position 4 and 2

df <- data.frame(x = hours(1:5),
                 y = c(1, 2, 0, 4, 1),
                 peak = c(0, 2, 0, 1, 0))

# We draw the plot as a line
p1 <- ggplot(df, aes(x, y, peak = peak)) +
  geom_line() +
  scale_x_hours()

p1
```

```

# Now we could add the peak values as an extra layer:
# The first peak
p1 + geom_peak()
# The first and second peak
p1 + geom_peak(peak_rank = 1:2)
# The second only
p1 + geom_peak(peak_rank = 2)

# Just like with other geoms,
# we can change colour, size, alpha, shape, ... :
p1 + geom_peak(colour = "red", size = 10, alpha = .5, shape = 20)

## In the context of circadian analysis,
# Using the zeitgebr package:

require(zeitgebr)
# We make toy data
metadata <- data.table(id = sprintf("toy_experiment|%02d", 1:40),
                      region_id = 1:40,
                      condition = c("A", "B"),
                      sex = c("M", "M", "F", "F"))
dt <- toy_activity_data(metadata, seed = 107)
# We shift period of the group "A" by 0.01
dt[, t := ifelse(xmv(condition) == "A", t, t * 1.01)]
# We compute a periodogram for each individual
per_dt <- periodogram(moving, dt, FUN = chi_sq_periodogram)
per_dt <- find_peaks(per_dt)
out <- ggperio(per_dt, aes(y = power - signif_threshold, colour = condition, peak = peak)) +
  stat_pop_etho() +
  facet_wrap(~ id, labeller = id_labeller)

out
out + geom_peak(colour="black")

```

ggetho

Prepare a ggplot object to represent behavioural data

Description

This function summarises a variable of interest (y or z axis) in order to subsequently represent it over time (x axis) (using layers provided either by ggplot2 or ggetho).

Usage

```

ggetho(
  data,
  mapping,
  summary_FUN = mean,
  summary_time_window = mins(30),
  time_wrap = NULL,

```

```

    time_offset = 0,
    multiplot = NULL,
    multiplot_period = hours(24),
    ...
)

```

Arguments

<code>data</code>	behavr::behavr table containing the data and metadata
<code>mapping</code>	default list of aesthetic mappings to use for plot
<code>summary_FUN</code>	method (function) used to summarise variable over time (typically, the mean)
<code>summary_time_window</code>	width (in seconds) of the time window to compute a summary on
<code>time_wrap</code>	time (in seconds) used to wrap the data (see details)
<code>time_offset</code>	time offset (i.e. phase, in seconds) when using <code>time_wrap</code>
<code>multiplot</code>	integer, greater than two, or <code>NULL</code> , the default (see details)
<code>multiplot_period</code>	the duration of the period when mutiplotting (see details)
<code>...</code>	additional arguments to be passed to ggplot2::ggplot()

Details

`time_wrap` is typically used to express time relatively to the start of the the day. In other words, it can help be used to pull all days together in one representative day. In this case, `time_wrap = hours(24)`. Instead of representing data from the start of the day, it can be done from any offset, using `time_offset`. For instance, `time_offset = hours(12)` puts the circadian reference (ZT0) in the middle of the plot.

Multiplotting is a generalisation of double-plotting, triple-plotting... This type or representation is useful to understand periodic behaviours. When `multiplot` is *not* `NULL`, data is repeated as many time as its value, along the x axis. The y axis is then the period (typically the day) onset. It is possible to set duration of the period, which is typically 24 h to arbitrary values using the `multiplot_period` argument.

Value

An initial `ggplot` object that can be further edited.

References

- The relevant [rethomic tutorial section](#)

See Also

- [stat_pop_etho](#) to show population trend by aggregating individuals over time
- [stat_tile_etho](#) to show variable of interest as colour intensity
- [stat_ld_annotations](#) to show light and dark phases on the plot

Examples

```
# We start by making a dataset with 4 animals
metadata <- data.table(id = sprintf("toy_experiment|%02d", 1:4),
                      condition = c("A", "B"))
dt <- toy_activity_data(metadata, 3)
# We build a plot object with nothing inside (just the axis)
# we want to show proportion of time sleeping on the y axis:
pl <- ggetho(dt, aes(y = asleep))
pl
# Sometimes, the variable of interest is not on the y axis, but on z axis (colour scale).
# When we do not provide a y axis,
# ggetho will make an ID for each animal and display them on separate rows
## Not run:
pl <- ggetho(dt, aes(z = asleep))
pl
# this one is the same type, but it groups the animals by condition
pl <- ggetho(dt, aes(z = asleep, y = condition))
pl
# sorting with paste
pl <- ggetho(dt, aes(z = asleep, y = paste(condition, id)))
pl
# we want to summarise (wrap) data along a circadian day:
pl <- ggetho(dt, aes(y = asleep), time_wrap = hours(24))
pl

# double-plotted actogram:
pl <- ggetho(dt,
             aes(z = moving),
             multiplot = 2,
             multiplot_period = hours(24))
pl
# then use `+ stat_tile_etho()` , or `+ stat_bar_tile_etho()`

## End(Not run)
```

ggperio

Prepare a ggplot object to represent periodogram data

Description

This function summarises periodogram data (containing periodograms of multiple individual), to show period on the x axis, and power (or equivalent) on the y axis.

Usage

```
ggperio(data, mapping = aes(x = period, y = power), ...)
```

Arguments

data	behavr::behavr table containing the data and metadata
mapping	default list of aesthetic mappings to use for plot
...	additional arguments to be passed to ggplot2::ggplot()

Value

An initial ggplot object that can be further edited.

References

- The relevant [rethomic tutorial section](#)

See Also

- [ggetho](#) to plot time series
- [geom_peak](#) to draw peaks on a periodogram
- [zeitgebr::periodogram](#) to compute periodograms in a first place
- [ggspectro](#) to visualise spectrograms

Examples

```
require(zeitgebr)
# We make toy data
metadata <- data.table(id = sprintf("toy_experiment|%02d", 1:40),
                      region_id = 1:40,
                      condition = c("A", "B"),
                      sex = c("M", "M", "F", "F"))
dt <- toy_activity_data(metadata, seed = 107)
# We shift period of the group "A" by 0.01
dt[, t := ifelse(xmv(condition) == "A", t, t * 1.01)]
# We compute a periodogram for each individual
per_dt <- periodogram(moving, dt, FUN = chi_sq_periodogram)

# Then we display them as an average
out <- ggperio(per_dt, aes(y = power, colour = condition))
out + stat_pop_etho()

out <- ggperio(per_dt, aes(y = power - signif_threshold, colour = condition))
out + stat_pop_etho()
out <- ggperio(per_dt, aes(y = power - signif_threshold, colour = condition))
out + stat_pop_etho() + facet_wrap(~ id, labeller = id_labeller)
```

ggspectro*Prepare a ggplot object to represent spectrogram data*

Description

This function summarises spectrogram data (containing spectrograms of multiple individual), to show period on the y axis, time on the x axis and power on the z axis (*e.g.* as a colour).

Usage

```
ggspectro(  
  data,  
  mapping = aes(),  
  summary_FUN = mean,  
  summary_time_window = mins(30),  
  time_wrap = NULL,  
  time_offset = 0,  
  ...  
)
```

Arguments

<code>data</code>	<code>behavr::behavr</code> table containing the data and metadata
<code>mapping</code>	default list of aesthetic mappings to use for plot
<code>summary_FUN</code>	method (function) used to summarise variable over time (typically, the mean)
<code>summary_time_window</code>	width (in seconds) of the time window to compute a summary on
<code>time_wrap</code>	time (in seconds) used to wrap the data (see details)
<code>time_offset</code>	time offset (i.e. phase, in seconds) when using <code>time_wrap</code>
<code>...</code>	additional arguments to be passed to <code>ggplot2::ggplot()</code>

Value

An initial ggplot object that can be further edited.

References

- The relevant [rethomic tutorial section](#)

See Also

- [ggperio](#) to visualise periodograms

Examples

```
library(zeitgebr)
data(dams_sample)
dt <- dams_sample
spect_dt <- spectrogram(activity, dt)
p1 <- ggspectro(spect_dt, time_wrap = hours(24)) +
  stat_tile_etho() +
  scale_y_hours(log=TRUE) +
  stat_ld_annotiations(ld_colours = c("grey", "black"))
p1 + facet_grid(period_group ~ .)
p1 + facet_wrap(~ id)
```

id_labeller

*A facet labeller for id***Description**

This function returns a [ggplot2::labeller](#) that displays the `id` on several lines to improve readability.

Usage

```
id_labeller(labels)
```

Arguments

labels	Data frame of labels. Usually contains only one element, but faceting over multiple factors entails multiple label variables.
--------	---

See Also

[ggplot2::labeller](#), to make your own labellers

Examples

```
library(behavr)
metadata <- data.frame(
  id = sprintf("2017-09-01 20:00:12|toy_experiment_a_very_long_name|%02d", 1:20),
  condition = c("A", "B"))
dt <- toy_activity_data(metadata, duration = hours(2))
p1 <- ggetho(dt, aes(y = asleep)) + stat_pop_etho()
## Without labelling
p1 + facet_wrap(~ id)

## With labeller
p1 + facet_wrap(~ id, labeller = id_labeller)
```

stat_bar_tile_etho	<i>Display a variable of interest either as a colour intensity value or as a bar height</i>
--------------------	---

Description

These functions show the temporal trend (time on the x axis) of a variable of interest (z axis) as either colour intensity (stat_tile_etho) or using the height of the tiles (stat_bar_tile_etho). In both cases, the y axis is a discrete variable such as a treatment or the id of individuals.

Usage

```
stat_bar_tile_etho(
  mapping = NULL,
  data = NULL,
  geom = "bar_tile",
  position = "identity",
  ...,
  method = mean,
  method.args = list(),
  na.rm = FALSE,
  show.legend = NA,
  inherit.aes = TRUE
)
```

```
stat_tile_etho(
  mapping = NULL,
  data = NULL,
  geom = "raster",
  position = "identity",
  ...,
  method = mean,
  method.args = list(),
  na.rm = FALSE,
  show.legend = NA,
  inherit.aes = TRUE
)
```

Arguments

mapping	Set of aesthetic mappings created by aes() . If specified and inherit.aes = TRUE (the default), it is combined with the default mapping at the top level of the plot. You must supply mapping if there is no plot mapping.
data	The data to be displayed in this layer. There are three options: If NULL, the default, the data is inherited from the plot data as specified in the call to ggplot() .

	<p>A <code>data.frame</code>, or other object, will override the plot data. All objects will be fortified to produce a data frame. See <code>fortify()</code> for which variables will be created.</p> <p>A function will be called with a single argument, the plot data. The return value must be a <code>data.frame</code>, and will be used as the layer data. A function can be created from a formula (e.g. <code>~ head(.x, 10)</code>).</p>
<code>geom</code>	The geometric object to use to display the data, either as a ggproto Geom subclass or as a string naming the geom stripped of the <code>geom_</code> prefix (e.g. "point" rather than "geom_point")
<code>position</code>	Position adjustment, either as a string naming the adjustment (e.g. "jitter" to use <code>position_jitter</code>), or the result of a call to a position adjustment function. Use the latter if you need to change the settings of the adjustment.
<code>...</code>	Other arguments passed on to <code>layer()</code> . These are often aesthetics, used to set an aesthetic to a fixed value, like <code>colour = "red"</code> or <code>size = 3</code> . They may also be parameters to the paired geom/stat.
<code>method</code>	function used to compute the aggregate, when/if grouping several individuals on the same row. The default is function is <code>mean</code> . <code>median</code> , <code>min</code> , <code>max</code> are examples of alternatives.
<code>method.args</code>	List of additional arguments passed on to the modelling function defined by <code>method</code> .
<code>na.rm</code>	If FALSE, the default, missing values are removed with a warning. If TRUE, missing values are silently removed.
<code>show.legend</code>	logical. Should this layer be included in the legends? NA, the default, includes if any aesthetics are mapped. FALSE never includes, and TRUE always includes. It can also be a named logical vector to finely select the aesthetics to display.
<code>inherit.aes</code>	If FALSE, overrides the default aesthetics, rather than combining with them. This is most useful for helper functions that define both data and aesthetics and shouldn't inherit behaviour from the default plot specification, e.g. <code>borders()</code> .

Value

A ggplot layer.

- The relevant [rethomic tutorial section](#)

See Also

- [ggetho](#) to generate a plot object
- [stat_pop_etho](#) to show population trend by aggregating individuals over time
- [stat_ld_annotations](#) to show light and dark phases on the plot

Other layers: [geom_peak\(\)](#), [stat_ld_annotations\(\)](#), [stat_pop_etho\(\)](#)

Examples

```
# We start by making a to dataset with 20 animals
metadata <- data.frame(id = sprintf("toy_experiment | %02d", 1:20),
                      age = c(1, 5, 10, 20),
                      condition = c("A", "B"))

print(metadata)
dt <- toy_activity_data(metadata, 3)
# We build a plot object
pl <- ggetho(dt, aes(z = asleep))
# A standard plot one row per animal:
pl + stat_tile_etho()
# We can also group animals per condition and calculate the average sleep
pl <- ggetho(dt, aes(z = asleep, y = condition))
pl + stat_tile_etho()

# We can sort by adding condition AND id on the y axis:
pl <- ggetho(dt, aes(z = asleep, y = interaction(id, condition)))
pl + stat_tile_etho()
# Same if we want to sort by age
pl <- ggetho(dt, aes(z = asleep, y = interaction(id, age)))
pl + stat_tile_etho()

# Instead, of the average, maybe we want to show the highest (max)
# possible value of sleep for any time point
pl + stat_tile_etho(method = max)
# We can also use stat_bar_tile as an alternative
pl + stat_bar_tile_etho()
```

stat_ld_annotations *Compute and display light/dark annotations onto a plot object*

Description

This function is used to show light and dark (L and D) phases as boxes on top a plot.

Usage

```
stat_ld_annotations(
  mapping = NULL,
  data = NULL,
  position = "identity",
  ld_colours = c("white", "black"),
  ypos = "bottom",
  height = 0.03,
  period = hours(24),
  phase = 0,
  l_duration = hours(12),
  outline = "black",
  x_limits = c(NA, NA),
```

```

    ...,
    na.rm = FALSE,
    show.legend = FALSE,
    inherit.aes = TRUE
  )

```

Arguments

mapping	Set of aesthetic mappings created by aes() . If specified and <code>inherit.aes = TRUE</code> (the default), it is combined with the default mapping at the top level of the plot. You must supply mapping if there is no plot mapping.
data	<p>The data to be displayed in this layer. There are three options:</p> <p>If <code>NULL</code>, the default, the data is inherited from the plot data as specified in the call to ggplot().</p> <p>A <code>data.frame</code>, or other object, will override the plot data. All objects will be fortified to produce a data frame. See fortify() for which variables will be created.</p> <p>A function will be called with a single argument, the plot data. The return value must be a <code>data.frame</code>, and will be used as the layer data. A function can be created from a formula (e.g. <code>~ head(.x, 10)</code>).</p>
position	Position adjustment, either as a string naming the adjustment (e.g. <code>"jitter"</code> to use <code>position_jitter</code>), or the result of a call to a position adjustment function. Use the latter if you need to change the settings of the adjustment.
ld_colours	character vector of length two setting the colours for light and dark phases, respectively. The default is <code>c("white", "black")</code> .
ypos	position and height of the annotation on the y axis. It can be either <code>"top"</code> or <code>"bottom"</code> . The default, <code>"bottom"</code> will put the labels below any data.
height	relative height of the rectangles. The default is 3 percent (0.03).
period, phase, l_duration	period, phase and duration of the L phase (in seconds) of the LD cycle.
outline	colour of the border of the rectangles. A value of <code>NA</code> draws no border.
x_limits	numerical vector of length 2 for the start and end of the annotations (in seconds). The default, <code>c(NA, NA)</code> , uses the full range of the plotted data.
...	Other arguments passed on to layer() . These are often aesthetics, used to set an aesthetic to a fixed value, like <code>colour = "red"</code> or <code>size = 3</code> . They may also be parameters to the paired geom/stat.
na.rm	If <code>FALSE</code> , the default, missing values are removed with a warning. If <code>TRUE</code> , missing values are silently removed.
show.legend	logical. Should this layer be included in the legends? <code>NA</code> , the default, includes if any aesthetics are mapped. <code>FALSE</code> never includes, and <code>TRUE</code> always includes. It can also be a named logical vector to finely select the aesthetics to display.
inherit.aes	If <code>FALSE</code> , overrides the default aesthetics, rather than combining with them. This is most useful for helper functions that define both data and aesthetics and shouldn't inherit behaviour from the default plot specification, e.g. borders() .

Value

A ggplot layer.

References

- The relevant [rethomic tutorial section](#)

See Also

- [ggetho](#) to generate a plot object

Other layers: [geom_peak\(\)](#), [stat_bar_tile_etho\(\)](#), [stat_pop_etho\(\)](#)

Examples

```
library(behavr)
# We start by making a toy dataset with 4 animals
metadata <- data.frame(id = sprintf("toy_experiment | %02d", 1:4),
                       condition = c("A", "B"))
dt <- toy_activity_data(metadata, 3)
# We build a plot object
p1 <- ggetho(dt, aes(y = asleep)) + stat_pop_etho()
p1 + stat_ld_annotiations()
# We can also put the annotations in the background:
p1 <- ggetho(dt, aes(y = asleep)) +
  stat_ld_annotiations(outline = NA) +
  stat_pop_etho()

p1
# Different colours (e.g. DD)
p1 + stat_ld_annotiations(ld_colour = c("grey", "black"))
# Shorter period
p1 + stat_ld_annotiations(period = hours(22), phase = hours(3))
# On a tile plot:
p1 <- ggetho(dt, aes(z = asleep)) + stat_tile_etho()
p1 + stat_ld_annotiations()
```

stat_pop_etho

Compute and display a population aggregate for a variable of interest

Description

This function displays the temporal (time on the x axis) trend of variable of interest, on the y axis as a line with confidence interval as a shaded area.

Usage

```
stat_pop_etho(
  mapping = NULL,
  data = NULL,
  geom = "smooth",
  position = "identity",
  ...,
  method = mean_se,
  method.args = list(),
  show.legend = NA,
  inherit.aes = TRUE
)
```

Arguments

mapping	Set of aesthetic mappings created by aes() . If specified and <code>inherit.aes = TRUE</code> (the default), it is combined with the default mapping at the top level of the plot. You must supply mapping if there is no plot mapping.
data	<p>The data to be displayed in this layer. There are three options:</p> <p>If <code>NULL</code>, the default, the data is inherited from the plot data as specified in the call to ggplot().</p> <p>A <code>data.frame</code>, or other object, will override the plot data. All objects will be fortified to produce a data frame. See fortify() for which variables will be created.</p> <p>A function will be called with a single argument, the plot data. The return value must be a <code>data.frame</code>, and will be used as the layer data. A function can be created from a formula (e.g. <code>~ head(.x, 10)</code>).</p>
geom	The geometric object to use to display the data, either as a ggproto Geom subclass or as a string naming the geom stripped of the <code>geom_</code> prefix (e.g. "point" rather than "geom_point")
position	Position adjustment, either as a string naming the adjustment (e.g. "jitter" to use <code>position_jitter</code>), or the result of a call to a position adjustment function. Use the latter if you need to change the settings of the adjustment.
...	Other arguments passed on to layer() . These are often aesthetics, used to set an aesthetic to a fixed value, like <code>colour = "red"</code> or <code>size = 3</code> . They may also be parameters to the paired geom/stat.
method	function used to compute the aggregate and confidence intervals. It should return (y, ymin and ymax). The default is ggplot2::mean_se , which computes the mean + or - standard error. ggplot2::mean_cl_boot can be used instead to generate bootstrap confidence interval instead.
method.args	List of additional arguments passed on to the modelling function defined by <code>method</code> .
show.legend	logical. Should this layer be included in the legends? <code>NA</code> , the default, includes if any aesthetics are mapped. <code>FALSE</code> never includes, and <code>TRUE</code> always includes. It can also be a named logical vector to finely select the aesthetics to display.

`inherit.aes` If FALSE, overrides the default aesthetics, rather than combining with them. This is most useful for helper functions that define both data and aesthetics and shouldn't inherit behaviour from the default plot specification, e.g. `borders()`.

Value

A ggplot layer.

References

- The relevant [rethomic tutorial section](#)

See Also

- [ggetho](#) to generate a plot object
- [stat_tile_etho](#) to show variable of interest as colour intensity
- [stat_ld_annotatons](#) to show light and dark phases on the plot
- [ggplot2::stat_smooth](#) to understand how to change the type of confidence interval, line colour and so forth

Other layers: [geom_peak\(\)](#), [stat_bar_tile_etho\(\)](#), [stat_ld_annotatons\(\)](#)

Examples

```
library(behavr)
metadata <- data.frame(id = sprintf("toy_experiment | %02d", 1:4),
                       age=c(1, 5, 10, 20),
                       condition=c("A", "B"))
dt <- toy_activity_data(metadata, 3)
# We build a plot object
pl <- ggetho(dt, aes(y = asleep))
# A standard plot of the whole population:
pl + stat_pop_etho()
# We can also split by condition, and display the two population on different facets:
pl + stat_pop_etho() + facet_grid(condition ~ .)
## Not run:
# Instead, we can use different colour for separate conditions:
pl <- ggetho(dt, aes(y = asleep, colour = condition))
pl + stat_pop_etho()

# Sometimes, we also have numeric condition (e.g. age)
pl <- ggetho(dt, aes(y = asleep, colour = age))
pl + stat_pop_etho()
# We could want to aggregate several days of data to one circadian day (i.e. time wrapping)
# here, we also plot the invert of moving (!moving)
pl <- ggetho(dt, aes(y = !moving), time_wrap = hours(24))
pl + stat_pop_etho()

## End(Not run)
```

time_scales

*Scales for durations***Description**

A set of scales used to represent experimental durations.

Usage

```
scale_x_days(  
  name = "Time",  
  breaks = waiver(),  
  minor_breaks = waiver(),  
  labels = waiver(),  
  limits = NULL,  
  expand = waiver(),  
  oob = scales::censor,  
  na.value = NA_real_,  
  position = "bottom",  
  time_wrap = NULL,  
  unit = "day",  
  log = FALSE  
)
```

```
scale_y_days(  
  name = "Time",  
  breaks = waiver(),  
  minor_breaks = waiver(),  
  labels = waiver(),  
  limits = NULL,  
  expand = waiver(),  
  oob = scales::censor,  
  na.value = NA_real_,  
  position = "left",  
  time_wrap = NULL,  
  unit = "day",  
  log = FALSE  
)
```

```
scale_x_hours(  
  name = "Time",  
  breaks = waiver(),  
  minor_breaks = waiver(),  
  labels = waiver(),  
  limits = NULL,  
  expand = waiver(),  
  oob = scales::censor,
```

```
    na.value = NA_real_,
    position = "bottom",
    time_wrap = NULL,
    unit = "h",
    log = FALSE
  )

  scale_y_hours(
    name = "Time",
    breaks = waiver(),
    minor_breaks = waiver(),
    labels = waiver(),
    limits = NULL,
    expand = waiver(),
    oob = scales::censor,
    na.value = NA_real_,
    position = "left",
    time_wrap = NULL,
    unit = "h",
    log = FALSE
  )

  scale_x_seconds(
    name = "Time",
    breaks = waiver(),
    minor_breaks = waiver(),
    labels = waiver(),
    limits = NULL,
    expand = waiver(),
    oob = scales::censor,
    na.value = NA_real_,
    position = "bottom",
    time_wrap = NULL,
    unit = "s",
    log = FALSE
  )

  scale_y_seconds(
    name = "Time",
    breaks = waiver(),
    minor_breaks = waiver(),
    labels = waiver(),
    limits = NULL,
    expand = waiver(),
    oob = scales::censor,
    na.value = NA_real_,
    position = "left",
    time_wrap = NULL,
```

```

    unit = "s",
    log = FALSE
  )

```

Arguments

name	The name of the scale. Used as the axis or legend title. If <code>waiver()</code> , the default, the name of the scale is taken from the first mapping used for that aesthetic. If <code>NULL</code> , the legend title will be omitted.
breaks	One of: <ul style="list-style-type: none"> • <code>NULL</code> for no breaks • <code>waiver()</code> for the breaks specified by <code>date_breaks</code> • A <code>Date/POSIXct</code> vector giving positions of breaks • A function that takes the limits as input and returns breaks as output
minor_breaks	One of: <ul style="list-style-type: none"> • <code>NULL</code> for no breaks • <code>waiver()</code> for the breaks specified by <code>date_minor_breaks</code> • A <code>Date/POSIXct</code> vector giving positions of minor breaks • A function that takes the limits as input and returns minor breaks as output
labels	One of: <ul style="list-style-type: none"> • <code>NULL</code> for no labels • <code>waiver()</code> for the default labels computed by the transformation object • A character vector giving labels (must be same length as breaks) • An expression vector (must be the same length as breaks). See <code>?plotmath</code> for details. • A function that takes the breaks as input and returns labels as output. Also accepts rlang lambda function notation.
limits	One of: <ul style="list-style-type: none"> • <code>NULL</code> to use the default scale range • A numeric vector of length two providing limits of the scale. Use <code>NA</code> to refer to the existing minimum or maximum • A function that accepts the existing (automatic) limits and returns new limits. Also accepts rlang lambda function notation. Note that setting limits on positional scales will remove data outside of the limits. If the purpose is to zoom, use the <code>limit</code> argument in the coordinate system (see coord_cartesian()).
expand	Vector of range expansion constants used to add some padding around the data, to ensure that they are placed some distance away from the axes. Use the convenience function <code>ggplot2::expand_scale()</code> to generate the values for the <code>expand</code> argument. The defaults are to expand the scale by 5\0.6 units on each side for discrete variables.
oob	One of: <ul style="list-style-type: none"> • Function that handles limits outside of the scale limits (out of bounds). Also accepts rlang lambda function notation.

	<ul style="list-style-type: none"> • The default (<code>scales::censor()</code>) replaces out of bounds values with NA. • <code>scales::squish()</code> for squishing out of bounds values into range. • <code>scales::squish_infinite()</code> for squishing infinite values into range.
na.value	Missing values will be replaced with this value.
position	For position scales, The position of the axis. left or right for y axes, top or bottom for x axes.
time_wrap	duration (in seconds) used to wrap the labels of the time axis
unit	the name of unit (string) to be used in the label (e.g. one could use "second" instead of "s")
log	logical, whether axis should be on a log-transformed

Details

`time_wrap` is useful, for instance, to express time within a day (ZT), instead of absolute time.

Value

A ggplot scale.

References

- The relevant [rethomic tutorial section](#)

See Also

- [ggetho](#) to generate a plot object
- [ggplot2::scale_x_continuous](#), the default ggplot scale, to understand limits, breaks, labels and name

Examples

```
# We generate some data
metadata <- data.frame(id = sprintf("toy_experiment | %02d", 1:20),
                       condition = c("A", "B"))
dt <- toy_activity_data(metadata, 3)
# Then, a simple plot
p1 <- ggetho(dt, aes(y = asleep)) + stat_pop_etho()
p1 + scale_x_hours(breaks = days(c(1, 2)))
p1 + scale_x_hours()
p1 + scale_x_days(breaks = days(c(1, 2)))
p1 + scale_x_days()

# To express time modulus `time_wrap`
# e.g. time n the day
p1 + scale_x_hours(time_wrap = hours(24)) +
  coord_cartesian(xlim=c(0, days(2)))

# On a shorter time scale
p1 <- ggetho(dt[t < hours(5)], aes(z = asleep)) + stat_tile_etho()
```

```
p1 + scale_x_hours()  
p1 + scale_x_hours(breaks = hours(1:4))  
p1 + scale_x_seconds(breaks = hours(1:4))
```

Index

* **layers**
 geom_peak, 2
 stat_bar_tile_etho, 10
 stat_ld_annotatons, 12
 stat_pop_etho, 14

aes(), 2, 10, 13, 15

behavr::behavr, 5, 7, 8
borders(), 3, 11, 13, 16

coord_cartesian(), 19

fortify(), 2, 11, 13, 15

geom_peak, 2, 7, 11, 14, 16
ggetho, 4, 7, 11, 14, 16, 20
ggperio, 3, 6, 8
ggplot(), 2, 10, 13, 15
ggplot2::ggplot(), 5, 7, 8
ggplot2::labeller, 9
ggplot2::mean_cl_boot, 15
ggplot2::mean_se, 15
ggplot2::scale_x_continuous, 20
ggplot2::stat_smooth, 16
ggspectro, 7, 8

id_labeller, 9

lambda, 19
layer(), 3, 11, 13, 15

max, 11
mean, 11
median, 11
min, 11

scale_x_days(time_scales), 17
scale_x_hours(time_scales), 17
scale_x_seconds(time_scales), 17
scale_y_days(time_scales), 17
scale_y_hours(time_scales), 17
scale_y_seconds(time_scales), 17
scales::censor(), 20
scales::squish(), 20
scales::squish_infinite(), 20
stat_bar_tile_etho, 3, 10, 14, 16
stat_ld_annotatons, 3, 5, 11, 12, 16
stat_pop_etho, 3, 5, 11, 14, 14
stat_tile_etho, 5, 16
stat_tile_etho(stat_bar_tile_etho), 10

time_scales, 17

zeitgebr::find_peaks, 3
zeitgebr::periodogram, 7