

Package ‘lazytrade’

July 22, 2025

Type Package

Title Learn Computer and Data Science using Algorithmic Trading

Version 0.5.4

Author Vladimir Zhbanko

Maintainer Vladimir Zhbanko <vladimir.zhbanko@gmail.com>

Description Provide sets of functions and methods to learn and practice data science using idea of algorithmic trading.

Main goal is to process information within ``Decision Support System" to come up with analysis or predictions.

There are several utilities such as dynamic and adaptive risk management using reinforcement learning

and even functions to generate predictions of price changes using pattern recognition deep regression learning.

Summary of Methods used: Awesome H2O tutorials: <<https://github.com/h2oai/awesome-h2o>>,

Market Type research of Van Tharp Institute: <<https://vantharp.com/>>,

Reinforcement Learning R package: <<https://CRAN.R-project.org/package=ReinforcementLearning>>.

License MIT + file LICENSE

URL https://vladdsm.github.io/myblog_attempt/topics/lazy%20trading/,
<https://github.com/vzhomeexperiments/lazytrade>

BugReports <https://github.com/vzhomeexperiments/lazytrade/issues>

Encoding UTF-8

LazyData true

Language en-US

RoxygenNote 7.3.2

Imports readr, stringr, dplyr, tibble, lubridate, ggplot2, grDevices,
h2o, ReinforcementLearning, openssl, stats, cluster, lifecycle

Suggests testthat (>= 2.1.0), covr, magrittr, data.table, bit64

Depends R (>= 3.6.0)

NeedsCompilation no

Repository CRAN

Date/Publication 2024-07-16 22:10:06 UTC

Contents

aml_collect_data	3
aml_consolidate_results	5
aml_make_model	7
aml_score_data	10
aml_simulation	12
aml_test_model	14
check_if_optimize	17
create_labelled_data	18
create_transposed_data	20
data_trades	21
decrypt_mykeys	21
DFR	22
dlog	23
encrypt_api_key	24
EURUSDM15X75	25
evaluate_macroeconomic_event	26
get_profit_factorDF	27
import_data	28
indicator_dataset	29
macd_100	29
macd_df	30
macd_ML60M	31
mt_evaluate	31
mt_import_data	33
mt_make_model	34
mt_stat_evaluate	37
mt_stat_transf	38
opt_aggregate_results	40
opt_create_graphs	41
policy_tr_systDF	42
price_dataset	43
price_dataset_big	43
profit_factorDF	44
profit_factor_data	44
result_prev	45
result_R	45
result_R1	46
rl_generate_policy	46
rl_generate_policy_mt	47
rl_log_progress	48
rl_log_progress_mt	49

rl_record_policy	50
rl_record_policy_mt	51
rl_write_control_parameters	52
rl_write_control_parameters_mt	53
test_data_pattern	55
to_m	55
TradeStatePolicy	56
trading_systemDF	56
util_find_file_with_code	57
util_find_pid	59
util_generate_password	60
util_profit_factor	62
write_command_via_csv	63
write_ini_file	64
x_test_model	68
y	69
Index	70

aml_collect_data	<i>Function to read, transform, aggregate and save data for further re-training of regression model for a single asset</i>
------------------	--

Description

Function is collecting data from the csv files Data objects are transformed to be suitable for Regression Modelling. Price change will be in the column 'LABEL', column X1 will keep the time index Result will be written to a new or aggregated to the existing '.rds' file

Function is keeping generated dataset to be not larger than specified by the user

[Stable]

Usage

```
aml_collect_data(
  indicator_dataset,
  symbol,
  timeframe = 60,
  path_data,
  max_nrows = 2500
)
```

Arguments

indicator_dataset	Dataset containing assets indicator which pattern will be used as predictor
symbol	Character symbol of the asset for which to train the model
timeframe	Data timeframe e.g. 1 min

path_data	Path where the aggregated historical data is stored, if exists in rds format
max_nrows	Integer, Maximum number of rows to collect

Details

Function is not handling shift of the price and indicator datasets.

This function is relying on the data collection from the dedicated data robot Other 'aml_*' functions will work based on the data processed by this function

Value

Function is writing files into Decision Support System folder, mainly file object with the model

Author(s)

(C) 2020, 2021 Vladimir Zhbanko

Examples

```
# write examples for the function
library(dplyr)
library(readr)
library(lubridate)
library(lazytrade)
library(magrittr)

# sample dataset
ind = system.file("extdata", "AI_RSIADXUSDJPY60.csv",
                  package = "lazytrade") %>% read_csv(col_names = FALSE)

# convert to POSIX format
ind$X1 <- ymd_hms(ind$X1)

# create temporary path (check output of tempdir() to check the result)
path_data <- normalizePath(tempdir(), winslash = "/")

# add tick data to the folder
tick = system.file("extdata", "TickSize_AI_RSIADX.csv",
                  package = "lazytrade") %>% read_csv(col_names = FALSE)

write_csv(tick, file.path(path_data, "TickSize_AI_RSIADX.csv"), col_names = FALSE)

# data transformation using the custom function for one symbol
aml_collect_data(indicator_dataset = ind,
                 symbol = 'USDJPY',
                 timeframe = 60,
                 path_data = path_data)
```

aml_consolidate_results

Function to consolidate model test results

Description

Function is designed to evaluate test results of multiple models. This is done to select only group of models with the best performance. In addition, function will provide facility to generate logs hence to allow tracking of long term model performance

[Experimental]

Usage

```
aml_consolidate_results(
    timeframe = 15,
    used_symbols,
    path_model,
    path_sbxml,
    path_sbxs,
    min_quality = 0.75,
    get_quantile = FALSE,
    log_results = FALSE,
    path_logs = NULL
)
```

Arguments

timeframe	Integer, Data timeframe interval in minutes e.g. 60 min
used_symbols	Vector, containing several financial instruments that were previously used to test the model
path_model	String, User path where the test results were stored
path_sbxml	String, User path to the sandbox where file with strategy test results should be written (master terminal)
path_sbxs	String, User path to the sandbox where file with strategy test results should be written (slave terminal)
min_quality	Double, value typically from 0.25 to 0.95 to select the min threshold value
get_quantile	Bool, whether or not function should return an overall value of model performances this will be used to conditionally update only less performant models
log_results	Bool, option to write logs with cumulative results obtained for all models
path_logs	String, User path to the folder where to log results

Details

Provide a modular facility to aggregate and update files, write performance logs.

Value

Function is writing files into Decision Support System folders

Author(s)

(C) 2021 Vladimir Zhbanko

Examples

```
library(dplyr)
library(magrittr)
library(readr)
library(lazytrade)
library(stats)

testpath <- normalizePath(tempdir(), winslash = "/")
path_model <- file.path(testpath, "_Model")
path_sbxml <- file.path(testpath, "_T1")
path_sbxs <- file.path(testpath, "_T3")
path_logs <- file.path(testpath, "_LOGS")
dir.create(path_model)
dir.create(path_sbxml)
dir.create(path_sbxs)
dir.create(path_logs)

file.copy(from = system.file("extdata", "StrTest-EURGBPM15.csv", package = "lazytrade"),
          to = file.path(path_model, "StrTest-EURGBPM15.csv"), overwrite = TRUE)

file.copy(from = system.file("extdata", "StrTest-EURJPYM15.csv", package = "lazytrade"),
          to = file.path(path_model, "StrTest-EURJPYM15.csv"), overwrite = TRUE)

file.copy(from = system.file("extdata", "StrTest-EURUSDM15.csv", package = "lazytrade"),
          to = file.path(path_model, "StrTest-EURUSDM15.csv"), overwrite = TRUE)

Pairs <- c("EURGBP", "EURJPY", "EURUSD")

aml_consolidate_results(timeframe = 15,
                        used_symbols = Pairs,
                        path_model = path_model,
                        path_sbxml = path_sbxml,
                        path_sbxs = path_sbxs,
                        min_quality = 0.75,
                        get_quantile = FALSE)

aml_consolidate_results(timeframe = 15,
                        used_symbols = Pairs,
                        path_model = path_model,
                        path_sbxml = path_sbxml,
                        path_sbxs = path_sbxs,
```

```

min_quality = 0.75,
get_quantile = FALSE,
log_results = TRUE,
path_logs = path_logs)

```

aml_make_model

*Function to train Deep Learning regression model for a single asset***Description**

Function is training h2o deep learning model to match future prices of the asset to the indicator pattern. Main idea is to be able to predict future prices by solely relying on the recently retrieved indicator pattern. This is to mimic traditional algorithmic systems based on the indicator rule and to attempt automated optimization with AI.

[Experimental]**Usage**

```

aml_make_model(
  symbol,
  timeframe = 60,
  path_model,
  path_data,
  force_update = FALSE,
  objective_test = FALSE,
  num_nn_options = 12,
  fixed_nn_struct = c(100, 100),
  num_epoch = 100,
  numBars_test = 600,
  numBars_ahead = 34,
  num_cols_used = 16,
  min_perf = 0.3
)

```

Arguments

symbol	Character symbol of the asset for which to train the model
timeframe	Integer, value in minutes, e.g. 60 min
path_model	Path where the models shall be stored
path_data	Path where the aggregated historical data is stored, if exists in rds format
force_update	Boolean, by setting this to TRUE function will generate new model (useful after h2o engine update)
objective_test	Boolean, option to use trading objective test as a parameter to validate best model, defaults to FALSE

num_nn_options	Integer, value from 0 to 24 or more. Used to change number of variants of the random neural network structures, when value is 0 uses fixed structure Higher number may lead to long code execution. Select value multiple of 3 otherwise function will generate warning. E.g. 12, 24, 48, etc
fixed_nn_struct	Integer vector with numeric elements, see par hidden in ?h2o.deeplearning, default value is c(100,100). Note this will only work if num_nn_options is 0
num_epoch	Integer, see parameter epochs in ?h2o.deeplearning, default value is 100 Higher number may lead to long code execution
numBars_test	Integer, value of bars used for model testing
numBars_ahead	Integer, value to specify how far should the function predict. Default 34 bars.
numCols_used	Integer, number of columns to use for training the model, defaults to 16
min_perf	Double, value greater than 0. Used to set minimum value of model performance. Higher value will increase computation time

Details

Deep learning model structure is obtained from several random combinations of neurons within 3 hidden layers of the network. The most accurate model configuration will be automatically selected based either RMSE or Objective Test. In addition, the function will check if there is a need to update the model. To do that function will check results of the function `aml_test_model.R`.

Function is using the dataset prepared by the function `aml_collect_data.R`. Note that function will start to train the model as soon as there are more than 1000 rows in the dataset

Value

Function is writing a file object with the best Deep Learning Regression model

Author(s)

(C) 2020, 2021 Vladimir Zhbanko

Examples

```
library(dplyr)
library(readr)
library(h2o)
library(lazytrade)
library(lubridate)
library(magrittr)

path_model <- normalizePath(tempdir(),winslash = "/")
path_data <- normalizePath(tempdir(),winslash = "/")

ind = system.file("extdata", "AI_RSIADXUSDJPY60.csv",
                  package = "lazytrade") %>% read_csv(col_names = FALSE)
```

```

ind$X1 <- ymd_hms(ind$X1)

tick = system.file("extdata", "TickSize_AI_RSIADX.csv",
                    package = "lazytrade") %>% read_csv(col_names = FALSE)

write_csv(tick, file.path(path_data, "TickSize_AI_RSIADX.csv"), col_names = FALSE)

# data transformation using the custom function for one symbol
aml_collect_data(indicator_dataset = ind,
                 symbol = 'USDJPY',
                 timeframe = 60,
                 path_data = path_data)

# dataset will be written to the temp directory

# start h2o engine
h2o.init(nthreads = 2)

# performing Deep Learning Regression using 2 random neural network structures and objective test
aml_make_model(symbol = 'USDJPY',
               timeframe = 60,
               path_model = path_model,
               path_data = path_data,
               force_update=FALSE,
               objective_test = TRUE,
               num_nn_options = 6,
               num_epoch = 10,
               min_perf = 0,
               numBars_test = 600,
               numBars_ahead = 34,
               num_cols_used = 16)

# performing DL Regression using 2 random neural network structures
# with objective test, all columns
aml_make_model(symbol = 'USDJPY',
               timeframe = 60,
               path_model = path_model,
               path_data = path_data,
               force_update=FALSE,
               objective_test = TRUE,
               num_nn_options = 6,
               num_epoch = 10,
               min_perf = 0,
               numBars_test = 600,
               numBars_ahead = 34,
               num_cols_used = 0)

# performing Deep Learning Regression using the custom function
aml_make_model(symbol = 'USDJPY',
               timeframe = 60,

```

```

        path_model = path_model,
        path_data = path_data,
        force_update=FALSE,
        objective_test = FALSE,
        num_nn_options = 6,
        num_epoch = 10,
        min_perf = 0,
        numBars_test = 600,
        numBars_ahead = 34,
        numCols_used = 16)

# performing Deep Learning Regression, fixed mode
aml_make_model(symbol = 'USDJPY',
               timeframe = 60,
               path_model = path_model,
               path_data = path_data,
               force_update=TRUE,
               num_nn_options = 0,
               fixed_nn_struct = c(100, 100),
               num_epoch = 10,
               min_perf = 0)

# stop h2o engine
h2o.shutdown(prompt = FALSE)

#set delay to insure h2o unit closes properly before the next test
Sys.sleep(5)

```

aml_score_data	<i>Function to score new data and predict change for each single currency pair</i>
----------------	--

Description

Function is using the latest data from the financial assets indicator pattern and deep learning model. Prediction is a future price change for that asset

[Stable]

Usage

```
aml_score_data(symbol, timeframe, path_model, path_data, path_sbxm, path_sbxs)
```

Arguments

symbol	Character symbol of the asset for which the model shall predict
timeframe	Data timeframe e.g. 60 min
path_model	Path where the models are be stored
path_data	Path where the aggregated historical data is stored, if exists in rds format
path_sbzm	Path to the sandbox where file with predicted price should be written (master terminal)
path_sbzs	Path to the sandbox where file with predicted price should be written (slave terminal)

Details

Performs fresh data reading from the rds file

Value

Function is writing file into Decision Support System folder, mainly file with price change prediction in pips

Author(s)

(C) 2020 Vladimir Zhbanko

Examples

```
# test of function aml_make_model is duplicated here
library(dplyr)
library(readr)
library(lubridate)
library(h2o)
library(magrittr)
library(lazytrade)

path_model <- normalizePath(tempdir(),winslash = "/")
path_data <- normalizePath(tempdir(),winslash = "/")

ind = system.file("extdata", "AI_RSIADXUSDJPY60.csv",
                  package = "lazytrade") %>% read_csv(col_names = FALSE)

ind$X1 <- ymd_hms(ind$X1)

write_csv(ind, file.path(path_data, "AI_RSIADXUSDJPY60.csv"), col_names = FALSE)

# add tick data to the folder
tick = system.file("extdata", "TickSize_AI_RSIADX.csv",
                  package = "lazytrade") %>% read_csv(col_names = FALSE)
```

```

write_csv(tick, file.path(path_data, "TickSize_AI_RSIADX.csv"), col_names = FALSE)

# data transformation using the custom function for one symbol
aml_collect_data(indicator_dataset = ind,
                 symbol = 'USDJPY',
                 timeframe = 60,
                 path_data = path_data)
# start h2o engine (using all CPU's by default)

h2o.init(nthreads = 2)

# performing Deep Learning Regression using the custom function
aml_make_model(symbol = 'USDJPY',
               timeframe = 60,
               path_model = path_model,
               path_data = path_data,
               force_update=FALSE,
               num_nn_options = 2)

path_sbxm <- normalizePath(tempdir(),winslash = "/")
path_sbxs <- normalizePath(tempdir(),winslash = "/")

# score the latest data to generate predictions for one currency pair
aml_score_data(symbol = 'USDJPY',
               timeframe = 60,
               path_model = path_model,
               path_data = path_data,
               path_sbxm = path_sbxm,
               path_sbxs = path_sbxs)

# stop h2o engine
h2o.shutdown(prompt = FALSE)

#set delay to insure h2o unit closes properly before the next test
Sys.sleep(5)

```

aml_simulation

Function to simulate multiple input structures

Description

Function is designed to evaluate several different inputs.

[Experimental]

Usage

```
aml_simulation(  
  timeframe = 60,  
  path_sim_input,  
  path_sim_result,  
  par_simulate1 = 10,  
  par_simulate2 = 16,  
  demo_mode = FALSE  
)
```

Arguments

timeframe	Integer, Data timeframe e.g. 60 min. This will be equal to 1 bar
path_sim_input	String, Path to the folder where csv files will be placed, typically AI_RSIADXAUDCAD60.csv
path_sim_result	String, Path to the folder where all results from simulations shall be written
par_simulate1	Integer, Parameter that can be used in simulation
par_simulate2	Integer, Parameter that can be used in simulation
demo_mode	Boolean, Simplify function test. When TRUE no simulation will be made

Details

Function is using several other functions to perform sets of operations designed to test several inputs. Designed to validate model settings.

Update: New function structure to allow quicker simulation of parameters to find best performing input

Value

Function is writing file into Decision Support System folders

Author(s)

(C) 2021 Vladimir Zhbanko

Examples

```
library(dplyr)  
library(magrittr)  
library(readr)  
library(h2o)  
library(lazytrade)  
library(lubridate)  
library(stats)  
  
path_input <- normalizePath(tempdir(), winslash = "/")
```

```

path_sim_input <- file.path(path_input, "path_sim_input")
dir.create(path_sim_input)
path_sim_result <- file.path(path_input, "path_sim_result")
dir.create(path_sim_result)

file.copy(from = system.file("extdata", "AI_RSIADXCADCHF60.csv", package = "lazytrade"),
          to = file.path(path_sim_input, "AI_RSIADXCADCHF60.csv"), overwrite = TRUE)
file.copy(from = system.file("extdata", "AI_RSIADXEURNZD60.csv", package = "lazytrade"),
          to = file.path(path_sim_input, "AI_RSIADXEURNZD60.csv"), overwrite = TRUE)

# start h2o engine
h2o.init(nthreads = 2)

# simulation of different epoch values
aml_simulation(timeframe = 60,
               path_sim_input = path_sim_input,
               path_sim_result = path_sim_result,
               par_simulate1 = 10,
               par_simulate2 = 10,
               demo_mode = FALSE)

Sys.sleep(5)
# stop h2o engine
h2o.shutdown(prompt = FALSE)

#set delay to insure h2o unit closes properly before the next test
Sys.sleep(5)

```

aml_test_model	<i>Function to test the model and conditionally decide to update existing model for a single currency pair</i>
----------------	--

Description

Function is designed to test the trading decision generated by the Deep learning regression model. It is doing so by simulating trading strategy outcome. The outcome of this function will be also used to define best trigger to join into the trading opportunity

[Experimental]

Usage

```

aml_test_model(
  symbol,
  numBars,

```

```

    timeframe,
    path_model,
    path_data,
    path_sbxm = path_sbxm,
    path_sbxs = path_sbxs
  )

```

Arguments

symbol	Character symbol of the asset for which to train the model
numBars	Integer, Number of (rows) bars used to test the model
timeframe	Integer, Data timeframe e.g. 60 min. This will be equal to 1 bar
path_model	String, User path where the models are be stored
path_data	String, User path where the aggregated historical data is stored, if exists in rds format
path_sbxm	String, User path to the sandbox where file with strategy test results should be written (master terminal)
path_sbxs	String, User path to the sandbox where file with strategy test results should be written (slave terminal)

Details

Function is reading price data and corresponding indicator. Starting from the trained model function will test the trading strategy using simplified trading approach. Trading approach will entail using the last available indicator data, predict the price change for every row, trade will be simulating by holding the asset for 3, 5, 10 and 34 hours. Several trigger points will be evaluated selecting the most optimal trading trigger. Function is writing most optimal decision into *.csv file Such file will be used by the function aml_make_model.R to decide whether model must be updated...

Value

Function is writing file into Decision Support System folders

Author(s)

(C) 2020, 2021 Vladimir Zhbanks

Examples

```

library(dplyr)
library(magrittr)
library(readr)
library(h2o)
library(lazytrade)
library(lubridate)

path_model <- normalizePath(tempdir(), winslash = "/")

```

```

path_data <- normalizePath(tempdir(),winslash = "/")

ind = system.file("extdata", "AI_RSIADXUSDJPY60.csv",
                  package = "lazytrade") %>% read_csv(col_names = FALSE)

ind$X1 <- ymd_hms(ind$X1)

tick = system.file("extdata", "TickSize_AI_RSIADX.csv",
                  package = "lazytrade") %>% read_csv(col_names = FALSE)

write_csv(ind, file.path(path_data, "AI_RSIADXUSDJPY60.csv"), col_names = FALSE)

write_csv(tick, file.path(path_data, "TickSize_AI_RSIADX.csv"), col_names = FALSE)

# data transformation using the custom function for one symbol
aml_collect_data(indicator_dataset = ind,
                 symbol = 'USDJPY',
                 timeframe = 60,
                 path_data = path_data)

# start h2o engine
h2o.init(nthreads = 2)

# performing Deep Learning Regression using the custom function
aml_make_model(symbol = 'USDJPY',
               timeframe = 60,
               path_model = path_model,
               path_data = path_data,
               force_update=FALSE,
               num_nn_options = 3)

path_sbxml <- normalizePath(tempdir(),winslash = "/")
path_sbxs <- normalizePath(tempdir(),winslash = "/")

# score the latest data to generate predictions for one currency pair
aml_score_data(symbol = 'USDJPY',
               timeframe = 60,
               path_model = path_model,
               path_data = path_data,
               path_sbxml = path_sbxml,
               path_sbxs = path_sbxs)

# test the results of predictions
aml_test_model(symbol = 'USDJPY',
               num_bars = 600,
               timeframe = 60,
               path_model = path_model,
               path_data = path_data,
               path_sbxml = path_sbxml,
               path_sbxs = path_sbxs)

```

```
# stop h2o engine
h2o.shutdown(prompt = FALSE)

#set delay to insure h2o unit closes properly before the next test
Sys.sleep(5)
```

check_if_optimize	<i>Function check_if_optimize.</i>
-------------------	------------------------------------

Description

Purpose of this function is to verify trading system functionality by analysing profit factor on the last trades. Whenever trading robot has profit factor value below certain limit function will write a file log indicating which trading systems need to be maintained.

Learn by example how to manipulate data

[Stable]

Usage

```
check_if_optimize(
  x,
  system_list,
  path_data,
  num_trades_to_consider = 3,
  profit_factor_limit = 0.7,
  write_mode = FALSE
)
```

Arguments

- | | |
|------------------------|--|
| x | • dataframe containing trading results |
| system_list | • dataframe containing a table with magic numbers used by robots. Stored in file Setup.csv |
| path_data | • string, path to the folder where optimization file should be written |
| num_trades_to_consider | • Number of trades to calculate profit factor |
| profit_factor_limit | • Limit below which trading robot is considered not working properly |
| write_mode | • When true function will write result to the file located in the temporary directory |

Details

Whenever there will be not enough trades then empty file will be written to the destination

Value

function returns a dataframe with systems that should be optimized

Author(s)

(C) 2019,2021 Vladimir Zhbanks

Examples

```
library(lazytrade)
library(magrittr)
library(dplyr)
library(readr)
library(lubridate)

path_data <- normalizePath(tempdir(), winslash = "/")

file.copy(from = system.file("extdata", "Setup.csv", package = "lazytrade"),
          to = file.path(path_data, "Setup.csv"), overwrite = TRUE)

system_list <- read_csv(file.path(path_data, "Setup.csv"))

data(profit_factorDF)

# without writing to the file
check_if_optimize(x = profit_factorDF,
                  system_list = system_list,
                  path_data,
                  num_trades_to_consider = 3,
                  profit_factor_limit = 0.8,
                  write_mode = TRUE)
```

create_labelled_data *Create labelled data*

Description

FUNCTION create_labelled_data. PURPOSE: function gets price data of every currency in each column. It is splitting this data by periods and transposes the data. Additionally function is capable to label the data based on the simple logic. Each row will be assigned into 2 categories based on the difference between beginning and end of the row elements Finally all data will be stacked on top and joined into the table

Learn by example how to manipulate data

[Superseded]

Usage

```
create_labelled_data(x, n = 50, type = "regression")
```

Arguments

- | | |
|------|--|
| x | • data set containing a table where 1st column is a Time index and other columns containing financial asset price values |
| n | • number of rows we intend to split and transpose the data to |
| type | • type of the label required. Can be either "classification" or "regression". "classification" will return either "BU" or "BE", "regression" will return the difference between first value and the last value in each row (in pips) |

Details

see more info in the udemy course [self-learning-trading-robot](#)

Value

function returns transposed data. One column called 'LABEL' indicate achieved value of the label. Transposed values from every column are stacked one to each other

Examples

```
library(dplyr)
library(magrittr)
library(readr)
library(lazytrade)

# usind a sample data
data(price_dataset)

# price change as a label
create_labelled_data(x = price_dataset, n = 75, type = "regression")

# factors 'BU'/'BE' as a label
create_labelled_data(x = price_dataset, n = 75, type = "classification")
```

`create_transposed_data`*Create Transposed Data*

Description

PURPOSE: function gets indicator data in each column. Goal is to splitting this data into periods and transpose the data.

[Superseded]

Usage

```
create_transposed_data(x, n = 50)
```

Arguments

- | | |
|---|--|
| x | • data set containing a table where 1st column is a Time index and other columns containing financial asset indicator values |
| n | • number of rows we intend to split and transpose the data |

Details

each column contains records of the indicator value of the assets every column will be split into chunks of n observations and transposed into rows this repeated for all the columns coming up with a matrix. Function works in combination with a function `create_labelled_data`

Value

function returns transposed data. Transposed values from every column are stacked one to each other

Examples

```
library(dplyr)
library(magrittr)
library(lazytrade)

# usind a sample data
data(indicator_dataset)

create_transposed_data(indicator_dataset, n = 75)
```

data_trades	<i>Table with Trade results samples</i>
-------------	---

Description

Table with Trade results samples

Usage

data_trades

Format

A dataframe with several columns

MagicNumber Unique identifiers of the Trading Robots

TicketNumber Ticket Number of closed position

OrderStartTime Date and Time when order started

OrderCloseTime Date and Time when order closed

Profit Monetary result of the trade

Symbol Symbol of the Asset e.g. EURUSD

OrderType Order Type 0 - buy, 1 - sell

decrypt_mykeys	<i>Function that decrypt encrypted content</i>
----------------	--

Description

Cryptography facility

[Stable]

Usage

decrypt_mykeys(path_encrypted_content, path_private_key)

Arguments

path_encrypted_content

- path to the encrypted content of the API key

path_private_key

- path to the private RSA key, should be without password

Details

It is possible to generate private/public key pair using R-Studio Project Options Menu. Alternatively possible to use 'openssl' R package

Value

- a string with decrypted key

Examples

```
library(dplyr)
library(magrittr)
library(openssl)
library(readr)

path_ssh <- normalizePath(tempdir(),winslash = "/")
rsa_keygen() %>% write_pem(path = file.path(path_ssh, 'id_api'))
# extract and write your public key
read_key(file = file.path(path_ssh, 'id_api'), password = "") %>%
`[[`("pubkey") %>% write_pem(path = file.path(path_ssh, 'id_api.pub'))

path_private_key <- file.path(path_ssh, "id_api")
path_public_key <- file.path(path_ssh, "id_api.pub")

#encrypting string 'my_key'...
encrypt_api_key(api_key = 'my_key', enc_name = 'api_key.enc.rds',path_ssh = path_ssh)

#encrypted content
out <- read_rds(file.path(path_ssh, "api_key.enc.rds"))

# Consumer API keys
ConsumerAPIkeys <- decrypt_mykeys(path_encrypted_content = file.path(path_ssh,
                              'api_key.enc.rds'),
                              path_private_key = path_private_key)
```

DFR	<i>Table with predicted price change</i>
-----	--

Description

Table with predicted price change

Usage

DFR

Format

A dataframe with one column

"MagicNumber.x Unique identifiers of the Trading Robots from Trade Log

TicketNumber Ticket Number of closed position

OrderStartTime Date and Time when order started

OrderCloseTime Date and Time when order closed

Profit Monetary result of the trade

Symbol Symbol of the Asset e.g. EURUSD

OrderType Order Type 0 - buy, 1 - sell

"CUMSUM_PNL Cumulative sum of Profit and Loss

dlog	<i>Create log difference distribution</i>
------	---

Description

Calculate log distribution and calculate difference within rows

[Stable]

Usage

dlog(x)

Arguments

x • matrix with one or more column

Value

• dataframe

Examples

```
library(magrittr)
library(lazytrade)
m <- seq(1:1000) %>% as.matrix(10) %>% dlog()
```

encrypt_api_key	<i>Encrypt api keys</i>
-----------------	-------------------------

Description

Provide easy interface to encrypt the api key. In order to use function simply provide a string with an API key. In addition provide the path to the .ssh folder and names of the private and public keys

[Stable]

Usage

```
encrypt_api_key(  
  api_key,  
  enc_name = "api_key.enc.rds",  
  path_ssh = "path_ssh",  
  file_rsa = "id_api",  
  file_rsa_pub = "id_api.pub"  
)
```

Arguments

api_key	String with API key
enc_name	String with a name of the file with encrypted key. Default name is 'api_key.enc.rds'
path_ssh	String with path to the file with rsa keys. Same place will be used to store encrypted data
file_rsa	String with a name of the file with a private key. Default name is 'id_api'
file_rsa_pub	String with a name of the file with a public key. Default name is 'id_api.pub'

Details

Make sure to clean the history of the R session

Value

Writes a file with encrypted key

References

for more info on how to use RSA cryptography in R check my course on Udemy

Examples

```

library(openssl)
library(magrittr)
library(readr)
path_ssh <- normalizePath(tempdir(),winslash = "/")
rsa_keygen() %>% write_pem(path = file.path(path_ssh, 'id_api'))
# extract and write your public key
read_key(file = file.path(path_ssh, 'id_api'), password = "") %>%
`[[`("pubkey") %>% write_pem(path = file.path(path_ssh, 'id_api.pub'))

path_private_key <- file.path(path_ssh, "id_api")
path_public_key <- file.path(path_ssh, "id_api.pub")

#encrypting string 'my_key'...
encrypt_api_key(api_key = 'my_key', enc_name = 'api_key.enc.rds',path_ssh = path_ssh)

out <- read_rds(file.path(path_ssh, "api_key.enc.rds"))

# decrypting the password using public data list and private key
api_key <- decrypt_envelope(out$data,
                           out$iv,
                           out$session,
                           path_private_key, password = "") %>%
  unserialize()

# outcome of the encryption will be a string 'my_key'

```

EURUSDM15X75

*Table with indicator and price change dataset***Description**

Table with indicator and price change dataset

Usage

EURUSDM15X75

Format

A dataframe with several columns

LABEL future price change**X1-X75** Values of the macd indicator

evaluate_macroeconomic_event

*Function used to evaluate market type situation by reading the file with
Macroeconomic Events and writing a trigger to the trading robot*

Description

Function is reading the content of the file 01_MacroeconomicEvent.csv. Content of the file can be either 1 or 0. 1 - when Macro Economic event is present, 0 - when it's not. Function will also read magic number of the trading robots. This is indicated in the file 'Setup.csv'. Final outcome of the function is the series of files written to the destination directories. These files will either enable or disable opening of new positions in the trading robots

[Stable]

Usage

```
evaluate_macroeconomic_event(  
    setup_file_path,  
    setup_file_name = "Setup.csv",  
    macro_event_path,  
    macro_file_name = "01_MacroeconomicEvent.csv",  
    path_T1,  
    path_T3  
)
```

Arguments

setup_file_path	
	string, path to the folder with Setup.csv file
setup_file_name	
	string, name of the file 'Setup.csv'
macro_event_path	
	string, path to the folder with a file '01_MacroeconomicEvent.csv'
macro_file_name	
	string, name of the file '01_MacroeconomicEvent.csv'
path_T1	Path of the Terminal 1
path_T3	Path of the Terminal 3

Details

This function is used exclusively with Market Type recognition system.

Final evaluation will consist in writing a dedicated file with a simple information:

When Macro economic even is not present:

"Magic", "IsEnabled" 8139125,1

or, when Macro economic event is present:

"Magic", "IsEnabled" 8139125,0

Value

Function will write files indicating to enable or disable trading systems to open new orders

Examples

```
# evaluate data on macroeconomic event (required to start trading)
library(dplyr)
library(readr)
library(lazytrade)

dir <- normalizePath(tempdir(), winslash = "/")

evaluate_macroeconomic_event(setup_file_path = system.file('extdata', package = "lazytrade"),
                             setup_file_name = "Setup.csv",
                             macro_event_path = system.file('extdata', package = "lazytrade"),
                             macro_file_name = "01_MacroeconomicEvent.csv",
                             path_T1 = dir, path_T3 = dir)
```

get_profit_factorDF	<i>Function that returns the profit factors of the systems in a form of a DataFrame</i>
---------------------	---

Description

Calculation of profit factor using dplyr verbs

[Superseded]

Usage

```
get_profit_factorDF(x, num_orders)
```

Arguments

- | | |
|------------|---|
| x | • data frame with orders. Note x must contain MagicNumber and Profit columns! |
| num_orders | • desired number of orders to base profit factor calculation |

Value

- Function returns dataframe with column PrFact with calculated profit factor value for each trading robot

Examples

```
library(lazytrade)
library(dplyr)
library(magrittr)
data(profit_factorDF)
get_profit_factorDF(x = profit_factorDF,
                    num_orders = 10)
```

import_data

Import Data file with Trade Logs to R.

Description

Function is capable to import file with executed trades log. Files do not have column headers hence function will take care to name columns as well as to perform relevant cleansing

[Stable]

Usage

```
import_data(path_sbxm, trade_log_file)
```

Arguments

path_sbxm	• String, Path to the sandbox with the log file where the file with data is written
trade_log_file	• String, File name where the order results are written

Value

Function will return the dataframe with trade data and automatically set proper column types

Author(s)

(C) 2019, 2020 Vladimir Zhbako

Examples

```
library(lazytrade)
library(dplyr)
library(readr)
library(lubridate)

path_sbxm <- normalizePath(tempdir(), winslash = "/")

file.copy(from = system.file("extdata", "OrdersResultsT1.csv", package = "lazytrade"),
```

```

to = file.path(path_sbxm, "OrdersResultsT1.csv"), overwrite = TRUE)

DFT1 <- import_data(path_sbxm = path_sbxm,
                    trade_log_file = "OrdersResultsT1.csv")

```

indicator_dataset	<i>Table with indicator dataset</i>
-------------------	-------------------------------------

Description

Table with indicator dataset

Usage

```
indicator_dataset
```

Format

A dataframe with several columns

X1 Date and time of the indicator sample

X2-X29 Values of the assets

macd_100	<i>Table with indicator only used to train model, 128 col 1646 rows</i>
----------	---

Description

Table with indicator only used to train model, 128 col 1646 rows

Usage

```
macd_100
```

Format

A dataframe with several columns

EURUSD Values of the macd indicator

GBPUSD Values of the macd indicator

AUDUSD Values of the macd indicator

NZDUSD Values of the macd indicator

USDCAD Values of the macd indicator

USDCHEF Values of the macd indicator
USDJPY Values of the macd indicator
EURGBP Values of the macd indicator
EURJPY Values of the macd indicator
EURCHF Values of the macd indicator
EURNZD Values of the macd indicator
EURCAD Values of the macd indicator
EURAUD Values of the macd indicator
GBPAUD Values of the macd indicator
GBPCAD Values of the macd indicator
GBPCHF Values of the macd indicator
GBPJPY Values of the macd indicator
GBPNZD Values of the macd indicator
AUDCAD Values of the macd indicator
AUDCHF Values of the macd indicator
AUDJPY Values of the macd indicator
AUDNZD Values of the macd indicator
CADJPY Values of the macd indicator
CHFJPY Values of the macd indicator
NZDJPY Values of the macd indicator
NZDCAD Values of the macd indicator
NZDCHEF Values of the macd indicator
CADCHF Values of the macd indicator

macd_df

*Table with one column indicator dataset***Description**

Table with one column indicator dataset

Usage

macd_df

Format

A dataframe with one column

CADCHF Indicator values of the asset

macd_ML60M

*Table with indicator and market type category used to train model***Description**

Table with indicator and market type category used to train model

Usage

```
macd_ML60M
```

Format

A dataframe with several columns

X1-X64 Values of the macd indicator

M_T Category of Market Type

mt_evaluate

*Function to score data and predict current market type using pre-trained classification model***Description**

PURPOSE: Function that uses Deep Learning model and Time Series Column of the dataframe to find out specific market type of the financial asset it will also discard bad result outputting -1 if it is the case

Usage

```
mt_evaluate(x, path_model, num_cols, timeframe)
```

Arguments

x	• dataframe with one column containing asset indicator in the time descending order, typically 64 or more values
path_model	String, path to the model
num_cols	Integer, number of columns (features) in the final vector input to the model
timeframe	Integer, timeframe in Minutes.

Details

it is mandatory to switch on the virtual h2o machine with `h2o.init()` also to shut it down with `h2o.shutdown(prompt = F)`

Value

dataframe with predicted value of the market type

Examples

```
library(h2o)
library(magrittr)
library(dplyr)
library(readr)
library(lazytrade)

path_model <- normalizePath(tempdir(),winslash = "/")
path_data <- normalizePath(tempdir(),winslash = "/")

data(macd_ML60M)

# start h2o engine (using all CPU's by default)
h2o.init(nthreads = 2)

# performing Deep Learning Regression using the custom function
# this function stores model to the temp location
mt_make_model(indicator_dataset = macd_ML60M,
              num_bars = 64,
              timeframe = 60,
              path_model = path_model,
              path_data = path_data,
              activate_balance = TRUE,
              num_nn_options = 3)

# Use sample data
data(macd_100)

# use one column for testing
x <- macd_100[,2]

mt_evaluate(x = x,
            path_model = path_model,
            num_cols = 64,
            timeframe = 60)

h2o.shutdown(prompt = FALSE)

#set delay to insure h2o unit closes properly before the next test
Sys.sleep(5)
```

mt_import_data*Import Market Type related Data to R from the Sandbox*

Description

Function imports file from the MetaTrader sandbox. Function performs necessary cleansing of the data column types

[Stable]

Usage

```
mt_import_data(path_sbxm, system_number)
```

Arguments

path_sbxm	• String, Path to the sandbox with the log file (master terminal)
system_number	• magic number id of the trading system

Value

function returns the data frame with 5 columns including market type code

Author(s)

(C) 2020, 2021 Vladimir Zhbanko

Examples

```
library(dplyr)
library(readr)
library(lazytrade)

path_sbxm <- normalizePath(tempdir(), winslash = "/")

file.copy(from = system.file("extdata", "MarketTypeLog9139106.csv", package = "lazytrade"),
          to = file.path(path_sbxm, "MarketTypeLog9139106.csv"), overwrite = TRUE)

DF1 <- mt_import_data(path_sbxm = path_sbxm,
                      system_number = 9139106)
```

mt_make_model	<i>Function to train Deep Learning Classification model for Market Type recognition</i>
---------------	---

Description

Function is training h2o deep learning model to match classified patterns of the financial indicator. Main idea is to be able to detect Market Type by solely relying on the current indicator pattern. This is in the attempt to evaluate current market type for trading purposes.

Selected Market Periods could be manually classified according to the theory from Van K. Tharp:

1. Bull normal, BUN
2. Bull volatile, BUV
3. Bear normal, BEN
4. Bear volatile, BEV
5. Sideways quiet, RAN
6. Sideways volatile, RAV

For automatic classification, could only be used: BUN, BEN, RAN market types

[Experimental]

Usage

```
mt_make_model(
  indicator_dataset,
  numBars = 64,
  timeframe = 60,
  path_model,
  path_data,
  activate_balance = TRUE,
  num_nn_options = 24,
  fixed_nn_struct = c(100, 100),
  num_epoch = 100,
  is_cluster = FALSE
)
```

Arguments

indicator_dataset	Data frame, Data set containing indicator patterns to train the model
numBars	Integer, Number of bars used to detect pattern
timeframe	Integer, Data time frame in minutes.
path_model	String, Path where the models are be stored
path_data	String, Path where the aggregated historical data is stored, if exists, in rds format

activate_balance	Boolean, option to choose to balance market type classes or not, default TRUE
num_nn_options	Integer, value from 0 to 24 or more as multiple of 3. Used to change number of variants for 3 hidden layer structure. Random neural network structures will be generated. When value 0 is set then a fixed structure will be used as defined by parameter fixed_nn_struct. To avoid warnings make sure to set this value as multiple of 3. Higher values will increase computation time.
fixed_nn_struct	Integer vector with numeric elements, see par hidden in ?h2o.deeplearning, default value is c(100,100). Note this will only work if num_nn_options is 0
num_epoch	Integer, see parameter epochs in ?h2o.deeplearning, default value is 100 Higher number may lead to long code execution
is_cluster	Boolean, set TRUE to use automatically clustered data

Details

Function is using labeled dataset and tries several different random neural network structures. Once the best neural network is found then the better model is selected and stored. Dataset can be either manually labelled or generated using function mt_stat_transf.R. In the latter case parameter is_cluster shall be set to TRUE.

Value

Function is writing file object with the model

Author(s)

(C) 2020, 2021 Vladimir Zhabanko

Examples

```
library(dplyr)
library(magrittr)
library(readr)
library(h2o)
library(lazytrade)
library(stats)

path_model <- normalizePath(tempdir(),winslash = "/")
path_data <- normalizePath(tempdir(),winslash = "/")

data(macd_ML60M)

Sys.sleep(5)

# start h2o engine
h2o.init(nthreads = 2)
```

```

# performing Deep Learning Classification using manually labelled data
mt_make_model(indicator_dataset = macd_ML60M,
              num_bars = 64,
              timeframe = 60,
              path_model = path_model,
              path_data = path_data,
              activate_balance = TRUE,
              num_nn_options = 3,
              num_epoch = 10)

data(price_dataset_big)
data <- head(price_dataset_big, 5000) #reduce computational time

ai_class <- mt_stat_transf(indicator_dataset = data,
                          num_bars = 64,
                          timeframe = 60,
                          path_data = path_data,
                          mt_classes = c('BUN', 'BEN', 'RAN'))

# performing Deep Learning Classification using the custom function auto clustered data
mt_make_model(indicator_dataset = ai_class,
              num_bars = 64,
              timeframe = 60,
              path_model = path_model,
              path_data = path_data,
              activate_balance = TRUE,
              num_nn_options = 6,
              num_epoch = 10,
              is_cluster = TRUE)

# performing Deep Learning Classification using the custom function auto clustered data
# and fixed nn structure
mt_make_model(indicator_dataset = ai_class,
              num_bars = 64,
              timeframe = 60,
              path_model = path_model,
              path_data = path_data,
              activate_balance = TRUE,
              num_nn_options = 0,
              fixed_nn_struct = c(10, 10),
              num_epoch = 10,
              is_cluster = TRUE)

# stop h2o engine
h2o.shutdown(prompt = FALSE)

#set delay to insure h2o unit closes properly before the next test
Sys.sleep(5)

```

mt_stat_evaluate	<i>Function to prepare and score data, finally predict current market type using pre-trained classification model</i>
------------------	---

Description

PURPOSE: Function that uses Deep Learning model and Time Series Column of the dataframe to find out specific market type of the financial asset it will also discard bad result outputting -1 if it is the case

[Stable]

Usage

```
mt_stat_evaluate(x, path_model, numBars, timeframe)
```

Arguments

x	• dataframe with one column containing asset indicator in the time descending order, typically 64 or more values
path_model	String, path to the model
numBars	Integer, Number of bars used to perform transformation
timeframe	Integer, timeframe in Minutes.

Value

dataframe with predicted value of the market type

Author(s)

(C) 2021 Vladimir Zhabanko

Examples

```
library(h2o)
library(magrittr)
library(dplyr)
library(readr)
library(lazytrade)
library(stats)

path_model <- normalizePath(tempdir(), winslash = "/")
path_data <- normalizePath(tempdir(), winslash = "/")
```

```

# start h2o engine (using all CPU's by default)
h2o.init(nthreads = 2)

data(price_dataset_big)
data <- head(price_dataset_big, 500) #reduce computational time

ai_class <- mt_stat_transf(indicator_dataset = data,
                          numBars = 64,
                          timeframe = 60,
                          path_data = path_data,
                          mt_classes = c('BUN', 'BEN', 'RAN'))

# performing Deep Learning Classification using the custom function auto clustered data
mt_make_model(indicator_dataset = ai_class,
              numBars = 64,
              timeframe = 60,
              path_model = path_model,
              path_data = path_data,
              activate_balance = TRUE,
              num_nn_options = 3,
              num_epoch = 10,
              is_cluster = TRUE)

# Use sample data
data(price_dataset)

# use one column for testing
x <- price_dataset[,2]

mt_stat_evaluate(x = x,
                 path_model = path_model,
                 numBars = 64,
                 timeframe = 60)

h2o.shutdown(prompt = FALSE)

#set delay to insure h2o unit closes properly before the next test
Sys.sleep(5)

```

mt_stat_transf

Perform Statistical transformation and clustering of Market Types on the price data

Description

Function features methods of statistical data transformation and clustering of the price data. Multiple statistical properties are calculated for a defined time interval. Once combined, unsupervised learning (clustering) is performed to assign several classes, see function `mt_make_model`. Function allows to fully automatize financial periods classification. It is possible to choose two clustering methods either `kmeans` or hierarchical clustering.

[Stable]

Usage

```
mt_stat_transf(
  indicator_dataset,
  num_bars = 64,
  timeframe = 60,
  path_data,
  mt_classes,
  clust_method = "kmeans",
  clust_opt = "complete",
  rule_opt = TRUE
)
```

Arguments

<code>indicator_dataset</code>	Dataframe, multiple column dataset containing price data in each column. Each row is a time index, multiple columns are required but not strictly needed
<code>num_bars</code>	Integer, Number of bars used to perform transformation
<code>timeframe</code>	Integer, Data timeframe in Minutes, only used for naming convention
<code>path_data</code>	String, User path where the dataset could be stored for the future use by other function
<code>mt_classes</code>	Character Vector, with 2 or more Market Type classes
<code>clust_method</code>	Character, option to select which clustering method to choose. Could be either 'kmeans' or 'hclust'. Default value is 'kmeans'
<code>clust_opt</code>	Character, option to select how to perform h clustering "average", "single", "complete", "ward". Default value is 'complete'
<code>rule_opt</code>	Boolean, option to perform rule-based Market Type Assignment, defaults to TRUE

Details

User can define several market type classes names however function will randomly assign Market Period labels based on Unsupervised Learning. This is inconvenient however that should be compensated by automated way of doing such data classification

Value

Dataframe with statistically transformed and classified dataset for classification modeling

Author(s)

(C) 2021 Vladimir Zhbako

Examples

```

library(dplyr)
library(stats)
library(magrittr)
library(readr)
library(lazytrade)

path_data <- normalizePath(tempdir(),winslash = "/")

data(price_dataset_big)

#option
#mt_classes = c('BUN', 'BEN', 'RAN', 'BUV', 'BEV', 'RAV')
#mt_classes = c('BUN', 'BEN', 'RAN')
#clust_method = 'hclust'
#clust_opt = 'ward'

#build dataset for Market Type detection without rule based check
ai_class_rand <- mt_stat_transf(indicator_dataset = price_dataset_big,
                               numBars = 64,
                               timeframe = 60,
                               path_data = path_data,
                               mt_classes = c('BUN', 'BEN'),
                               clust_method = 'kmeans',
                               clust_opt = 'complete',
                               rule_opt = FALSE)

#use rule base check
ai_class_rule <- mt_stat_transf(indicator_dataset = price_dataset_big,
                                numBars = 64,
                                timeframe = 60,
                                path_data = path_data,
                                mt_classes = c('BUN', 'BEN'),
                                clust_method = 'kmeans',
                                clust_opt = 'complete',
                                rule_opt = TRUE)

```

opt_aggregate_results *Function to aggregate trading results from multiple folders and files*

Description

Read multiple '.csv' files stored in different folders Store results to the intermediate dataframe.

[Deprecated]

Usage

```
opt_aggregate_results(path_data)
```

Arguments

path_data • String, path to the folder containing subfolders

Details

user must provide the path to the files in the folders all files in subfolders are read and aggregated into one data object. Data object is sorted in descending order by order close time

Value

Dataframe with trading results

Examples

```
library(lazytrade)
library(readr)
library(dplyr)
library(magrittr)
library(lubridate)

dir <- normalizePath(tempdir(),winslash = "/")

file.copy(from = system.file("extdata/RES", package = "lazytrade"),
          to = dir, recursive = TRUE)

DF_RES <- opt_aggregate_results(path_data = file.path(dir, "RES"))
```

opt_create_graphs	<i>Function to create summary graphs of the trading results</i>
-------------------	---

Description

Create graphs and store them into pdf file

[Stable]

Usage

```
opt_create_graphs(x, outp_path, graph_type = "pdf")
```

Arguments

- x • dataframe with aggregated trading results
- outp_path • path to the folder where to write file
- graph_type • character, one of the options c('ts', 'bars', 'pdf')

Details

bar graph and time series optionally written to the pdf file. File is named with a date of analysis to the location specified by the user

Value

graphic output

Examples

```
library(lazytrade)
library(readr)
library(dplyr)
library(magrittr)
library(lubridate)
library(ggplot2)
data(DFR)
dir <- normalizePath(tempdir(),winslash = "/")
# create pdf file with two graphs
opt_create_graphs(x = DFR, outp_path = dir)

# only show time series plot
opt_create_graphs(x = DFR, graph_type = 'ts')
```

policy_tr_systDF	<i>Table with Market Types and sample of actual policy for those states</i>
------------------	---

Description

Table with Market Types and sample of actual policy for those states

Usage

```
policy_tr_systDF
```

Format

A dataframe with 2 columns:

MarketType Current Market Type status

Policy Policy choice

price_dataset	<i>Table with price dataset</i>
---------------	---------------------------------

Description

Table with price dataset

Usage

price_dataset

Format

A dataframe with several columns

X1 Date and time of the price sample

X2-X29 Values of the assets

price_dataset_big	<i>Table with price dataset, 30000 rows</i>
-------------------	---

Description

Table with price dataset, 30000 rows

Usage

price_dataset_big

Format

A dataframe with several columns

X1 Date and time of the price sample

X2-X29 Values of the assets

profit_factorDF	<i>Table with Trade results samples</i>
-----------------	---

Description

Table with Trade results samples

Usage

profit_factorDF

Format

A dataframe with several columns

MagicNumber Unique identifiers of the Trading Robots

TicketNumber Ticket Number of closed position

OrderStartTime Date and Time when order started

OrderCloseTime Date and Time when order closed

Profit Monetary result of the trade

Symbol Symbol of the Asset e.g. EURUSD

OrderType Order Type 0 - buy, 1 - sell

profit_factor_data	<i>Table with Trade results samples</i>
--------------------	---

Description

Table with Trade results samples

Usage

profit_factor_data

Format

A dataframe with several columns

X1 Unique identifiers of the Trading Robots

X2 Ticket Number of closed position

X3 Date and Time when order started

X4 Date and Time when order closed

X5 Monetary result of the trade

X6 Symbol of the Asset e.g. EURUSD

X7 Order Type 0 - buy, 1 - sell

result_prev	<i>Table with one column as result from the model prediction</i>
-------------	--

Description

Table with one column as result from the model prediction

Usage

result_prev

Format

A dataframe with one column

predict Predicted values from the model

result_R	<i>Table with predicted price change</i>
----------	--

Description

Table with predicted price change

Usage

result_R

Format

A dataframe with one column

predict predicted future price change

result_R1	<i>Table with aggregated trade results</i>
-----------	--

Description

Table with aggregated trade results

Usage

```
result_R1
```

Format

A dataframe with one column

predict predicted price change

rl_generate_policy	<i>Function performs Reinforcement Learning using the past data to generate model policy</i>
--------------------	--

Description

This function will perform Reinforcement Learning using Trading Data. It will suggest whether or not it is better to keep using trading systems or not. Function is just using results of the past performance to generate the recommendation (not a holy grail).

[Stable]

Usage

```
rl_generate_policy(x, states, actions, control)
```

Arguments

x	• Dataframe containing trading data
states	• Character vector, Selected states of the System
actions	• Character vector, Selected actions executed under environment
control	• List, control parameters as defined in the Reinforcement Learning Package

Details

Initial policy is generated using a dummy zero values. This way function starts working directly from the first observation. However policy 'ON' value will only be generated once the Q value is greater than zero

Value

Function returns data frame with reinforcement learning model policy

Author(s)

(C) 2019,2021 Vladimir Zhabanko

Examples

```
library(dplyr)
library(ReinforcementLearning)
library(magrittr)
library(lazytrade)

data(data_trades)
states <- c("tradewin", "tradeloss")
actions <- c("ON", "OFF")
control <- list(alpha = 0.7, gamma = 0.3, epsilon = 0.1)
rl_generate_policy(x = data_trades,
                  states, actions, control)
```

rl_generate_policy_mt *Function performs RL and generates model policy for each Market Type*

Description

This function will perform Reinforcement Learning using Trading Data. It will suggest whether or not it is better to keep using trading systems or not. Function is just using results of the past performance to generate the recommendation (not a holy grail).

[Stable]

Usage

```
rl_generate_policy_mt(x, states, actions, control)
```

Arguments

- | | |
|---------|---|
| x | • Dataframe containing trading data |
| states | • Character vector, Selected states of the System |
| actions | • Character vector, Selected actions executed under environment |
| control | • List, control parameters as defined in the Reinforcement Learning Package |

Details

Initial policy is generated using a dummy zero values. This way function starts working directly from the first observation. However policy 'ON' value will only be generated once the Q value is greater than zero

Value

Function returns data frame with reinforcement learning model policy

Examples

```
library(dplyr)
library(magrittr)
library(ReinforcementLearning)
library(lazytrade)
data(trading_systemDF)
states <- c("BUN", "BUV", "BEN", "BEV", "RAN", "RAV")
actions <- c("ON", "OFF")
control <- list(alpha = 0.7, gamma = 0.3, epsilon = 0.1)
rl_generate_policy_mt(x = trading_systemDF,
                     states = states,
                     actions = actions,
                     control = control)
```

rl_log_progress

Function to retrieve and help to log Q values during RL progress.

Description

Function will record Q values during the model update. These values will be used by another function Function was developed to help to estimate best control parameters during optimisation process

[Stable]

Usage

```
rl_log_progress(x, states, actions, control)
```

Arguments

- | | |
|---------|---|
| x | • dataframe containing trading results |
| states | • Selected states of the System |
| actions | • Selected actions executed under environment |
| control | • control parameters as defined in the Reinforcement Learning Package |

Value

dataframe with log of RL model reward sequences during model update

Examples

```
# retrieve RL model Q values progress
library(ReinforcementLearning)
library(dplyr)
library(magrittr)
library(lazytrade)
data(data_trades)
x <- data_trades
states <- c("tradewin", "tradeloss")
actions <- c("ON", "OFF")
control <- list(alpha = 0.7, gamma = 0.3, epsilon = 0.1)

rl_log_progress(x = x, states = states, actions = actions, control = control)
```

rl_log_progress_mt	<i>Function to retrieve and help to log Q values during RL progress. This function is dedicated to the situations when Market Types are used as a 'states' for the Environment.</i>
--------------------	---

Description

Function will record Q values during the model update. These values will be used by another function. Function was developed to help to estimate best control parameters during optimisation process

[Stable]

Usage

```
rl_log_progress_mt(x, states, actions, control)
```

Arguments

x	• dataframe containing trading results
states	• Selected states of the System
actions	• Selected actions executed under environment
control	• control parameters as defined in the Reinforcement Learning Package

Value

dataframe with log of RL model reward sequences during model update

Author(s)

(C) 2020, 2021 Vladimir Zhabanko

Examples

```
# retrieve RL model Q values progress
library(ReinforcementLearning)
library(dplyr)
library(magrittr)
library(lazytrade)
data(trading_systemDF)
x <- trading_systemDF
states <- c("BUN", "BUV", "BEN", "BEV", "RAN", "RAV")
actions <- c("ON", "OFF") # 'ON' and 'OFF' are referring to decision to trade with Slave system
control <- list(alpha = 0.7, gamma = 0.3, epsilon = 0.1)

rl_log_progress_mt(x = x, states = states, actions = actions, control = control)
```

rl_record_policy

Record Reinforcement Learning Policy.

Description

Function will write a policy 'decision' to the csv file specific for each Expert Advisor

[Stable]

Usage

```
rl_record_policy(
  x,
  last_result,
  trading_system,
  path_terminal,
  fileName = "SystemControl"
)
```

Arguments

- | | |
|----------------|---|
| x | • Dataframe containing columns MarketType and Policy |
| last_result | • character vector of the last result of the trade |
| trading_system | • character vector of length 1 with Trading System Magic Number information |
| path_terminal | • path to the sandbox where this Policy/Decision must be written |
| fileName | • string, desired control file prefix e.g. 'SystemControl' |

Details

It is imperative that terminal path contains exact word Terminal3

Value

nothing is returned but function will write csv file to the supplied directory

Author(s)

(C) 2019,2021 Vladimir Zhbanko

Examples

```
library(stringr)
library(magrittr)
library(dplyr)
data(TradeStatePolicy)

dir <- normalizePath(tempdir(),winslash = "/")

rl_record_policy(x = TradeStatePolicy,
  last_result = "tradewin",
  trading_system = 8118101,
  path_terminal = dir,
  fileName = "SystemControlRL")
```

rl_record_policy_mt	<i>Record Reinforcement Learning Policy for Market Types</i>
---------------------	--

Description

Function will write a policy 'decision' to the csv file specific for each Expert Advisor

[Stable]

Usage

```
rl_record_policy_mt(
  x,
  trading_system,
  path_terminal,
  fileName = "SystemControlMT"
)
```

Arguments

- | | |
|----------------|---|
| x | • Dataframe containing columns MarketType and Policy |
| trading_system | • numeric vector of length 1 with Trading System Magic Number information |
| path_terminal | • string, path to the terminal where this Policy/Decision must be written |
| fileName | • string, desired control file prefix e.g. 'SystemControlMT' |

Details

It is imperative that terminal path contains exact word Terminal3

Value

nothing is returned but function will write csv file to the supplied directory

Examples

```
library(stringr)
library(lazytrade)
data(policy_tr_systDF)

dir <- normalizePath(tempdir(),winslash = "/")

rl_record_policy_mt(x = policy_tr_systDF,
  trading_system = 8118101,
  path_terminal = dir,
  fileName = "SystemControlMT")
```

rl_write_control_parameters

Function to find and write the best control parameters.

Description

This function is supposed to run on a weekly basis. Purpose of this function is to perform RL and trading simulation and find out the best possible control parameters for the RL function.

[Stable]

Usage

```
rl_write_control_parameters(
  x,
  path_control_files,
  num_trades_to_consider = 100
)
```

Arguments

- x • dataset containing the trading results for one trading robot
- path_control_files • path where control parameters will be saved
- num_trades_to_consider • number of last trades to use for RL modeling simulations, default value 100

Details

Function is used by the R script Adapt_RL_control.R

Value

Function writes best control parameters to be used by the Reinforcement Learning Function

Author(s)

(C) 2019 Vladimir Zhabanko

Examples

```
dir <- normalizePath(tempdir(), winslash = "/")
#test lasts 15 sec:
library(dplyr)
library(readr)
library(ReinforcementLearning)
library(magrittr)
library(lazytrade)
data(data_trades)
x <- data_trades
rl_write_control_parameters(x = data_trades,
                           path_control_files = dir,
                           num_trades_to_consider = 20)
```

rl_write_control_parameters_mt

Function to find and write the best control parameters.

Description

This function is supposed to run on a weekly basis. Purpose of this function is to perform RL and trading simulation and find out the best possible control parameters for the RL function.

[Stable]

test_data_pattern	<i>Table with several columns containing indicator values and Label values</i>
-------------------	--

Description

Table with several columns containing indicator values and Label values

Usage

```
test_data_pattern
```

Format

A dataframe with several columns

LABEL Asset values as were recorded in the future

V1-V49 Transposed values of the indicator

to_m	<i>Convert time series data to matrix with defined number of columns</i>
------	--

Description

Transforms Time Series Column of the dataframe to the matrix with specified number of columns. Number of rows will be automatically found. Eventually not complete last row will be discarded.

[Superseded]

Usage

```
to_m(x, n_cols)
```

Arguments

x	• dataframe with one column
n_cols	• number of columns in the matrix

Value

- matrix with specified amount of rows

Examples

```
library(magrittr)
library(lazytrade)
macd_m <- seq(1:1000) %>% as.data.frame() %>% to_m(64)
```

TradeStatePolicy	<i>Table with Trade States and sample of actual policy for those states</i>
------------------	---

Description

Table with Trade States and sample of actual policy for those states

Usage

TradeStatePolicy

Format

A dataframe with 2 columns:

TradeState Current trade state status

Policy Policy choice

trading_systemDF	<i>Table with trade data and joined market type info</i>
------------------	--

Description

Table with trade data and joined market type info

Usage

trading_systemDF

Format

A dataframe with several columns

"MagicNumber.x" Unique identifiers of the Trading Robots from Trade Log

TicketNumber Ticket Number of closed position

OrderStartTime Date and Time when order started

OrderCloseTime Date and Time when order closed

Profit Monetary result of the trade

Symbol Symbol of the Asset e.g. EURUSD

OrderType Order Type 0 - buy, 1 - sell

"MagicNumber.y" Unique identifiers of the Trading Robots from Ticket Opening Log

"MarketType" Logged Market Type of the asset at the moment of Ticket Opening

`util_find_file_with_code`*R function to find file with specific code within it's content*

Description

Utility function to find the file path which contains specific code

[Experimental]

Usage

```
util_find_file_with_code(  
  files,  
  code_to_find,  
  option_replace = FALSE,  
  v_settings,  
  v_values  
)
```

Arguments

<code>files</code>	• string, vector with file paths
<code>code_to_find</code>	• string or integer with a pattern value to search within the file
<code>option_replace</code>	boolean, option to indicate if function should also replace parameter values
<code>v_settings</code>	string vector with the parameters that needs to be found
<code>v_values</code>	vector with the corresponding values of the parameters

Details

Function is reading content of file and checks each file for a specific code Function will require a vector with a valid file paths Function will output the path to that file which contains a give code If no desired code is found, function will return NULL Optionally, if enabled, function will replace their values Note: supply same kind of parameters (either boolean or integers)

Value

string with a file path containing a code

Author(s)

(C) 2024 Vladimir Zhbanko

[illegible]

```
v_settings = v_par,
v_values = v_val)
```

util_find_pid

R function to find PID of active applications

Description

Utility function to find PID of the working terminal.exe application Function is created to generate a system call to programmatically close any given application

[Experimental]

Usage

```
util_find_pid(tasks_running = t_running, pid_pattern = "terminal.exe")
```

Arguments

tasks_running	• string, vector with system tasks
pid_pattern	• string, pattern value to search application with

Details

Function is executing a system command to get all processes running on the OS Retrieved data is cleaned and organized to filter on required process Function can also be used to track specific applications defined by the user

Value

string with system kill command to close selected application

Author(s)

(C) 2021 Vladimir Zhbanko

Examples

```
library(magrittr)
library(tibble)
library(stringr)
library(dplyr)

#library(readr)

dir <- normalizePath(tempdir(),winslash = "/")
```

```
#tasks_running <- system("tasklist", intern = TRUE)
#writeLines(tasks_running, con = file.path(dir,'tasks_running.txt'))
#t_running <- readLines(con = file.path(dir,'tasks_running.txt'))

tasks_list = system.file("extdata", "tasks_running.txt",
                          package = "lazytrade")

t_running <- readLines(con = tasks_list)

#generate task kill command for this application
util_find_pid(tasks_running = t_running,
              pid_pattern = 'terminal.exe')

util_find_pid(tasks_running = t_running,
              pid_pattern = 'chrome.exe')
```

```
util_generate_password
```

R function to generate random passwords for MT4 platform or other needs

Description

Utility function to generate random passwords. Wrapper of cryptographic functions from 'openssl' library in R. Password length can be customized. By default function just output randomly generated 8 symbol password suitable for MT4 logins. It is also possible to create other passwords and include special symbols. When required, it's possible to write resulting password to the txt file. Once generated, password is written to the destination supplied by the user.

[Stable]

Usage

```
util_generate_password(
  salt = "something random",
  pass_len = 8,
  write_file = FALSE,
  file_name = "",
  special_symbols = FALSE
)
```

Arguments

salt	string, random text supplied by the user
pass_len	integer, number specifying how long should the password be

write_file	bool, if true writes result to the txt file
file_name	string, indicate path of the file where to write text result
special_symbols	bool, if true adds special symbols

Details

Passwords are generated using sha512 cryptographic function from openssl package. System date and user 'salt' is used to supply initial text for cryptographic function. Hashing function is using additional 'salt' which will be based on the current System time. Additionally, only a part of generated string is selected and used for password. Some letters of generated string are converted from lower to upper case.

Value

string or text file with password

Author(s)

(C) 2019, 2021 Vladimir Zhbanko

Examples

```
library(stringr)
library(magrittr)
library(openssl)
library(readr)

dir <- normalizePath(tempdir(), winslash = "/")
file_path <- file.path(dir, 'p.txt')

#write to file
util_generate_password(salt = 'random text', file_name = file_path)

#generate 8digit
util_generate_password(salt = 'random text')

#generate password with special symbols
util_generate_password(salt = 'random text', special_symbols = TRUE)

#generate longer password with special symbols
util_generate_password(salt = 'random text', pass_len = 10, special_symbols = TRUE)
```

util_profit_factor	<i>Calculate Profit Factor</i>
--------------------	--------------------------------

Description

Calculate profit factor using a data vector with the trading results

[Stable]

Usage

```
util_profit_factor(x)
```

Arguments

x column vector with profit or loss of the orders for one system

Value

function should calculate profit factor for this vector and return one value also as vector

Author(s)

(C) 2019 Vladimir Zhbanko

Examples

```
library(magrittr)
library(dplyr)
library(lazytrade)
data(profit_factor_data)
profit_factor_data %>%
  group_by(X1) %>%
  summarise(PnL = sum(X5),
            NumTrades = n(),
            PrFact = util_profit_factor(X5)) %>%
  select(PrFact) %>% head(1) %>% round(3)
```

write_command_via_csv *Write csv files with indicated commands to the external system*

Description

Function is capable to read the data and writing multiple files e.g. 'SystemControl8139124.csv'
[Stable]

Usage

```
write_command_via_csv(x, path_terminal = "", fileName = "SystemControl")
```

Arguments

x	• dataframe object with resulting command e.g. 1 - enable; 0 - disable
path_terminal	• path to the terminal
fileName	• desired control file prefix e.g. 'SystemControl'

Value

Function is writing multiple files e.g. 'SystemControl8139124.csv' to the Sandbox
 typical content of the file: "Magic","IsEnabled" 8139124,1

Author(s)

(C) 2019, 2021 Vladimir Zhbanko

Examples

```
library(dplyr)
library(readr)
library(lubridate)
library(lazytrade)

path_sbxm <- normalizePath(tempdir(),winslash = "/")

file.copy(from = system.file("extdata", "OrdersResultsT1.csv", package = "lazytrade"),
          to = file.path(path_sbxm, "OrdersResultsT1.csv"), overwrite = TRUE)

DFT1 <- import_data(path_sbxm = path_sbxm,
                    trade_log_file = "OrdersResultsT1.csv")

DFT1 %>%
  group_by(MagicNumber) %>% select(MagicNumber) %>% mutate(IsEnabled = 0) %>%
  # head to shorten time of this example
  head(2) %>%
  # write commands to disable/enable systems
  write_command_via_csv(path_terminal = path_sbxm)
```

write_ini_file	<i>Create initialization files to launch MT4 platform with specific configuration</i>
----------------	---

Description

Function generate initialization files suitable for launching MT4 terminal with specific parameters. Several options available for generating files specific for each purpose. Option 'prod' will just use existing profile and connect to the broker server Option 'backtest' will generate file for the robot backtest Option 'opt' will generate file needed for the robot optimization Option 'full' allows to specify any desired parameter

[Stable]

Usage

```
write_ini_file(
    mt4_Profile = "Default",
    mt4_MarketWatch = "Forex.set",
    mt4_Login = "1234567",
    mt4_Password = "xxxxxXX",
    mt4_Server = "BrokerServerName",
    mt4_AutoConfiguration = "false",
    mt4_EnableNews = "false",
    mt4_ExpertsEnable = "true",
    mt4_ExpertsDllImport = "true",
    mt4_ExpertsExpImport = "true",
    mt4_ExpertsTrades = "true",
    mt4_Symbol = "EURUSD",
    mt4_Period = "H1",
    mt4_Template = "Default",
    mt4_Expert = "",
    mt4_ExpertParameters = "",
    mt4_Script = "",
    mt4_ScriptParameters = "",
    mt4_TestExpert = "",
    mt4_TestExpertParameters = "",
    mt4_TestSymbol = "EURUSD",
    mt4_TestPeriod = "H1",
    mt4_TestModel = "",
    mt4_TestSpread = "",
    mt4_TestOptimization = "false",
    mt4_TestDateEnable = "true",
```

```

    mt4_TestFromDate = "",
    mt4_TestToDate = "",
    mt4_TestReport = "test report",
    mt4_TestReplaceReport = "false",
    mt4_TestShutdownTerminal = "",
    mt4_TestVisualEnable = "false",
    dss_inifilepath = "",
    dss_inifilename = "test.ini",
    dss_mode = "prod"
)

```

Arguments

mt4_Profile	string, the subdirectory name in the /profiles directory. The charts will be opened in the client terminal according to the given profile. If this parameter is not specified, the current profile will be opened
mt4_MarketWatch	string, file name (the symbolsets directory) that contains the symbol list to be shown in the Market Watch window.
mt4_Login	string, the number of the account to connect to at startup. If this parameter is not specified, the current login will be used.
mt4_Password	string, the password that allows entering the system. This parameter will be ignored if the client terminal stores personal data on the disk and the account to be connected is in the list
mt4_Server	string, the name of the trade server to be connected to. The server name is the same as the name of the corresponding .srv file stored in the /config directory
mt4_AutoConfiguration	string, "true" or "false" depending on whether the autoconfiguration of Data Center setting should be enabled or not. If this parameter is not specified, the value from the current server settings will be used.
mt4_EnableNews	string, either 'false' or 'true'
mt4_ExpertsEnable	string, enable/disable experts.
mt4_ExpertsDllImport	string, enable/disable DLL imports
mt4_ExpertsExpImport	string, enable/disable import of functions from external experts or MQL4 libraries.
mt4_ExpertsTrades	string, enable/disable the experts trading
mt4_Symbol	string, the symbol of the security the chart of which should be opened immediately after the terminal startup
mt4_Period	string, the chart timeframe (M1, M5, M15, M30, H1, H4, D1, W1, MN). If this parameter is not specified, H1 is used
mt4_Template	string, the name of the template file (the templates directory), which should be applied to the chart.

mt4_Expert	string, the name of the expert that should be launched after the client terminal has started
mt4_ExpertParameters	string, the name of the file containing the expert parameters (the MQL4 Presets directory).
mt4_Script	string, the name of the script, which must be launched after the client terminal startup
mt4_ScriptParameters	string, the name of the file containing the script parameters (the MQL5 Presets directory).
mt4_TestExpert	string, the name of the expert to be launched for testing. If this parameter has not been specified, no testing is launched.
mt4_TestExpertParameters	string, the name of the file containing parameters (the tester directory).
mt4_TestSymbol	string, the name of the symbol used for the expert testing. If this parameter has not been specified, the latest value used in the tester is used.
mt4_TestPeriod	string, the chart period (M1, M5, M15, M30, H1, H4, D1, W1, MN). If this parameter has not been specified, H1 is used.
mt4_TestModel	string, 0, 1, or 2, depending on the testing model (Every tick, Control points, Open prices only). If this parameter has not been specified, 0 is used (Every tick)
mt4_TestSpread	string, spread value that will be used for modeling Ask prices during testing. If 0 value is specified, the strategy tester will use the current spread of a symbol at the beginning of testing
mt4_TestOptimization	string, enable/disable optimization. The values that can be taken are "true" or "false". If this parameter had not been specified, the "false" value is used.
mt4_TestDateEnable	string, enable/disable the "Use date" flag. The values that can be taken are "true" or "false". If this parameter had not been specified, the "false" value is used.
mt4_TestFromDate	string, the date, from which to start testing, appeared as YYYY.MM.DD. If this parameter has not been specified, this date is 1970.01.01.
mt4_TestToDate	string, the date, on which to finish testing, appeared as YYYY.MM.DD. If this parameter has not been specified, this date is 1970.01.01.
mt4_TestReport	string, the name of the test report file. The file will be created in the client terminal directory. A relative path can be specified, for example: tester \MovingAverageReport". If the extension has not been specified in the file name, the ".htm" will be set automatically. If this parameter has not been specified, the test report will not be formed
mt4_TestReplaceReport	string, enable/disable the repeated report file record. The values that can be taken are "true" or "false"
mt4_TestShutdownTerminal	string, enable/disable shutdown of the terminal after the testing has been finished.

mt4_TestVisualEnable	string, enable (true) or disable (false) the visual test mode. If the parameter is not specified, the current setting is used.
dss_inifilepath	string, path on the computer where file will be stored
dss_inifilename	string, file name that should be written
dss_mode	string,

Details

added value of this function is the ability to generate multiple files to backtest several robots for several timeframes. For example it solves the problem of doing repetitive tasks to 'backtest' robots for several currencies and repeat this procedure over time.

Most of the variables present in the function are starting with a prefix `mt4_`, the remainder of the name comes from the platform documentation, see references

Remaining variables are named with a prefix `'dss_'` stands for 'Decision Support System', as these are the variables used for further automation purposes

Note that for simplicity reasons not all parameters are present in this function. e.g. FTP Settings and Proxy Server settings are not present

Value

output is a file with desired parameters

Author(s)

(C) 2019 Vladimir Zhbanko

References

All parameters used are taken from the reference documentation https://www.metatrader4.com/en/trading-platform/help/service/start_conf_file

Examples

```
library(lazytrade)

dir <- normalizePath(tempdir(), winslash = "/")

# test file to launch MT4 terminal with parameters
write_ini_file(mt4_Profile = "Default",
              mt4_Login = "12345678",
              mt4_Password = "password",
              mt4_Server = "BrokerServerName",
              dss_inifilepath = dir,
              dss_inifilename = "prod_T1.ini",
              dss_mode = "prod")
```

```
# test file to launch robot backtest
T0 <- format(as.Date(Sys.Date()), "%Y.%m.%d")
FROM <- format(as.Date(Sys.Date()-60), "%Y.%m.%d")

# test file for MT4 use for backtesting
write_ini_file(mt4_Profile = "Default",
              mt4_Login = "12345678",
              mt4_Password = "password",
              mt4_Server = "BrokerServerName",
              mt4_TestExpert="FALCON_D\\Falcon_D",
              mt4_TestExpertParameters="Falcon_D.set",
              mt4_TestSymbol="EURUSD",
              mt4_TestPeriod="H1",
              mt4_TestModel="2",
              mt4_TestSpread="20",
              mt4_TestOptimization="false",
              mt4_TestDateEnable="true",
              mt4_TestFromDate=FROM,
              mt4_TestToDate=T0,
              mt4_TestReport="EURUSD_Report",
              mt4_TestReplaceReport="false",
              mt4_TestShutdownTerminal="true",
              mt4_TestVisualEnable="false",
              dss_inifilepath = dir,
              dss_inifilename = "backtest.ini",
              dss_mode = "backtest")
```

x_test_model	Table with a dataset to test the Model
--------------	--

Description

Table with a dataset to test the Model

Usage

x_test_model

Format

A dataframe with several columns

LABEL future price change

X1-X75 Values of the macd indicator

y

*Table with indicators and price change which is used to train model***Description**

Table with indicators and price change which is used to train model

Usage

y

Format

A dataframe with several columns

X1 Time index

X2 Closed price now

X3 Closed price 34 bars ago

X4-X19 Series of Indicator values

LABEL Price difference, difference between X3 and X2

Index

* datasets

- data_trades, 21
- DFR, 22
- EURUSDM15X75, 25
- indicator_dataset, 29
- macd_100, 29
- macd_df, 30
- macd_ML60M, 31
- policy_tr_systDF, 42
- price_dataset, 43
- price_dataset_big, 43
- profit_factor_data, 44
- profit_factorDF, 44
- result_prev, 45
- result_R, 45
- result_R1, 46
- test_data_pattern, 55
- TradeStatePolicy, 56
- trading_systemDF, 56
- x_test_model, 68
- y, 69

* see <https://docs.h2o.ai/h2o-tutorials/latest-stable/tutorials/deeplearning/index.html>
aml_make_model, 7

- aml_collect_data, 3
- aml_consolidate_results, 5
- aml_make_model, 7
- aml_score_data, 10
- aml_simulation, 12
- aml_test_model, 14

- check_if_optimize, 17
- create_labelled_data, 18
- create_transposed_data, 20

- data_trades, 21
- decrypt_mykeys, 21
- DFR, 22
- dlog, 23

- encrypt_api_key, 24
- EURUSDM15X75, 25
- evaluate_macroeconomic_event, 26

- get_profit_factorDF, 27

- import_data, 28
- indicator_dataset, 29

- macd_100, 29
- macd_df, 30
- macd_ML60M, 31
- mt_evaluate, 31
- mt_import_data, 33
- mt_make_model, 34
- mt_stat_evaluate, 37
- mt_stat_transf, 38

- opt_aggregate_results, 40
- opt_create_graphs, 41

- policy_tr_systDF, 42
- price_dataset, 43
- price_dataset_big, 43
- profit_factor_data, 44
- profit_factorDF, 44

- result_prev, 45
- result_R, 45
- result_R1, 46
- rl_generate_policy, 46
- rl_generate_policy_mt, 47
- rl_log_progress, 48
- rl_log_progress_mt, 49
- rl_record_policy, 50
- rl_record_policy_mt, 51
- rl_write_control_parameters, 52
- rl_write_control_parameters_mt, 53

- test_data_pattern, 55
- to_m, 55

TradeStatePolicy, [56](#)
trading_systemDF, [56](#)

util_find_file_with_code, [57](#)
util_find_pid, [59](#)
util_generate_password, [60](#)
util_profit_factor, [62](#)

write_command_via_csv, [63](#)
write_ini_file, [64](#)

x_test_model, [68](#)

y, [69](#)