

Package ‘librarysnapshot’

July 22, 2025

Date 2018-02-12

Version 0.1.2

Type Package

Title Library Snapshot for Packages and Dependencies in Use by Current Session

Maintainer Peter Meissner <retep.meissner@gmail.com>

Description Generate a local library copy with relevant packages.
All packages currently found within the search path - except base packages - will be copied to the directory provided and can be used later on with the .libPaths() function.

License MIT + file LICENSE

Encoding UTF-8

LazyData true

RoxygenNote 6.0.1

Imports utils

URL <https://github.com/petermeissner/librarysnapshot>

BugReports <https://github.com/petermeissner/librarysnapshot/issues>

Suggests covr, testthat

NeedsCompilation no

Author Peter Meissner [aut, cre]

Repository CRAN

Date/Publication 2018-02-13 09:34:24 UTC

Contents

library_snapshot	2
package_dependencies	2
session_dependencies	3

Index	4
--------------	----------

library_snapshot	<i>library_snapshot</i>
------------------	-------------------------

Description

Make a local copy of the currently used packages within the session from the currently used library.

Usage

```
library_snapshot(path = NULL)
```

Arguments

path path to which to copy packages to; if NULL

Value

Returns the paths from which packages were copied

Examples

```
## Not run:

library_snapshot()

library_snapshot(path = tempdir())

## End(Not run)
```

package_dependencies	<i>package_dependencies</i>
----------------------	-----------------------------

Description

package_dependencies

Usage

```
package_dependencies(pkg, env = NULL, dependency_type = c("depends",
  "imports", "linkingto"))
```

Arguments

pkg	the package to resolve dependencies for
env	an environment to store results in, is primarily used for recursion
dependency_type	the dependency types to include, e.g. "depends", "imports", "linkingto", "suggests" – will leave out suggests by default

session_dependencies	<i>session_dependencies</i>
----------------------	-----------------------------

Description

session_dependencies

Usage

```
session_dependencies(exclude_base = TRUE)
```

Arguments

exclude_base	should base and recommended packages be excluded from dependencies?
--------------	---

Index

library_snapshot, [2](#)

package_dependencies, [2](#)

session_dependencies, [3](#)