

# Package ‘mvgam’

July 23, 2025

**Title** Multivariate (Dynamic) Generalized Additive Models

**Version** 1.1.51

**Date** 2025-03-14

**Description** Fit Bayesian Dynamic Generalized Additive Models to multivariate observations. Users can build nonlinear State-Space models that can incorporate semiparametric effects in observation and process components, using a wide range of observation families. Estimation is performed using Markov Chain Monte Carlo with Hamiltonian Monte Carlo in the software 'Stan'. References: Clark & Wells (2023) <[doi:10.1111/2041-210X.13974](https://doi.org/10.1111/2041-210X.13974)>.

**URL** <https://github.com/nicholasjclark/mvgam>,  
<https://nicholasjclark.github.io/mvgam/>

**BugReports** <https://github.com/nicholasjclark/mvgam/issues>

**License** MIT + file LICENSE

**Depends** R (>= 3.6.0)

**Imports** brms (>= 2.21.0), methods, mgcv (>= 1.8-13), insight (>= 0.19.1), marginaleffects (>= 0.16.0), Rcpp (>= 0.12.0), rstan (>= 2.29.0), posterior (>= 1.0.0), loo (>= 2.3.1), rstantools (>= 2.1.1), bayesplot (>= 1.5.0), ggplot2 (>= 2.0.0), mvnfast, purrr, dplyr, magrittr, rlang, generics, tibble (>= 3.0.0), patchwork (>= 1.2.0)

**Encoding** UTF-8

**LazyData** true

**RoxygenNote** 7.3.2

**Suggests** scoringRules, matrixStats, cmdstanr (>= 0.5.0), tweedie, splines2, extraDistr, corpcor, wrswoR, xts, lubridate, knitr, collapse, rmarkdown, rjags, coda, runjags, usethis, testthat

**Enhances** gratia (>= 0.9.0), tidyr

**Additional\_repositories** <https://mc-stan.org/r-packages/>

**LinkingTo** Rcpp, RcppArmadillo

**VignetteBuilder** knitr

**NeedsCompilation** yes

**Author** Nicholas J Clark [aut, cre] (ORCID:  
<https://orcid.org/0000-0001-7131-3301>),  
 Sarah Heaps [ctb] (VARMA parameterisations, ORCID:  
<https://orcid.org/0000-0002-5543-037X>),  
 Scott Pease [ctb] (broom enhancements, ORCID:  
<https://orcid.org/0009-0006-8977-9285>),  
 Matthijs Hollanders [ctb] (ggplot visualizations, ORCID:  
<https://orcid.org/0000-0003-0796-1018>)

**Maintainer** Nicholas J Clark <nicholas.j.clark1214@gmail.com>

**Repository** CRAN

**Date/Publication** 2025-03-14 08:40:02 UTC

## Contents

add_residuals.mvgam . . . . .	4
all_neon_tick_data . . . . .	4
augment.mvgam . . . . .	5
code . . . . .	6
conditional_effects.mvgam . . . . .	7
dynamic . . . . .	10
ensemble.mvgam_forecast . . . . .	12
evaluate_mvgsams . . . . .	14
fevd.mvgam . . . . .	18
fitted.mvgam . . . . .	20
forecast.mvgam . . . . .	22
formula.mvgam . . . . .	24
get_mvgsam_priors . . . . .	24
GP . . . . .	31
gratia_mvgsam_enhancements . . . . .	32
hindcast.mvgam . . . . .	37
how_to_cite.mvgam . . . . .	38
index-mvgam . . . . .	40
irf.mvgam . . . . .	40
jsdgsam . . . . .	42
lfo_cv.mvgam . . . . .	51
logLik.mvgam . . . . .	54
loo.mvgam . . . . .	55
lv_correlations . . . . .	57
mcmc_plot.mvgam . . . . .	58
model.frame.mvgam . . . . .	60
monotonic . . . . .	60
mvgam . . . . .	63
mvgam-class . . . . .	77
mvgam_diagnostics . . . . .	79
mvgam_draws . . . . .	80
mvgam_families . . . . .	83
mvgam_fevd-class . . . . .	87

mvgam_forecast-class . . . . .	88
mvgam_formulae . . . . .	89
mvgam_irf-class . . . . .	89
mvgam_marginaleffects . . . . .	90
mvgam_trends . . . . .	94
pairs.mvgam . . . . .	95
plot.mvgam . . . . .	96
plot.mvgam_fevd . . . . .	98
plot.mvgam_irf . . . . .	99
plot.mvgam_lfo . . . . .	100
plot.mvgam_residcor . . . . .	100
plot_mvgam_factors . . . . .	101
plot_mvgam_forecasts . . . . .	102
plot_mvgam_pterms . . . . .	105
plot_mvgam_randomeffects . . . . .	105
plot_mvgam_resids . . . . .	106
plot_mvgam_series . . . . .	107
plot_mvgam_smooth . . . . .	109
plot_mvgam_trend . . . . .	110
plot_mvgam_uncertainty . . . . .	112
portal_data . . . . .	113
posterior_epred.mvgam . . . . .	114
posterior_linpred.mvgam . . . . .	115
posterior_predict.mvgam . . . . .	117
ppc.mvgam . . . . .	119
pp_check.mvgam . . . . .	121
predict.mvgam . . . . .	124
print.mvgam . . . . .	126
PW . . . . .	127
residuals.mvgam . . . . .	130
residual_cor.jsdgam . . . . .	131
RW . . . . .	133
score.mvgam_forecast . . . . .	137
series_to_mvgam . . . . .	139
sim_mvgam . . . . .	140
stability.mvgam . . . . .	142
summary.mvgam . . . . .	146
summary.mvgam_fevd . . . . .	147
summary.mvgam_irf . . . . .	148
update.mvgam . . . . .	149
ZMVN . . . . .	154

---

add_residuals.mvgam	<i>Calculate randomized quantile residuals for <b>mvgam</b> objects</i>
---------------------	---

---

### Description

Calculate randomized quantile residuals for **mvgam** objects

### Usage

```
add_residuals(object, ...)

## S3 method for class 'mvgam'
add_residuals(object, ...)
```

### Arguments

object	list object of class mvgam. See <a href="#">mvgam()</a>
...	unused

### Details

For each series, randomized quantile (i.e. Dunn-Smyth) residuals are calculated for inspecting model diagnostics. If the fitted model is appropriate then Dunn-Smyth residuals will be standard normal in distribution and no autocorrelation will be evident. When a particular observation is missing, the residual is calculated by comparing independent draws from the model's posterior distribution.

### Value

A list object of class mvgam with residuals included in the 'resids' slot

---

all_neon_tick_data	<i>NEON Amblyomma and Ixodes tick abundance survey data</i>
--------------------	---

---

### Description

A dataset containing timeseries of *Amblyomma americanum* and *Ixodes scapularis* nymph abundances at NEON sites

### Usage

```
all_neon_tick_data
```

**Format**

A tibble/dataframe containing covariate information alongside the main fields of:

**Year** Year of sampling

**epiWeek** Epidemiological week of sampling

**plot\_ID** NEON plot ID for survey location

**siteID** NEON site ID for survey location

**amblyomma\_americanum** Counts of *A. americanum* nymphs

**ixodes\_scapularis** Counts of *I. scapularis* nymphs

**Source**

<https://www.neonscience.org/data>

---

augment.mvgam	<i>Augment an <b>mvgam</b> object's data</i>
---------------	--

---

**Description**

Add fits and residuals to the data, implementing the generic augment from the package **broom**.

**Usage**

```
## S3 method for class 'mvgam'
augment(x, robust = FALSE, probs = c(0.025, 0.975), ...)
```

**Arguments**

x	An object of class mvgam.
robust	If FALSE (the default) the mean is used as the measure of central tendency and the standard deviation as the measure of variability. If TRUE, the median and the median absolute deviation (MAD) are applied instead.
probs	The percentiles to be computed by the quantile function.
...	Unused, included for generic consistency only.

**Details**

A list is returned if `class(x$obs_data) == 'list'`, otherwise a tibble is returned, but the contents of either object is the same.

The arguments `robust` and `probs` are applied to both the fit and residuals calls (see `fitted.mvgam()` and `residuals.mvgam()` for details).

**Value**

A list or tibble (see details) combining:

- The data supplied to `mvgam()`.
- The outcome variable, named as `.observed`.
- The fitted backcasts, along with their variability and credible bounds.
- The residuals, along with their variability and credible bounds.

**See Also**

`residuals.mvgam`, `fitted.mvgam`

**Examples**

```
set.seed(0)
dat <- sim_mvgam(T = 80,
  n_series = 3,
  mu = 2,
  trend_model = AR(p = 1),
  prop_missing = 0.1,
  prop_trend = 0.6)

mod1 <- mvgam(formula = y ~ s(season, bs = 'cc', k = 6),
  data = dat$data_train,
  trend_model = AR(),
  family = poisson(),
  noncentred = TRUE,
  chains = 2,
  silent = 2)

augment(mod1, robust = TRUE, probs = c(0.25, 0.75))
```

---

code

*Stan code and data objects for **mvgam** models*


---

**Description**

Generate Stan code and data objects for **mvgam** models

**Usage**

```
code(object)

## S3 method for class 'mvgam_predit'
stancode(object, ...)
```

```
## S3 method for class 'mvgam'
stancode(object, ...)

## S3 method for class 'mvgam_prefit'
standata(object, ...)
```

### Arguments

object	An object of class <code>mvgam</code> or <code>mvgam_prefit</code> , returned from a call to <code>mvgam</code>
...	ignored

### Value

Either a character string containing the fully commented **Stan** code to fit a **mvgam** model or a named list containing the data objects needed to fit the model in Stan.

### Examples

```
simdat <- sim_mvgam()
mod <- mvgam(y ~ s(season) +
             s(time, by = series),
             family = poisson(),
             data = simdat$data_train,
             run_model = FALSE)

# View Stan model code
stancode(mod)

# View Stan model data
sdata <- standata(mod)
str(sdata)
```

---

conditional\_effects.mvgam

*Display conditional effects of predictors for **mvgam** models*

---

### Description

Display conditional effects of one or more numeric and/or categorical predictors in models of class `mvgam` and `jsdgam`, including two-way interaction effects.

### Usage

```
## S3 method for class 'mvgam'
conditional_effects(
  x,
```

```

    effects = NULL,
    type = "response",
    points = FALSE,
    rug = FALSE,
    ...
)

## S3 method for class 'mvgam_conditional_effects'
plot(x, plot = TRUE, ask = FALSE, ...)

## S3 method for class 'mvgam_conditional_effects'
print(x, ...)
```

### Arguments

x	Object of class mvgam, jsdgam or mvgam_conditional_effects
effects	An optional character vector naming effects (main effects or interactions) for which to compute conditional plots. Interactions are specified by a : between variable names. If NULL (the default), plots are generated for all main effects and two-way interactions estimated in the model. When specifying effects manually, <i>all</i> two-way interactions (including grouping variables) may be plotted even if not originally modeled.
type	character specifying the scale of predictions. When this has the value link (default) the linear predictor is calculated on the link scale. If expected is used, predictions reflect the expectation of the response (the mean) but ignore uncertainty in the observation process. When response is used, the predictions take uncertainty in the observation process into account to return predictions on the outcome scale. Two special cases are also allowed: type latent_N will return the estimated latent abundances from an N-mixture distribution, while type detection will return the estimated detection probability from an N-mixture distribution
points	Logical. Indicates if the original data points should be added, but only if type == 'response'. Default is TRUE.
rug	Logical. Indicates if displays tick marks should be plotted on the axes to mark the distribution of raw data, but only if type == 'response'. Default is TRUE.
...	other arguments to pass to <a href="#">plot_predictions</a>
plot	Logical; indicates if plots should be plotted directly in the active graphic device. Defaults to TRUE.
ask	Logical. Indicates if the user is prompted before a new page is plotted. Only used if plot is TRUE. Default is FALSE.

### Details

This function acts as a wrapper to the more flexible [plot\\_predictions](#). When creating conditional\_effects for a particular predictor (or interaction of two predictors), one has to choose the values of all other predictors to condition on. By default, the mean is used for continuous variables and the reference category is used for factors. Use [plot\\_predictions](#) to change these and create more bespoke conditional effects plots.



**Value**

conditional\_effects returns an object of class `mvgam_conditional_effects` which is a named list with one slot per effect containing a [ggplot](#) object, which can be further customized using the [ggplot2](#) package. The corresponding plot method will draw these plots in the active graphic device

**Author(s)**

Nicholas J Clark

**See Also**

[plot\\_predictions](#), [plot\\_slopes](#)

**Examples**

```
# Simulate some data
simdat <- sim_mvgam(family = poisson(),
                   seasonality = 'hierarchical')

# Fit a model
mod <- mvgam(y ~ s(season, by = series, k = 5) + year:series,
            family = poisson(),
            data = simdat$data_train,
            chains = 2)

# Plot all main effects on the response scale
conditional_effects(mod)

# Change the prediction interval to 70% using plot_predictions() argument
# 'conf_level'
conditional_effects(mod, conf_level = 0.7)

# Plot all main effects on the link scale
conditional_effects(mod, type = 'link')

# Works the same for smooth terms, including smooth interactions
set.seed(0)
dat <- mgcv::gamSim(1, n = 200, scale = 2)
mod <- mvgam(y ~ te(x0, x1, k = 5) + s(x2, k = 6) + s(x3, k = 6),
            data = dat,
            family = gaussian(),
            chains = 2)
conditional_effects(mod)
conditional_effects(mod, conf_level = 0.5, type = 'link')

# ggplot objects can be modified and combined with the help of many
# additional packages. Here is an example using the patchwork package

# Simulate some nonlinear data
dat <- mgcv::gamSim(1, n = 200, scale = 2)
mod <- mvgam(y ~ s(x1, bs = 'moi') +
            te(x0, x2),
```

```

      data = dat,
      family = gaussian(),
      chains = 2,
      silent = 2)

# Extract the list of ggplot conditional_effect plots
m <- plot(conditional_effects(mod), plot = FALSE)

# Add custom labels and arrange plots together using patchwork::wrap_plots()
library(patchwork)
library(ggplot2)
wrap_plots(m[[1]] + labs(title = 's(x1, bs = "moi")'),
           m[[2]] + labs(title = 'te(x0, x2)'))

```

dynamic

*Defining dynamic coefficients in **mvgam** formulae***Description**

Set up time-varying (dynamic) coefficients for use in **mvgam** models. Currently, only low-rank Gaussian Process smooths are available for estimating the dynamics of the time-varying coefficient.

**Usage**

```
dynamic(variable, k, rho = 5, stationary = TRUE, scale = TRUE)
```

**Arguments**

variable	The variable that the dynamic smooth will be a function of
k	Optional number of basis functions for computing approximate GPs. If missing, k will be set as large as possible to accurately estimate the nonlinear function
rho	Either a positive numeric stating the length scale to be used for approximating the squared exponential Gaussian Process smooth (see <a href="#">gp.smooth</a> for details) or missing, in which case the length scale will be estimated by setting up a Hilbert space approximate GP
stationary	Logical. If TRUE (the default) and rho is supplied, the latent Gaussian Process smooth will not have a linear trend component. If FALSE, a linear trend in the covariate is added to the Gaussian Process smooth. Leave at TRUE if you do not believe the coefficient is evolving with much trend, as the linear component of the basis functions can be hard to penalize to zero. This sometimes causes divergence issues in Stan. See <a href="#">gp.smooth</a> for details. Ignored if rho is missing (in which case a Hilbert space approximate GP is used)
scale	Logical; If TRUE (the default) and rho is missing, predictors are scaled so that the maximum Euclidean distance between two points is 1. This often improves sampling speed and convergence. Scaling also affects the estimated length-scale parameters in that they resemble those of scaled predictors (not of the original predictors) if scale is TRUE.

## Details

`mvgam` currently sets up dynamic coefficients as low-rank squared exponential Gaussian Process smooths via the call `s(time, by = variable, bs = "gp", m = c(2, rho, 2))`. These smooths, if specified with reasonable values for the length scale parameter, will give more realistic out of sample forecasts than standard splines such as thin plate or cubic. But the user must set the value for `rho`, as there is currently no support for estimating this value in `mgcv`. This may not be too big of a problem, as estimating latent length scales is often difficult anyway. The `rho` parameter should be thought of as a prior on the smoothness of the latent dynamic coefficient function (where higher values of `rho` lead to smoother functions with more temporal covariance structure. Values of `k` are set automatically to ensure enough basis functions are used to approximate the expected wiggleness of the underlying dynamic function (`k` will increase as `rho` decreases)

## Value

a list object for internal usage in `'mvgam'`

## Author(s)

Nicholas J Clark

## Examples

```
# Simulate a time-varying coefficient
# (as a Gaussian Process with length scale = 10)
set.seed(1111)
N <- 200

# A function to simulate from a squared exponential Gaussian Process
sim_gp = function(N, c, alpha, rho){
  Sigma <- alpha ^ 2 *
    exp(-0.5 * ((outer(1:N, 1:N, "-") / rho) ^ 2)) +
    diag(1e-9, N)
  c + mgcv::rmvn(1,
    mu = rep(0, N),
    V = Sigma)
}

beta <- sim_gp(alpha = 0.75,
  rho = 10,
  c = 0.5,
  N = N)
plot(beta, type = 'l', lwd = 3,
  bty = 'l', xlab = 'Time',
  ylab = 'Coefficient',
  col = 'darkred')

# Simulate the predictor as a standard normal
predictor <- rnorm(N, sd = 1)

# Simulate a Gaussian outcome variable
out <- rnorm(N, mean = 4 + beta * predictor,
```

```

      sd = 0.25)
time <- seq_along(predictor)
plot(out, type = 'l', lwd = 3,
     bty = 'l', xlab = 'Time', ylab = 'Outcome',
     col = 'darkred')

# Gather into a data.frame and fit a dynamic coefficient model
data <- data.frame(out, predictor, time)

# Split into training and testing
data_train <- data[1:190,]
data_test <- data[191:200,]

# Fit a model using the dynamic function
mod <- mvgam(out ~
  # mis-specify the length scale slightly as this
  # won't be known in practice
  dynamic(predictor, rho = 8, stationary = TRUE),
  family = gaussian(),
  data = data_train,
  chains = 2,
  silent = 2)

# Inspect the summary
summary(mod)

# Plot the time-varying coefficient estimates
plot(mod, type = 'smooths')

# Extrapolate the coefficient forward in time
plot_mvgam_smooth(mod, smooth = 1, newdata = data)
abline(v = 190, lty = 'dashed', lwd = 2)

# Overlay the true simulated time-varying coefficient
lines(beta, lwd = 2.5, col = 'white')
lines(beta, lwd = 2)

```

---

```
ensemble.mvgam_forecast
```

*Combine forecasts from **mvgam** models into evenly weighted ensembles*

---

## Description

Generate evenly weighted ensemble forecast distributions from `mvgam_forecast` objects

## Usage

```
ensemble(object, ...)
```

```
## S3 method for class 'mvgam_forecast'
ensemble(object, ..., ndraws = 5000)
```

### Arguments

object	list object of class mvgam_forecast. See <a href="#">forecast.mvgam()</a>
...	More mvgam_forecast objects.
ndraws	Positive integer specifying the number of draws to use from each forecast distribution for creating the ensemble. If some of the ensemble members have fewer draws than ndraws, their forecast distributions will be resampled with replacement to achieve the correct number of draws

### Details

It is widely recognised in the forecasting literature that combining forecasts from different models often results in improved forecast accuracy. The simplest way to create an ensemble is to use evenly weighted combinations of forecasts from the different models. This is straightforward to do in a Bayesian setting with **mvgam** as the posterior MCMC draws contained in each mvgam\_forecast object will already implicitly capture correlations among the temporal posterior predictions.

### Value

An object of class mvgam\_forecast containing the ensemble predictions. This object can be readily used with the supplied S3 functions plot and score

### Author(s)

Nicholas J Clark

### See Also

[plot.mvgam\\_forecast](#), [score.mvgam\\_forecast](#)

### Examples

```
# Simulate some series and fit a few competing dynamic models
set.seed(1)
simdat <- sim_mvgam(n_series = 1,
                    prop_trend = 0.6,
                    mu = 1)

plot_mvgam_series(data = simdat$data_train,
                  newdata = simdat$data_test)

m1 <- mvgam(y ~ 1,
            trend_formula = ~ time +
              s(season, bs = 'cc', k = 9),
            trend_model = AR(p = 1),
            noncentred = TRUE,
```

```
      data = simdat$data_train,
      newdata = simdat$data_test,
      chains = 2,
      silent = 2)

m2 <- mvgam(y ~ time,
            trend_model = RW(),
            noncentred = TRUE,
            data = simdat$data_train,
            newdata = simdat$data_test,
            chains = 2,
            silent = 2)

# Calculate forecast distributions for each model
fc1 <- forecast(m1)
fc2 <- forecast(m2)

# Generate the ensemble forecast
ensemble_fc <- ensemble(fc1, fc2)

# Plot forecasts
plot(fc1)
plot(fc2)
plot(ensemble_fc)

# Score forecasts
score(fc1)
score(fc2)
score(ensemble_fc)
```

---

evaluate\_mvgrams

*Evaluate forecasts from fitted **mvgam** objects*

---

## Description

Evaluate forecasts from fitted **mvgam** objects

## Usage

```
eval_mvgam(
  object,
  n_samples = 5000,
  eval_timepoint = 3,
  fc_horizon = 3,
  n_cores = 1,
  score = "drps",
  log = FALSE,
  weights
```

```

)

roll_eval_mvgam(
  object,
  n_evaluations = 5,
  evaluation_seq,
  n_samples = 5000,
  fc_horizon = 3,
  n_cores = 1,
  score = "drps",
  log = FALSE,
  weights
)

compare_mvgams(
  model1,
  model2,
  n_samples = 1000,
  fc_horizon = 3,
  n_evaluations = 10,
  n_cores = 1,
  score = "drps",
  log = FALSE,
  weights
)

```

### Arguments

<code>object</code>	list object returned from <code>mvgam</code>
<code>n_samples</code>	integer specifying the number of samples to generate from the model's posterior distribution
<code>eval_timepoint</code>	integer indexing the timepoint that represents our last 'observed' set of outcome data
<code>fc_horizon</code>	integer specifying the length of the forecast horizon for evaluating forecasts
<code>n_cores</code>	Deprecated. Parallel processing is no longer supported
<code>score</code>	character specifying the type of ranked probability score to use for evaluation. Options are: <code>variogram</code> , <code>drps</code> or <code>crps</code>
<code>log</code>	logical. Should the forecasts and truths be logged prior to scoring? This is often appropriate for comparing performance of models when series vary in their observation ranges
<code>weights</code>	optional vector of weights (where <code>length(weights) == n_series</code> ) for weighting pairwise correlations when evaluating the variogram score for multivariate forecasts. Useful for down-weighting series that have larger magnitude observations or that are of less interest when forecasting. Ignored if <code>score != 'variogram'</code>
<code>n_evaluations</code>	integer specifying the total number of evaluations to perform

evaluation_seq	Optional integer sequence specifying the exact set of timepoints for evaluating the model's forecasts. This sequence cannot have values $<3$ or $> \max(\text{training timepoints}) - \text{fc\_horizon}$
model1	list object returned from <code>mvgam</code> representing the first model to be evaluated
model2	list object returned from <code>mvgam</code> representing the second model to be evaluated

## Details

`eval_mvgam` may be useful when both repeated fitting of a model using `update.mvgam` for exact leave-future-out cross-validation and approximate leave-future-out cross-validation using `lfo_cv` are impractical. The function generates a set of samples representing fixed parameters estimated from the full `mvgam` model and latent trend states at a given point in time. The trends are rolled forward a total of `fc_horizon` timesteps according to their estimated state space dynamics to generate an 'out-of-sample' forecast that is evaluated against the true observations in the horizon window. This function therefore simulates a situation where the model's parameters had already been estimated but we have only observed data up to the evaluation timepoint and would like to generate forecasts from the latent trends that have been observed up to that timepoint. Evaluation involves calculating an appropriate Rank Probability Score and a binary indicator for whether or not the true value lies within the forecast's 90% prediction interval

`roll_eval_mvgam` sets up a sequence of evaluation timepoints along a rolling window and iteratively calls `eval_mvgam` to evaluate 'out-of-sample' forecasts. Evaluation involves calculating the Rank Probability Scores and a binary indicator for whether or not the true value lies within the forecast's 90% prediction interval

`compare_mvgams` automates the evaluation to compare two fitted models using rolling window forecast evaluation and provides a series of summary plots to facilitate model selection. It is essentially a wrapper for `roll_eval_mvgam`

## Value

For `eval_mvgam`, a list object containing information on specific evaluations for each series (if using `drps` or `crps` as the score) or a vector of scores when using `variogram`.

For `roll_eval_mvgam`, a list object containing information on specific evaluations for each series as well as a total evaluation summary (taken by summing the forecast score for each series at each evaluation and averaging the coverages at each evaluation)

For `compare_mvgams`, a series of plots comparing forecast Rank Probability Scores for each competing model. A lower score is preferred. Note however that it is possible to select a model that ultimately would perform poorly in true out-of-sample forecasting. For example if a wiggly smooth function of 'year' is included in the model then this function will be learned prior to evaluating rolling window forecasts, and the model could generate very tight predictions as a result. But when forecasting ahead to timepoints that the model has not seen (i.e. next year), the smooth function will end up extrapolating, sometimes in very strange and unexpected ways. It is therefore recommended to only use smooth functions for covariates that are adequately measured in the data (i.e. 'seasonality', for example) to reduce possible extrapolation of smooths and let the latent trends in the `mvgam` model capture any temporal dependencies in the data. These trends are time series models and so will provide much more stable forecasts



**See Also**[forecast](#), [score](#), [lfo\\_cv](#)**Examples**

```
# Simulate from a Poisson-AR2 model with a seasonal smooth
set.seed(1)
dat <- sim_mvgam(T = 75,
                 n_series = 1,
                 prop_trend = 0.75,
                 trend_model = AR(p = 2),
                 family = poisson())

# Fit an appropriate model
mod_ar2 <- mvgam(y ~ s(season, bs = 'cc'),
                trend_model = AR(p = 2),
                family = poisson(),
                data = dat$data_train,
                newdata = dat$data_test,
                chains = 2,
                silent = 2)

# Fit a less appropriate model
mod_rw <- mvgam(y ~ 1,
                trend_model = RW(),
                family = poisson(),
                data = dat$data_train,
                newdata = dat$data_test,
                chains = 2,
                silent = 2)

# Compare Discrete Ranked Probability Scores for the testing period
fc_ar2 <- forecast(mod_ar2)
fc_rw <- forecast(mod_rw)
score_ar2 <- score(fc_ar2, score = 'drps')
score_rw <- score(fc_rw, score = 'drps')
sum(score_ar2$series_1$score)
sum(score_rw$series_1$score)

# Use rolling evaluation for approximate comparisons of 3-step ahead
# forecasts across the training period
compare_mvgams(mod_ar2,
               mod_rw,
               fc_horizon = 3,
               n_samples = 1000,
               n_evaluations = 5)

# Now use approximate leave-future-out CV to compare
# rolling forecasts; start at time point 40 to reduce
# computational time and to ensure enough data is available
# for estimating model parameters
```

```

lfo_ar2 <- lfo_cv(mod_ar2,
                 min_t = 40,
                 fc_horizon = 3,
                 silent = 2)
lfo_rw <- lfo_cv(mod_rw,
                 min_t = 40,
                 fc_horizon = 3,
                 silent = 2)

# Plot Pareto-K values and ELPD estimates
plot(lfo_ar2)
plot(lfo_rw)

# Proportion of timepoints in which AR2 model gives
# better forecasts
length(which((lfo_ar2$elpds - lfo_rw$elpds) > 0)) /
  length(lfo_ar2$elpds)

# A higher total ELPD is preferred
lfo_ar2$sum_ELPD
lfo_rw$sum_ELPD

```

---

fevd.mvgam

---

*Calculate latent VAR forecast error variance decompositions*


---

## Description

Compute forecast error variance decompositions from mvgam models with Vector Autoregressive dynamics

## Usage

```

fevd(object, ...)

## S3 method for class 'mvgam'
fevd(object, h = 10, ...)

```

## Arguments

object	list object of class mvgam resulting from a call to <code>mvgam()</code> that used a Vector Autoregressive latent process model (either as <code>VAR(cor = FALSE)</code> or <code>VAR(cor = TRUE)</code> )
...	ignored
h	Positive integer specifying the forecast horizon over which to calculate the IRF

## Details

A forecast error variance decomposition is useful for quantifying the amount of information each series that in a Vector Autoregression contributes to the forecast distributions of the other series in the autoregression. This function calculates the forecast error variance decomposition using the orthogonalised impulse response coefficient matrices  $\Psi_h$ , which can be used to quantify the contribution of series  $j$  to the  $h$ -step forecast error variance of series  $k$ :

$$\sigma_k^2(h) = \sum_{j=1}^K (\psi_{kj,0}^2 + \dots + \psi_{kj,h-1}^2)$$

If the orthogonalised impulse responses  $(\psi_{kj,0}^2 + \dots + \psi_{kj,h-1}^2)$  are divided by the variance of the forecast error  $\sigma_k^2(h)$ , this yields an interpretable percentage representing how much of the forecast error variance for  $k$  can be explained by an exogenous shock to  $j$ .

## Value

An object of class `mvgam_fevd` containing the posterior forecast error variance decompositions. This object can be used with the supplied S3 functions `plot`

## Author(s)

Nicholas J Clark

## References

Lütkepohl, H (2006). New Introduction to Multiple Time Series Analysis. Springer, New York.

## See Also

[VAR](#), [irf](#), [stability](#)

## Examples

```
# Simulate some time series that follow a latent VAR(1) process
simdat <- sim_mvgam(
  family = gaussian(),
  n_series = 4,
  trend_model = VAR(cor = TRUE),
  prop_trend = 1
)
plot_mvgam_series(data = simdat$data_train, series = "all")

# Fit a model that uses a latent VAR(1)
mod <- mvgam(y ~ -1,
  trend_formula = ~1,
  trend_model = VAR(cor = TRUE),
  family = gaussian(),
  data = simdat$data_train,
  chains = 2,
  silent = 2)
```

```

)

# Calculate forecast error variance decompositions for each series
fevds <- fevd(mod, h = 12)

# Plot median contributions to forecast error variance
plot(fevds)

# View a summary of the error variance decompositions
summary(fevds)

```

---

fitted.mvgam	<i>Expected values of the posterior predictive distribution for <b>mvgam</b> objects</i>
--------------	--

---

## Description

This method extracts posterior estimates of the fitted values (i.e. the actual predictions, included estimates for any trend states, that were obtained when fitting the model). It also includes an option for obtaining summaries of the computed draws.

## Usage

```

## S3 method for class 'mvgam'
fitted(
  object,
  process_error = TRUE,
  scale = c("response", "linear"),
  summary = TRUE,
  robust = FALSE,
  probs = c(0.025, 0.975),
  ...
)

```

## Arguments

object	An object of class <code>mvgam</code>
process_error	Logical. If TRUE and a dynamic trend model was fit, expected uncertainty in the process model is accounted for by using draws from the latent trend SD parameters. If FALSE, uncertainty in the latent trend component is ignored when calculating predictions
scale	Either "response" or "linear". If "response", results are returned on the scale of the response variable. If "linear", results are returned on the scale of the linear predictor term, that is without applying the inverse link function or other transformations.

summary	Should summary statistics be returned instead of the raw values? Default is TRUE..
robust	If FALSE (the default) the mean is used as the measure of central tendency and the standard deviation as the measure of variability. If TRUE, the median and the median absolute deviation (MAD) are applied instead. Only used if summary is TRUE.
probs	The percentiles to be computed by the quantile function. Only used if summary is TRUE.
...	Further arguments passed to <a href="#">prepare_predictions</a> that control several aspects of data validation and prediction.

## Details

This method gives the actual fitted values from the model (i.e. what you will see if you generate hindcasts from the fitted model using [hindcast.mvgam](#) with type = 'expected'). These predictions can be overly precise if a flexible dynamic trend component was included in the model. This is in contrast to the set of predict functions (i.e. [posterior\\_epred.mvgam](#) or [predict.mvgam](#)), which will assume any dynamic trend component has reached stationarity when returning hypothetical predictions

## Value

An array of predicted *mean* response values. If summary = FALSE the output resembles those of [posterior\\_epred.mvgam](#) and [predict.mvgam](#).

If summary = TRUE the output is an n\_observations x E matrix. The number of summary statistics E is equal to 2 + length(probs): The Estimate column contains point estimates (either mean or median depending on argument robust), while the Est.Error column contains uncertainty estimates (either standard deviation or median absolute deviation depending on argument robust). The remaining columns starting with Q contain quantile estimates as specified via argument probs.

## See Also

[hindcast.mvgam](#)

## Examples

```
# Simulate some data and fit a model
simdat <- sim_mvgam(n_series = 1, trend_model = AR())
mod <- mvgam(y ~ s(season, bs = 'cc'),
             trend_model = AR(),
             data = simdat$data_train,
             chains = 2,
             silent = 2)

# Extract fitted values (posterior expectations)
expectations <- fitted(mod)
str(expectations)
```

---

forecast.mvgam	<i>Extract or compute hindcasts and forecasts for a fitted mvgam object</i>
----------------	---

---

## Description

Extract or compute hindcasts and forecasts for a fitted mvgam object

## Usage

```
forecast(object, ...)
```

```
## S3 method for class 'mvgam'
```

```
forecast(object, newdata, data_test, n_cores = 1, type = "response", ...)
```

## Arguments

object	list object of class mvgam or jsdgam. See <a href="#">mvgam()</a>
...	Ignored
newdata	Optional dataframe or list of test data containing the same variables that were included in the original data used to fit the model. If included, the covariate information in newdata will be used to generate forecasts from the fitted model equations. If this same newdata was originally included in the call to mvgam, then forecasts have already been produced by the generative model and these will simply be extracted and plotted. However if no newdata was supplied to the original model call, an assumption is made that the newdata supplied here comes sequentially after the data supplied in the original model (i.e. we assume there is no time gap between the last observation of series 1 in the original data and the first observation for series 1 in newdata)
data_test	Deprecated. Still works in place of newdata but users are recommended to use newdata instead for more seamless integration into R workflows
n_cores	Deprecated. Parallel processing is no longer supported
type	When this has the value link (default) the linear predictor is calculated on the link scale. If expected is used, predictions reflect the expectation of the response (the mean) but ignore uncertainty in the observation process. When response is used, the predictions take uncertainty in the observation process into account to return predictions on the outcome scale. When variance is used, the variance of the response with respect to the mean (mean-variance relationship) is returned. When type = "terms", each component of the linear predictor is returned separately in the form of a list (possibly with standard errors, if summary = TRUE): this includes parametric model components, followed by each smooth component, but excludes any offset and any intercept. Two special cases are also allowed: type latent_N will return the estimated latent abundances from an N-mixture distribution, while type detection will return the estimated detection probability from an N-mixture distribution

## Details

Posterior predictions are drawn from the fitted `mvgam` and used to simulate a forecast distribution

## Value

An object of class `mvgam_forecast` containing hindcast and forecast distributions. See [mvgam\\_forecast-class](#) for details.

## See Also

[hindcast](#), [score](#), [ensemble](#)

## Examples

```
simdat <- sim_mvgam(n_series = 3, trend_model = AR())
mod <- mvgam(y ~ s(season, bs = 'cc', k = 6),
             trend_model = AR(),
             noncentred = TRUE,
             data = simdat$data_train,
             chains = 2,
             silent = 2)

# Hindcasts on response scale
hc <- hindcast(mod)
str(hc)
plot(hc, series = 1)
plot(hc, series = 2)
plot(hc, series = 3)

# Forecasts on response scale
fc <- forecast(mod,
               newdata = simdat$data_test)

str(fc)
plot(fc, series = 1)
plot(fc, series = 2)
plot(fc, series = 3)

# Forecasts as expectations
fc <- forecast(mod,
               newdata = simdat$data_test,
               type = 'expected')

plot(fc, series = 1)
plot(fc, series = 2)
plot(fc, series = 3)

# Dynamic trend extrapolations
fc <- forecast(mod,
               newdata = simdat$data_test,
               type = 'trend')

plot(fc, series = 1)
plot(fc, series = 2)
plot(fc, series = 3)
```

---

formula.mvgam	<i>Extract formulae from <b>mvgam</b> objects</i>
---------------	---

---

### Description

Extract formulae from **mvgam** objects

### Usage

```
## S3 method for class 'mvgam'
formula(x, trend_effects = FALSE, ...)

## S3 method for class 'mvgam_predit'
formula(x, trend_effects = FALSE, ...)
```

### Arguments

x	mvgam, jsdgm or mvgam_predit object
trend_effects	logical, return the formula from the observation model (if FALSE) or from the underlying process model (if TRUE)
...	Ignored

### Value

A formula object

### Author(s)

Nicholas J Clark

---

get_mvgam_priors	<i>Extract information on default prior distributions for an <b>mvgam</b> model</i>
------------------	---

---

### Description

This function lists the parameters that can have their prior distributions changed for a given model, as well listing their default distributions



**Usage**

```

get_mvgam_priors(
  formula,
  trend_formula,
  factor_formula,
  knots,
  trend_knots,
  trend_model = "None",
  family = poisson(),
  data,
  unit = time,
  species = series,
  use_lv = FALSE,
  n_lv,
  trend_map,
  ...
)

```

**Arguments**

- |                |  |
|----------------|--|
| formula        | A formula object specifying the GAM observation model formula. These are exactly like the formula for a GLM except that smooth terms, <code>s()</code> , <code>te()</code> , <code>ti()</code> , <code>t2()</code> , as well as time-varying dynamic() terms, nonparametric <code>gp()</code> terms and offsets using <code>offset()</code> , can be added to the right hand side to specify that the linear predictor depends on smooth functions of predictors (or linear functionals of these). In <code>nmix()</code> family models, the formula is used to set up a linear predictor for the detection probability. Details of the formula syntax used by <b>mvgam</b> can be found in <a href="#">mvgam_formulae</a>   |
| trend_formula  | An optional formula object specifying the GAM process model formula. If supplied, a linear predictor will be modelled for the latent trends to capture process model evolution separately from the observation model. Should not have a response variable specified on the left-hand side of the formula (i.e. a valid option would be <code>~ season + s(year)</code> ). Also note that you should not use the identifier series in this formula to specify effects that vary across time series. Instead you should use <code>trend</code> . This will ensure that models in which a <code>trend_map</code> is supplied will still work consistently (i.e. by allowing effects to vary across process models, even when some time series share the same underlying process model). This feature is only currently available for <code>RW()</code> , <code>AR()</code> and <code>VAR()</code> trend models. In <code>nmix()</code> family models, the <code>trend_formula</code> is used to set up a linear predictor for the underlying latent abundance. Be aware that it can be very challenging to simultaneously estimate intercept parameters for both the observation mode (captured by <code>formula</code> ) and the process model (captured by <code>trend_formula</code> ). Users are recommended to drop one of these using the <code>- 1</code> convention in the formula right hand side. |
| factor_formula | Can be supplied instead <code>trend_formula</code> to match syntax from <a href="#">jsdgam</a>   |
| knots          | An optional list containing user specified knot values to be used for basis construction. For most bases the user simply supplies the knots to be used, which  |

	must match up with the <code>k</code> value supplied (note that the number of knots is not always just <code>k</code> ). Different terms can use different numbers of knots, unless they share a covariate
<code>trend_knots</code>	As for knots above, this is an optional list of knot values for smooth functions within the <code>trend_formula</code>
<code>trend_model</code>	<p>character or function specifying the time series dynamics for the latent trend. Options are:</p> <ul style="list-style-type: none"> <li>• None (no latent trend component; i.e. the GAM component is all that contributes to the linear predictor, and the observation process is the only source of error; similarly to what is estimated by <a href="#">gam</a>)</li> <li>• ZMVN or ZMVN() (Zero-Mean Multivariate Normal; only available in Stan)</li> <li>• 'RW' or RW()</li> <li>• 'AR1' or AR(<math>p = 1</math>)</li> <li>• 'AR2' or AR(<math>p = 2</math>)</li> <li>• 'AR3' or AR(<math>p = 3</math>)</li> <li>• 'CAR1' or CAR(<math>p = 1</math>)</li> <li>• 'VAR1' or VAR()(only available in Stan)</li> <li>• 'PWlogistic', 'PWlinear' or PW() (only available in Stan)</li> <li>• 'GP' or GP() (Gaussian Process with squared exponential kernel; only available in Stan)</li> </ul> <p>For all trend types apart from ZMVN(), GP(), CAR() and PW(), moving average and/or correlated process error terms can also be estimated (for example, RW(<code>cor = TRUE</code>) will set up a multivariate Random Walk if <code>n_series &gt; 1</code>). It is also possible for many multivariate trends to estimate hierarchical correlations if the data are structured among levels of a relevant grouping factor. See <a href="#">mvgam_trends</a> for more details and see <a href="#">ZMVN</a> for an example.</p>
<code>family</code>	<p>family specifying the exponential observation family for the series. Currently supported families are:</p> <ul style="list-style-type: none"> <li>• <code>gaussian()</code> for real-valued data</li> <li>• <code>betar()</code> for proportional data on <math>(0, 1)</math></li> <li>• <code>lognormal()</code> for non-negative real-valued data</li> <li>• <code>student_t()</code> for real-valued data</li> <li>• <code>Gamma()</code> for non-negative real-valued data</li> <li>• <code>bernoulli()</code> for binary data</li> <li>• <code>poisson()</code> for count data</li> <li>• <code>nb()</code> for overdispersed count data</li> <li>• <code>binomial()</code> for count data with imperfect detection when the number of trials is known; note that the <code>cbind()</code> function must be used to bind the discrete observations and the discrete number of trials</li> <li>• <code>beta_binomial()</code> as for <code>binomial()</code> but allows for overdispersion</li> <li>• <code>nmix()</code> for count data with imperfect detection when the number of trials is unknown and should be modeled via a State-Space N-Mixture model. The latent states are Poisson, capturing the 'true' latent abundance, while the observation process is Binomial to account for imperfect detection. See <a href="#">mvgam_families</a> for an example of how to use this family</li> </ul>

	Default is <code>poisson()</code> . See <a href="#">mvgam_families</a> for more details
<code>data</code>	<p>A dataframe or list containing the model response variable and covariates required by the GAM formula and optional <code>trend_formula</code>. Most models should include columns:</p> <ul style="list-style-type: none"> <li>• <code>series</code> (a factor index of the series IDs; the number of levels should be identical to the number of unique series labels (i.e. <code>n_series = length(levels(data\$series))</code>))</li> <li>• <code>time</code> (numeric or integer index of the time point for each observation). For most dynamic trend types available in <code>mvgam</code> (see argument <code>trend_model</code>), time should be measured in discrete, regularly spaced intervals (i.e. <code>c(1, 2, 3, ...)</code>). However you can use irregularly spaced intervals if using <code>trend_model = CAR(1)</code>, though note that any temporal intervals that are exactly 0 will be adjusted to a very small number (<math>1e-12</math>) to prevent sampling errors. See an example of <code>CAR()</code> trends in <a href="#">CAR</a></li> </ul> <p>Note however that there are special cases where these identifiers are not needed. For example, models with hierarchical temporal correlation processes (e.g. <code>AR(gr = region, subgr = species)</code>) should NOT include a series identifier, as this will be constructed internally (see <a href="#">mvgam_trends</a> and <a href="#">AR</a> for details). <code>mvgam</code> can also fit models that do not include a time variable if there are no temporal dynamic structures included (i.e. <code>trend_model = 'None'</code> or <code>trend_model = ZMVN()</code>). <code>data</code> should also include any other variables to be included in the linear predictor of formula</p>
<code>unit</code>	The unquoted name of the variable that represents the unit of analysis in data over which latent residuals should be correlated. This variable should be either a numeric or integer variable in the supplied data. Defaults to <code>time</code> to be consistent with other functionalities in <b>mvgam</b> , though note that the data need not be time series in this case. See examples below for further details and explanations
<code>species</code>	The unquoted name of the factor variable that indexes the different response units in data (usually 'species' in a JSDM). Defaults to <code>series</code> to be consistent with other <code>mvgam</code> models
<code>use_lv</code>	logical. If TRUE, use dynamic factors to estimate series' latent trends in a reduced dimension format. Only available for <code>RW()</code> , <code>AR()</code> and <code>GP()</code> trend models. Defaults to FALSE
<code>n_lv</code>	integer the number of latent dynamic factors to use if <code>use_lv == TRUE</code> . Cannot be $> n\_series$ . Defaults arbitrarily to <code>min(2, floor(n_series / 2))</code>
<code>trend_map</code>	Optional <code>data.frame</code> specifying which series should depend on which latent trends. Useful for allowing multiple series to depend on the same latent trend process, but with different observation processes. If supplied, a latent factor model is set up by setting <code>use_lv = TRUE</code> and using the mapping to set up the shared trends. Needs to have column names <code>series</code> and <code>trend</code> , with integer values in the <code>trend</code> column to state which trend each series should depend on. The <code>series</code> column should have a single unique entry for each series in the data (names should perfectly match factor levels of the <code>series</code> variable in data). Note that if this is supplied, the intercept parameter in the process model will NOT be automatically suppressed. Not yet supported for models in which the latent factors evolve in continuous time ( <code>CAR()</code> ). See examples for details
<code>...</code>	Not currently used

## Details

Users can supply a model formula, prior to fitting the model, so that default priors can be inspected and altered. To make alterations, change the contents of the prior column and supplying this `data.frame` to the `mvgam` or `jsdgm` functions using the argument `priors`. If using Stan as the backend, users can also modify the parameter bounds by modifying the `new_lowerbound` and/or `new_upperbound` columns. This will be necessary if using restrictive distributions on some parameters, such as a Beta distribution for the trend sd parameters for example (Beta only has support on  $(0, 1)$ ), so the upperbound cannot be above 1. Another option is to make use of the prior modification functions in **brms** (i.e. `prior`) to change prior distributions and bounds (just use the name of the parameter that you'd like to change as the `class` argument; see examples below)

## Value

either a `data.frame` containing the prior definitions (if any suitable priors can be altered by the user) or `NULL`, indicating that no priors in the model can be modified

## Note

Only the `prior`, `new_lowerbound` and/or `new_upperbound` columns of the output should be altered when defining the user-defined priors for the model. Use only if you are familiar with the underlying probabilistic programming language. There are no sanity checks done to ensure that the code is legal (i.e. to check that lower bounds are smaller than upper bounds, for example)

## Author(s)

Nicholas J Clark

## See Also

`mvgam`, `mvgam_formulae`, `prior`

## Examples

```
# Simulate three integer-valued time series
library(mvgam)
dat <- sim_mvgam(trend_rel = 0.5)

# Get a model file that uses default mvgam priors for inspection (not always necessary,
# but this can be useful for testing whether your updated priors are written correctly)
mod_default <- mvgam(y ~ s(series, bs = 're') +
  s(season, bs = 'cc') - 1,
  family = nb(),
  data = dat$data_train,
  trend_model = AR(p = 2),
  run_model = FALSE)

# Inspect the model file with default mvgam priors
stancode(mod_default)

# Look at which priors can be updated in mvgam
```

```

test_priors <- get_mvgam_priors(y ~ s(series, bs = 're') +
                             s(season, bs = 'cc') - 1,
                             family = nb(),
                             data = dat$data_train,
                             trend_model = AR(p = 2))

test_priors

# Make a few changes; first, change the population mean for the series-level
# random intercepts
test_priors$prior[2] <- 'mu_raw ~ normal(0.2, 0.5);'

# Now use stronger regularisation for the series-level AR2 coefficients
test_priors$prior[5] <- 'ar2 ~ normal(0, 0.25);'

# Check that the changes are made to the model file without any warnings by
# setting 'run_model = FALSE'
mod <- mvgam(y ~ s(series, bs = 're') +
             s(season, bs = 'cc') - 1,
             family = nb(),
             data = dat$data_train,
             trend_model = AR(p = 2),
             priors = test_priors,
             run_model = FALSE)
stancode(mod)

# No warnings, the model is ready for fitting now in the usual way with the addition
# of the 'priors' argument

# The same can be done using 'brms' functions; here we will also change the ar1 prior
# and put some bounds on the ar coefficients to enforce stationarity; we set the
# prior using the 'class' argument in all brms prior functions
brmsprior <- c(prior(normal(0.2, 0.5), class = mu_raw),
               prior(normal(0, 0.25), class = ar1, lb = -1, ub = 1),
               prior(normal(0, 0.25), class = ar2, lb = -1, ub = 1))
brmsprior

mod <- mvgam(y ~ s(series, bs = 're') +
             s(season, bs = 'cc') - 1,
             family = nb(),
             data = dat$data_train,
             trend_model = AR(p = 2),
             priors = brmsprior,
             run_model = FALSE)
stancode(mod)

# Look at what is returned when an incorrect spelling is used
test_priors$prior[5] <- 'ar2_bananas ~ normal(0, 0.25);'
mod <- mvgam(y ~ s(series, bs = 're') +
             s(season, bs = 'cc') - 1,
             family = nb(),
             data = dat$data_train,
             trend_model = AR(p = 2),
             priors = test_priors,

```

```

run_model = FALSE)
stancode(mod)

# Example of changing parametric (fixed effect) priors
simdat <- sim_mvgam()

# Add a fake covariate
simdat$data_train$cov <- rnorm(NROW(simdat$data_train))

priors <- get_mvgam_priors(y ~ cov + s(season),
                          data = simdat$data_train,
                          family = poisson(),
                          trend_model = AR())

# Change priors for the intercept and fake covariate effects
priors$prior[1] <- '(Intercept) ~ normal(0, 1);'
priors$prior[2] <- 'cov ~ normal(0, 0.1);'

mod2 <- mvgam(y ~ cov + s(season),
              data = simdat$data_train,
              trend_model = AR(),
              family = poisson(),
              priors = priors,
              run_model = FALSE)
stancode(mod2)

# Likewise using 'brms' utilities (note that you can use
# Intercept rather than `(Intercept)` to change priors on the intercept
brmsprior <- c(prior(normal(0.2, 0.5), class = cov),
               prior(normal(0, 0.25), class = Intercept))
brmsprior

mod2 <- mvgam(y ~ cov + s(season),
              data = simdat$data_train,
              trend_model = AR(),
              family = poisson(),
              priors = brmsprior,
              run_model = FALSE)
stancode(mod2)

# The "class = 'b'" shortcut can be used to put the same prior on all
# 'fixed' effect coefficients (apart from any intercepts)
set.seed(0)
dat <- mgcv::gamSim(1, n = 200, scale = 2)
dat$time <- 1:NROW(dat)
mod <- mvgam(y ~ x0 + x1 + s(x2) + s(x3),
             priors = prior(normal(0, 0.75), class = 'b'),
             data = dat,
             family = gaussian(),
             run_model = FALSE)
stancode(mod)

```

---

GP*Specify dynamic Gaussian process trends in **mvgam** models*

---

## Description

Set up low-rank approximate Gaussian Process trend models using Hilbert basis expansions in **mvgam**. This function does not evaluate its arguments – it exists purely to help set up a model with particular GP trend models.

## Usage

```
GP(...)
```

## Arguments

... unused

## Details

A GP trend is estimated for each series using Hilbert space approximate Gaussian Processes. In **mvgam**, latent squared exponential GP trends are approximated using by default 20 basis functions and using a multiplicative factor of  $c = 5/4$ , which saves computational costs compared to fitting full GPs while adequately estimating GP  $\alpha$  and  $\rho$  parameters.

## Value

An object of class `mvgam_trend`, which contains a list of arguments to be interpreted by the parsing functions in **mvgam**

## Author(s)

Nicholas J Clark

## References

Riutort-Mayol G, Burkner PC, Andersen MR, Solin A and Vehtari A (2023). Practical Hilbert space approximate Bayesian Gaussian processes for probabilistic programming. *Statistics and Computing* 33, 1. <https://doi.org/10.1007/s11222-022-10167-2>

## See Also

[gp](#)

---

`gratia_mvgam_enhancements`*Enhance post-processing of **mvgam** models using **gratia** functionality*

---

## Description

These evaluation and plotting functions exist to allow some popular `gratia` methods to work with `mvgam` or `jsdgm` models

## Usage

```
drawDotmvgam(  
  object,  
  trend_effects = FALSE,  
  data = NULL,  
  select = NULL,  
  parametric = FALSE,  
  terms = NULL,  
  residuals = FALSE,  
  scales = c("free", "fixed"),  
  ci_level = 0.95,  
  n = 100,  
  n_3d = 16,  
  n_4d = 4,  
  unconditional = FALSE,  
  overall_uncertainty = TRUE,  
  constant = NULL,  
  fun = NULL,  
  dist = 0.1,  
  rug = TRUE,  
  contour = TRUE,  
  grouped_by = FALSE,  
  ci_alpha = 0.2,  
  ci_col = "black",  
  smooth_col = "black",  
  resid_col = "steelblue3",  
  contour_col = "black",  
  n_contour = NULL,  
  partial_match = FALSE,  
  discrete_colour = NULL,  
  discrete_fill = NULL,  
  continuous_colour = NULL,  
  continuous_fill = NULL,  
  position = "identity",  
  angle = NULL,  
  ncol = NULL,  
  nrow = NULL,
```



```
    guides = "keep",
    widths = NULL,
    heights = NULL,
    crs = NULL,
    default_crs = NULL,
    lims_method = "cross",
    wrap = TRUE,
    envir = environment(formula(object)),
    ...
)

eval_smoothDothilbertDotsmooth(
  smooth,
  model,
  n = 100,
  n_3d = NULL,
  n_4d = NULL,
  data = NULL,
  unconditional = FALSE,
  overall_uncertainty = TRUE,
  dist = NULL,
  ...
)

eval_smoothDotmodDotsmooth(
  smooth,
  model,
  n = 100,
  n_3d = NULL,
  n_4d = NULL,
  data = NULL,
  unconditional = FALSE,
  overall_uncertainty = TRUE,
  dist = NULL,
  ...
)

eval_smoothDotmoiDotsmooth(
  smooth,
  model,
  n = 100,
  n_3d = NULL,
  n_4d = NULL,
  data = NULL,
  unconditional = FALSE,
  overall_uncertainty = TRUE,
  dist = NULL,
  ...
)
```

)

**Arguments**

<code>object</code>	a fitted mvgam, the result of a call to <code>mvgam()</code> .
<code>trend_effects</code>	logical specifying whether smooth terms from the <code>trend_formula</code> should be drawn. If FALSE, only terms from the observation formula are drawn. If TRUE, only terms from the <code>trend_formula</code> are drawn.
<code>data</code>	a data frame of covariate values at which to evaluate the model's smooth functions.
<code>select</code>	character, logical, or numeric; which smooths to plot. If NULL, the default, then all model smooths are drawn. Character select matches the labels for smooths as shown for example in the output from <code>summary(object)</code> . Logical select operates as per numeric select in the order that smooths are stored.
<code>parametric</code>	logical; plot parametric terms also? Note that <code>select</code> is used for selecting which smooths to plot. The <code>terms</code> argument is used to select which parametric effects are plotted. The default, as with <code>mgcv::plot.gam()</code> , is to not draw parametric effects.
<code>terms</code>	character; which model parametric terms should be drawn? The Default of NULL will plot all parametric terms that can be drawn.
<code>residuals</code>	currently ignored for mvgam models.
<code>scales</code>	character; should all univariate smooths be plotted with the same y-axis scale? If <code>scales = "free"</code> , the default, each univariate smooth has its own y-axis scale. If <code>scales = "fixed"</code> , a common y axis scale is used for all univariate smooths. Currently does not affect the y-axis scale of plots of the parametric terms.
<code>ci_level</code>	numeric between 0 and 1; the coverage of credible interval.
<code>n</code>	numeric; the number of points over the range of the covariate at which to evaluate the smooth.
<code>n_3d, n_4d</code>	numeric; the number of points over the range of last covariate in a 3D or 4D smooth. The default is NULL which achieves the standard behaviour of using <code>n</code> points over the range of all covariate, resulting in $n^d$ evaluation points, where <code>d</code> is the dimension of the smooth. For <code>d &gt; 2</code> this can result in very many evaluation points and slow performance. For smooths of <code>d &gt; 4</code> , the value of <code>n_4d</code> will be used for all dimensions <code>&gt; 4</code> , unless this is NULL, in which case the default behaviour (using <code>n</code> for all dimensions) will be observed.
<code>unconditional</code>	ignored for mvgam models as all appropriate uncertainties are already included in the posterior estimates.
<code>overall_uncertainty</code>	ignored for mvgam models as all appropriate uncertainties are already included in the posterior estimates.
<code>constant</code>	numeric; a constant to add to the estimated values of the smooth. <code>constant</code> , if supplied, will be added to the estimated value before the confidence band is computed.

fun	function; a function that will be applied to the estimated values and confidence interval before plotting. Can be a function or the name of a function. Function fun will be applied after adding any constant, if provided.
dist	numeric; if greater than 0, this is used to determine when a location is too far from data to be plotted when plotting 2-D smooths. The data are scaled into the unit square before deciding what to exclude, and dist is a distance within the unit square. See <code>mgcv::exclude.too.far()</code> for further details.
rug	logical; draw a rug plot at the bottom of each plot for 1-D smooths or plot locations of data for higher dimensions.
contour	logical; should contours be draw on the plot using <code>ggplot2::geom_contour()</code> .
grouped_by	logical; should factor by smooths be drawn as one panel per level of the factor (FALSE, the default), or should the individual smooths be combined into a single panel containing all levels (TRUE)?
ci_alpha	numeric; alpha transparency for confidence or simultaneous interval.
ci_col	colour specification for the confidence/credible intervals band. Affects the fill of the interval.
smooth_col	colour specification for the smooth line.
resid_col	colour specification for residual points. Ignored.
contour_col	colour specification for contour lines.
n_contour	numeric; the number of contour bins. Will result in <code>n_contour - 1</code> contour lines being drawn. See <code>ggplot2::geom_contour()</code> .
partial_match	logical; should smooths be selected by partial matches with select? If TRUE, select can only be a single string to match against.
discrete_colour	a suitable colour scale to be used when plotting discrete variables.
discrete_fill	a suitable fill scale to be used when plotting discrete variables.
continuous_colour	a suitable colour scale to be used when plotting continuous variables.
continuous_fill	a suitable fill scale to be used when plotting continuous variables.
position	Position adjustment, either as a string, or the result of a call to a position adjustment function.
angle	numeric; the angle at which the x axis tick labels are to be drawn passed to the angle argument of <code>ggplot2::guide_axis()</code> .
ncol, nrow	numeric; the numbers of rows and columns over which to spread the plots
guides	character; one of "keep" (the default), "collect", or "auto". Passed to <code>patchwork::plot_layout()</code>
widths, heights	The relative widths and heights of each column and row in the grid. Will get repeated to match the dimensions of the grid. If there is more than 1 plot and widths = NULL, the value of widths will be set internally to widths = 1 to accommodate plots of smooths that use a fixed aspect ratio.
crs	the coordinate reference system (CRS) to use for the plot. All data will be projected into this CRS. See <code>ggplot2::coord_sf()</code> for details.

default_crs	the coordinate reference system (CRS) to use for the non-sf layers in the plot. If left at the default NULL, the CRS used is 4326 (WGS84), which is appropriate for spline-on-the-sphere smooths, which are parameterized in terms of latitude and longitude as coordinates. See <code>ggplot2::coord_sf()</code> for more details.
lims_method	character; affects how the axis limits are determined. See <code>ggplot2::coord_sf()</code> . Be careful; in testing of some examples, changing this to "orthogonal" for example with the chlorophyll-a example from Simon Wood's GAM book quickly used up all the RAM in my test system and the OS killed R. This could be incorrect usage on my part; right now the grid of points at which SOS smooths are evaluated (if not supplied by the user) can produce invalid coordinates for the corners of tiles as the grid is generated for tile centres without respect to the spacing of those tiles.
wrap	logical; wrap plots as a patchwork? If FALSE, a list of ggplot objects is returned, 1 per term plotted.
envir	an environment to look up the data within.
...	additional arguments passed to other methods.
smooth	a smooth object of class "gp.smooth" (returned from a model using either the <code>dynamic()</code> function or the <code>gp()</code> function) or of class "moi.smooth" or "mod.smooth" (returned from a model using the 'moi' or 'mod' basis).
model	a fitted mgcv model of class gam or bam.

## Details

These methods allow mvgam models to be *Enhanced* if users have the gratia package installed, making available the popular `draw()` function to plot partial effects of mvgam smooth functions using `ggplot2::ggplot()` utilities

## Author(s)

Nicholas J Clark

## Examples

```
# Fit a simple GAM and draw partial effects of smooths using gratia
set.seed(0)
dat <- mgcv::gamSim(1, n = 200, scale = 2)
mod <- mvgam(y ~ s(x1, bs = 'moi') +
             te(x0, x2),
             data = dat,
             family = gaussian(),
             chains = 2,
             silent = 2)

if(require("gratia")){
  gratia::draw(mod)
}
```

---

hindcast.mvgam	<i>Extract hindcasts for a fitted mvgam object</i>
----------------	--

---

## Description

Extract hindcasts for a fitted mvgam object

## Usage

```
hindcast(object, ...)

## S3 method for class 'mvgam'
hindcast(object, type = "response", ...)
```

## Arguments

object	list object of class mvgam or jsdgam. See <a href="#">mvgam()</a>
...	Ignored
type	When this has the value link (default) the linear predictor is calculated on the link scale. If expected is used, predictions reflect the expectation of the response (the mean) but ignore uncertainty in the observation process. When response is used, the predictions take uncertainty in the observation process into account to return predictions on the outcome scale. When variance is used, the variance of the response with respect to the mean (mean-variance relationship) is returned. When type = "terms", each component of the linear predictor is returned separately in the form of a list (possibly with standard errors, if summary = TRUE): this includes parametric model components, followed by each smooth component, but excludes any offset and any intercept. Two special cases are also allowed: type latent_N will return the estimated latent abundances from an N-mixture distribution, while type detection will return the estimated detection probability from an N-mixture distribution

## Details

Posterior retrodictions are drawn from the fitted mvgam and organized into a convenient format

## Value

An object of class mvgam\_forecast containing hindcast distributions. See [mvgam\\_forecast-class](#) for details.

## See Also

[forecast.mvgam](#)

**Examples**

```

simdat <- sim_mvgam(n_series = 3, trend_model = AR())
mod <- mvgam(y ~ s(season, bs = 'cc'),
             trend_model = AR(),
             noncentred = TRUE,
             data = simdat$data_train,
             chains = 2,
             silent = 2)

# Hindcasts on response scale
hc <- hindcast(mod)
str(hc)
plot(hc, series = 1)
plot(hc, series = 2)
plot(hc, series = 3)

# Hindcasts as expectations
hc <- hindcast(mod, type = 'expected')
str(hc)
plot(hc, series = 1)
plot(hc, series = 2)
plot(hc, series = 3)

# Estimated latent trends
hc <- hindcast(mod, type = 'trend')
str(hc)
plot(hc, series = 1)
plot(hc, series = 2)
plot(hc, series = 3)

```

---

how\_to\_cite.mvgam

---

*Generate a methods description for **mvgam** models*


---

**Description**

Create a brief but fully referenced methods description, along with a useful list of references, for fitted mvgam and jsdgam models

**Usage**

```

how_to_cite(object, ...)

## S3 method for class 'mvgam'
how_to_cite(object, ...)

```

**Arguments**

object	list object of class mvgam resulting from a call to <code>mvgam()</code> or <code>jsdgam()</code>
...	ignored

**Details**

This function uses the model's structure to come up with a very basic but hopefully useful methods description that can help users to appropriately acknowledge the hard work of developers and champion open science. Please do not consider the text returned by this function to be a completely adequate methods section, it is only meant to get you started.

**Value**

An object of class `how_to_cite` containing a text description of the methods as well as lists of both primary and additional references

**Author(s)**

Nicholas J Clark

**See Also**

[citation](#), [mvgam](#), [jsdgam](#)

**Examples**

```
# Simulate 4 time series with hierarchical seasonality
# and a VAR(1) dynamic process
set.seed(0)
simdat <- sim_mvgam(seasonality = 'hierarchical',
                    trend_model = VAR(cor = TRUE),
                    family = gaussian())

# Fit an appropriate model
mod1 <- mvgam(y ~ s(season, bs = 'cc', k = 6),
              data = simdat$data_train,
              family = gaussian(),
              trend_model = VAR(cor = TRUE),
              chains = 2,
              silent = 2)
how_to_cite(mod1)

# For a GP example, simulate data using the mgcv package
dat <- mgcv::gamSim(1, n = 30, scale = 2)

# Fit a model that uses an approximate GP from the brms package
mod2 <- mvgam(y ~ gp(x2, k = 12),
              data = dat,
              family = gaussian(),
              chains = 2,
              silent = 2)
how_to_cite(mod2)
```

---

index-mvgam

*Index mvgam objects*


---

**Description**

Index mvgam objects

**Usage**

```
## S3 method for class 'mvgam'
variables(x, ...)
```

**Arguments**

`x` list object returned from mvgam. See [mvgam\(\)](#)

`...` Arguments passed to individual methods (if applicable).

**Value**

a list object of the variables that can be extracted, along with their aliases

**Examples**

```
simdat <- sim_mvgam(n_series = 1, trend_model = 'AR1')
mod <- mvgam(y ~ s(season, bs = 'cc', k = 6),
             trend_model = AR(),
             data = simdat$data_train,
             chains = 2,
             silent = 2)
variables(mod)
```

---

irf.mvgam

*Calculate latent VAR impulse response functions*


---

**Description**

Compute Generalized or Orthogonalized Impulse Response Functions (IRFs) from mvgam models with Vector Autoregressive dynamics

**Usage**

```
irf(object, ...)

## S3 method for class 'mvgam'
irf(object, h = 10, cumulative = FALSE, orthogonal = FALSE, ...)
```



**Arguments**

object	list object of class mvgam resulting from a call to <a href="#">mvgam()</a> that used a Vector Autoregressive latent process model (either as VAR(cor = FALSE) or VAR(cor = TRUE))
...	ignored
h	Positive integer specifying the forecast horizon over which to calculate the IRF
cumulative	Logical flag indicating whether the IRF should be cumulative
orthogonal	Logical flag indicating whether orthogonalized IRFs should be calculated. Note that the order of the variables matters when calculating these

**Details**

Generalized or Orthogonalized Impulse Response Functions can be computed using the posterior estimates of Vector Autoregressive parameters. This function generates a positive "shock" for a target process at time  $t = 0$  and then calculates how each of the remaining processes in the latent VAR are expected to respond over the forecast horizon  $h$ . The function computes IRFs for all processes in the object and returns them in an array that can be plotted using the S3 `plot` function. To inspect community-level metrics of stability using latent VAR processes, you can use the related [stability](#) function.

**Value**

An object of class `mvgam_irf` containing the posterior IRFs. This object can be used with the supplied S3 functions `plot`

**Author(s)**

Nicholas J Clark

**References**

PH Pesaran & Shin Yongcheol (1998). Generalized impulse response analysis in linear multivariate models. *Economics Letters* 58: 17–29.

**See Also**

[VAR](#), [plot.mvgam\\_irf](#), [stability](#), [fevd](#)

**Examples**

```
# Simulate some time series that follow a latent VAR(1) process
simdat <- sim_mvgam(
  family = gaussian(),
  n_series = 4,
  trend_model = VAR(cor = TRUE),
  prop_trend = 1
)
plot_mvgam_series(data = simdat$data_train, series = "all")
```

```

# Fit a model that uses a latent VAR(1)
mod <- mvgam(y ~ -1,
  trend_formula = ~1,
  trend_model = VAR(cor = TRUE),
  family = gaussian(),
  data = simdat$data_train,
  chains = 2,
  silent = 2
)

# Calculate Generalized IRFs for each series
irfs <- irf(mod, h = 12, cumulative = FALSE)

# Plot them
plot(irfs, series = 1)
plot(irfs, series = 2)
plot(irfs, series = 3)

# Calculate posterior median, upper and lower 90th quantiles
# of the impulse responses
summary(irfs)

```

---

jsdgam

---

*Fit Joint Species Distribution Models in **mvgam***


---

## Description

This function sets up a Joint Species Distribution Model whereby the residual associations among species can be modelled in a reduced-rank format using a set of latent factors. The factor specification is extremely flexible, allowing users to include spatial, temporal or any other type of predictor effects to more efficiently capture unmodelled residual associations, while the observation model can also be highly flexible (including all smooth, GP and other effects that **mvgam** can handle)

## Usage

```

jsdgam(
  formula,
  factor_formula = ~-1,
  knots,
  factor_knots,
  data,
  newdata,
  family = poisson(),
  unit = time,
  species = series,
  share_obs_params = FALSE,
  priors,
  n_lv = 2,

```

```

backend = getOption("brms.backend", "cmdstanr"),
algorithm = getOption("brms.algorithm", "sampling"),
control = list(max_treedepth = 10, adapt_delta = 0.8),
chains = 4,
burnin = 500,
samples = 500,
thin = 1,
parallel = TRUE,
threads = 1,
silent = 1,
run_model = TRUE,
return_model_data = FALSE,
residuals = TRUE,
...
)

```

## Arguments

formula	A formula object specifying the GAM observation model formula. These are exactly like the formula for a GLM except that smooth terms, <code>s()</code> , <code>te()</code> , <code>ti()</code> , <code>t2()</code> , as well as time-varying dynamic() terms, nonparametric <code>gp()</code> terms and offsets using <code>offset()</code> , can be added to the right hand side to specify that the linear predictor depends on smooth functions of predictors (or linear functionals of these). Details of the formula syntax used by <b>mvgam</b> can be found in <a href="#">mvgam_formulae</a>
factor_formula	A formula object specifying the linear predictor effects for the latent factors. Use <code>by = trend</code> within calls to functional terms (i.e. <code>s()</code> , <code>te()</code> , <code>ti()</code> , <code>t2()</code> , <code>dynamic()</code> , or <code>gp()</code> ) to ensure that each factor captures a different axis of variation. See the example below as an illustration
knots	An optional list containing user specified knot values to be used for basis construction. For most bases the user simply supplies the knots to be used, which must match up with the <code>k</code> value supplied (note that the number of knots is not always just <code>k</code> ). Different terms can use different numbers of knots, unless they share a covariate
factor_knots	An optional list containing user specified knot values to be used for basis construction of any smooth terms in <code>factor_formula</code> . For most bases the user simply supplies the knots to be used, which must match up with the <code>k</code> value supplied (note that the number of knots is not always just <code>k</code> ). Different terms can use different numbers of knots, unless they share a covariate
data	A dataframe or list containing the model response variable and covariates required by the GAM formula and <code>factor_formula</code> objects
newdata	Optional dataframe or list of test data containing the same variables as in <code>data</code> . If included, the observations in variable <code>y</code> will be set to NA when fitting the model so that posterior simulations can be obtained
family	family specifying the observation family for the outcomes. Currently supported families are: <ul style="list-style-type: none"> <li>• <code>gaussian()</code> for real-valued data</li> </ul>

- `betar()` for proportional data on  $(0, 1)$
- `lognormal()` for non-negative real-valued data
- `student_t()` for real-valued data
- `Gamma()` for non-negative real-valued data
- `bernoulli()` for binary data
- `poisson()` for count data
- `nb()` for overdispersed count data
- `binomial()` for count data with imperfect detection when the number of trials is known; note that the `cbind()` function must be used to bind the discrete observations and the discrete number of trials
- `beta_binomial()` as for `binomial()` but allows for overdispersion

Default is `poisson()`. See [mvgam\\_families](#) for more details

<code>unit</code>	The unquoted name of the variable that represents the unit of analysis in data over which latent residuals should be correlated. This variable should be either a numeric or integer variable in the supplied data. Defaults to <code>time</code> to be consistent with other functionalities in <b>mvgam</b> , though note that the data need not be time series in this case. See examples below for further details and explanations
<code>species</code>	The unquoted name of the factor variable that indexes the different response units in data (usually <code>'species'</code> in a JSDM). Defaults to <code>series</code> to be consistent with other <b>mvgam</b> models
<code>share_obs_params</code>	logical. If TRUE and the family has additional family-specific observation parameters (e.g. variance components in <code>student_t()</code> or <code>gaussian()</code> , or dispersion parameters in <code>nb()</code> or <code>betar()</code> ), these parameters will be shared across all outcome variables. This is handy if you have multiple outcomes (time series in most <b>mvgam</b> models) that you believe share some properties, such as being from the same species over different spatial units. Default is FALSE.
<code>priors</code>	An optional data.frame with prior definitions (in Stan syntax) or, preferentially, a vector containing objects of class <code>brmsprior</code> (see <a href="#">prior</a> for details). See <a href="#">get_mvgam_priors</a> and for more information on changing default prior distributions
<code>n_lv</code>	integer the number of latent factors to use for modelling residual associations. Cannot be $> n\_species$ . Defaults arbitrarily to 2
<code>backend</code>	Character string naming the package to use as the backend for fitting the Stan model. Options are <code>"cmdstanr"</code> (the default) or <code>"rstan"</code> . Can be set globally for the current R session via the <code>"brms.backend"</code> option (see <a href="#">options</a> ). Details on the <code>rstan</code> and <code>cmdstanr</code> packages are available at <a href="https://mc-stan.org/rstan/">https://mc-stan.org/rstan/</a> and <a href="https://mc-stan.org/cmdstanr/">https://mc-stan.org/cmdstanr/</a> , respectively
<code>algorithm</code>	Character string naming the estimation approach to use. Options are <code>"sampling"</code> for MCMC (the default), <code>"meanfield"</code> for variational inference with factorized normal distributions, <code>"fullrank"</code> for variational inference with a multivariate normal distribution, <code>"laplace"</code> for a Laplace approximation (only available when using <code>cmdstanr</code> as the backend) or <code>"pathfinder"</code> for the pathfinder algorithm (only currently available when using <code>cmdstanr</code> as the backend). Can

be set globally for the current R session via the "brms.algorithm" option (see [options](#)). Limited testing suggests that "meanfield" performs best out of the non-MCMC approximations for dynamic GAMs, possibly because of the difficulties estimating covariances among the many spline parameters and latent trend parameters. But rigorous testing has not been carried out

control	A named list for controlling the sampler's behaviour. Valid elements include <code>max_treedepth</code> , <code>adapt_delta</code> and <code>init</code>
chains	integer specifying the number of parallel chains for the model. Ignored if <code>algorithm %in% c('meanfield', 'fullrank', 'pathfinder', 'laplace')</code>
burnin	integer specifying the number of warmup iterations of the Markov chain to run to tune sampling algorithms. Ignored if <code>algorithm %in% c('meanfield', 'fullrank', 'pathfinder', 'laplace')</code>
samples	integer specifying the number of post-warmup iterations of the Markov chain to run for sampling the posterior distribution
thin	Thinning interval for monitors. Ignored if <code>algorithm %in% c('meanfield', 'fullrank', 'pathfinder', 'laplace')</code>
parallel	logical specifying whether multiple cores should be used for generating MCMC simulations in parallel. If TRUE, the number of cores to use will be <code>min(c(chains, parallel::detectCores() - 1))</code>
threads	integer Experimental option to use multithreading for within-chain parallelisation in Stan. We recommend its use only if you are experienced with Stan's <code>reduce_sum</code> function and have a slow running model that cannot be sped up by any other means. Currently works for all families when using Cmdstan as the backend
silent	Verbosity level between 0 and 2. If 1 (the default), most of the informational messages of compiler and sampler are suppressed. If 2, even more messages are suppressed. The actual sampling progress is still printed. Set <code>refresh = 0</code> to turn this off as well. If using <code>backend = "rstan"</code> you can also set <code>open_progress = FALSE</code> to prevent opening additional progress bars.
run_model	logical. If FALSE, the model is not fitted but instead the function will return the model file and the data / initial values that are needed to fit the model outside of <code>mvgam</code>
return_model_data	logical. If TRUE, the list of data that is needed to fit the model is returned, along with the initial values for smooth and AR parameters, once the model is fitted. This will be helpful if users wish to modify the model file to add other stochastic elements that are not currently available in <code>mvgam</code> . Default is FALSE to reduce the size of the returned object, unless <code>run_model == FALSE</code>
residuals	Logical indicating whether to compute series-level randomized quantile residuals and include them as part of the returned object. Defaults to TRUE, but you can set to FALSE to save computational time and reduce the size of the returned object (users can always add residuals to an object of class <code>mvgam</code> using <a href="#">add_residuals</a> )
...	Other arguments to pass to <a href="#">mvgam</a>

## Details

Joint Species Distribution Models allow for responses of multiple species to be learned hierarchically, whereby responses to environmental variables in formula can be partially pooled and any latent, unmodelled residual associations can also be learned. In **mvgam**, both of these effects can be modelled with the full power of latent factor Hierarchical GAMs, providing unmatched flexibility to model full communities of species. When calling **jsdgam**, an initial State-Space model using `trend = 'None'` is set up and then modified to include the latent factors and their linear predictors. Consequently, you can inspect priors for these models using **get\_mvgam\_priors** by supplying the relevant formula, factor\_formula, data and family arguments and keeping the default `trend = 'None'`.

In a JSDGAM, the expectation of response  $Y_{ij}$  is modelled with

$$g(\mu_{ij}) = X_i\beta + u_i\theta_j,$$

where  $g(\cdot)$  is a known link function,  $X$  is a design matrix of linear predictors (with associated  $\beta$  coefficients),  $u$  are  $n_{lv}$ -variate latent factors ( $n_{lv} \ll n_{species}$ ) and  $\theta_j$  are species-specific loadings on the latent factors, respectively. The design matrix  $X$  and  $\beta$  coefficients are constructed and modelled using formula and can contain any of mvgam's predictor effects, including random intercepts and slopes, multidimensional penalized smooths, GP effects etc... The factor loadings  $\theta_j$  are constrained for identifiability but can be used to reconstruct an estimate of the species' residual variance-covariance matrix using  $\Theta\Theta'$  (see the example below and **residual\_cor()** for details). The latent factors are further modelled using:

$$u_i \sim \text{Normal}(Q_i\beta_{factor}, 1)$$

where the second design matrix  $Q$  and associated  $\beta_{factor}$  coefficients are constructed and modelled using factor\_formula. Again, the effects that make up this linear predictor can contain any of mvgam's allowed predictor effects, providing enormous flexibility for modelling species' communities.

## Value

A list object of class mvgam containing model output, the text representation of the model file, the mgcv model output (for easily generating simulations at unsampled covariate values), Dunn-Smyth residuals for each species and key information needed for other functions in the package. See **mvgam-class** for details. Use `methods(class = "mvgam")` for an overview on available methods

## Author(s)

Nicholas J Clark

## References

Nicholas J Clark & Konstans Wells (2023). Dynamic generalised additive models (DGAMs) for forecasting discrete ecological time series. *Methods in Ecology and Evolution*. 14:3, 771-784.

David I Warton, F Guillaume Blanchet, Robert B O'Hara, Otso Ovaskainen, Sara Taskinen, Steven C Walker & Francis KC Hui (2015). So many variables: joint modeling in community ecology. *Trends in Ecology & Evolution* 30:12, 766-779.

**See Also**

`mvgam()`, `residual_cor()`

**Examples**

```
# Simulate latent count data for 500 spatial locations and 10 species
set.seed(0)
N_points <- 500
N_species <- 10

# Species-level intercepts (on the log scale)
alphas <- runif(N_species, 2, 2.25)

# Simulate a covariate and species-level responses to it
temperature <- rnorm(N_points)
betas <- runif(N_species, -0.5, 0.5)

# Simulate points uniformly over a space
lon <- runif(N_points, min = 150, max = 155)
lat <- runif(N_points, min = -20, max = -19)

# Set up spatial basis functions as a tensor product of lat and lon
sm <- mgcv::smoothCon(mgcv::te(lon, lat, k = 5),
                      data = data.frame(lon, lat),
                      knots = NULL)[[1]]

# The design matrix for this smooth is in the 'X' slot
des_mat <- sm$X
dim(des_mat)

# Function to generate a random covariance matrix where all variables
# have unit variance (i.e. diagonals are all 1)
random_Sigma = function(N){
  L_Omega <- matrix(0, N, N);
  L_Omega[1, 1] <- 1;
  for (i in 2 : N) {
    bound <- 1;
    for (j in 1 : (i - 1)) {
      L_Omega[i, j] <- runif(1, -sqrt(bound), sqrt(bound));
      bound <- bound - L_Omega[i, j] ^ 2;
    }
    L_Omega[i, i] <- sqrt(bound);
  }
  Sigma <- L_Omega %*% t(L_Omega);
  return(Sigma)
}

# Simulate a variance-covariance matrix for the correlations among
# basis coefficients
Sigma <- random_Sigma(N = NCOL(des_mat))

# Now simulate the species-level basis coefficients hierarchically, where
```

```

# spatial basis function correlations are a convex sum of a base correlation
# matrix and a species-level correlation matrix
basis_coefs <- matrix(NA, nrow = N_species, ncol = NCOL(Sigma))
base_field <- mgcv::rmvn(1, mu = rep(0, NCOL(Sigma)), V = Sigma)
for(t in 1:N_species){
  corOmega <- (cov2cor(Sigma) * 0.7) +
    (0.3 * cov2cor(random_Sigma(N = NCOL(des_mat))))
  basis_coefs[t, ] <- mgcv::rmvn(1, mu = rep(0, NCOL(Sigma)), V = corOmega)
}

# Simulate the latent spatial processes
st_process <- do.call(rbind, lapply(seq_len(N_species), function(t){
  data.frame(lat = lat,
             lon = lon,
             species = paste0('species_', t),
             temperature = temperature,
             process = alphas[t] +
               betas[t] * temperature +
               des_mat %*% basis_coefs[t,])
}))

# Now take noisy observations at some of the points (60)
obs_points <- sample(1:N_points, size = 60, replace = FALSE)
obs_points <- data.frame(lat = lat[obs_points],
                        lon = lon[obs_points],
                        site = 1:60)

# Keep only the process data at these points
st_process %>%
  dplyr::inner_join(obs_points, by = c('lat', 'lon')) %>%
  # now take noisy Poisson observations of the process
  dplyr::mutate(count = rpois(NROW(.), lambda = exp(process))) %>%
  dplyr::mutate(species = factor(species,
                                levels = paste0('species_', 1:N_species))) %>%
  dplyr::group_by(lat, lon) -> dat

# View the count distributions for each species
library(ggplot2); theme_set(theme_bw())
ggplot(dat, aes(x = count)) +
  geom_histogram() +
  facet_wrap(~ species, scales = 'free')

ggplot(dat, aes(x = lon, y = lat, col = log(count + 1))) +
  geom_point(size = 2.25) +
  facet_wrap(~ species, scales = 'free') +
  scale_color_viridis_c()

# Inspect default priors for a joint species model with three spatial factors
priors <- get_mvgam_priors(formula = count ~
  # Environmental model includes random slopes for
  # a linear effect of temperature
  s(species, bs = 're', by = temperature),

```



```

# Each factor estimates a different nonlinear spatial process, using
# 'by = trend' as in other mvgam State-Space models
factor_formula = ~ gp(lon, lat, k = 6, by = trend) - 1,
n_lv = 3,

# The data and grouping variables
data = dat,
unit = site,
species = species,

# Poisson observations
family = poisson())

head(priors)

# Fit a JSMD that estimates hierarchical temperature responses
# and that uses three latent spatial factors
mod <- jsdgam(formula = count ~
  # Environmental model includes random slopes for a
  # linear effect of temperature
  s(species, bs = 're', by = temperature),

# Each factor estimates a different nonlinear spatial process, using
# 'by = trend' as in other mvgam State-Space models
factor_formula = ~ gp(lon, lat, k = 6, by = trend) - 1,
n_lv = 3,

# Change default priors for fixed random effect variances and
# factor P marginal deviations to standard normal
priors = c(prior(std_normal(),
  class = sigma_raw),
  prior(std_normal(),
    class = `alpha_gp_trend(lon, lat):trendtrend1`),
  prior(std_normal(),
    class = `alpha_gp_trend(lon, lat):trendtrend2`),
  prior(std_normal(),
    class = `alpha_gp_trend(lon, lat):trendtrend3`)),

# The data and the grouping variables
data = dat,
unit = site,
species = species,

# Poisson observations
family = poisson(),
chains = 2,
silent = 2)

# Plot species-level intercept estimates
plot_predictions(mod, condition = 'species',
  type = 'link')

# Plot species' hierarchical responses to temperature
plot_predictions(mod, condition = c('temperature', 'species', 'species'),

```

```

      type = 'link')

# Plot posterior median estimates of the latent spatial factors
plot(mod, type = 'smooths', trend_effects = TRUE)

# Or using gratia, if you have it installed
if(requireNamespace('gratia', quietly = TRUE)){
  gratia::draw(mod, trend_effects = TRUE, dist = 0)
}

# Plot species' randomized quantile residual distributions
# as a function of latitude
pp_check(mod,
  type = 'resid_ribbon_grouped',
  group = 'species',
  x = 'lat',
  ndraws = 200)

# Calculate residual spatial correlations
post_cors <- residual_cor(mod)
names(post_cors)
# Look at lower and upper credible interval estimates for
# some of the estimated correlations
post_cors$cor[1:5, 1:5]
post_cors$cor_upper[1:5, 1:5]
post_cors$cor_lower[1:5, 1:5]
# Plot of the posterior median correlations for those estimated
# to be non-zero
plot(post_cors)

# Posterior predictive checks and ELPD-L00 can ascertain model fit
pp_check(mod,
  type = "pit_ecdf_grouped",
  group = "species",
  ndraws = 200)
loo(mod)

# Forecast log(counts) for entire region (site value doesn't matter as long
# as each spatial location has a different and unique site identifier);
# note this calculation takes a few minutes because of the need to calculate
# draws from the stochastic latent factors
newdata <- st_process %>%
  dplyr::mutate(species = factor(species,
                                levels = paste0('species_',
                                                  1:N_species))) %>%
  dplyr::group_by(lat, lon) %>%
  dplyr::mutate(site = dplyr::cur_group_id()) %>%
  dplyr::ungroup()
preds <- predict(mod, newdata = newdata)

# Plot the median log(count) predictions on a grid
newdata$log_count <- preds[,1]
ggplot(newdata, aes(x = lon, y = lat, col = log_count)) +

```

```
geom_point(size = 1.5) +
facet_wrap(~ species, scales = 'free') +
scale_color_viridis_c() +
theme_classic()
```

lfo\_cv.mvgam

*Approximate leave-future-out cross-validation of fitted **mvgam** objects*

## Description

Approximate leave-future-out cross-validation of fitted **mvgam** objects

## Usage

```
lfo_cv(object, ...)

## S3 method for class 'mvgam'
lfo_cv(
  object,
  data,
  min_t,
  fc_horizon = 1,
  pareto_k_threshold = 0.7,
  silent = 1,
  ...
)
```

## Arguments

object	list object of class mvgam. See <a href="#">mvgam()</a>
...	Ignored
data	A dataframe or list containing the model response variable and covariates required by the GAM formula. Should include columns: 'series' (character or factor index of the series IDs) 'time' (numeric index of the time point for each observation). Any other variables to be included in the linear predictor of formula must also be present
min_t	Integer specifying the minimum training time required before making predictions from the data. Default is either the 30th timepoint in the observational data, or whatever training time allows for at least 10 lfo-cv calculations, if possible. This value is essentially arbitrary so it is highly recommended to change it to something that is more suitable to the data and models being evaluated.
fc_horizon	Integer specifying the number of time steps ahead for evaluating forecasts
pareto_k_threshold	Proportion specifying the threshold over which the Pareto shape parameter is considered unstable, triggering a model refit. Default is 0.7

`silent`                      Verbosity level between 0 and 2. If 1 (the default), most of the informational messages of compiler and sampler are suppressed. If 2, even more messages are suppressed. The actual sampling progress is still printed. Set `refresh = 0` to turn this off as well. If using `backend = "rstan"` you can also set `open_progress = FALSE` to prevent opening additional progress bars.

## Details

Approximate leave-future-out cross-validation uses an expanding training window scheme to evaluate a model on its forecasting ability. The steps used in this function mirror those laid out in the [lfo vignette from the loo package](#), written by Paul Bürkner, Jonah Gabry, Aki Vehtari. First, we refit the model using the first `min_t` observations to perform a single exact `fc_horizon`-ahead forecast step. This forecast is evaluated against the `min_t + fc_horizon` out of sample observations using the Expected Log Predictive Density (ELPD). Next, we approximate each successive round of expanding window forecasts by moving forward one step at a time for `i` in `1:N_evaluations` and re-weighting draws from the model's posterior predictive distribution using Pareto Smoothed Importance Sampling (PSIS). In each iteration `i`, PSIS weights are obtained for the next observation that would have been included in the model if we had re-fit (i.e. the last observation that would have been in the training data, or `min_t + i`). If these importance ratios are stable, we consider the approximation adequate and use the re-weighted posterior's forecast for evaluating the next holdout set of testing observations (`(min_t + i + 1):(min_t + i + fc_horizon)`). At some point the importance ratio variability will become too large and importance sampling will fail. This is indicated by the estimated shape parameter `k` of the generalized Pareto distribution crossing a certain threshold `pareto_k_threshold`. Only then do we refit the model using all of the observations up to the time of the failure. We then restart the process and iterate forward until the next refit is triggered (Bürkner et al. 2020).

## Value

A list of class `mvgam_lfo` containing the approximate ELPD scores, the Pareto-k shape values and the specified `pareto_k_threshold`

## Author(s)

Nicholas J Clark

## References

Paul-Christian Bürkner, Jonah Gabry & Aki Vehtari (2020). Approximate leave-future-out cross-validation for Bayesian time series models *Journal of Statistical Computation and Simulation*. 90:14, 2499-2523.

## See Also

[forecast](#), [score](#), [compare\\_mvgams](#)

## Examples

```
# Simulate from a Poisson-AR2 model with a seasonal smooth
set.seed(100)
```

```

dat <- sim_mvgam(T = 75,
  n_series = 1,
  prop_trend = 0.75,
  trend_model = 'AR2',
  family = poisson())

# Plot the time series
plot_mvgam_series(data = dat$data_train,
  newdata = dat$data_test,
  series = 1)

# Fit an appropriate model
mod_ar2 <- mvgam(y ~ s(season, bs = 'cc', k = 6),
  trend_model = AR(p = 2),
  family = poisson(),
  data = dat$data_train,
  newdata = dat$data_test,
  chains = 2,
  silent = 2)

# Fit a less appropriate model
mod_rw <- mvgam(y ~ s(season, bs = 'cc', k = 6),
  trend_model = RW(),
  family = poisson(),
  data = dat$data_train,
  newdata = dat$data_test,
  chains = 2,
  silent = 2)

# Compare Discrete Ranked Probability Scores for the testing period
fc_ar2 <- forecast(mod_ar2)
fc_rw <- forecast(mod_rw)
score_ar2 <- score(fc_ar2, score = 'drps')
score_rw <- score(fc_rw, score = 'drps')
sum(score_ar2$series_1$score)
sum(score_rw$series_1$score)

# Now use approximate leave-future-out CV to compare
# rolling forecasts; start at time point 40 to reduce
# computational time and to ensure enough data is available
# for estimating model parameters
lfo_ar2 <- lfo_cv(mod_ar2,
  min_t = 40,
  fc_horizon = 3,
  silent = 2)
lfo_rw <- lfo_cv(mod_rw,
  min_t = 40,
  fc_horizon = 3,
  silent = 2)

# Plot Pareto-K values and ELPD estimates
plot(lfo_ar2)
plot(lfo_rw)

```

```
# Proportion of timepoints in which AR2 model gives better forecasts
length(which((lfo_ar2$elpds - lfo_rw$elpds) > 0)) /
  length(lfo_ar2$elpds)

# A higher total ELPD is preferred
lfo_ar2$sum_ELPD
lfo_rw$sum_ELPD
```

---

logLik.mvgam

---

*Compute pointwise Log-Likelihoods from fitted **mvgam** objects*


---

## Description

Compute pointwise Log-Likelihoods from fitted **mvgam** objects

## Usage

```
## S3 method for class 'mvgam'
logLik(object, linpreds, newdata, family_pars, include_forecast = TRUE, ...)
```

## Arguments

object	list object of class mvgam or jsdgam
linpreds	Optional matrix of linear predictor draws to use for calculating pointwise log-likelihoods
newdata	Optional data.frame or list object specifying which series each column in linpreds belongs to. If linpreds is supplied, then newdata must also be supplied
family_pars	Optional list containing posterior draws of family-specific parameters (i.e. shape, scale or overdispersion parameters). Required if linpreds and newdata are supplied
include_forecast	Logical. If newdata were fed to the model to compute forecasts, should the log-likelihood draws for these observations also be returned. Defaults to TRUE
...	Ignored

## Value

A matrix of dimension `n_samples` x `n_observations` containing the pointwise log-likelihood draws for all observations in `newdata`. If no `newdata` is supplied, log-likelihood draws are returned for all observations that were originally fed to the model (training observations and, if supplied to the original model via the `newdata` argument in [mvgam](#), testing observations)

## Examples

```
# Simulate some data and fit a model
simdat <- sim_mvgam(n_series = 1, trend_model = 'AR1')
mod <- mvgam(y ~ s(season, bs = 'cc', k = 6),
             trend_model = AR(),
             data = simdat$data_train,
             chains = 2,
             silent = 2)

# Extract logLikelihood values
lls <- logLik(mod)
str(lls)
```

---

 loo.mvgam

*LOO information criteria for **mvgam** models*


---

## Description

Extract the LOOIC (leave-one-out information criterion) using `loo::loo()`

## Usage

```
## S3 method for class 'mvgam'
loo(x, incl_dynamics = TRUE, ...)

## S3 method for class 'mvgam'
loo_compare(x, ..., model_names = NULL, incl_dynamics = TRUE)
```

## Arguments

<code>x</code>	Object of class <code>mvgam</code>
<code>incl_dynamics</code>	Logical; indicates if any latent dynamic structures that were included in the model should be considered when calculating in-sample log-likelihoods. Defaults to <code>TRUE</code>
<code>...</code>	More <code>mvgam</code> objects.
<code>model_names</code>	If <code>NULL</code> (the default) will use model names derived from deparsing the call. Otherwise will use the passed values as model names.

## Details

When comparing two (or more) fitted `mvgam` models, we can estimate the difference in their in-sample predictive accuracies using the Expected Log Predictive Density (ELPD). This metric can be approximated using Pareto Smoothed Importance Sampling, which is a method to re-weight posterior draws to approximate what predictions the models might have made for a given datapoint had that datapoint not been included in the original model fit (i.e. if we were to run a leave-one-out cross-validation and then made a prediction for the held-out datapoint). See details from

`loo::loo()` and `loo::loo_compare()` for further information on how this importance sampling works.

There are two fundamentally different ways to calculate ELPD from `mvgam` models that included dynamic latent processes (i.e. "trend\_models"). The first is to use the predictions that were generated when estimating these latent processes by setting `incl_dynamics = TRUE`. This works in the same way that setting `incl_autocor = TRUE` in `brms::prepare_predictions()`. But it may also be desirable to compare predictions by considering that the dynamic processes are nuisance parameters that we'd wish to account for when making inferences about other processes in the model (i.e. the linear predictor effects). Setting `incl_dynamics = FALSE` will accomplish this by ignoring the dynamic processes when making predictions. This option matches up with what `mvgam`'s prediction functions return (i.e. `predict.mvgam`, `ppc`, `pp_check.mvgam`, `posterior_epred.mvgam`) and will be far less forgiving of models that may be overfitting the training data due to highly flexible dynamic processes (such as Random Walks, for example). However setting `incl_dynamics = FALSE` will often result in less stable Pareto  $k$  diagnostics for models with dynamic trends, making ELPD comparisons difficult and unstable. It is therefore recommended to generally stick with `incl_dynamics = TRUE` when comparing models based on in-sample fits, and then to perhaps use forecast evaluations for further scrutiny of models (see for example `forecast.mvgam`, `score.mvgam_forecast` and `lfo_cv`)

## Value

for `loo.mvgam`, an object of class `psis_loo` (see `loo::loo()` for details). For `loo_compare.mvgam`, an object of class `compare_loo` (`loo::loo_compare()` for details)

## Examples

```
# Simulate 4 time series with hierarchical seasonality
# and independent AR1 dynamic processes
set.seed(111)
simdat <- sim_mvgam(seasonality = 'hierarchical',
                    trend_model = AR(),
                    family = gaussian())

# Fit a model with shared seasonality
mod1 <- mvgam(y ~ s(season, bs = 'cc', k = 6),
              data = rbind(simdat$data_train,
                           simdat$data_test),
              family = gaussian(),
              chains = 2,
              silent = 2)

# Inspect the model and calculate LOO
conditional_effects(mod1)
mc.cores.def <- getOption('mc.cores')
options(mc.cores = 1)
loo(mod1)

# Now fit a model with hierarchical seasonality
mod2 <- update(mod1,
               formula = y ~ s(season, bs = 'cc', k = 6) +
                 s(season, series, bs = 'fs',
```



```

      xt = list(bs = 'cc'), k = 4),
      chains = 2,
      silent = 2)
conditional_effects(mod2)
loo(mod2)

# Now add AR1 dynamic errors to mod2
mod3 <- update(mod2,
  trend_model = AR(),
  chains = 2,
  silent = 2)
conditional_effects(mod3)
plot(mod3, type = 'trend')
loo(mod3)

# Compare models using LOO
loo_compare(mod1, mod2, mod3)
options(mc.cores = mc.cores.def)

# Compare forecast abilities using an expanding training window and
# forecasting ahead 1 timepoint from each window; the first window by includes
# the first 92 timepoints (of the 100 that were simulated)
max(mod2$obs_data$time)
lfo_mod2 <- lfo_cv(mod2, min_t = 92)
lfo_mod3 <- lfo_cv(mod3, min_t = 92)

# Take the difference in forecast ELPDs; a model with higher ELPD is preferred,
# so negative values here indicate that mod3 gave better forecasts for a particular
# out of sample timepoint
plot(y = lfo_mod2$elpds - lfo_mod3$elpds,
     x = lfo_mod2$eval_timepoints, pch = 16,
     ylab = 'ELPD_mod2 - ELPD_mod3',
     xlab = 'Evaluation timepoint')
abline(h = 0, lty = 'dashed')

```

---

lv_correlations	<i>Calculate trend correlations based on latent factor loadings for mvgam models</i>
-----------------	--

---

## Description

This function uses samples of latent trends for each series from a fitted mvgam model to calculate correlations among series' trends

## Usage

```
lv_correlations(object)
```

**Arguments**

object                list object of class mvgam

**Value**

A list object containing the mean posterior correlations and the full array of posterior correlations

**Examples**

```
simdat <- sim_mvgam()
mod <- mvgam(y ~ s(season, bs = 'cc',
                  k = 6),
            trend_model = AR(),
            use_lv = TRUE,
            n_lv = 2,
            data = simdat$data_train,
            burnin = 300,
            samples = 300,
            chains = 2,
            silent = 2)
lvcors <- lv_correlations(mod)
names(lvcors)
lapply(lvcors, class)
```

---

mcmc\_plot.mvgam

---

*MCMC plots of **mvgam** parameters, as implemented in **bayesplot***


---

**Description**

Convenient way to call MCMC plotting functions implemented in the **bayesplot** package for **mvgam** models

**Usage**

```
## S3 method for class 'mvgam'
mcmc_plot(
  object,
  type = "intervals",
  variable = NULL,
  regex = FALSE,
  use_alias = TRUE,
  ...
)
```

**Arguments**

object	An R object typically of class <code>brmsfit</code>
type	The type of the plot. Supported types are (as names) <code>hist</code> , <code>dens</code> , <code>hist_by_chain</code> , <code>dens_overlay</code> , <code>violin</code> , <code>intervals</code> , <code>areas</code> , <code>areas_ridges</code> , <code>combo</code> , <code>acf</code> , <code>acf_bar</code> , <code>trace</code> , <code>trace_highlight</code> , <code>scatter</code> , <code>hex</code> , <code>pairs</code> , <code>violin</code> , <code>rhat</code> , <code>rhat_hist</code> , <code>neff</code> , <code>neff_hist</code> and <code>nuts_energy</code> . For an overview on the various plot types see <a href="#">MCMC-overview</a> .
variable	Names of the variables (parameters) to plot, as given by a character vector or a regular expression (if <code>regex = TRUE</code> ). By default, a hopefully not too large selection of variables is plotted.
regex	Logical; Indicates whether <code>variable</code> should be treated as regular expressions. Defaults to <code>FALSE</code> .
use_alias	Logical. If more informative names for parameters are available (i.e. for beta coefficients <code>b</code> or for smoothing parameters <code>rho</code> ), replace the uninformative names with the more informative alias. Defaults to <code>TRUE</code>
...	Additional arguments passed to the plotting functions. See <a href="#">MCMC-overview</a> for more details.

**Value**

A [ggplot](#) object that can be further customized using the **ggplot2** package.

**See Also**

[mvgam\\_draws](#) for an overview of some of the shortcut strings that can be used for argument `variable`

**Examples**

```
simdat <- sim_mvgam(n_series = 1, trend_model = AR())
mod <- mvgam(y ~ s(season, bs = 'cc', k = 6),
             trend_model = AR(),
             noncentred = TRUE,
             data = simdat$data_train,
             chains = 2,
             silent = 2)
mcmc_plot(mod)
mcmc_plot(mod, type = 'neff_hist')
mcmc_plot(mod, variable = 'betas', type = 'areas')
mcmc_plot(mod, variable = 'trend_params', type = 'combo')
```

---

<code>model.frame.mvgam</code>	<i>Extract model.frame from a fitted <b>mvgam</b> object</i>
--------------------------------	--

---

### Description

Extract `model.frame` from a fitted **mvgam** object

### Usage

```
## S3 method for class 'mvgam'
model.frame(formula, trend_effects = FALSE, ...)
```

```
## S3 method for class 'mvgam_pfit'
model.frame(formula, trend_effects = FALSE, ...)
```

### Arguments

<code>formula</code>	a model <a href="#">formula</a> or <a href="#">terms</a> object or an <b>R</b> object.
<code>trend_effects</code>	logical, return the <code>model.frame</code> from the observation model (if <code>FALSE</code> ) or from the underlying process model (if <code>TRUE</code> )
<code>...</code>	Ignored

### Value

A matrix containing the fitted model frame

### Author(s)

Nicholas J Clark

---

<code>monotonic</code>	<i>Monotonic splines in <b>mvgam</b> models</i>
------------------------	---

---

### Description

Uses constructors from package **splines2** to build monotonically increasing or decreasing splines. Details also in Wang & Yan (2021).

**Usage**

```
## S3 method for class 'moi.smooth.spec'
smooth.construct(object, data, knots)

## S3 method for class 'mod.smooth.spec'
smooth.construct(object, data, knots)

## S3 method for class 'moi.smooth'
Predict.matrix(object, data)

## S3 method for class 'mod.smooth'
Predict.matrix(object, data)
```

**Arguments**

object	A smooth specification object, usually generated by a term <code>s(x, bs = "moi", ...)</code> or <code>s(x, bs = "mod", ...)</code>
data	a list containing just the data (including any by variable) required by this term, with names corresponding to <code>object\$term</code> (and <code>object\$by</code> ). The by variable is the last element.
knots	a list containing any knots supplied for basis setup — in same order and with same names as data. Can be NULL. See details for further information.

**Details**

The constructor is not normally called directly, but is rather used internally by [mvgam](#). If they are not supplied then the knots of the spline are placed evenly throughout the covariate values to which the term refers: For example, if fitting 101 data with an 11 knot spline of `x` then there would be a knot at every 10th (ordered) `x` value. The spline is an implementation of the closed-form I-spline basis based on the recursion formula given by Ramsay (1988), in which the basis coefficients must be constrained to either be non-negative (for monotonically increasing functions) or non-positive (monotonically decreasing)

Take note that when using either monotonic basis, the number of basis functions `k` must be supplied as an even integer due to the manner in which monotonic basis functions are constructed

**Value**

An object of class `"moi.smooth"` or `"mod.smooth"`. In addition to the usual elements of a smooth class documented under [smooth.construct](#), this object will contain a slot called `boundary` that defines the endpoints beyond which the spline will begin extrapolating (extrapolation is flat due to the first order penalty placed on the smooth function)

**Note**

This constructor will result in a valid smooth if using a call to [gam](#) or [bam](#), however the resulting functions will not be guaranteed to be monotonic because constraints on basis coefficients will not be enforced

**Author(s)**

Nicholas J Clark

**References**

Wang, Wenjie, and Jun Yan. "Shape-Restricted Regression Splines with R Package splines2." *Journal of Data Science* 19.3 (2021).

Ramsay, J. O. (1988). Monotone regression splines in action. *Statistical Science*, 3(4), 425–441.

**Examples**

```
# Simulate data from a monotonically increasing function
set.seed(123123)
x <- runif(80) * 4 - 1
x <- sort(x)
f <- exp(4 * x) / (1 + exp(4 * x))
y <- f + rnorm(80) * 0.1
plot(x, y)

# A standard TRPS smooth doesn't capture monotonicity
library(mgcv)
mod_data <- data.frame(y = y, x = x)
mod <- gam(y ~ s(x, k = 16),
           data = mod_data,
           family = gaussian())

library(marginaleffects)
plot_predictions(mod,
                 by = 'x',
                 newdata = data.frame(x = seq(min(x) - 0.5,
                                                max(x) + 0.5,
                                                length.out = 100)),
                 points = 0.5)

# Using the 'moi' basis in mvgam rectifies this
mod_data$time <- 1:NROW(mod_data)
mod2 <- mvgam(y ~ s(x, bs = 'moi', k = 18),
              data = mod_data,
              family = gaussian(),
              chains = 2,
              silent = 2)

plot_predictions(mod2,
                 by = 'x',
                 newdata = data.frame(x = seq(min(x) - 0.5,
                                                max(x) + 0.5,
                                                length.out = 100)),
                 points = 0.5)

plot(mod2, type = 'smooth', realisations = TRUE)
```

```

# 'by' terms that produce a different smooth for each level of the 'by'
# factor are also allowed
set.seed(123123)
x <- runif(80) * 4 - 1
x <- sort(x)

# Two different monotonic smooths, one for each factor level
f <- exp(4 * x) / (1 + exp(4 * x))
f2 <- exp(3.5 * x) / (1 + exp(3 * x))
fac <- c(rep('a', 80), rep('b', 80))
y <- c(f + rnorm(80) * 0.1,
      f2 + rnorm(80) * 0.2)
plot(x, y[1:80])
plot(x, y[81:160])

# Gather all data into a data.frame, including the factor 'by' variable
mod_data <- data.frame(y, x, fac = as.factor(fac))
mod_data$time <- 1:NROW(mod_data)

# Fit a model with different smooths per factor level
mod <- mvgam(y ~ s(x, bs = 'moi', by = fac, k = 8),
            data = mod_data,
            family = gaussian(),
            chains = 2,
            silent = 2)

# Visualise the different monotonic functions
plot_predictions(mod, condition = c('x', 'fac', 'fac'),
                points = 0.5)
plot(mod, type = 'smooth', realisations = TRUE)

# First derivatives (on the link scale) should never be
# negative for either factor level
(derivs <- slopes(mod, variables = 'x',
                 by = c('x', 'fac'),
                 type = 'link'))
all(derivs$estimate > 0)

```

---

mvgam

---

*Fit a Bayesian dynamic GAM to a univariate or multivariate set of time series*


---

## Description

This function estimates the posterior distribution for Generalised Additive Models (GAMs) that can include smooth spline functions, specified in the GAM formula, as well as latent temporal processes, specified by `trend_model`. Further modelling options include State-Space representations to allow covariates and dynamic processes to occur on the latent 'State' level while also capturing observation-level effects. Prior specifications are flexible and explicitly encourage users to apply

prior distributions that actually reflect their beliefs. In addition, model fits can easily be assessed and compared with posterior predictive checks, forecast comparisons and leave-one-out / leave-future-out cross-validation.

## Usage

```
mvgam(
  formula,
  trend_formula,
  knots,
  trend_knots,
  trend_model = "None",
  noncentred = FALSE,
  family = poisson(),
  share_obs_params = FALSE,
  data,
  newdata,
  use_lv = FALSE,
  n_lv,
  trend_map,
  priors,
  run_model = TRUE,
  prior_simulation = FALSE,
  residuals = TRUE,
  return_model_data = FALSE,
  backend = getOption("brms.backend", "cmdstanr"),
  algorithm = getOption("brms.algorithm", "sampling"),
  control = list(max_treedepth = 10, adapt_delta = 0.8),
  chains = 4,
  burnin = 500,
  samples = 500,
  thin = 1,
  parallel = TRUE,
  threads = 1,
  save_all_pars = FALSE,
  silent = 1,
  autoformat = TRUE,
  refit = FALSE,
  lfo = FALSE,
  ...
)
```

## Arguments

formula	A formula object specifying the GAM observation model formula. These are exactly like the formula for a GLM except that smooth terms, <code>s()</code> , <code>te()</code> , <code>ti()</code> , <code>t2()</code> , as well as time-varying <code>dynamic()</code> terms, nonparametric <code>gp()</code> terms and offsets using <code>offset()</code> , can be added to the right hand side to specify that the linear predictor depends on smooth functions of predictors (or linear functionals
---------	--



of these). In `nmix()` family models, the formula is used to set up a linear predictor for the detection probability. Details of the formula syntax used by **mvgam** can be found in [mvgam\\_formulae](#)

<code>trend_formula</code>	An optional formula object specifying the GAM process model formula. If supplied, a linear predictor will be modelled for the latent trends to capture process model evolution separately from the observation model. Should not have a response variable specified on the left-hand side of the formula (i.e. a valid option would be <code>~ season + s(year)</code> ). Also note that you should not use the identifier series in this formula to specify effects that vary across time series. Instead you should use <code>trend</code> . This will ensure that models in which a <code>trend_map</code> is supplied will still work consistently (i.e. by allowing effects to vary across process models, even when some time series share the same underlying process model). This feature is only currently available for <code>RW()</code> , <code>AR()</code> and <code>VAR()</code> trend models. In <code>nmix()</code> family models, the <code>trend_formula</code> is used to set up a linear predictor for the underlying latent abundance. Be aware that it can be very challenging to simultaneously estimate intercept parameters for both the observation mode (captured by formula) and the process model (captured by <code>trend_formula</code> ). Users are recommended to drop one of these using the <code>- 1</code> convention in the formula right hand side.
<code>knots</code>	An optional list containing user specified knot values to be used for basis construction. For most bases the user simply supplies the knots to be used, which must match up with the <code>k</code> value supplied (note that the number of knots is not always just <code>k</code> ). Different terms can use different numbers of knots, unless they share a covariate
<code>trend_knots</code>	As for <code>knots</code> above, this is an optional list of knot values for smooth functions within the <code>trend_formula</code>
<code>trend_model</code>	character or function specifying the time series dynamics for the latent trend. Options are: <ul style="list-style-type: none"> <li>• None (no latent trend component; i.e. the GAM component is all that contributes to the linear predictor, and the observation process is the only source of error; similarly to what is estimated by <a href="#">gam</a>)</li> <li>• ZMVN or ZMVN() (Zero-Mean Multivariate Normal; only available in Stan)</li> <li>• 'RW' or RW()</li> <li>• 'AR1' or AR(<math>p = 1</math>)</li> <li>• 'AR2' or AR(<math>p = 2</math>)</li> <li>• 'AR3' or AR(<math>p = 3</math>)</li> <li>• 'CAR1' or CAR(<math>p = 1</math>)</li> <li>• 'VAR1' or VAR()(only available in Stan)</li> <li>• 'PWlogistic', 'PWlinear' or PW() (only available in Stan)</li> <li>• 'GP' or GP() (Gaussian Process with squared exponential kernel; only available in Stan)</li> </ul>

For all trend types apart from ZMVN(), GP(), CAR() and PW(), moving average and/or correlated process error terms can also be estimated (for example, `RW(cor = TRUE)` will set up a multivariate Random Walk if `n_series > 1`). It is also possible for many multivariate trends to estimate hierarchical correlations if the data

are structured among levels of a relevant grouping factor. See [mvgam\\_trends](#) for more details and see [ZMVN](#) for an example.

noncentred	<p>logical Use the non-centred parameterisation for autoregressive trend models? Setting to TRUE will reparameterise the model to avoid possible degeneracies that can show up when estimating the latent dynamic random effects. For some models, this can produce big gains in efficiency, meaning that fewer burnin and sampling iterations are required for posterior exploration. But for other models, where the data are highly informative about the latent dynamic processes, this can actually lead to worse performance. Only available for certain trend models (i.e. <code>RW()</code>, <code>AR()</code>, or <code>CAR()</code>, or for <code>trend = 'None'</code> when using a <code>trend_formula</code>). Not yet available for moving average or correlated error models</p>
family	<p>family specifying the exponential observation family for the series. Currently supported families are:</p> <ul style="list-style-type: none"> <li>• <code>gaussian()</code> for real-valued data</li> <li>• <code>betar()</code> for proportional data on <math>(0, 1)</math></li> <li>• <code>lognormal()</code> for non-negative real-valued data</li> <li>• <code>student_t()</code> for real-valued data</li> <li>• <code>Gamma()</code> for non-negative real-valued data</li> <li>• <code>bernoulli()</code> for binary data</li> <li>• <code>poisson()</code> for count data</li> <li>• <code>nb()</code> for overdispersed count data</li> <li>• <code>binomial()</code> for count data with imperfect detection when the number of trials is known; note that the <code>cbind()</code> function must be used to bind the discrete observations and the discrete number of trials</li> <li>• <code>beta_binomial()</code> as for <code>binomial()</code> but allows for overdispersion</li> <li>• <code>nmix()</code> for count data with imperfect detection when the number of trials is unknown and should be modeled via a State-Space N-Mixture model. The latent states are Poisson, capturing the 'true' latent abundance, while the observation process is Binomial to account for imperfect detection. See <a href="#">mvgam_families</a> for an example of how to use this family</li> </ul> <p>Default is <code>poisson()</code>. See <a href="#">mvgam_families</a> for more details</p>
share_obs_params	<p>logical. If TRUE and the family has additional family-specific observation parameters (e.g. variance components in <code>student_t()</code> or <code>gaussian()</code>, or dispersion parameters in <code>nb()</code> or <code>betar()</code>), these parameters will be shared across all outcome variables. This is handy if you have multiple outcomes (time series in most <code>mvgam</code> models) that you believe share some properties, such as being from the same species over different spatial units. Default is FALSE.</p>
data	<p>A dataframe or list containing the model response variable and covariates required by the GAM formula and optional <code>trend_formula</code>. Most models should include columns:</p> <ul style="list-style-type: none"> <li>• <code>series</code> (a factor index of the series IDs; the number of levels should be identical to the number of unique series labels (i.e. <code>n_series = length(levels(data\$series))</code>))</li> </ul>

- `time` (numeric or integer index of the time point for each observation). For most dynamic trend types available in `mvgam` (see argument `trend_model`), `time` should be measured in discrete, regularly spaced intervals (i.e. `c(1, 2, 3, ...)`). However you can use irregularly spaced intervals if using `trend_model = CAR(1)`, though note that any temporal intervals that are exactly 0 will be adjusted to a very small number ( $1e-12$ ) to prevent sampling errors. See an example of `CAR()` trends in [CAR](#)

Note however that there are special cases where these identifiers are not needed. For example, models with hierarchical temporal correlation processes (e.g. `AR(gr = region, subgr = species)`) should NOT include a series identifier, as this will be constructed internally (see [mvgam\\_trends](#) and [AR](#) for details). `mvgam` can also fit models that do not include a time variable if there are no temporal dynamic structures included (i.e. `trend_model = 'None'` or `trend_model = ZMVN()`). `data` should also include any other variables to be included in the linear predictor of formula

<code>newdata</code>	Optional dataframe or list of test data containing the same variables as in <code>data</code> . If included, the observations in variable <code>y</code> will be set to NA when fitting the model so that posterior simulations can be obtained
<code>use_lv</code>	logical. If TRUE, use dynamic factors to estimate series' latent trends in a reduced dimension format. Only available for <code>RW()</code> , <code>AR()</code> and <code>GP()</code> trend models. Defaults to FALSE
<code>n_lv</code>	integer the number of latent dynamic factors to use if <code>use_lv == TRUE</code> . Cannot be > <code>n_series</code> . Defaults arbitrarily to <code>min(2, floor(n_series / 2))</code>
<code>trend_map</code>	Optional <code>data.frame</code> specifying which series should depend on which latent trends. Useful for allowing multiple series to depend on the same latent trend process, but with different observation processes. If supplied, a latent factor model is set up by setting <code>use_lv = TRUE</code> and using the mapping to set up the shared trends. Needs to have column names <code>series</code> and <code>trend</code> , with integer values in the <code>trend</code> column to state which trend each series should depend on. The <code>series</code> column should have a single unique entry for each series in the data (names should perfectly match factor levels of the <code>series</code> variable in <code>data</code> ). Note that if this is supplied, the intercept parameter in the process model will NOT be automatically suppressed. Not yet supported for models in which the latent factors evolve in continuous time ( <code>CAR()</code> ). See examples for details
<code>priors</code>	An optional <code>data.frame</code> with prior definitions or, preferentially, a vector containing objects of class <code>brmsprior</code> (see. <a href="#">prior</a> for details). See <a href="#">get_mvgam_priors</a> and <a href="#">Details</a> for more information on changing default prior distributions
<code>run_model</code>	logical. If FALSE, the model is not fitted but instead the function will return the model file and the data / initial values that are needed to fit the model outside of <code>mvgam</code>
<code>prior_simulation</code>	logical. If TRUE, no observations are fed to the model, and instead simulations from prior distributions are returned
<code>residuals</code>	Logical indicating whether to compute series-level randomized quantile residuals and include them as part of the returned object. Defaults to TRUE, but you can set to FALSE to save computational time and reduce the size of the returned object (users can always add residuals to an object of class <code>mvgam</code> using <a href="#">add_residuals</a> )

<code>return_model_data</code>	logical. If TRUE, the list of data that is needed to fit the model is returned, along with the initial values for smooth and AR parameters, once the model is fitted. This will be helpful if users wish to modify the model file to add other stochastic elements that are not currently available in <code>mvgam</code> . Default is FALSE to reduce the size of the returned object, unless <code>run_model == FALSE</code>
<code>backend</code>	Character string naming the package to use as the backend for fitting the Stan model. Options are "cmdstanr" (the default) or "rstan". Can be set globally for the current R session via the "brms.backend" option (see <a href="#">options</a> ). Details on the rstan and cmdstanr packages are available at <a href="https://mc-stan.org/rstan/">https://mc-stan.org/rstan/</a> and <a href="https://mc-stan.org/cmdstanr/">https://mc-stan.org/cmdstanr/</a> , respectively
<code>algorithm</code>	Character string naming the estimation approach to use. Options are "sampling" for MCMC (the default), "meanfield" for variational inference with factorized normal distributions, "fullrank" for variational inference with a multivariate normal distribution, "laplace" for a Laplace approximation (only available when using cmdstanr as the backend) or "pathfinder" for the pathfinder algorithm (only currently available when using cmdstanr as the backend). Can be set globally for the current R session via the "brms.algorithm" option (see <a href="#">options</a> ). Limited testing suggests that "meanfield" performs best out of the non-MCMC approximations for dynamic GAMs, possibly because of the difficulties estimating covariances among the many spline parameters and latent trend parameters. But rigorous testing has not been carried out
<code>control</code>	A named list for controlling the sampler's behaviour. Valid elements include <code>max_treedepth</code> , <code>adapt_delta</code> and <code>init</code>
<code>chains</code>	integer specifying the number of parallel chains for the model. Ignored if <code>algorithm %in% c('meanfield', 'fullrank', 'pathfinder', 'laplace')</code>
<code>burnin</code>	integer specifying the number of warmup iterations of the Markov chain to run to tune sampling algorithms. Ignored if <code>algorithm %in% c('meanfield', 'fullrank', 'pathfinder', 'laplace')</code>
<code>samples</code>	integer specifying the number of post-warmup iterations of the Markov chain to run for sampling the posterior distribution
<code>thin</code>	Thinning interval for monitors. Ignored if <code>algorithm %in% c('meanfield', 'fullrank', 'pathfinder', 'laplace')</code>
<code>parallel</code>	logical specifying whether multiple cores should be used for generating MCMC simulations in parallel. If TRUE, the number of cores to use will be <code>min(c(chains, parallel::detectCores() - 1))</code>
<code>threads</code>	integer Experimental option to use multithreading for within-chain parallelisation in Stan. We recommend its use only if you are experienced with Stan's <code>reduce_sum</code> function and have a slow running model that cannot be sped up by any other means. Currently works for all families apart from <code>nmix()</code> and when using Cmdstan as the backend
<code>save_all_pars</code>	Logical flag to indicate if draws from all variables defined in Stan's parameters block should be saved (default is FALSE).
<code>silent</code>	Verbosity level between 0 and 2. If 1 (the default), most of the informational messages of compiler and sampler are suppressed. If 2, even more messages

	are suppressed. The actual sampling progress is still printed. Set <code>refresh = 0</code> to turn this off as well. If using <code>backend = "rstan"</code> you can also set <code>open_progress = FALSE</code> to prevent opening additional progress bars.
<code>autoformat</code>	Logical. Use the <code>stanc</code> parser to automatically format the Stan code and check for deprecations. Only for development purposes, so leave to <code>TRUE</code>
<code>refit</code>	Logical indicating whether this is a refit, called using <a href="#">update.mvgam</a> . Users should leave as <code>FALSE</code>
<code>lfo</code>	Logical indicating whether this is part of a call to <a href="#">lfo_cv.mvgam</a> . Returns a lighter version of the model with no residuals and fewer monitored parameters to speed up post-processing. But other downstream functions will not work properly, so users should always leave this set as <code>FALSE</code>
<code>...</code>	Further arguments passed to Stan. For <code>backend = "rstan"</code> the arguments are passed to <a href="#">sampling</a> or <a href="#">vb</a> . For <code>backend = "cmdstanr"</code> the arguments are passed to the <code>cmdstanr::sample</code> , <code>cmdstanr::variational</code> , <code>cmdstanr::laplace</code> or <code>cmdstanr::pathfinder</code> method

## Details

Dynamic GAMs are useful when we wish to predict future values from time series that show temporal dependence but we do not want to rely on extrapolating from a smooth term (which can sometimes lead to unpredictable and unrealistic behaviours). In addition, smooths can often try to wiggle excessively to capture any autocorrelation that is present in a time series, which exacerbates the problem of forecasting ahead. As GAMs are very naturally viewed through a Bayesian lens, and we often must model time series that show complex distributional features and missing data, parameters for `mvgam` models are estimated in a Bayesian framework using Markov Chain Monte Carlo by default. A general overview is provided in the primary vignettes: `vignette("mvgam_overview")` and `vignette("data_in_mvgam")`. For a full list of available vignettes see `vignette(package = "mvgam")`

*Formula syntax:* Details of the formula syntax used by `mvgam` can be found in [mvgam\\_formulae](#). Note that it is possible to supply an empty formula where there are no predictors or intercepts in the observation model (i.e.  $y \sim 0$  or  $y \sim -1$ ). In this case, an intercept-only observation model will be set up but the intercept coefficient will be fixed at zero. This can be handy if you wish to fit pure State-Space models where the variation in the dynamic trend controls the average expectation, and/or where intercepts are non-identifiable (as in piecewise trends, see examples below)

*Families and link functions:* Details of families supported by `mvgam` can be found in [mvgam\\_families](#).

*Trend models:* Details of latent error process models supported by `mvgam` can be found in [mvgam\\_trends](#).

*Priors:* Default priors for intercepts and any variance parameters are chosen to be vaguely informative, but these should always be checked by the user. Prior distributions for most important model parameters can be altered (see [get\\_mvgam\\_priors](#) for details). Note that latent trends are estimated on the link scale so choose priors accordingly. However more control over the model specification can be accomplished by setting `run_model = FALSE` and then editing the model code (found in the `model_file` slot in the returned object) before running the model using either `rstan` or `cmdstanr`. This is encouraged for complex modelling tasks. Note, no priors are formally checked to ensure they are in the right syntax so it is up to the user to ensure these are correct

*Random effects:* For any smooth terms using the random effect basis (`smooth.construct.re.smooth.spec`), a non-centred parameterisation is automatically employed to avoid degeneracies that are common in hierarchical models. Note however that centred versions may perform better for series that are particularly informative, so as with any foray into Bayesian modelling, it is worth building an understanding of the model's assumptions and limitations by following a principled workflow. Also note that models are parameterised using `drop.unused.levels = FALSE` in `jagam` to ensure predictions can be made for all levels of the supplied factor variable

*Observation level parameters:* When more than one series is included in data and an observation family that contains more than one parameter is used, additional observation family parameters (i.e. `phi` for `nb()` or `sigma` for `gaussian()`) are by default estimated independently for each series. But if you wish for the series to share the same observation parameters, set `share_obs_params = TRUE`

*Residuals:* For each series, randomized quantile (i.e. Dunn-Smyth) residuals are calculated for inspecting model diagnostics. If the fitted model is appropriate then Dunn-Smyth residuals will be standard normal in distribution and no autocorrelation will be evident. When a particular observation is missing, the residual is calculated by comparing independent draws from the model's posterior distribution

*Using Stan:* `mvgam` is primarily designed to use Hamiltonian Monte Carlo for parameter estimation via the software Stan (using either the `cmdstanr` or `rstan` interface). There are great advantages when using Stan over Gibbs / Metropolis Hastings samplers, which includes the option to estimate nonlinear effects via [Hilbert space approximate Gaussian Processes](#), the availability of a variety of inference algorithms (i.e. variational inference, laplacian inference etc...) and [capabilities to enforce stationarity for complex Vector Autoregressions](#). Because of the many advantages of Stan over JAGS, *further development of the package will only be applied to Stan*. This includes the planned addition of more response distributions, plans to handle zero-inflation, and plans to incorporate a greater variety of trend models. Users are strongly encouraged to opt for Stan over JAGS in any proceeding workflows

*How to start?:* The [mvgam cheatsheet](#) is a good starting place if you are just learning to use the package. It gives an overview of the package's key functions and objects, as well as providing a reasonable workflow that new users can follow. In general it is recommended to

- 1. Check that your time series data are in a suitable tidy format for `mvgam` modeling (see the [data formatting vignette](#) for guidance)
- 2. Inspect features of the data using `plot_mvgam_series`. Now is also a good time to familiarise yourself with the package's example workflows that are detailed in the vignettes. In particular, the [getting started vignette](#), the [shared latent states vignette](#), the [time-varying effects vignette](#) and the [State-Space models vignette](#) all provide useful information about how to structure, fit and interrogate Dynamic Generalized Additive Models in `mvgam`. Some more specialized how-to articles include ["Fitting N-mixture models in mgam"](#), ["Joint Species Distribution Models in mgam"](#), ["Incorporating time-varying seasonality in forecast models"](#) and ["Temporal autocorrelation in GAMs and the mvgam package"](#)
- 3. Carefully think about how to structure linear predictor effects (i.e. smooth terms using `s`, `te` or `ti`, GPs using `gp`, dynamic time-varying effects using `dynamic`, and parametric terms),

latent temporal trend components (see [mvgam\\_trends](#)) and the appropriate observation family (see [mvgam\\_families](#)). Use [get\\_mvgam\\_priors](#) to see default prior distributions for stochastic parameters

- 4. Change default priors using appropriate prior knowledge (see [prior](#)). When using State-Space models with a `trend_formula`, pay particular attention to priors for any variance parameters such as process errors and observation errors. Default priors on these parameters are chosen to be vaguely informative and to avoid zero (using Inverse Gamma priors), but more informative priors will often help with model efficiency and convergence
- 5. Fit the model using either Hamiltonian Monte Carlo or an approximation algorithm (i.e. change the backend argument) and use [summary.mvgam](#), [conditional\\_effects.mvgam](#), [mcmc\\_plot.mvgam](#), [pp\\_check.mvgam](#), [pairs.mvgam](#) and [plot.mvgam](#) to inspect / interrogate the model
- 6. Update the model as needed and use [loo\\_compare.mvgam](#) for in-sample model comparisons, or alternatively use [forecast.mvgam](#), [lfo\\_cv.mvgam](#) and [score.mvgam\\_forecast](#) to compare models based on out-of-sample forecasts (see the [forecast evaluation vignette](#) for guidance)
- 7. When satisfied with the model structure, use [predict.mvgam](#), [plot\\_predictions](#) and/or [plot\\_slopes](#) for more targeted inferences (see "[How to interpret and report nonlinear effects from Generalized Additive Models](#)" for some guidance on interpreting GAMs)
- 8. Use [how\\_to\\_cite](#) to obtain a scaffold methods section (with full references) to begin describing this model in scientific publications

## Value

A list object of class `mvgam` containing model output, the text representation of the model file, the `mgcv` model output (for easily generating simulations at unsampled covariate values), Dunn-Smyth residuals for each series and key information needed for other functions in the package. See [mvgam-class](#) for details. Use `methods(class = "mvgam")` for an overview on available methods.

## Author(s)

Nicholas J Clark

## References

Nicholas J Clark & Konstans Wells (2023). Dynamic generalised additive models (DGAMs) for forecasting discrete ecological time series. *Methods in Ecology and Evolution*. 14:3, 771-784.

Nicholas J Clark, SK Morgan Ernest, Henry Senyondo, Juniper Simonis, Ethan P White, Glenda M Yenni, KANK Karunarathna (2025). Beyond single-species models: leveraging multispecies forecasts to navigate the dynamics of ecological predictability. *PeerJ*. 13:e18929 <https://doi.org/10.7717/peerj.18929>

## See Also

[jagam](#), [gam](#), [gam.models](#), [get\\_mvgam\\_priors](#), [jsdgam](#)

## Examples

```
# Simulate a collection of three time series that have shared seasonal dynamics
# and independent AR1 trends, with a Poisson observation process
set.seed(0)
dat <- sim_mvgam(
  T = 80,
  n_series = 3,
  mu = 2,
  trend_model = AR(p = 1),
  prop_missing = 0.1,
  prop_trend = 0.6
)

# Plot key summary statistics for a single series
plot_mvgam_series(data = dat$data_train, series = 1)

# Plot all series together
plot_mvgam_series(data = dat$data_train, series = "all")

# Formulate a model using Stan where series share a cyclic smooth for
# seasonality and each series has an independent AR1 temporal process.
# Note that 'noncentred = TRUE' will likely give performance gains.
# Set run_model = FALSE to inspect the returned objects
mod1 <- mvgam(
  formula = y ~ s(season, bs = "cc", k = 6),
  data = dat$data_train,
  trend_model = AR(),
  family = poisson(),
  noncentred = TRUE,
  run_model = FALSE
)

# View the model code in Stan language
stancode(mod1)

# View the data objects needed to fit the model in Stan
sdata1 <- standata(mod1)
str(sdata1)

# Now fit the model
mod1 <- mvgam(
  formula = y ~ s(season, bs = "cc", k = 6),
  data = dat$data_train,
  trend_model = AR(),
  family = poisson(),
  noncentred = TRUE,
  chains = 2,
  silent = 2
)

# Extract the model summary
summary(mod1)
```



```
# Plot the estimated historical trend and forecast for one series
plot(mod1, type = "trend", series = 1)
plot(mod1, type = "forecast", series = 1)

# Residual diagnostics
plot(mod1, type = "residuals", series = 1)
resids <- residuals(mod1)
str(resids)

# Fitted values and residuals can also be added to training data
augment(mod1)

# Compute the forecast using covariate information in data_test
fc <- forecast(mod1, newdata = dat$data_test)
str(fc)
plot(fc)

# Plot the estimated seasonal smooth function
plot(mod1, type = "smooths")

# Plot estimated first derivatives of the smooth
plot(mod1, type = "smooths", derivatives = TRUE)

# Plot partial residuals of the smooth
plot(mod1, type = "smooths", residuals = TRUE)

# Plot posterior realisations for the smooth
plot(mod1, type = "smooths", realisations = TRUE)

# Plot conditional response predictions using marginaleffects
conditional_effects(mod1)
plot_predictions(mod1, condition = "season", points = 0.5)

# Generate posterior predictive checks using bayesplot
pp_check(mod1)

# Extract observation model beta coefficient draws as a data.frame
beta_draws_df <- as.data.frame(mod1, variable = "betas")
head(beta_draws_df)
str(beta_draws_df)

# Investigate model fit
mc.cores.def <- getOption("mc.cores")
options(mc.cores = 1)
loo(mod1)
options(mc.cores = mc.cores.def)

# Example of supplying a trend_map so that some series can share
# latent trend processes
sim <- sim_mvgam(n_series = 3)
mod_data <- sim$data_train
```

```

# Here, we specify only two latent trends; series 1 and 2 share a trend,
# while series 3 has it's own unique latent trend
trend_map <- data.frame(
  series = unique(mod_data$series),
  trend = c(1, 1, 2)
)

# Fit the model using AR1 trends
mod <- mvgam(
  formula = y ~ s(season, bs = "cc", k = 6),
  trend_map = trend_map,
  trend_model = AR(),
  data = mod_data,
  return_model_data = TRUE,
  chains = 2,
  silent = 2
)

# The mapping matrix is now supplied as data to the model in the 'Z' element
mod$model_data$Z
code(mod)

# The first two series share an identical latent trend; the third is different
plot(mod, type = "trend", series = 1)
plot(mod, type = "trend", series = 2)
plot(mod, type = "trend", series = 3)

# Example of how to use dynamic coefficients
# Simulate a time-varying coefficient for the effect of temperature
set.seed(123)
N <- 200
beta_temp <- vector(length = N)
beta_temp[1] <- 0.4
for (i in 2:N) {
  beta_temp[i] <- rnorm(1, mean = beta_temp[i - 1] - 0.0025, sd = 0.05)
}
plot(beta_temp)

# Simulate a covariate called 'temp'
temp <- rnorm(N, sd = 1)

# Simulate some noisy Gaussian observations
out <- rnorm(N,
  mean = 4 + beta_temp * temp,
  sd = 0.5
)

# Gather necessary data into a data.frame; split into training / testing
data <- data.frame(out, temp, time = seq_along(temp))
data_train <- data[1:180, ]
data_test <- data[181:200, ]

```

```

# Fit the model using the dynamic() formula helper
mod <- mvgam(
  formula =
    out ~ dynamic(temp,
      scale = FALSE,
      k = 40
    ),
  family = gaussian(),
  data = data_train,
  newdata = data_test,
  chains = 2,
  silent = 2
)

# Inspect the model summary, forecast and time-varying coefficient distribution
summary(mod)
plot(mod, type = "smooths")
fc <- forecast(mod, newdata = data_test)
plot(fc)

# Propagating the smooth term shows how the coefficient is expected to evolve
plot_mvgam_smooth(mod, smooth = 1, newdata = data)
abline(v = 180, lty = "dashed", lwd = 2)
points(beta_temp, pch = 16)

# Example showing how to incorporate an offset; simulate some count data
# with different means per series
set.seed(100)
dat <- sim_mvgam(
  prop_trend = 0, mu = c(0, 2, 2),
  seasonality = "hierarchical"
)

# Add offset terms to the training and testing data
dat$data_train$offset <- 0.5 * as.numeric(dat$data_train$series)
dat$data_test$offset <- 0.5 * as.numeric(dat$data_test$series)

# Fit a model that includes the offset in the linear predictor as well as
# hierarchical seasonal smooths
mod <- mvgam(
  formula = y ~ offset(offset) +
    s(series, bs = "re") +
    s(season, bs = "cc") +
    s(season, by = series, m = 1, k = 5),
  data = dat$data_train,
  chains = 2,
  silent = 2
)

# Inspect the model file to see the modification to the linear predictor
# (eta)

```

```

code(mod)

# Forecasts for the first two series will differ in magnitude
fc <- forecast(mod, newdata = dat$data_test)
layout(matrix(1:2, ncol = 2))
plot(fc, series = 1, ylim = c(0, 75))
plot(fc, series = 2, ylim = c(0, 75))
layout(1)

# Changing the offset for the testing data should lead to changes in
# the forecast
dat$data_test$offset <- dat$data_test$offset - 2
fc <- forecast(mod, newdata = dat$data_test)
plot(fc)

# Relative Risks can be computed by fixing the offset to the same value
# for each series
dat$data_test$offset <- rep(1, NROW(dat$data_test))
preds_rr <- predict(mod,
  type = "link", newdata = dat$data_test,
  summary = FALSE
)
series1_inds <- which(dat$data_test$series == "series_1")
series2_inds <- which(dat$data_test$series == "series_2")

# Relative Risks are now more comparable among series
layout(matrix(1:2, ncol = 2))
plot(preds_rr[1, series1_inds],
  type = "l", col = "grey75",
  ylim = range(preds_rr),
  ylab = "Series1 Relative Risk", xlab = "Time"
)
for (i in 2:50) {
  lines(preds_rr[i, series1_inds], col = "grey75")
}

plot(preds_rr[1, series2_inds],
  type = "l", col = "darkred",
  ylim = range(preds_rr),
  ylab = "Series2 Relative Risk", xlab = "Time"
)
for (i in 2:50) {
  lines(preds_rr[i, series2_inds], col = "darkred")
}
layout(1)

# Example showcasing how cbind() is needed for Binomial observations
# Simulate two time series of Binomial trials
trials <- sample(c(20:25), 50, replace = TRUE)
x <- rnorm(50)
detprob1 <- plogis(-0.5 + 0.9 * x)
detprob2 <- plogis(-0.1 - 0.7 * x)

```

```

dat <- rbind(
  data.frame(
    y = rbinom(n = 50, size = trials, prob = detprob1),
    time = 1:50,
    series = "series1",
    x = x,
    ntrials = trials
  ),
  data.frame(
    y = rbinom(n = 50, size = trials, prob = detprob2),
    time = 1:50,
    series = "series2",
    x = x,
    ntrials = trials
  )
)
dat <- dplyr::mutate(dat, series = as.factor(series))
dat <- dplyr::arrange(dat, time, series)
plot_mvgam_series(data = dat, series = "all")

# Fit a model using the binomial() family; must specify observations
# and number of trials in the cbind() wrapper
mod <- mvgam(
  formula =
    cbind(y, ntrials) ~ series + s(x, by = series),
  family = binomial(),
  data = dat,
  chains = 2,
  silent = 2
)
summary(mod)
pp_check(mod,
  type = "bars_grouped",
  group = "series", ndraws = 50
)
pp_check(mod,
  type = "ecdf_overlay_grouped",
  group = "series", ndraws = 50
)
conditional_effects(mod, type = "link")

```

---

mvgam-class

*Fitted mvgam object description*


---

## Description

A fitted mvgam object returned by function `mvgam`. Run `methods(class = "mvgam")` to see an overview of available methods.

## Details

A mvgam object contains the following elements:

- `call` the original observation model formula
- `trend_call` If a `trend_formula` was supplied, the original trend model formula is returned. Otherwise NULL
- `family` character description of the observation distribution
- `trend_model` character description of the latent trend model
- `trend_map` data.frame describing the mapping of trend states to observations, if supplied in the original model. Otherwise NULL
- `drift` Logical specifying whether a drift term was used in the trend model
- `priors` If the model priors were updated from their defaults, the prior dataframe will be returned. Otherwise NULL
- `model_output` The MCMC object returned by the fitting engine. If the model was fitted using Stan, this will be an object of class `stanfit` (see [stanfit-class](#) for details). If JAGS was used as the backend, this will be an object of class `runjags` (see [runjags-class](#) for details)
- `model_file` The character string model file used to describe the model in either Stan or JAGS syntax
- `model_data` If `return_model_data` was set to TRUE when fitting the model, the list object containing all data objects needed to condition the model is returned. Each item in the list is described in detail at the top of the `model_file`. Otherwise NULL
- `inits` If `return_model_data` was set to TRUE when fitting the model, the initial value functions used to initialise the MCMC chains will be returned. Otherwise NULL
- `monitor_pars` The parameters that were monitored during MCMC sampling are returned as a character vector
- `sp_names` A character vector specifying the names for each smoothing parameter
- `mgcv_model` An object of class `gam` containing the mgcv version of the observation model. This object is used for generating the linear predictor matrix when making predictions for new data. The coefficients in this model object will contain the posterior median coefficients from the GAM linear predictor, but these are only used if generating plots of smooth functions that mvgam currently cannot handle (such as plots for three-dimensional smooths). This model therefore should not be used for inference. See [gamObject](#) for details
- `trend_mgcv_model` If a `trend_formula` was supplied, an object of class `gam` containing the mgcv version of the trend model. Otherwise NULL
- `ytimes` The matrix object used in model fitting for indexing which series and timepoints were observed in each row of the supplied data. Used internally by some downstream plotting and prediction functions
- `resids` A named list object containing posterior draws of Dunn-Smyth randomized quantile residuals
- `use_lv` Logical flag indicating whether latent dynamic factors were used in the model
- `n_lv` If `use_lv == TRUE`, the number of latent dynamic factors used in the model
- `upper_bounds` If bounds were supplied in the original model fit, they will be returned. Otherwise NULL

- `obs_data` The original data object (either a list or dataframe) supplied in model fitting.
- `test_data` If test data were supplied (as argument `newdata` in the original model), it will be returned. Otherwise NULL
- `fit_engine` Character describing the fit engine, either as `stan` or `jags`
- `backend` Character describing the backend used for modelling, either as `rstan`, `cmdstanr` or `rjags`
- `algorithm` Character describing the algorithm used for finding the posterior, either as `sampling`, `laplace`, `pathfinder`, `meanfield` or `fullrank`
- `max_treedepth` If the model was fitted using Stan, the value supplied for the maximum treedepth tuning parameter is returned (see [stan](#) for details). Otherwise NULL
- `adapt_delta` If the model was fitted using Stan, the value supplied for the `adapt_delta` tuning parameter is returned (see [stan](#) for details). Otherwise NULL

**Author(s)**

Nicholas J Clark

**See Also**

[mvgam](#)

---

mvgam\_diagnostics

*Extract diagnostic quantities of **mvgam** models*

---

**Description**

Extract quantities that can be used to diagnose sampling behavior of the algorithms applied by **Stan** at the back-end of **mvgam**.

**Usage**

```
## S3 method for class 'mvgam'  
nuts_params(object, pars = NULL, ...)
```

```
## S3 method for class 'mvgam'  
log_posterior(object, ...)
```

```
## S3 method for class 'mvgam'  
rhat(x, pars = NULL, ...)
```

```
## S3 method for class 'mvgam'  
neff_ratio(object, pars = NULL, ...)
```

**Arguments**

object, x	A mvgam or jsdgm object.
pars	An optional character vector of parameter names. For nuts_params these will be NUTS sampler parameter names rather than model parameters. If pars is omitted all parameters are included.
...	Arguments passed to individual methods.

**Details**

For more details see [bayesplot-extractors](#).

**Value**

The exact form of the output depends on the method.

**Examples**

```
simdat <- sim_mvgam(n_series = 1, trend_model = 'AR1')
mod <- mvgam(y ~ s(season, bs = 'cc', k = 6),
             trend_model = AR(),
             noncentred = TRUE,
             data = simdat$data_train,
             chains = 2)
np <- nuts_params(mod)
head(np)

# extract the number of divergence transitions
sum(subset(np, Parameter == "divergent__")$Value)

head(neff_ratio(mod))
```

---

mvgam\_draws

---

*Extract posterior draws from fitted **mvgam** objects*


---

**Description**

Extract posterior draws in conventional formats as data.frames, matrices, or arrays.

**Usage**

```
## S3 method for class 'mvgam'
as.data.frame(
  x,
  row.names = NULL,
  optional = TRUE,
  variable = "betas",
  use_alias = TRUE,
```



```
    regex = FALSE,
    ...
)

## S3 method for class 'mvgam'
as.matrix(x, variable = "betas", regex = FALSE, use_alias = TRUE, ...)

## S3 method for class 'mvgam'
as.array(x, variable = "betas", regex = FALSE, use_alias = TRUE, ...)

## S3 method for class 'mvgam'
as_draws(
  x,
  variable = NULL,
  regex = FALSE,
  inc_warmup = FALSE,
  use_alias = TRUE,
  ...
)

## S3 method for class 'mvgam'
as_draws_matrix(
  x,
  variable = NULL,
  regex = FALSE,
  inc_warmup = FALSE,
  use_alias = TRUE,
  ...
)

## S3 method for class 'mvgam'
as_draws_df(
  x,
  variable = NULL,
  regex = FALSE,
  inc_warmup = FALSE,
  use_alias = TRUE,
  ...
)

## S3 method for class 'mvgam'
as_draws_array(
  x,
  variable = NULL,
  regex = FALSE,
  inc_warmup = FALSE,
  use_alias = TRUE,
  ...
)
```

```

)

## S3 method for class 'mvgam'
as_draws_list(
  x,
  variable = NULL,
  regex = FALSE,
  inc_warmup = FALSE,
  use_alias = TRUE,
  ...
)

## S3 method for class 'mvgam'
as_draws_rvars(x, variable = NULL, regex = FALSE, inc_warmup = FALSE, ...)

```

### Arguments

x	list object of class mvgam
row.names	Ignored
optional	Ignored
variable	<p>A character specifying which parameters to extract. Can either be one of the following options:</p> <ul style="list-style-type: none"> <li>• obs_params (other parameters specific to the observation model, such as overdispersions for negative binomial models or observation error SD for gaussian / student-t models)</li> <li>• betas (beta coefficients from the GAM observation model linear predictor; default)</li> <li>• smooth_params (smoothing parameters from the GAM observation model)</li> <li>• linpreds (estimated linear predictors on whatever link scale was used in the model)</li> <li>• trend_params (parameters governing the trend dynamics, such as AR parameters, trend SD parameters or Gaussian Process parameters)</li> <li>• trend_betas (beta coefficients from the GAM latent process model linear predictor; only available if a trend_formula was supplied in the original model)</li> <li>• trend_smooth_params (process model GAM smoothing parameters; only available if a trend_formula was supplied in the original model)</li> <li>• trend_linpreds (process model linear predictors on the identity scale; only available if a trend_formula was supplied in the original model)</li> </ul> <p>OR can be a character vector providing the variables to extract</p>
use_alias	Logical. If more informative names for parameters are available (i.e. for beta coefficients b or for smoothing parameters rho), replace the uninformative names with the more informative alias. Defaults to TRUE
regex	Logical. If not using one of the prespecified options for extractions, should variable be treated as a (vector of) regular expressions? Any variable in x matching at least one of the regular expressions will be selected. Defaults to FALSE.

...	Ignored
inc_warmup	Should warmup draws be included? Defaults to FALSE.

**Value**

A data.frame, matrix, or array containing the posterior draws.

**Examples**

```
sim <- sim_mvgam(family = Gamma())
mod1 <- mvgam(y ~ s(season, bs = 'cc'),
  trend_model = 'AR1',
  data = sim$data_train,
  family = Gamma(),
  chains = 2,
  silent = 2)
beta_draws_df <- as.data.frame(mod1, variable = 'betas')
head(beta_draws_df)
str(beta_draws_df)

beta_draws_mat <- as.matrix(mod1, variable = 'betas')
head(beta_draws_mat)
str(beta_draws_mat)

shape_pars <- as.matrix(mod1, variable = 'shape', regex = TRUE)
head(shape_pars)
```

---

mvgam_families	<i>Supported <b>mvgam</b> families</i>
----------------	--

---

**Description**

Supported **mvgam** families

**Usage**

```
tweedie(link = "log")

student_t(link = "identity")

betar(...)

nb(...)

lognormal(...)

student(...)
```

```
bernoulli(...)
```

```
beta_binomial(...)
```

```
nmix(link = "log")
```

## Arguments

**link** a specification for the family link function. At present these cannot be changed

**...** Arguments to be passed to the **mgcv** version of the associated functions

## Details

mvgam currently supports the following standard observation families:

- **gaussian** with identity link, for real-valued data
- **poisson** with log-link, for count data
- **Gamma** with log-link, for non-negative real-valued data
- **binomial** with logit-link, for count data when the number of trials is known (and must be supplied)

In addition, the following extended families from the **mgcv** and **brms** packages are supported:

- **betar** with logit-link, for proportional data on  $(0, 1)$
- **nb** with log-link, for count data
- **lognormal** with identity-link, for non-negative real-valued data
- **bernoulli** with logit-link, for binary data
- **beta\_binomial** with logit-link, as for **binomial()** but allows for overdispersion

Finally, mvgam supports the three extended families described here:

- **tweedie** with log-link, for count data (power parameter  $p$  fixed at 1.5)
- **student\_t()** (or **student**) with identity-link, for real-valued data
- **nmix** for count data with imperfect detection modeled via a State-Space N-Mixture model. The latent states are Poisson (with log link), capturing the 'true' latent abundance, while the observation process is Binomial to account for imperfect detection. The observation formula in these models is used to set up a linear predictor for the detection probability (with logit link). See the example below for a more detailed worked explanation of the **nmix()** family

Only **poisson()**, **nb()**, and **tweedie()** are available if using JAGS. All families, apart from **tweedie()**, are supported if using Stan.

Note that currently it is not possible to change the default link functions in mvgam, so any call to change these will be silently ignored

## Value

Objects of class **family**



```

        rbinom(5, 7, 0.45),
        rbinom(5, 15, 0.45),
        rbinom(5, 16, 0.45),
        rbinom(5, 19, 0.45),
        rbinom(5, 18, 0.45))) %>%
dplyr::mutate(series = paste0('site_', site,
                              '_ ', species,
                              '_rep_', replicate),
              time = as.numeric(time),
              cap = 50) %>%
dplyr::select(-replicate))

# series identifiers
testdat$species <- factor(testdat$species,
                          levels = unique(testdat$species))
testdat$series <- factor(testdat$series,
                         levels = unique(testdat$series))

# The trend_map to state how replicates are structured
testdat %>%
# each unique combination of site*species is a separate process
dplyr::mutate(trend = as.numeric(factor(paste0(site, species)))) %>%
dplyr::select(trend, series) %>%
dplyr::distinct() -> trend_map
trend_map

# Fit a model
mod <- mvgam(
  # the observation formula sets up linear predictors for
  # detection probability on the logit scale
  formula = obs ~ species - 1,

  # the trend_formula sets up the linear predictors for
  # the latent abundance processes on the log scale
  trend_formula = ~ s(time, by = trend, k = 4) + species,

  # the trend_map takes care of the mapping
  trend_map = trend_map,

  # nmix() family and data
  family = nmix(),
  data = testdat,

  # priors can be set in the usual way
  priors = c(prior(std_normal(), class = b),
             prior(normal(1, 1.5), class = Intercept_trend)),
  chains = 2)

# The usual diagnostics
summary(mod)

# Plotting conditional effects
library(ggplot2); library(marginaleffects)

```

```

plot_predictions(mod, condition = 'species',
                 type = 'detection') +
  ylab('Pr(detection)') +
  ylim(c(0, 1)) +
  theme_classic() +
  theme(legend.position = 'none')

# Example showcasing how cbind() is needed for Binomial observations
# Simulate two time series of Binomial trials
trials <- sample(c(20:25), 50, replace = TRUE)
x <- rnorm(50)
detprob1 <- plogis(-0.5 + 0.9*x)
detprob2 <- plogis(-0.1 -0.7*x)
dat <- rbind(data.frame(y = rbinom(n = 50, size = trials, prob = detprob1),
                       time = 1:50,
                       series = 'series1',
                       x = x,
                       ntrials = trials),
            data.frame(y = rbinom(n = 50, size = trials, prob = detprob2),
                       time = 1:50,
                       series = 'series2',
                       x = x,
                       ntrials = trials))
dat <- dplyr::mutate(dat, series = as.factor(series))
dat <- dplyr::arrange(dat, time, series)

# Fit a model using the binomial() family; must specify observations
# and number of trials in the cbind() wrapper
mod <- mvgam(cbind(y, ntrials) ~ series + s(x, by = series),
            family = binomial(),
            data = dat)
summary(mod)

```

---

mvgam_fevd-class	mvgam_fevd <i>object description</i>
------------------	--------------------------------------

---

## Description

A `mvgam_fevd` object returned by function `fevd`. Run `methods(class = "mvgam_fevd")` to see an overview of available methods.

## Details

A `mvgam_fevd` object contains a list of posterior forecast error variance decompositions, each stored as its own list

## Author(s)

Nicholas J Clark

**See Also**

[mvgam](#), [VAR](#)

---

mvgam\_forecast-class    mvgam\_forecast *object description*

---

**Description**

A mvgam\_forecast object returned by function [hindcast](#) or [forecast](#). Run methods(class = "mvgam\_forecast") to see an overview of available methods.

**Details**

A mvgam\_forecast object contains the following elements:

- call the original observation model formula
- trend\_call If a trend\_formula was supplied, the original trend model formula is returned. Otherwise NULL
- family character description of the observation distribution
- family\_pars list containing draws of family-specific parameters (i.e. shape, scale or overdispersion parameters). Only returned if type = link. Otherwise NULL
- trend\_model character description of the latent trend model
- drift Logical specifying whether a drift term was used in the trend model
- use\_lv Logical flag indicating whether latent dynamic factors were used in the model
- fit\_engine Character describing the fit engine, either as stan or jags
- type The type of predictions included (either link, response or trend)
- series\_names Names of the time series, taken from levels(data\$series) in the original model fit
- train\_observations A list of training observation vectors of length n\_series
- train\_times A vector of the unique training times
- test\_observations If the [forecast](#) function was used, a list of test observation vectors of length n\_series. Otherwise NULL
- test\_times If the [forecast](#) function was used, a vector of the unique validation (testing) times. Otherwise NULL
- hindcasts A list of posterior hindcast distributions of length n\_series.
- forecasts If the [forecast](#) function was used, a list of posterior forecast distributions of length n\_series. Otherwise NULL

**Author(s)**

Nicholas J Clark

**See Also**

[mvgam](#), [hindcast.mvgam](#), [forecast.mvgam](#)



## Description

Details of formula specifications in **mvgam** models

## Details

[mvgam](#) will accept an observation model formula and an optional process model formula (via the argument `trend_formula`). Neither of these formulae can be specified as lists, contrary to the accepted behaviour in some `mgcv` or `brms` models.

Note that it is possible to supply an empty formula where there are no predictors or intercepts in the observation model (i.e.  $y \sim \emptyset$  or  $y \sim -1$ ). In this case, an intercept-only observation model will be set up but the intercept coefficient will be fixed at zero. This can be handy if you wish to fit pure State-Space models where the variation in the dynamic trend controls the average expectation, and/or where intercepts are non-identifiable.

The formulae supplied to [mvgam](#) and [jsdgam](#) are exactly like those supplied to [glm](#) except that smooth terms, [s](#), [te](#), [ti](#) and [t2](#), time-varying effects using [dynamic](#), monotonically increasing (using `s(x, bs = 'moi')`) or decreasing splines (using `s(x, bs = 'mod')`); see [smooth.construct.moi.smooth.spec](#) for details), as well as Gaussian Process functions using [gp](#) and offsets using [offset](#) can be added to the right hand side (and `.` is not supported in `mvgam` formulae).

Further details on specifying different kinds of smooth functions, and how to control their behaviours by modifying their potential complexities and / or how the penalties behave, can be found in the extensive documentation for the `mgcv` package.

## Author(s)

Nicholas J Clark

## See Also

[mvgam](#), [formula.gam](#), [gam.models](#), [jagam](#), [gam](#), [s](#), [gp](#), [formula](#)

## Description

A `mvgam_irf` object returned by function [irf](#). Run `methods(class = "mvgam_irf")` to see an overview of available methods.

**Details**

A `mvgam_irf` object contains a list of posterior impulse response functions, each stored as its own list

**Author(s)**

Nicholas J Clark

**See Also**

[mvgam](#), [VAR](#)

---

`mvgam_marginaleffects` *Helper functions for **marginaleffects** calculations in **mvgam** models*

---

**Description**

Helper functions for **marginaleffects** calculations in **mvgam** models

Functions needed for working with **marginaleffects**

Functions needed for getting data / objects with **insight**

**Usage**

```
## S3 method for class 'mvgam'
get_coef(model, trend_effects = FALSE, ...)

## S3 method for class 'mvgam'
set_coef(model, coefs, trend_effects = FALSE, ...)

## S3 method for class 'mvgam'
get_vcov(model, vcov = NULL, ...)

## S3 method for class 'mvgam'
get_predict(model, newdata, type = "response", process_error = FALSE, ...)

## S3 method for class 'mvgam'
get_data(x, source = "environment", verbose = TRUE, ...)

## S3 method for class 'mvgam_predit'
get_data(x, source = "environment", verbose = TRUE, ...)

## S3 method for class 'mvgam'
find_predictors(
  x,
  effects = c("fixed", "random", "all"),
  component = c("all", "conditional", "zi", "zero_inflated", "dispersion", "instruments",
```

```

    "correlation", "smooth_terms"),
  flatten = FALSE,
  verbose = TRUE,
  ...
)

## S3 method for class 'mvgam_predit'
find_predictors(
  x,
  effects = c("fixed", "random", "all"),
  component = c("all", "conditional", "zi", "zero_inflated", "dispersion", "instruments",
    "correlation", "smooth_terms"),
  flatten = FALSE,
  verbose = TRUE,
  ...
)

```

## Arguments

<code>model</code>	Model object
<code>trend_effects</code>	logical, extract from the process model component (only applicable if a <code>trend_formula</code> was specified in the model)
<code>...</code>	Additional arguments are passed to the <code>predict()</code> method supplied by the modeling package. These arguments are particularly useful for mixed-effects or bayesian models (see the online vignettes on the <code>marginaleffects</code> website). Available arguments can vary from model to model, depending on the range of supported arguments by each modeling package. See the "Model-Specific Arguments" section of the <code>?slopes</code> documentation for a non-exhaustive list of available arguments.
<code>coefs</code>	vector of coefficients to insert in the model object
<code>vcov</code>	Type of uncertainty estimates to report (e.g., for robust standard errors). Acceptable values: <ul style="list-style-type: none"> <li>• <code>FALSE</code>: Do not compute standard errors. This can speed up computation considerably.</li> <li>• <code>TRUE</code>: Unit-level standard errors using the default <code>vcov(model)</code> variance-covariance matrix.</li> <li>• String which indicates the kind of uncertainty estimates to return. <ul style="list-style-type: none"> <li>– Heteroskedasticity-consistent: <code>"HC"</code>, <code>"HC0"</code>, <code>"HC1"</code>, <code>"HC2"</code>, <code>"HC3"</code>, <code>"HC4"</code>, <code>"HC4m"</code>, <code>"HC5"</code>. See <code>?sandwich::vcovHC</code></li> <li>– Heteroskedasticity and autocorrelation consistent: <code>"HAC"</code></li> <li>– Mixed-Models degrees of freedom: <code>"satterthwaite"</code>, <code>"kenward-roger"</code></li> <li>– Other: <code>"NeweyWest"</code>, <code>"KernHAC"</code>, <code>"OPG"</code>. See the <code>sandwich</code> package documentation.</li> </ul> </li> <li>• One-sided formula which indicates the name of cluster variables (e.g., <code>~unit_id</code>). This formula is passed to the <code>cluster</code> argument of the <code>sandwich::vcovCL</code> function.</li> </ul>

	<ul style="list-style-type: none"> <li>• Square covariance matrix</li> <li>• Function which returns a covariance matrix (e.g., <code>stats::vcov(model)</code>)</li> </ul>
<code>newdata</code>	<p>Grid of predictor values at which we evaluate the slopes.</p> <ul style="list-style-type: none"> <li>• Warning: Please avoid modifying your dataset between fitting the model and calling a <code>marginaleffects</code> function. This can sometimes lead to unexpected results.</li> <li>• NULL (default): Unit-level slopes for each observed value in the dataset (empirical distribution). The dataset is retrieved using <code>insight::get_data()</code>, which tries to extract data from the environment. This may produce unexpected results if the original data frame has been altered since fitting the model.</li> <li>• <code>datagrid()</code> call to specify a custom grid of regressors. For example:             <ul style="list-style-type: none"> <li>– <code>newdata = datagrid(cyl = c(4, 6))</code>: <code>cyl</code> variable equal to 4 and 6 and other regressors fixed at their means or modes.</li> <li>– See the Examples section and the <code>datagrid()</code> documentation.</li> </ul> </li> <li>• <code>subset()</code> call with a single argument to select a subset of the dataset used to fit the model, ex: <code>newdata = subset(treatment == 1)</code></li> <li>• <code>dplyr::filter()</code> call with a single argument to select a subset of the dataset used to fit the model, ex: <code>newdata = filter(treatment == 1)</code></li> <li>• string:             <ul style="list-style-type: none"> <li>– "mean": Slopes evaluated when each predictor is held at its mean or mode.</li> <li>– "median": Slopes evaluated when each predictor is held at its median or mode.</li> <li>– "balanced": Slopes evaluated on a balanced grid with every combination of categories and numeric variables held at their means.</li> <li>– "tukey": Slopes evaluated at Tukey's 5 numbers.</li> <li>– "grid": Slopes evaluated on a grid of representative numbers (Tukey's 5 numbers and unique values of categorical predictors).</li> </ul> </li> </ul>
<code>type</code>	<p>string indicates the type (scale) of the predictions used to compute contrasts or slopes. This can differ based on the model type, but will typically be a string such as: "response", "link", "probs", or "zero". When an unsupported string is entered, the model-specific list of acceptable values is returned in an error message. When <code>type</code> is NULL, the first entry in the error message is used by default.</p>
<code>process_error</code>	<p>logical. If TRUE, uncertainty in the latent process (or trend) model is incorporated in predictions</p>
<code>x</code>	<p>A fitted model.</p>
<code>source</code>	<p>String, indicating from where data should be recovered. If <code>source = "environment"</code> (default), data is recovered from the environment (e.g. if the data is in the workspace). This option is usually the fastest way of getting data and ensures that the original variables used for model fitting are returned. Note that always the <i>current</i> data is recovered from the environment. Hence, if the data was modified <i>after</i> model fitting (e.g., variables were recoded or rows filtered), the returned data may no longer equal the model data. If <code>source = "frame"</code> (or</p>

"mf"), the data is taken from the model frame. Any transformed variables are back-transformed, if possible. This option returns the data even if it is not available in the environment, however, in certain edge cases back-transforming to the original data may fail. If `source = "environment"` fails to recover the data, it tries to extract the data from the model frame; if `source = "frame"` and data cannot be extracted from the model frame, data will be recovered from the environment. Both ways only returns observations that have no missing data in the variables used for model fitting.

verbose	Toggle messages and warnings.
effects	Should model data for fixed effects ("fixed"), random effects ("random") or both ("all") be returned? Only applies to mixed or gee models.
component	<p>Which type of parameters to return, such as parameters for the conditional model, the zero-inflated part of the model, the dispersion term, the instrumental variables or marginal effects be returned? Applies to models with zero-inflated and/or dispersion formula, or to models with instrumental variables (so called fixed-effects regressions), or models with marginal effects (from <b>mf</b>). See details in section <i>Model Components</i>. May be abbreviated. Note that the <i>conditional</i> component also refers to the <i>count</i> or <i>mean</i> component - names may differ, depending on the modeling package. There are three convenient shortcuts (not applicable to <i>all</i> model classes):</p> <ul style="list-style-type: none"> <li>• <code>component = "all"</code> returns all possible parameters.</li> <li>• If <code>component = "location"</code>, location parameters such as conditional, zero_inflated, smooth_terms, or instruments are returned (everything that are fixed or random effects - depending on the effects argument - but no auxiliary parameters).</li> <li>• For <code>component = "distributional"</code> (or "auxiliary"), components like sigma, dispersion, beta or precision (and other auxiliary parameters) are returned.</li> </ul>
flatten	Logical, if TRUE, the values are returned as character vector, not as list. Duplicated values are removed.

## Value

Objects suitable for internal 'marginaleffects' functions to proceed. See [marginaleffects::get\\_coef\(\)](#), [marginaleffects::set\\_coef\(\)](#), [marginaleffects::get\\_vcov\(\)](#), [marginaleffects::get\\_predict\(\)](#), [insight::get\\_data\(\)](#) and [insight::find\\_predictors\(\)](#) for details

## Author(s)

Nicholas J Clark

## Description

Supported latent trend models in **mvgam**

## Details

mvgam currently supports the following dynamic trend models:

- None (no latent trend component; i.e. the GAM component is all that contributes to the linear predictor, and the observation process is the only source of error; similarly to what is estimated by [gam](#))
- ZMVN() (zero-mean correlated errors, useful for modelling time series where no autoregressive terms are needed or for modelling data that are not sampled as time series)
- RW()
- AR( $p = 1, 2, \text{ or } 3$ )
- CAR( $p = 1$ )(continuous time autoregressive trends; only available in Stan)
- VAR()(only available in Stan)
- PW() (piecewise linear or logistic trends; only available in Stan)
- GP() (Gaussian Process with squared exponential kernel; only available in Stan)

For most dynamic trend types available in mvgam (see argument `trend_model`), time should be measured in discrete, regularly spaced intervals (i.e. `c(1, 2, 3, ...)`). However you can use irregularly spaced intervals if using `trend_model = CAR(1)`, though note that any temporal intervals that are exactly 0 will be adjusted to a very small number ( $1e-12$ ) to prevent sampling errors. For all autoregressive trend types apart from `CAR()`, moving average and/or correlated process error terms can also be estimated (for example, `RW(cor = TRUE)` will set up a multivariate Random Walk if data contains >1 series). Hierarchical process error correlations can also be handled if the data contain relevant observation units that are nested into relevant grouping and subgrouping levels (i.e. using `AR(gr = region, subgr = species)`)

Note that only RW, AR1, AR2 and AR3 are available if using JAGS. All trend models are supported if using Stan. Dynamic factor models can be used in which the latent factors evolve as either RW, AR1–3, VAR or GP. For VAR models (i.e. VAR and VARcor models), users can either fix the trend error covariances to be 0 (using VAR) or estimate them and potentially allow for contemporaneously correlated errors using VARcor. For all VAR models, stationarity of the latent process is enforced through the prior using the parameterisation given by Heaps (2022). Stationarity is not enforced when using AR1, AR2 or AR3 models, though this can be changed by the user by specifying lower and upper bounds on autoregressive parameters using functionality in [get\\_mvgam\\_priors](#) and the `priors` argument in [mvgam](#). Piecewise trends follow the formulation in the popular prophet package produced by Facebook, where users can allow for changepoints to control the potential flexibility of the trend. See Taylor and Letham (2018) for details

## References

Sarah E. Heaps (2022) Enforcing stationarity through the prior in Vector Autoregressions. Journal of Computational and Graphical Statistics. 32:1, 1-10.

Sean J. Taylor and Benjamin Letham (2018) Forecasting at scale. The American Statistician 72.1, 37-45.

## See Also

[RW](#), [AR](#), [CAR](#), [VAR](#), [PW](#), [GP](#), [ZMVN](#)

---

pairs.mvgam	Create a matrix of output plots from a mvgam object
-------------	---

---

## Description

A [pairs](#) method that is customized for MCMC output.

## Usage

```
## S3 method for class 'mvgam'
pairs(x, variable = NULL, regex = FALSE, use_alias = TRUE, ...)
```

## Arguments

x	An object of class mvgam or jsdgam
variable	Names of the variables (parameters) to plot, as given by a character vector or a regular expression (if regex = TRUE). By default, a hopefully not too large selection of variables is plotted.
regex	Logical; Indicates whether variable should be treated as regular expressions. Defaults to FALSE.
use_alias	Logical. If more informative names for parameters are available (i.e. for beta coefficients b or for smoothing parameters rho), replace the uninformative names with the more informative alias. Defaults to TRUE
...	Further arguments to be passed to <a href="#">mcmc_pairs</a> .

## Details

For a detailed description see [mcmc\\_pairs](#).

## Value

Plottable objects whose classes depend on the arguments supplied. See [mcmc\\_pairs](#) for details.

## Examples

```
simdat <- sim_mvgam(n_series = 1, trend_model = 'AR1')
mod <- mvgam(y ~ s(season, bs = 'cc'),
             trend_model = AR(),
             noncentred = TRUE,
             data = simdat$data_train,
             chains = 2)

pairs(mod)
pairs(mod, variable = c('ar1', 'sigma'), regex = TRUE)
```

---

plot.mvgam

*Default plots for **mvgam** models*


---

## Description

This function takes a fitted mvgam object and produces plots of smooth functions, forecasts, trends and uncertainty components

## Usage

```
## S3 method for class 'mvgam'
plot(
  x,
  type = "residuals",
  series = 1,
  residuals = FALSE,
  newdata,
  data_test,
  trend_effects = FALSE,
  ...
)
```

## Arguments

x	list object returned from mvgam. See <a href="#">mvgam()</a>
type	character specifying which type of plot to return. Options are: series, residuals, smooths, re (random effect smooths), pterms (parametric effects), forecast, trend, uncertainty, factors
series	integer specifying which series in the set is to be plotted. This is ignored if type == 're'
residuals	logical. If TRUE and type = 'smooths', posterior quantiles of partial residuals are added to plots of 1-D smooths as a series of ribbon rectangles. Partial residuals for a smooth term are the median Dunn-Smyth residuals that would be obtained by dropping the term concerned from the model, while leaving all other



	estimates fixed (i.e. the estimates for the term plus the original median Dunn-Smyth residuals). Note that because mvgam works with Dunn-Smyth residuals and not working residuals, which are used by mgcv, the magnitudes of partial residuals will be different to what you would expect from <a href="#">plot.gam</a> . Interpretation is similar though, as these partial residuals should be evenly scattered around the smooth function if the function is well estimated
newdata	Optional dataframe or list of test data containing at least 'series' and 'time' in addition to any other variables included in the linear predictor of the original formula. This argument is optional when plotting out of sample forecast period observations (when type = forecast) and required when plotting uncertainty components (type = uncertainty).
data_test	Deprecated. Still works in place of newdata but users are recommended to use newdata instead for more seamless integration into R workflows
trend_effects	logical. If TRUE and a trend_formula was used in model fitting, terms from the trend (i.e. process) model will be plotted
...	Additional arguments for each individual plotting function.

### Details

These plots are useful for getting an overview of the fitted model and its estimated random effects or smooth functions, but the individual plotting functions and the functions from the `marginaleffects` and `gratia` packages offer far more more customisation.

### Value

A base R plot or set of plots

### Author(s)

Nicholas J Clark

### See Also

[plot\\_mvgam\\_resids](#), [plot\\_mvgam\\_smooth](#), [plot\\_mvgam\\_fc](#), [plot\\_mvgam\\_trend](#), [plot\\_mvgam\\_uncertainty](#), [plot\\_mvgam\\_factors](#), [plot\\_mvgam\\_randomeffects](#), [conditional\\_effects.mvgam](#), [plot\\_predictions](#), [plot\\_slopes](#), [gratia\\_mvgam\\_enhancements](#)

### Examples

```
# Simulate some time series
dat <- sim_mvgam(T = 80, n_series = 3)

# Fit a basic model
mod <- mvgam(y ~ s(season, bs = 'cc') + s(series, bs = 're'),
             data = dat$data_train,
             trend_model = RW(),
             chains = 2,
             silent = 2)
```

```

# Plot predictions and residuals for each series
plot(mod, type = 'forecast', series = 1)
plot(mod, type = 'forecast', series = 2)
plot(mod, type = 'forecast', series = 3)
plot(mod, type = 'residuals', series = 1)
plot(mod, type = 'residuals', series = 2)
plot(mod, type = 'residuals', series = 3)

# Plot model effects
plot(mod, type = 'smooths')
plot(mod, type = 're')

# More flexible plots with 'marginaleffects' utilities
library(marginaleffects)
plot_predictions(mod, condition = 'season', type = 'link')
plot_predictions(mod,
                  condition = c('season', 'series', 'series'),
                  type = 'link')
plot_predictions(mod, condition = 'series', type = 'link')

# When using a State-Space model with predictors on the process
# model, set trend_effects = TRUE to visualise process effects
mod <- mvgam(y ~ -1,
             trend_formula = ~ s(season, bs = 'cc'),
             data = dat$data_train,
             trend_model = RW(),
             chains = 2,
             silent = 2)
plot(mod, type = 'smooths', trend_effects = TRUE)

# But marginaleffects functions work without any modification
plot_predictions(mod, condition = 'season', type = 'link')

```

---

plot.mvgam_fevd	<i>Plot forecast error variance decompositions from an mvgam_fevd object</i>
-----------------	--

---

## Description

This function takes an `mvgam_fevd` object and produces a plot of the posterior median contributions to forecast variance for each series in the fitted Vector Autoregression

## Usage

```

## S3 method for class 'mvgam_fevd'
plot(x, ...)

```

**Arguments**

x                    list object of class mvgam\_fevd. See [fevd\(\)](#)  
 ...                  ignored

**Value**

A [ggplot](#) object, which can be further customized using the **ggplot2** package

**Author(s)**

Nicholas J Clark

---

plot.mvgam_irf	<i>Plot impulse responses from an mvgam_irf object</i>
----------------	--

---

**Description**

This function takes an mvgam\_irf object and produces plots of Impulse Response Functions

**Usage**

```
## S3 method for class 'mvgam_irf'
plot(x, series = 1, ...)
```

**Arguments**

x                    list object of class mvgam\_irf. See [irf\(\)](#)  
 series              integer specifying which process series should be given the shock  
 ...                  ignored

**Value**

A ggplot object showing the expected response of each latent time series to a shock of the focal series

**Author(s)**

Nicholas J Clark

---

plot.mvgam_lfo	<i>Plot Pareto-k and ELPD values from a mvgam_lfo object</i>
----------------	--

---

**Description**

This function takes an object of class `mvgam_lfo` and creates several informative diagnostic plots

**Usage**

```
## S3 method for class 'mvgam_lfo'
plot(x, ...)
```

**Arguments**

<code>x</code>	An object of class <code>mvgam_lfo</code>
<code>...</code>	Ignored

**Value**

A ggplot object presenting Pareto-k and ELPD values over the evaluation timepoints. For the Pareto-k plot, a dashed red line indicates the specified threshold chosen for triggering model refits. For the ELPD plot, a dashed red line indicates the bottom 10% quantile of ELPD values. Points below this threshold may represent outliers that were more difficult to forecast

---

plot.mvgam_residcor	<i>Plot residual correlations based on latent factors from a fitted jsdgam</i>
---------------------	--

---

**Description**

Plot residual correlation estimates from Joint Species Distribution `jsdgam` models

**Usage**

```
## S3 method for class 'mvgam_residcor'
plot(x, ...)
```

**Arguments**

<code>x</code>	list object of class <code>mvgam_residcor</code> resulting from a call to <code>residual_cor(..., summary = TRUE)</code>
<code>...</code>	ignored

**Details**

This function plots the significant residual correlations from a `mvgam_residcor` object

**Value**

A ggplot object

**Author(s)**

Nicholas J Clark

**See Also**

[jsdgam](#), [residual\\_cor](#)

---

plot_mvgam_factors	<i>Latent factor summaries for a fitted <b>mvgam</b> object</i>
--------------------	---

---

**Description**

This function takes a fitted mvgam object and returns plots and summary statistics for the latent dynamic factors

**Usage**

```
plot_mvgam_factors(object, plot = TRUE)
```

**Arguments**

object	list object returned from mvgam. See <a href="#">mvgam()</a>
plot	logical specifying whether factors should be plotted

**Details**

If the model in object was estimated using dynamic factors, it is possible that not all factors contributed to the estimated trends. This is due to the regularisation penalty that acts independently on each factor's Gaussian precision, which will squeeze un-needed factors to a white noise process (effectively dropping that factor from the model). In this function, each factor is tested against a null hypothesis of white noise by calculating the sum of the factor's 2nd derivatives. A factor that has a larger contribution will have a larger sum due to the weaker penalty on the factor's precision. If plot == TRUE, the factors are also plotted.

**Value**

A data.frame of factor contributions and, optionally, a ggplot object

**Author(s)**

Nicholas J Clark

## Examples

```
simdat <- sim_mvgam()
mod <- mvgam(y ~ s(season, bs = 'cc',
                  k = 6),
            trend_model = AR(),
            use_lv = TRUE,
            n_lv = 2,
            data = simdat$data_train,
            chains = 2,
            silent = 2)
plot_mvgam_factors(mod)
```

---

plot\_mvgam\_forecasts    *Plot posterior forecast predictions from **mvgam** models*

---

## Description

Plot posterior forecast predictions from **mvgam** models

## Usage

```
plot_mvgam_fc(
  object,
  series = 1,
  newdata,
  data_test,
  realisations = FALSE,
  n_realisations = 15,
  hide_xlabels = FALSE,
  xlab,
  ylab,
  ylim,
  n_cores = 1,
  return_forecasts = FALSE,
  return_score = FALSE,
  ...
)

## S3 method for class 'mvgam_forecast'
plot(
  x,
  series = 1,
  realisations = FALSE,
  n_realisations = 15,
  xlab,
  ylab,
```

```

    ylim,
    ...
  )

```

### Arguments

object	list object of class mvgam. See <a href="#">mvgam()</a>
series	integer specifying which series in the set is to be plotted
newdata	Optional dataframe or list of test data containing at least 'series' and 'time' in addition to any other variables included in the linear predictor of the original formula. If included, the covariate information in newdata will be used to generate forecasts from the fitted model equations. If this same newdata was originally included in the call to mvgam, then forecasts have already been produced by the generative model and these will simply be extracted and plotted. However if no newdata was supplied to the original model call, an assumption is made that the newdata supplied here comes sequentially after the data supplied as data in the original model (i.e. we assume there is no time gap between the last observation of series 1 in data and the first observation for series 1 in newdata). If newdata contains observations in column y, these observations will be used to compute a Discrete Rank Probability Score for the forecast distribution
data_test	Deprecated. Still works in place of newdata but users are recommended to use newdata instead for more seamless integration into R workflows
realisations	logical. If TRUE, forecast realisations are shown as a spaghetti plot, making it easier to visualise the diversity of possible forecasts. If FALSE, the default, empirical quantiles of the forecast distribution are shown
n_realisations	integer specifying the number of posterior realisations to plot, if realisations = TRUE. Ignored otherwise
hide_xlabels	logical. If TRUE, no xlabels are printed to allow the user to add custom labels using axis from base R
xlab	label for x axis.
ylab	label for y axis.
ylim	Optional vector of y-axis limits (min, max)
n_cores	integer specifying number of cores for generating forecasts in parallel
return_forecasts	logical. If TRUE, the function will plot the forecast as well as returning the forecast object (as a matrix of dimension n_samples x horizon)
return_score	logical. If TRUE and out of sample test data is provided as newdata, a probabilistic score will be calculated and returned. The score used will depend on the observation family from the fitted model. Discrete families (poisson, negative binomial, tweedie) use the Discrete Rank Probability Score. Other families use the Continuous Rank Probability Score. The value returned is the sum of all scores within the out of sample forecast horizon
...	further <a href="#">par</a> graphical parameters.
x	Object of class mvgam_forecast

## Details

plot\_mvgam\_fc generates posterior predictions from an object of class mvgam, calculates posterior empirical quantiles and plots them against the observed data. If realisations = FALSE, the returned plot shows 90, 60, 40 and 20 percent posterior quantiles (as ribbons of increasingly darker shades of red) as well as the posterior median (as a dark red line). If realisations = TRUE, a set of n\_realisations posterior draws are shown. This function produces an older style base R plot, as opposed to plot\_mvgam\_forecast

plot\_mvgam\_forecast takes an object of class mvgam\_forecast, in which forecasts have already been computed, and plots the resulting forecast distribution as a ggplot object. This function is therefore more versatile and is recommended over the older and clunkier plot\_mvgam\_fc version

If realisations = FALSE, these posterior quantiles are plotted along with the true observed data that was used to train the model. Otherwise, a spaghetti plot is returned to show possible forecast paths.

## Value

A base R graphics plot (for plot\_mvgam\_fc) or a ggplot object (for plot\_mvgam\_forecast) and an optional list containing the forecast distribution and the out of sample probabilistic forecast score

## Examples

```
simdat <- sim_mvgam(n_series = 3, trend_model = AR())
mod <- mvgam(y ~ s(season, bs = 'cc', k = 6),
             trend_model = AR(),
             noncentred = TRUE,
             data = simdat$data_train,
             chains = 2,
             silent = 2)

# Hindcasts on response scale
hc <- hindcast(mod)
str(hc)
plot(hc, series = 1)
plot(hc, series = 2)
plot(hc, series = 3)

# Forecasts on response scale
fc <- forecast(mod, newdata = simdat$data_test)
str(fc)
plot(fc, series = 1)
plot(fc, series = 2)
plot(fc, series = 3)

# Forecasts as expectations
fc <- forecast(mod, newdata = simdat$data_test, type = 'expected')
plot(fc, series = 1)
plot(fc, series = 2)
plot(fc, series = 3)
```



```
# Dynamic trend extrapolations
fc <- forecast(mod, newdata = simdat$data_test, type = 'trend')
plot(fc, series = 1)
plot(fc, series = 2)
plot(fc, series = 3)
```

---

plot_mvgam_pterms	<i>Plot parametric term partial effects for <b>mvgam</b> models</i>
-------------------	---

---

### Description

This function plots posterior empirical quantiles for partial effects of parametric terms

### Usage

```
plot_mvgam_pterms(object, trend_effects = FALSE)
```

### Arguments

object	list object of class mvgam. See <a href="#">mvgam()</a>
trend_effects	logical. If TRUE and a trend_formula was used in model fitting, terms from the trend (i.e. process) model will be plotted

### Details

Posterior empirical quantiles of each parametric term's partial effect estimates (on the link scale) are calculated and visualised as ribbon plots. These effects can be interpreted as the partial effect that a parametric term contributes when all other terms in the model have been set to 0

### Value

A base R graphics plot

---

plot_mvgam_randomeffects	<i>Plot random effect terms from <b>mvgam</b> models</i>
--------------------------	--

---

### Description

This function plots posterior empirical quantiles for random effect smooths (bs = re)

### Usage

```
plot_mvgam_randomeffects(object, trend_effects = FALSE)
```

**Arguments**

object	list object of class mvgam. See <a href="#">mvgam()</a>
trend_effects	logical. If TRUE and a trend_formula was used in model fitting, terms from the trend (i.e. process) model will be plotted

**Details**

Posterior empirical quantiles of random effect coefficient estimates (on the link scale) are calculated and visualised as ribbon plots. Labels for coefficients are taken from the levels of the original factor variable that was used to specify the smooth in the model's formula

**Value**

A base R graphics plot

---

plot_mvgam_resids	<i>Residual diagnostics for a fitted <b>mvgam</b> object</i>
-------------------	--

---

**Description**

This function takes a fitted mvgam object and returns various residual diagnostic plots

**Usage**

```
plot_mvgam_resids(object, series = 1, n_draws = 100L, n_points = 1000L)
```

**Arguments**

object	list object returned from mvgam. See <a href="#">mvgam()</a>
series	integer specifying which series in the set is to be plotted
n_draws	integer specifying the number of posterior residual draws to use for calculating uncertainty in the "ACF" and "pACF" frames. Default is 100
n_points	integer specifying the maximum number of points to show in the "Resids vs Fitted" and "Normal Q-Q Plot" frames. Default is 1000

**Details**

A total of four ggplot plots are generated to examine posterior Dunn-Smyth residuals for the specified series. Plots include a residuals vs fitted values plot, a Q-Q plot, and two plots to check for any remaining temporal autocorrelation in the residuals. Note, all plots only report statistics from a sample of up to 100 posterior draws (to save computational time), so uncertainty in these relationships may not be adequately represented.

**Value**

A series of faceted ggplot object

**Author(s)**

Nicholas J Clark

Nicholas J Clark and Matthijs Hollanders

**Examples**

```

simdat <- sim_mvgam(n_series = 3, trend_model = AR())
mod <- mvgam(y ~ s(season, bs = 'cc', k = 6),
             trend_model = AR(),
             noncentred = TRUE,
             data = simdat$data_train,
             chains = 2,
             silent = 2)

# Plot Dunn Smyth residuals for some series
plot_mvgam_resids(mod)
plot_mvgam_resids(mod, series = 2)

```

---

plot_mvgam_series	<i>Plot observed time series used for mvgam modelling</i>
-------------------	---

---

**Description**

This function takes either a fitted mvgam object or a data.frame object and produces plots of observed time series, ACF, CDF and histograms for exploratory data analysis

**Usage**

```

plot_mvgam_series(
  object,
  data,
  newdata,
  y = "y",
  lines = TRUE,
  series = 1,
  n_bins,
  log_scale = FALSE
)

```

**Arguments**

object	Optional list object returned from mvgam. Either object or data must be supplied.
data	Optional data.frame or list of training data containing at least 'series' and 'time'. Use this argument if training data have been gathered in the correct format for mvgam modelling but no model has yet been fitted.

newdata	Optional data.frame or list of test data containing at least 'series' and 'time' for the forecast horizon, in addition to any other variables included in the linear predictor of formula. If included, the observed values in the test data are compared to the model's forecast distribution for exploring biases in model predictions.
y	Character. What is the name of the outcome variable in the supplied data? Defaults to 'y'
lines	Logical. If TRUE, line plots are used for visualizing time series. If FALSE, points are used.
series	Either a integer specifying which series in the set is to be plotted or the string 'all', which plots all series available in the supplied data
n_bins	integer specifying the number of bins to use for binning observed values when plotting a the histogram. Default is to use the number of bins returned by a call to hist in base R
log_scale	logical. If series == 'all', this flag is used to control whether the time series plot is shown on the log scale (using $\log(Y + 1)$ ). This can be useful when visualizing many series that may have different observed ranges. Default is FALSE

### Value

A set of ggplot objects. If series is an integer, the plots will show observed time series, autocorrelation and cumulative distribution functions, and a histogram for the series. If series == 'all', a set of observed time series plots is returned in which all series are shown on each plot but only a single focal series is highlighted, with all remaining series shown as faint gray lines.

### Author(s)

Nicholas J Clark and Matthijs Hollanders

### Examples

```
# Simulate and plot series with observations bounded at 0 and 1 (Beta responses)
sim_data <- sim_mvgam(family = betar(),
  trend_model = RW(), prop_trend = 0.6)
plot_mvgam_series(data = sim_data$data_train, series = 'all')
plot_mvgam_series(data = sim_data$data_train,
  newdata = sim_data$data_test, series = 1)

# Now simulate series with overdispersed discrete observations
sim_data <- sim_mvgam(family = nb(), trend_model = RW(),
  prop_trend = 0.6, phi = 10)
plot_mvgam_series(data = sim_data$data_train, series = 'all')
```

---

plot\_mvgam\_smooth      *Plot smooth terms from **mvgam** models*


---

## Description

This function plots posterior empirical quantiles for a series-specific smooth term

## Usage

```
plot_mvgam_smooth(
  object,
  trend_effects = FALSE,
  series = 1,
  smooth,
  residuals = FALSE,
  n_resid_bins = 25,
  realisations = FALSE,
  n_realisations = 15,
  derivatives = FALSE,
  newdata
)
```

## Arguments

object	list object of class mvgam. See <a href="#">mvgam()</a>
trend_effects	logical. If TRUE and a trend_formula was used in model fitting, terms from the trend (i.e. process) model will be plotted
series	integer specifying which series in the set is to be plotted
smooth	either a character or integer specifying which smooth term to be plotted
residuals	logical. If TRUE then posterior quantiles of partial residuals are added to plots of 1-D smooths as a series of ribbon rectangles. Partial residuals for a smooth term are the median Dunn-Smyth residuals that would be obtained by dropping the term concerned from the model, while leaving all other estimates fixed (i.e. the estimates for the term plus the original median Dunn-Smyth residuals). Note that because mvgam works with Dunn-Smyth residuals and not working residuals, which are used by mgcv, the magnitudes of partial residuals will be different to what you would expect from <a href="#">plot.gam</a> . Interpretation is similar though, as these partial residuals should be evenly scattered around the smooth function if the function is well estimated
n_resid_bins	integer specifying the number of bins group the covariate into when plotting partial residuals. Setting this argument too high can make for messy plots that are difficult to interpret, while setting it too low will likely mask some potentially useful patterns in the partial residuals. Default is 25
realisations	logical. If TRUE, posterior realisations are shown as a spaghetti plot, making it easier to visualise the diversity of possible functions. If FALSE, the default, empirical quantiles of the posterior distribution are shown

n_realisations	integer specifying the number of posterior realisations to plot, if realisations = TRUE. Ignored otherwise
derivatives	logical. If TRUE, an additional plot will be returned to show the estimated 1st derivative for the specified smooth (Note, this only works for univariate smooths)
newdata	Optional dataframe for predicting the smooth, containing at least 'series' in addition to any other variables included in the linear predictor of the original model's formula. Note that this currently is only supported for plotting univariate smooths

### Details

Smooth functions are shown as empirical quantiles (or spaghetti plots) of posterior partial expectations across a sequence of values between the variable's min and max, while zeroing out effects of all other variables. At present, only univariate and bivariate smooth plots are allowed, though note that bivariate smooths rely on default behaviour from [plot.gam](#). `plot_mvgam_smooth` generates posterior predictions from an object of class `mvgam`, calculates posterior empirical quantiles and plots them. If `realisations = FALSE`, the returned plot shows 90, 60, 40 and 20 percent posterior quantiles (as ribbons of increasingly darker shades of red) as well as the posterior median (as a dark red line). If `realisations = TRUE`, a set of `n_realisations` posterior draws are shown. For more nuanced visualisation, supply `newdata` just as you would when predicting from a [gam](#) model or use the more flexible [conditional\\_effects.mvgam](#). Alternatively, if you prefer to use partial effect plots in the style of `gratia`, and if you have the `gratia` package installed, you can use `draw.mvgam`. See [gratia\\_mvgam\\_enhancements](#) for details.

### Value

A base R graphics plot

### Author(s)

Nicholas J Clark

### See Also

[plot.gam](#), [conditional\\_effects.mvgam](#), [gratia\\_mvgam\\_enhancements](#)

---

plot\_mvgam\_trend

*Plot latent trend predictions from **mvgam** models*

---

### Description

Plot latent trend predictions from **mvgam** models

**Usage**

```
plot_mvgam_trend(
  object,
  series = 1,
  newdata,
  data_test,
  realisations = FALSE,
  n_realisations = 15,
  n_cores = 1,
  derivatives = FALSE,
  xlab,
  ylab
)
```

**Arguments**

<code>object</code>	list object returned from <code>mvgam</code> . See <a href="#">mvgam()</a>
<code>series</code>	integer specifying which series in the set is to be plotted
<code>newdata</code>	Optional dataframe or list of test data containing at least 'series' and 'time' in addition to any other variables included in the linear predictor of the original formula.
<code>data_test</code>	Deprecated. Still works in place of <code>newdata</code> but users are recommended to use <code>newdata</code> instead for more seamless integration into R workflows
<code>realisations</code>	logical. If TRUE, posterior trend realisations are shown as a spaghetti plot, making it easier to visualise the diversity of possible trend paths. If FALSE, the default, empirical quantiles of the posterior distribution are shown
<code>n_realisations</code>	integer specifying the number of posterior realisations to plot, if <code>realisations = TRUE</code> . Ignored otherwise
<code>n_cores</code>	Deprecated. Parallel processing is no longer supported
<code>derivatives</code>	logical. If TRUE, an additional plot will be returned to show the estimated 1st derivative for the estimated trend
<code>xlab</code>	label for x axis.
<code>ylab</code>	label for y axis.

**Value**

A ggplot object

**Examples**

```
simdat <- sim_mvgam(n_series = 3, trend_model = 'AR1')
mod <- mvgam(y ~ s(season, bs = 'cc', k = 6),
  trend_model = AR(),
  noncentred = TRUE,
  data = simdat$data_train,
  chains = 2)
```

```
# Plot estimated trends for some series
plot_mvgam_trend(mod)
plot_mvgam_trend(mod, series = 2)

# Extrapolate trends forward in time and plot on response scale
plot_mvgam_trend(mod, newdata = simdat$data_test)
plot_mvgam_trend(mod, newdata = simdat$data_test, series = 2)

# But it is recommended to compute extrapolations for all series
# first and then plot
trend_fc <- forecast(mod, newdata = simdat$data_test)
plot(trend_fc, series = 1)
plot(trend_fc, series = 2)
```

---

```
plot_mvgam_uncertainty
```

*Plot forecast uncertainty contributions from **mvgam** models*

---

## Description

Plot forecast uncertainty contributions from **mvgam** models

## Usage

```
plot_mvgam_uncertainty(
  object,
  series = 1,
  newdata,
  data_test,
  legend_position = "topleft",
  hide_xlabels = FALSE
)
```

## Arguments

<code>object</code>	list object returned from <code>mvgam</code> . See <code>mvgam()</code>
<code>series</code>	integer specifying which series in the set is to be plotted
<code>newdata</code>	A dataframe or list containing at least 'series' and 'time' for the forecast horizon, in addition to any other variables included in the linear predictor of formula
<code>data_test</code>	Deprecated. Still works in place of <code>newdata</code> but users are recommended to use <code>newdata</code> instead for more seamless integration into R workflows
<code>legend_position</code>	The location may also be specified by setting <code>x</code> to a single keyword from the list: "none", "bottomright", "bottom", "bottomleft", "left", "topleft", "top", "topright", "right" and "center". This places the legend on the inside of the plot frame at the given location (if it is not "none").



**hide\_xlabels** logical. If TRUE, no xlabels are printed to allow the user to add custom labels using axis from base R

## Details

The basic idea of this function is to compute forecasts by ignoring one of the two primary components in a correlated residual model (i.e. by either ignoring the linear predictor effects or by ignoring the residual dynamics). Some caution is required however, as this function was designed early in the **mvgam** development cycle and there are now many types of models that it cannot handle very well. For example, models with shared latent states, or any type of State-Space models that include terms in the `trend_formula`, will either fail or give nonsensical results. Improvements are in the works to provide a more general way to decompose forecast uncertainties, so please check back at a later date.

## Value

A base R graphics plot

---

portal_data	<i>Portal Project rodent capture survey data</i>
-------------	--

---

## Description

A dataset containing timeseries of total captures (across all control plots) for select rodent species from the Portal Project

## Usage

```
portal_data
```

## Format

A data.frame containing the following fields:

**time** time of sampling, in lunar monthly cycles

**series** factor indicator of the time series, i.e. the species

**captures** total captures across all control plots

**mintemp** monthly mean minimum temperature

**ndvi\_ma12** 12-month moving average of the mean Normalised Difference Vegetation Index

**mintemp** monthly mean of minimum temperature

## Source

<https://github.com/weecology/PortalData/blob/main/SiteandMethods/Methods.md>

---

posterior\_epred.mvgam *Draws from the expected value of the posterior predictive distribution for mvgam objects*

---

## Description

Compute posterior draws of the expected value of the posterior predictive distribution (i.e. the conditional expectation). Can be performed for the data used to fit the model (posterior predictive checks) or for new data. By definition, these predictions have smaller variance than the posterior predictions performed by the [posterior\\_predict.mvgam](#) method. This is because only the uncertainty in the expected value of the posterior predictive distribution is incorporated in the draws computed by posterior\_epred while the residual error is ignored there. However, the estimated means of both methods averaged across draws should be very similar.

## Usage

```
## S3 method for class 'mvgam'
posterior_epred(
  object,
  newdata,
  data_test,
  ndraws = NULL,
  process_error = TRUE,
  ...
)
```

## Arguments

object	list object of class mvgam or jsdgm. See <a href="#">mvgam()</a>
newdata	Optional dataframe or list of test data containing the same variables that were included in the original data used to fit the model. If not supplied, predictions are generated for the original observations used for the model fit.
data_test	Deprecated. Still works in place of newdata but users are recommended to use newdata instead for more seamless integration into R workflows
ndraws	Positive integer indicating how many posterior draws should be used. If NULL (the default) all draws are used.
process_error	Logical. If TRUE and newdata is supplied, expected uncertainty in the process model is accounted for by using draws from any latent trend SD parameters. If FALSE, uncertainty in the latent trend component is ignored when calculating predictions. If no newdata is supplied, draws from the fitted model's posterior predictive distribution will be used (which will always include uncertainty in any latent trend components)
...	Ignored

## Details

Note that for all types of predictions for models that did not include a `trend_formula`, uncertainty in the dynamic trend component can be ignored by setting `process_error = FALSE`. However, if a `trend_formula` was supplied in the model, predictions for this component cannot be ignored. If `process_error = TRUE`, trend predictions will ignore autocorrelation coefficients or GP length scale coefficients, ultimately assuming the process is stationary. This method is similar to the types of posterior predictions returned from brms models when using autocorrelated error predictions for newdata. This function is therefore more suited to posterior simulation from the GAM components of a mvgam model, while the forecasting functions [plot\\_mvgam\\_fc](#) and [forecast.mvgam](#) are better suited to generate h-step ahead forecasts that respect the temporal dynamics of estimated latent trends.

## Value

A matrix of dimension `n_samples` x `new_obs`, where `n_samples` is the number of posterior samples from the fitted object and `n_obs` is the number of observations in `newdata`

## See Also

[hindcast.mvgam](#) [posterior\\_linpred.mvgam](#) [posterior\\_predict.mvgam](#)

## Examples

```
# Simulate some data and fit a model
simdat <- sim_mvgam(n_series = 1, trend_model = AR())
mod <- mvgam(y ~ s(season, bs = 'cc'),
             trend_model = AR(),
             noncentred = TRUE,
             data = simdat$data_train,
             chains = 2,
             silent = 2)

# Compute posterior expectations
expectations <- posterior_epred(mod)
str(expectations)
```

---

posterior\_linpred.mvgam

*Posterior draws of the linear predictor for **mvgam** objects*

---

## Description

Compute posterior draws of the linear predictor, that is draws before applying any link functions or other transformations. Can be performed for the data used to fit the model (posterior predictive checks) or for new data.

**Usage**

```
## S3 method for class 'mvgam'
posterior_linpred(
  object,
  transform = FALSE,
  newdata,
  ndraws = NULL,
  data_test,
  process_error = TRUE,
  ...
)
```

**Arguments**

<code>object</code>	list object of class <code>mvgam</code> or <code>jsdgm</code> . See <a href="#">mvgam()</a>
<code>transform</code>	Logical; if <code>FALSE</code> (the default), draws of the linear predictor are returned. If <code>TRUE</code> , draws of the transformed linear predictor, i.e. the conditional expectation, are returned.
<code>newdata</code>	Optional dataframe or list of test data containing the same variables that were included in the original data used to fit the model. If not supplied, predictions are generated for the original observations used for the model fit.
<code>ndraws</code>	Positive integer indicating how many posterior draws should be used. If <code>NULL</code> (the default) all draws are used.
<code>data_test</code>	Deprecated. Still works in place of <code>newdata</code> but users are recommended to use <code>newdata</code> instead for more seamless integration into R workflows
<code>process_error</code>	Logical. If <code>TRUE</code> and <code>newdata</code> is supplied, expected uncertainty in the process model is accounted for by using draws from any latent trend SD parameters. If <code>FALSE</code> , uncertainty in the latent trend component is ignored when calculating predictions. If no <code>newdata</code> is supplied, draws from the fitted model's posterior predictive distribution will be used (which will always include uncertainty in any latent trend components)
<code>...</code>	Ignored

**Details**

Note that for all types of predictions for models that did not include a `trend_formula`, uncertainty in the dynamic trend component can be ignored by setting `process_error = FALSE`. However, if a `trend_formula` was supplied in the model, predictions for this component cannot be ignored. If `process_error = TRUE`, trend predictions will ignore autocorrelation coefficients or GP length scale coefficients, ultimately assuming the process is stationary. This method is similar to the types of posterior predictions returned from `brms` models when using autocorrelated error predictions for `newdata`. This function is therefore more suited to posterior simulation from the GAM components of a `mvgam` model, while the forecasting functions [plot\\_mvgam\\_fc](#) and [forecast.mvgam](#) are better suited to generate h-step ahead forecasts that respect the temporal dynamics of estimated latent trends.

**Value**

A matrix of dimension `n_samples` x `new_obs`, where `n_samples` is the number of posterior samples from the fitted object and `n_obs` is the number of observations in `newdata`

**See Also**

[posterior\\_epred.mvgam](#) [posterior\\_predict.mvgam](#)  
[hindcast.mvgam](#) [posterior\\_epred.mvgam](#) [posterior\\_predict.mvgam](#)

**Examples**

```
# Simulate some data and fit a model
simdat <- sim_mvgam(n_series = 1, trend_model = AR())
mod <- mvgam(y ~ s(season, bs = 'cc'),
             trend_model = AR(),
             noncentred = TRUE,
             data = simdat$data_train,
             chains = 2,
             silent = 2)

# Extract linear predictor values
linpreds <- posterior_linpred(mod)
str(linpreds)
```

---

`posterior_predict.mvgam`

*Draws from the posterior predictive distribution for **mvgam** objects*

---

**Description**

Compute posterior draws of the posterior predictive distribution. Can be performed for the data used to fit the model (posterior predictive checks) or for new data. By definition, these draws have higher variance than draws of the expected value of the posterior predictive distribution computed by [posterior\\_epred.mvgam](#). This is because the residual error is incorporated in `posterior_predict`. However, the estimated means of both methods averaged across draws should be very similar.

**Usage**

```
## S3 method for class 'mvgam'
posterior_predict(
  object,
  newdata,
  data_test,
  ndraws = NULL,
  process_error = TRUE,
  ...
)
```

**Arguments**

<code>object</code>	list object of class <code>mvgam</code> or <code>jsdgam</code> . See <a href="#">mvgam()</a>
<code>newdata</code>	Optional dataframe or list of test data containing the same variables that were included in the original data used to fit the model. If not supplied, predictions are generated for the original observations used for the model fit.
<code>data_test</code>	Deprecated. Still works in place of <code>newdata</code> but users are recommended to use <code>newdata</code> instead for more seamless integration into R workflows
<code>ndraws</code>	Positive integer indicating how many posterior draws should be used. If NULL (the default) all draws are used.
<code>process_error</code>	Logical. If TRUE and <code>newdata</code> is supplied, expected uncertainty in the process model is accounted for by using draws from any latent trend SD parameters. If FALSE, uncertainty in the latent trend component is ignored when calculating predictions. If no <code>newdata</code> is supplied, draws from the fitted model's posterior predictive distribution will be used (which will always include uncertainty in any latent trend components)
<code>...</code>	Ignored

**Details**

Note that for all types of predictions for models that did not include a `trend_formula`, uncertainty in the dynamic trend component can be ignored by setting `process_error = FALSE`. However, if a `trend_formula` was supplied in the model, predictions for this component cannot be ignored. If `process_error = TRUE`, trend predictions will ignore autocorrelation coefficients or GP length scale coefficients, ultimately assuming the process is stationary. This method is similar to the types of posterior predictions returned from `brms` models when using autocorrelated error predictions for `newdata`. This function is therefore more suited to posterior simulation from the GAM components of a `mvgam` model, while the forecasting functions [plot\\_mvgam\\_fc](#) and [forecast.mvgam](#) are better suited to generate h-step ahead forecasts that respect the temporal dynamics of estimated latent trends.

**Value**

A matrix of dimension `n_samples` x `new_obs`, where `n_samples` is the number of posterior samples from the fitted object and `n_obs` is the number of observations in `newdata`

**See Also**

[hindcast.mvgam](#) [posterior\\_linpred.mvgam](#) [posterior\\_epred.mvgam](#)

**Examples**

```
# Simulate some data and fit a model
simdat <- sim_mvgam(n_series = 1, trend_model = AR())
mod <- mvgam(y ~ s(season, bs = 'cc'),
             trend_model = AR(),
             data = simdat$data_train,
             chains = 2,
             silent = 2)
```

```
# Compute posterior predictions
predictions <- posterior_predict(mod)
str(predictions)
```

ppc.mvgam

*Plot conditional posterior predictive checks from **mvgam** models***Description**

Plot conditional posterior predictive checks from **mvgam** models

**Usage**

```
ppc(object, ...)

## S3 method for class 'mvgam'
ppc(
  object,
  newdata,
  data_test,
  series = 1,
  type = "hist",
  n_bins,
  legend_position,
  xlab,
  ylab,
  ...
)
```

**Arguments**

object	list object returned from <code>mvgam</code> . See <a href="#">mvgam()</a>
...	further <a href="#">par</a> graphical parameters.
newdata	Optional dataframe or list of test data containing at least 'series' and 'time' for the forecast horizon, in addition to any other variables included in the linear predictor of formula. If included, the observed values in the test data are compared to the model's forecast distribution for exploring biases in model predictions. Note this is only useful if the same newdata was also included when fitting the original model.
data_test	Deprecated. Still works in place of newdata but users are recommended to use newdata instead for more seamless integration into R workflows
series	integer specifying which series in the set is to be plotted
type	character specifying the type of posterior predictive check to calculate and plot. Valid options are: 'rootogram', 'mean', 'hist', 'density', 'prop_zero', 'pit' and 'cdf'

<code>n_bins</code>	integer specifying the number of bins to use for binning observed values when plotting a rootogram or histogram. Default is 50 bins for a rootogram, which means that if there are >50 unique observed values, bins will be used to prevent overplotting and facilitate interpretation. Default for a histogram is to use the number of bins returned by a call to <code>hist</code> in base R
<code>legend_position</code>	The location may also be specified by setting <code>x</code> to a single keyword from the list "bottomright", "bottom", "bottomleft", "left", "topleft", "top", "topright", "right" and "center". This places the legend on the inside of the plot frame at the given location. Or alternatively, use "none" to hide the legend.
<code>xlab</code>	label for x axis.
<code>ylab</code>	label for y axis.

## Details

Conditional posterior predictions are drawn from the fitted `mvgam` and compared against the empirical distribution of the observed data for a specified series to help evaluate the model's ability to generate unbiased predictions. For all plots apart from `type = 'rootogram'`, posterior predictions can also be compared to out of sample observations as long as these observations were included as `'data_test'` in the original model fit and supplied here. Rootograms are currently only plotted using the `'hanging'` style.

Note that the predictions used for these plots are *conditional on the observed data*, i.e. they are those predictions that have been generated directly within the `mvgam()` model. They can be misleading if the model included flexible dynamic trend components. For a broader range of posterior checks that are created using *unconditional* "new data" predictions, see [pp\\_check.mvgam](#)

## Value

A base R graphics plot showing either a posterior rootogram (for `type == 'rootogram'`), the predicted vs observed mean for the series (for `type == 'mean'`), predicted vs observed proportion of zeroes for the series (for `type == 'prop_zero'`), predicted vs observed histogram for the series (for `type == 'hist'`), kernel density or empirical CDF estimates for posterior predictions (for `type == 'density'` or `type == 'cdf'`) or a Probability Integral Transform histogram (for `type == 'pit'`).

## Author(s)

Nicholas J Clark

## See Also

[pp\\_check.mvgam](#), [predict.mvgam](#)

## Examples

```
# Simulate some smooth effects and fit a model
set.seed(0)
dat <- mgcv::gamSim(1, n = 200, scale = 2)
mod <- mvgam(y ~ s(x0) + s(x1) + s(x2) + s(x3),
  data = dat,
```



```

    family = gaussian(),
    chains = 2,
    silent = 2
)

# Posterior checks
ppc(mod, type = "hist")
ppc(mod, type = "density")
ppc(mod, type = "cdf")

# Many more options are available with pp_check()
pp_check(mod)
pp_check(mod, type = "ecdf_overlay")
pp_check(mod, type = "freqpoly")

```

pp\_check.mvgam

*Posterior Predictive Checks for mvgam models***Description**

Perform unconditional posterior predictive checks with the help of the **bayesplot** package.

**Usage**

```

## S3 method for class 'mvgam'
pp_check(
  object,
  type,
  ndraws = NULL,
  prefix = c("ppc", "ppd"),
  group = NULL,
  x = NULL,
  newdata = NULL,
  ...
)

```

**Arguments**

object	An object of class <code>mvgam</code> .
type	Type of the ppc plot as given by a character string. See <a href="#">PPC</a> for an overview of currently supported types. You may also use an invalid type (e.g. <code>type = "xyz"</code> ) to get a list of supported types in the resulting error message.
ndraws	Positive integer indicating how many posterior draws should be used. If <code>NULL</code> all draws are used. If not specified, the number of posterior draws is chosen automatically. Ignored if <code>draw_ids</code> is not <code>NULL</code> .

prefix	The prefix of the <b>bayesplot</b> function to be applied. Either "ppc" (posterior predictive check; the default) or "ppd" (posterior predictive distribution), the latter being the same as the former except that the observed data is not shown for "ppd".
group	Optional name of a factor variable in the model by which to stratify the ppc plot. This argument is required for ppc *_grouped types and ignored otherwise.
x	Optional name of a variable in the model. Only used for ppc types having an x argument and ignored otherwise.
newdata	Optional dataframe or list of test data containing the variables included in the linear predictor of formula. If not supplied, predictions are generated for the original observations used for the model fit. Ignored if using one of the residual plots (i.e. 'resid_hist')
...	Further arguments passed to <a href="#">predict.mvgam</a> as well as to the PPC function specified in type.

### Details

Unlike the conditional posterior checks provided by [ppc](#), This function computes *unconditional* posterior predictive checks (i.e. it generates predictions for fake data without considering the true observations associated with those fake data). For a detailed explanation of each of the ppc functions, see the [PPC](#) documentation of the **bayesplot** package.

### Value

A ggplot object that can be further customized using the **ggplot2** package.

### Author(s)

Nicholas J Clark

### See Also

[ppc](#), [predict.mvgam](#)

### Examples

```
simdat <- sim_mvgam(seasonality = "hierarchical")
mod <- mvgam(
  y ~ series +
    s(season, bs = "cc", k = 6) +
    s(season, series, bs = "fs", k = 4),
  data = simdat$data_train,
  chains = 2,
  silent = 2
)

# Use pp_check(mod, type = "xyz") for a list of available plot types

# Default is a density overlay for all observations
pp_check(mod)
```

```

# Rootograms particularly useful for count data
pp_check(mod, type = "rootogram")

# Grouping plots by series is useful
pp_check(mod,
  type = "bars_grouped",
  group = "series", ndraws = 50
)
pp_check(mod,
  type = "ecdf_overlay_grouped",
  group = "series", ndraws = 50
)
pp_check(mod,
  type = "stat_freqpoly_grouped",
  group = "series", ndraws = 50
)

# Several types can be used to plot distributions of randomized
# quantile residuals
pp_check(
  object = mod,
  x = "season",
  type = "resid_ribbon"
)
pp_check(
  object = mod,
  x = "season",
  group = "series",
  type = "resid_ribbon_grouped"
)
pp_check(mod,
  ndraws = 5,
  type = "resid_hist_grouped",
  group = "series"
)

# Custom functions accepted
pp_check(mod, type = "stat", stat = function(x) mean(x == 0))
pp_check(mod,
  type = "stat_grouped",
  stat = function(x) mean(x == 0),
  group = "series"
)

# Some functions accept covariates to set the x-axes
pp_check(mod,
  x = "season",
  type = "ribbon_grouped",
  prob = 0.5,
  prob_outer = 0.8,
  group = "series"
)

```

```
# Many plots can be made without the observed data
pp_check(mod, prefix = "ppd")
```

---

predict.mvgam

*Predict from a fitted **mvgam** model*


---

## Description

Predict from a fitted **mvgam** model

## Usage

```
## S3 method for class 'mvgam'
predict(
  object,
  newdata,
  data_test,
  type = "link",
  process_error = FALSE,
  summary = TRUE,
  robust = FALSE,
  probs = c(0.025, 0.975),
  ...
)
```

## Arguments

object	list object of class mvgam or jsdgm. See <a href="#">mvgam()</a>
newdata	Optional dataframe or list of test data containing the same variables that were included in the original data used to fit the model. If not supplied, predictions are generated for the original observations used for the model fit.
data_test	Deprecated. Still works in place of newdata but users are recommended to use newdata instead for more seamless integration into R workflows
type	When this has the value link (default) the linear predictor is calculated on the link scale. If expected is used, predictions reflect the expectation of the response (the mean) but ignore uncertainty in the observation process. When response is used, the predictions take uncertainty in the observation process into account to return predictions on the outcome scale. When variance is used, the variance of the response with respect to the mean (mean-variance relationship) is returned. When type = "terms", each component of the linear predictor is returned separately in the form of a list (possibly with standard errors, if summary = TRUE): this includes parametric model components, followed by each smooth component, but excludes any offset and any intercept. Two special cases are also allowed: type latent_N will return the estimated latent

	abundances from an N-mixture distribution, while type detection will return the estimated detection probability from an N-mixture distribution
process_error	Logical. If TRUE and a dynamic trend model was fit, expected uncertainty in the process model is accounted for by using draws from the latent trend SD parameters. If FALSE, uncertainty in the latent trend component is ignored when calculating predictions
summary	Should summary statistics be returned instead of the raw values? Default is TRUE..
robust	If FALSE (the default) the mean is used as the measure of central tendency and the standard deviation as the measure of variability. If TRUE, the median and the median absolute deviation (MAD) are applied instead. Only used if summary is TRUE.
probs	The percentiles to be computed by the quantile function. Only used if summary is TRUE.
...	Ignored

## Details

Note that for all types of predictions for models that did not include a `trend_formula`, uncertainty in the dynamic trend component can be ignored by setting `process_error = FALSE`. However, if a `trend_formula` was supplied in the model, predictions for this component cannot be ignored. If `process_error = TRUE`, trend predictions will ignore autocorrelation coefficients or GP length scale coefficients, ultimately assuming the process is stationary. This method is similar to the types of posterior predictions returned from brms models when using autocorrelated error predictions for newdata. This function is therefore more suited to posterior simulation from the GAM components of a mvgam model, while the forecasting functions `plot.mvgam_fc` and `forecast.mvgam` are better suited to generate h-step ahead forecasts that respect the temporal dynamics of estimated latent trends.

## Value

Predicted values on the appropriate scale. If `summary = FALSE` and `type != "terms"`, the output is a matrix of dimension `n_draw x n_observations` containing predicted values for each posterior draw in object.

If `summary = TRUE` and `type != "terms"`, the output is an `n_observations x E` matrix. The number of summary statistics `E` is equal to `2 + length(probs)`: The `Estimate` column contains point estimates (either mean or median depending on argument `robust`), while the `Est.Error` column contains uncertainty estimates (either standard deviation or median absolute deviation depending on argument `robust`). The remaining columns starting with `Q` contain quantile estimates as specified via argument `probs`.

If `type = "terms"` and `summary = FALSE`, the output is a named list containing a separate slot for each effect, with the effects returned as matrices of dimension `n_draw x 1`. If `summary = TRUE`, the output resembles that from `predict.gam` when using the call `predict.gam(object, type = "terms", se.fit = TRUE)`, where mean contributions from each effect are returned in matrix form while standard errors (representing the interval:  $(\max(\text{probs}) - \min(\text{probs})) / 2$ ) are returned in a separate matrix

**Author(s)**

Nicholas J Clark

**Examples**

```
# Simulate 4 time series with hierarchical seasonality
# and independent AR1 dynamic processes
set.seed(111)
simdat <- sim_mvgam(seasonality = 'hierarchical',
                    trend_model = 'AR1',
                    family = gaussian())

# Fit a model with shared seasonality
mod1 <- mvgam(y ~ s(season, bs = 'cc', k = 6),
              data = simdat$data_train,
              family = gaussian(),
              trend_model = AR(),
              noncentred = TRUE,
              chains = 2,
              silent = 2)

# Generate predictions against observed data
preds <- predict(mod1,
                  summary = TRUE)
head(preds)

# Generate predictions against test data
preds <- predict(mod1,
                  newdata = simdat$data_test,
                  summary = TRUE)
head(preds)
```

---

print.mvgam

---

*Summary for a fitted **mvgam** object*


---

**Description**

This function takes a fitted mvgam or jsdgam object and prints a quick summary

**Usage**

```
## S3 method for class 'mvgam'
print(x, ...)
```

**Arguments**

x	list object returned from mvgam
...	Ignored

**Details**

A brief summary of the model's call is printed

**Value**

A list is printed on-screen

**Author(s)**

Nicholas J Clark

---

PW

*Specify piecewise linear or logistic trends in **mvgam** models*


---

**Description**

Set up piecewise linear or logistic trend models in `mvgam`. These functions do not evaluate their arguments – they exist purely to help set up a model with particular piecewise trend models.

**Usage**

```
PW(
  n_changepoints = 10,
  changepoint_range = 0.8,
  changepoint_scale = 0.05,
  growth = "linear"
)
```

**Arguments**

<code>n_changepoints</code>	A non-negative integer specifying the number of potential changepoints. Potential changepoints are selected uniformly from the first <code>changepoint_range</code> proportion of timepoints in data. Default is 10
<code>changepoint_range</code>	Proportion of history in data in which trend changepoints will be estimated. Defaults to 0.8 for the first 80%.
<code>changepoint_scale</code>	Parameter modulating the flexibility of the automatic changepoint selection by altering the scale parameter of a Laplace distribution. The resulting prior will be <code>double_exponential(0, changepoint_scale)</code> . Large values will allow many changepoints and a more flexible trend, while small values will allow few changepoints. Default is 0.05.
<code>growth</code>	Character string specifying either 'linear' or 'logistic' growth of the trend. If 'logistic', a variable labelled <code>cap</code> MUST be in data to specify the maximum saturation point for the trend (see details and examples in <a href="#">mvgam</a> for more information). Default is 'linear'.





```

    N[i + 1] <- max(1, N[i] + dNt(r, N[i], k))
  }
}
N
}

# Simulate expected values
set.seed(11)
expected <- Nt(0.004, 2, 100, 30)
plot(expected, xlab = 'Time')

# Take Poisson draws
y <- rpois(100, expected)
plot(y, xlab = 'Time')

# Assemble data into dataframe and model. We set a
# fixed carrying capacity of 35 for this example, but note that
# this value is not required to be fixed at each timepoint
mod_data <- data.frame(y = y,
                       time = 1:100,
                       cap = 35,
                       series = as.factor('series_1'))
plot_mvgam_series(data = mod_data)

# The intercept is nonidentifiable when using piecewise
# trends because the trend functions have their own offset
# parameters 'm'; it is recommended to always drop intercepts
# when using these trend models
mod <- mvgam(y ~ 0,
             trend_model = PW(growth = 'logistic'),
             family = poisson(),
             data = mod_data,
             chains = 2,
             silent = 2)
summary(mod)

# Plot the posterior hindcast
hc <- hindcast(mod)
plot(hc)

# View the changepoints with ggplot2 utilities
library(ggplot2)
mcmc_plot(mod, variable = 'delta_trend',
          regex = TRUE) +
  scale_y_discrete(labels = mod$trend_model$changepoints) +
  labs(y = 'Potential changepoint',
       x = 'Rate change')

# Generate a methods description scaffold
how_to_cite(mod)

```

residuals.mvgam

*Posterior draws of residuals from **mvgam** models***Description**

This method extracts posterior draws of Dunn-Smyth (randomized quantile) residuals in the order in which the data were supplied to the model. It included additional arguments for obtaining summaries of the computed residuals

**Usage**

```
## S3 method for class 'mvgam'
residuals(object, summary = TRUE, robust = FALSE, probs = c(0.025, 0.975), ...)
```

**Arguments**

object	An object of class mvgam
summary	Should summary statistics be returned instead of the raw values? Default is TRUE..
robust	If FALSE (the default) the mean is used as the measure of central tendency and the standard deviation as the measure of variability. If TRUE, the median and the median absolute deviation (MAD) are applied instead. Only used if summary is TRUE.
probs	The percentiles to be computed by the quantile function. Only used if summary is TRUE.
...	ignored

**Details**

This method gives residuals as Dunn-Smyth (randomized quantile) residuals. Any observations that were missing (i.e. NA) in the original data will have missing values in the residuals

**Value**

An array of randomized quantile residual values. If summary = FALSE the output resembles those of [posterior\\_epred.mvgam](#) and [predict.mvgam](#).

If summary = TRUE the output is an n\_observations x E matrix. The number of summary statistics E is equal to 2 + length(probs): The Estimate column contains point estimates (either mean or median depending on argument robust), while the Est.Error column contains uncertainty estimates (either standard deviation or median absolute deviation depending on argument robust). The remaining columns starting with Q contain quantile estimates as specified via argument probs.

**Author(s)**

Nicholas J Clark

**See Also**[augment.mvgam](#)**Examples**

```
# Simulate some data and fit a model
simdat <- sim_mvgam(n_series = 1, trend_model = AR())
mod <- mvgam(y ~ s(season, bs = 'cc'),
             trend_model = AR(),
             noncentred = TRUE,
             data = simdat$data_train,
             chains = 2,
             silent = 2)

# Extract posterior residuals
resids <- residuals(mod)
str(resids)

# Or add them directly to the observed data, along with fitted values
augment(mod, robust = FALSE, probs = c(0.25, 0.75))
```

---

residual_cor.jsdgam	<i>Extract residual correlations based on latent factors from a fitted jsdgam</i>
---------------------	---

---

**Description**

Compute residual correlation estimates from Joint Species Distribution jsdgam models using latent factor loadings

**Usage**

```
residual_cor(object, ...)

## S3 method for class 'jsdgam'
residual_cor(
  object,
  summary = TRUE,
  robust = FALSE,
  probs = c(0.025, 0.975),
  ...
)
```

**Arguments**

object	list object of class mvgam resulting from a call to <a href="#">jsdgam()</a>
...	ignored

summary	Should summary statistics be returned instead of the raw values? Default is TRUE..
robust	If FALSE (the default) the mean is used as a measure of central tendency. If TRUE, the median is used instead. Only used if summary is TRUE
probs	The percentiles to be computed by the quantile function. Only used if summary is TRUE.

## Details

Hui (2016) provides an excellent description of the quantities that this function calculates, so this passage is heavily paraphrased from his associated **boral** package.

In Joint Species Distribution Models, the residual covariance matrix is calculated based on the matrix of latent factor loading matrix  $\Theta$ , where the residual covariance matrix  $\Sigma = \Theta\Theta'$ . A strong residual covariance/correlation matrix between two species can be interpreted as evidence of species interaction (e.g., facilitation or competition), missing covariates, as well as any additional species correlation not accounted for by shared environmental captured in formula.

The residual precision matrix (also known as partial correlation matrix, Ovaskainen et al., 2016) is defined as the inverse of the residual correlation matrix. The precision matrix is often used to identify direct or causal relationships between two species e.g., two species can have a zero precision but still be correlated, which can be interpreted as saying that two species are not directly associated, but they are still correlated *through* other species. In other words, they are conditionally independent given the other species. It is important that the precision matrix does not exhibit the exact same properties of the correlation e.g., the diagonal elements are not equal to 1. Nevertheless, relatively larger values of precision may imply stronger direct relationships between two species.

In addition to the residual correlation and precision matrices, the median or mean point estimator of trace of the residual covariance matrix is returned,  $\sum_{j=1}^p [\Theta\Theta']_{jj}$ . Often used in other areas of multivariate statistics, the trace may be interpreted as the amount of covariation explained by the latent factors. One situation where the trace may be useful is when comparing a pure latent factor model (where no terms are supplied to formula) versus a model with latent factors and some additional predictors in formula – the proportional difference in trace between these two models may be interpreted as the proportion of covariation between species explained by the predictors in formula. Of course, the trace itself is random due to the MCMC sampling, and so it is not always guaranteed to produce sensible answers.

## Value

If summary = TRUE, a list of class `mvgam_residcor` with the following components:

cor, cor_lower, cor_upper	A set of $p \times p$ correlation matrices, containing either the posterior median or mean estimate, plus lower and upper limits of the corresponding credible intervals supplied to probs
sig_cor	A $p \times p$ correlation matrix containing only those correlations whose credible interval does not contain zero. All other correlations are set to zero

<code>prec, prec_lower, prec_upper</code>	A set of $p \times p$ precision matrices, containing either the posterior median or mean estimate, plus lower and upper limits of the corresponding credible intervals supplied to probs
<code>sig_prec</code>	A $p \times p$ precision matrix containing only those precisions whose credible interval does not contain zero. All other precisions are set to zero
<code>cov</code>	A $p \times p$ posterior median or mean covariance matrix
<code>trace</code>	The median/mean point estimator of the trace (sum of the diagonal elements) of the residual covariance matrix cov

If `summary = FALSE`, this function returns a list containing the following components:

<code>all_cormat</code>	A $n_{draws} \times p \times p$ array of posterior residual correlation matrix draws
<code>all_covmat</code>	A $n_{draws} \times p \times p$ array of posterior residual covariance matrix draws
<code>all_presmat</code>	A $n_{draws} \times p \times p$ array of posterior residual precision matrix draws
<code>all_trace</code>	A $n_{draws}$ vector of posterior covariance trace draws

### Author(s)

Nicholas J Clark

### References

Francis KC Hui (2016). BORAL - Bayesian ordination and regression analysis of multivariate abundance data in R. *Methods in Ecology and Evolution*. 7, 744-750.

Otso Ovaskainen et al. (2016). Using latent variable models to identify large networks of species-to-species associations at different spatial scales. *Methods in Ecology and Evolution*, 7, 549-555.

### See Also

[jsdgam\(\)](#)

### Description

Set up autoregressive or autoregressive moving average trend models in **mvgam**. These functions do not evaluate their arguments – they exist purely to help set up a model with particular autoregressive trend models.

**Usage**

```
RW(ma = FALSE, cor = FALSE, gr = NA, subgr = NA)

AR(p = 1, ma = FALSE, cor = FALSE, gr = NA, subgr = NA)

CAR(p = 1)

VAR(ma = FALSE, cor = FALSE, gr = NA, subgr = NA)
```

**Arguments**

ma	Logical Include moving average terms of order 1? Default is FALSE.
cor	Logical Include correlated process errors as part of a multivariate normal process model? If TRUE and if <code>n_series &gt; 1</code> in the supplied data, a fully structured covariance matrix will be estimated for the process errors. Default is FALSE.
gr	An optional grouping variable, which must be a factor in the supplied data, for setting up hierarchical residual correlation structures. If specified, this will automatically set <code>cor = TRUE</code> and set up a model where the residual correlations for a specific level of <code>gr</code> are modelled hierarchically: $\Omega_{group} = \alpha_{cor}\Omega_{global} + (1 - \alpha_{cor})\Omega_{group,local}$ , where $\Omega_{global}$ is a <i>global</i> correlation matrix, $\Omega_{group,local}$ is a <i>local deviation</i> correlation matrix and $\alpha_{cor}$ is a weighting parameter controlling how strongly the local correlation matrix $\Omega_{group}$ is shrunk towards the global correlation matrix $\Omega_{global}$ (larger values of $\alpha_{cor}$ indicate a greater degree of shrinkage, i.e. a greater degree of partial pooling). When used within a <code>VAR()</code> model, this essentially sets up a hierarchical panel vector autoregression where both the autoregressive and correlation matrices are learned hierarchically. If <code>gr</code> is supplied then <code>subgr</code> <i>must</i> also be supplied
subgr	A subgrouping factor variable specifying which element in data represents the different time series. Defaults to <code>series</code> , but note that models that use the hierarchical correlations, where the <code>subgr</code> time series are measured in each level of <code>gr</code> , <i>should not</i> include a series element in data. Rather, this element will be created internally based on the supplied variables for <code>gr</code> and <code>subgr</code> . For example, if you are modelling temporal counts for a group of species (labelled as <code>species</code> in data) across three different geographical regions (labelled as <code>region</code> ), and you would like the residuals to be correlated within regions, then you should specify <code>gr = region</code> and <code>subgr = species</code> . Internally, <code>mvgam()</code> will create the series element for the data using: <code>series = interaction(group, subgroup, drop = TRUE)</code>
p	A non-negative integer specifying the autoregressive (AR) order. Default is 1. Cannot currently be larger than 3 for AR terms, and cannot be anything other than 1 for continuous time AR (CAR) terms

**Value**

An object of class `mvgam_trend`, which contains a list of arguments to be interpreted by the parsing functions in **mvgam**

**Author(s)**

Nicholas J Clark

**Examples**

```
# A short example to illustrate CAR(1) models
# Function to simulate CAR1 data with seasonality
sim_corcar1 = function(n = 125,
                      phi = 0.5,
                      sigma = 2,
                      sigma_obs = 0.75){
  # Sample irregularly spaced time intervals
  time_dis <- c(0, runif(n - 1, -0.1, 1))
  time_dis[time_dis < 0] <- 0; time_dis <- time_dis * 5

  # Set up the latent dynamic process
  x <- vector(length = n); x[1] <- -0.3
  for(i in 2:n){
    # zero-distances will cause problems in sampling, so mvgam uses a
    # minimum threshold; this simulation function emulates that process
    if(time_dis[i] == 0){
      x[i] <- rnorm(1, mean = (phi ^ 1e-12) * x[i - 1], sd = sigma)
    } else {
      x[i] <- rnorm(1, mean = (phi ^ time_dis[i]) * x[i - 1], sd = sigma)
    }
  }

  # Add 12-month seasonality
  cov1 <- sin(2 * pi * (1 : n) / 12); cov2 <- cos(2 * pi * (1 : n) / 12)
  beta1 <- runif(1, 0.3, 0.7); beta2 <- runif(1, 0.2, 0.5)
  seasonality <- beta1 * cov1 + beta2 * cov2

  # Take Gaussian observations with error and return
  data.frame(y = rnorm(n, mean = x + seasonality, sd = sigma_obs),
            season = rep(1:12, 20)[1:n],
            time = cumsum(time_dis))
}

# Sample two time series
dat <- rbind(dplyr::bind_cols(sim_corcar1(phi = 0.65,
                                         sigma_obs = 0.55),
              data.frame(series = 'series1')),
            dplyr::bind_cols(sim_corcar1(phi = 0.8,
                                         sigma_obs = 0.35),
              data.frame(series = 'series2')))) %>%
  dplyr::mutate(series = as.factor(series))

# mvgam with CAR(1) trends and series-level seasonal smooths; the
# State-Space representation (using trend_formula) will be more efficient;
# using informative priors on the sigmas often helps with convergence
mod <- mvgam(formula = y ~ -1,
             trend_formula = ~ s(season, bs = 'cc',
```

```

                                k = 5, by = trend),
trend_model = CAR(),
priors = c(prior(exponential(3),
                class = sigma),
           prior(beta(4, 4),
                class = sigma_obs)),
data = dat,
family = gaussian(),
chains = 2,
silent = 2)

# View usual summaries and plots
summary(mod)
conditional_effects(mod, type = 'expected')
plot(mod, type = 'trend', series = 1)
plot(mod, type = 'trend', series = 2)
plot(mod, type = 'residuals', series = 1)
plot(mod, type = 'residuals', series = 2)
mcmc_plot(mod,
           variable = 'ar1',
           regex = TRUE,
           type = 'hist')

# Now an example illustrating hierarchical dynamics
set.seed(123)
# Simulate three species monitored in three different
# regions, where dynamics can potentially vary across regions
simdat1 <- sim_mvgam(trend_model = VAR(cor = TRUE),
                    prop_trend = 0.95,
                    n_series = 3,
                    mu = c(1, 2, 3))
simdat2 <- sim_mvgam(trend_model = VAR(cor = TRUE),
                    prop_trend = 0.95,
                    n_series = 3,
                    mu = c(1, 2, 3))
simdat3 <- sim_mvgam(trend_model = VAR(cor = TRUE),
                    prop_trend = 0.95,
                    n_series = 3,
                    mu = c(1, 2, 3))

# Set up the data but DO NOT include 'series'
all_dat <- rbind(simdat1$data_train %>%
                 dplyr::mutate(region = 'qld'),
                 simdat2$data_train %>%
                 dplyr::mutate(region = 'nsw'),
                 simdat3$data_train %>%
                 dplyr::mutate(region = 'vic')) %>%
dplyr::mutate(species = gsub('series', 'species', series),
              species = as.factor(species),
              region = as.factor(region)) %>%
dplyr::arrange(series, time) %>%
dplyr::select(-series)

```



```

# Check priors for a hierarchical AR1 model
get_mvgam_priors(formula = y ~ species,
                 trend_model = AR(gr = region, subgr = species),
                 data = all_dat)

# Fit the model
mod <- mvgam(formula = y ~ species,
             trend_model = AR(gr = region, subgr = species),
             data = all_dat,
             chains = 2,
             silent = 2)

# Check standard outputs
summary(mod)
conditional_effects(mod, type = 'link')

# Inspect posterior estimates for the correlation weighting parameter
mcmc_plot(mod, variable = 'alpha_cor', type = 'hist')

```

---

score.mvgam\_forecast    *Compute probabilistic forecast scores for **mvgam** models*

---

## Description

Compute probabilistic forecast scores for **mvgam** models

## Usage

```

## S3 method for class 'mvgam_forecast'
score(
  object,
  score = "crps",
  log = FALSE,
  weights,
  interval_width = 0.9,
  n_cores = 1,
  ...
)

score(object, ...)

```

## Arguments

object	mvgam_forecast object. See <a href="#">forecast.mvgam()</a> .
score	character specifying the type of proper scoring rule to use for evaluation. Options are: sis (i.e. the Scaled Interval Score), energy, variogram, elpd (i.e. the Expected log pointwise Predictive Density), drps (i.e. the Discrete Rank Probability Score), crps (the Continuous Rank Probability Score) or brier (the latter

	of which is only applicable for bernoulli models. Note that when choosing elpd, the supplied object must have forecasts on the link scale so that expectations can be calculated prior to scoring. If choosing brier, the object must have forecasts on the expected scale (i.e. probability predictions). For all other scores, forecasts should be supplied on the response scale (i.e. posterior predictions)
log	logical. Should the forecasts and truths be logged prior to scoring? This is often appropriate for comparing performance of models when series vary in their observation ranges. Ignored if score = 'brier'
weights	optional vector of weights (where length(weights) == n_series) for weighting pairwise correlations when evaluating the variogram score for multivariate forecasts. Useful for down-weighting series that have larger magnitude observations or that are of less interest when forecasting. Ignored if score != 'variogram'
interval_width	proportional value on [0.05, 0.95] defining the forecast interval for calculating coverage and, if score = 'sis', for calculating the interval score. Ignored if score = 'brier'
n_cores	integer specifying number of cores for calculating scores in parallel
...	Ignored

**Value**

a list containing scores and interval coverages per forecast horizon. If score %in% c('drps', 'crps', 'elpd', 'brier'), the list will also contain return the sum of all series-level scores per horizon. If score %in% c('energy', 'variogram'), no series-level scores are computed and the only score returned will be for all series. For all scores apart from elpd and brier, the in\_interval column in each series-level slot is a binary indicator of whether or not the true value was within the forecast's corresponding posterior empirical quantiles. Intervals are not calculated when using elpd because forecasts will only contain the linear predictors

**Author(s)**

Nicholas J Clark

**See Also**

[forecast.mvgam](#), [ensemble](#)

**Examples**

```
# Simulate observations for three count-valued time series
data <- sim_mvgam()
# Fit a dynamic model using 'newdata' to automatically produce forecasts
mod <- mvgam(y ~ 1,
             trend_model = RW(),
             data = data$data_train,
             newdata = data$data_test,
             chains = 2,
             silent = 2)
```

```

# Extract forecasts into a 'mvgam_forecast' object
fc <- forecast(mod)
plot(fc)

# Compute Discrete Rank Probability Scores and 0.90 interval coverages
fc_scores <- score(fc, score = 'drps')
str(fc_scores)

# An example using binary data
data <- sim_mvgam(family = bernoulli())
mod <- mvgam(y ~ s(season, bs = 'cc', k = 6),
             trend_model = AR(),
             data = data$data_train,
             newdata = data$data_test,
             family = bernoulli(),
             chains = 2,
             silent = 2)

# Extract forecasts on the expectation (probability) scale
fc <- forecast(mod, type = 'expected')
plot(fc)

# Compute Brier scores
fc_scores <- score(fc, score = 'brier')
str(fc_scores)

```

---

series\_to\_mvgam

---

*Convert timeseries object to format necessary for **mvgam** models*


---

## Description

This function converts univariate or multivariate time series (xts or ts objects) to the format necessary for [mvgam](#)

## Usage

```
series_to_mvgam(series, freq, train_prop = 0.85)
```

## Arguments

series	<a href="#">xts</a> or <a href="#">ts</a> object to be converted to <a href="#">mvgam</a> format
freq	integer. The seasonal frequency of the series
train_prop	numeric stating the proportion of data to use for training. Should be between 0.25 and 0.95

## Value

A list object containing outputs needed for [mvgam](#), including 'data\_train' and 'data\_test'

## Examples

```
# A ts object example
data("sunspots")
series <- cbind(sunspots, sunspots)
colnames(series) <- c('blood', 'bone')
head(series)
series_to_mvgam(series, frequency(series), 0.85)

# An xts object example
library(xts)
dates <- seq(as.Date("2001-05-01"), length=30, by="quarter")
data <- cbind(c(gas = rpois(30, cumprod(1+rnorm(30, mean = 0.01, sd = 0.001)))),
c(oil = rpois(30, cumprod(1+rnorm(30, mean = 0.01, sd = 0.001))))))
series <- xts(x = data, order.by = dates)
colnames(series) <- c('gas', 'oil')
head(series)
series_to_mvgam(series, freq = 4, train_prop = 0.85)
```

---

sim\_mvgam

---

*Simulate a set of time series for modelling in mvgam*


---

## Description

This function simulates sets of time series data for fitting a multivariate GAM that includes shared seasonality and dependence on state-space latent dynamic factors. Random dependencies among series, i.e. correlations in their long-term trends, are included in the form of correlated loadings on the latent dynamic factors

## Usage

```
sim_mvgam(
  T = 100,
  n_series = 3,
  seasonality = "shared",
  use_lv = FALSE,
  n_lv = 0,
  trend_model = RW(),
  drift = FALSE,
  prop_trend = 0.2,
  trend_rel,
  freq = 12,
  family = poisson(),
  phi,
  shape,
  sigma,
  nu,
  mu,
```

```

    prop_missing = 0,
    prop_train = 0.85
  )

```

## Arguments

T	integer. Number of observations (timepoints)
n_series	integer. Number of discrete time series
seasonality	character. Either shared, meaning that all series share the exact same seasonal pattern, or hierarchical, meaning that there is a global seasonality but each series' pattern can deviate slightly
use_lv	logical. If TRUE, use dynamic factors to estimate series' latent trends in a reduced dimension format. If FALSE, estimate independent latent trends for each series
n_lv	integer. Number of latent dynamic factors for generating the series' trends. Defaults to 0, meaning that dynamics are estimated independently for each series
trend_model	character specifying the time series dynamics for the latent trend. Options are: <ul style="list-style-type: none"> <li>• None (no latent trend component; i.e. the GAM component is all that contributes to the linear predictor, and the observation process is the only source of error; similarly to what is estimated by <a href="#">gam</a>)</li> <li>• RW (random walk with possible drift)</li> <li>• AR1 (with possible drift)</li> <li>• AR2 (with possible drift)</li> <li>• AR3 (with possible drift)</li> <li>• VAR1 (contemporaneously uncorrelated VAR1)</li> <li>• VAR1cor (contemporaneously correlated VAR1)</li> <li>• GP (Gaussian Process with squared exponential kernel)</li> </ul> See <a href="#">mvgam_trends</a> for more details
drift	logical, simulate a drift term for each trend
prop_trend	numeric. Relative importance of the trend for each series. Should be between 0 and 1
trend_rel	Deprecated. Use prop_trend instead
freq	integer. The seasonal frequency of the series
family	family specifying the exponential observation family for the series. Currently supported families are: <a href="#">nb()</a> , <a href="#">poisson()</a> , <a href="#">bernoulli()</a> , <a href="#">tweedie()</a> , <a href="#">gaussian()</a> , <a href="#">betar()</a> , <a href="#">lognormal()</a> , <a href="#">student()</a> and <a href="#">Gamma()</a>
phi	vector of dispersion parameters for the series (i.e. size for <a href="#">nb()</a> or phi for <a href="#">betar()</a> ). If <code>length(phi) &lt; n_series</code> , the first element of phi will be replicated <code>n_series</code> times. Defaults to 5 for <a href="#">nb()</a> and <a href="#">tweedie()</a> ; 10 for <a href="#">betar()</a>
shape	vector of shape parameters for the series (i.e. shape for <a href="#">gamma()</a> ) If <code>length(shape) &lt; n_series</code> , the first element of shape will be replicated <code>n_series</code> times. Defaults to 10

sigma	vector of scale parameters for the series (i.e. sd for gaussian() or student(), log(sd) for lognormal()). If length(sigma) < n_series, the first element of sigma will be replicated n_series times. Defaults to 0.5 for gaussian() and student(); 0.2 for lognormal()
nu	vector of degrees of freedom parameters for the series (i.e. nu for student()) If length(nu) < n_series, the first element of nu will be replicated n_series times. Defaults to 3
mu	vector of location parameters for the series. If length(mu) < n_series, the first element of mu will be replicated n_series times. Defaults to small random values between -0.5 and 0.5 on the link scale
prop_missing	numeric stating proportion of observations that are missing. Should be between 0 and 0.8, inclusive
prop_train	numeric stating the proportion of data to use for training. Should be between 0.2 and 1

### Value

A list object containing outputs needed for [mvgam](#), including 'data\_train' and 'data\_test', as well as some additional information about the simulated seasonality and trend dependencies

### Examples

```
# Simulate series with observations bounded at 0 and 1 (Beta responses)
sim_data <- sim_mvgam(family = betar(), trend_model = RW(), prop_trend = 0.6)
plot_mvgam_series(data = sim_data$data_train, series = 'all')

# Now simulate series with overdispersed discrete observations
sim_data <- sim_mvgam(family = nb(), trend_model = RW(), prop_trend = 0.6, phi = 10)
plot_mvgam_series(data = sim_data$data_train, series = 'all')
```

---

stability.mvgam

---

*Calculate measures of latent VAR community stability*


---

### Description

Compute reactivity, return rates and contributions of interactions to stationary forecast variance from **mvgam** models with Vector Autoregressive dynamics

### Usage

```
stability(object, ...)

## S3 method for class 'mvgam'
stability(object, ...)
```

## Arguments

object	list object of class mvgam resulting from a call to <code>mvgam()</code> that used a Vector Autoregressive latent process model (either as <code>VAR(cor = FALSE)</code> or <code>VAR(cor = TRUE)</code> )
...	ignored

## Details

These measures of stability can be used to assess how important inter-series dependencies are to the variability of a multivariate system and to ask how systems are expected to respond to environmental perturbations. Using the formula for a latent VAR(1) as:

$$\mu_t \sim \text{MVNormal}(A(\mu_{t-1}), \Sigma)$$

this function will calculate the long-term stationary forecast distribution of the system, which has mean  $\mu_\infty$  and variance  $\Sigma_\infty$ , to then calculate the following quantities:

- `prop_int`: Proportion of the volume of the stationary forecast distribution that is attributable to lagged interactions (i.e. how important are the autoregressive interaction coefficients in  $A$  for explaining the shape of the stationary forecast distribution?):

$$\det(A)^2$$

- `prop_int_adj`: Same as `prop_int` but scaled by the number of series  $p$  to facilitate direct comparisons among systems with different numbers of interacting variables:

$$\det(A)^{2/p}$$

- `prop_int_offdiag`: Sensitivity of `prop_int` to inter-series interactions (i.e. how important are the off-diagonals of the autoregressive coefficient matrix  $A$  for shaping `prop_int`?), calculated as the relative magnitude of the *off-diagonals* in the partial derivative matrix:

$$[2 \det(A)(A^{-1})^T]$$

- `prop_int_diag`: Sensitivity of `prop_int` to intra-series interactions (i.e. how important are the diagonals of the autoregressive coefficient matrix  $A$  for shaping `prop_int`?), calculated as the relative magnitude of the *diagonals* in the partial derivative matrix:

$$[2 \det(A)(A^{-1})^T]$$

- `prop_cov_offdiag`: Sensitivity of  $\Sigma_\infty$  to inter-series error correlations (i.e. how important are off-diagonal covariances in  $\Sigma$  for shaping  $\Sigma_\infty$ ?), calculated as the relative magnitude of the *off-diagonals* in the partial derivative matrix:

$$[2 \det(\Sigma_\infty)(\Sigma_\infty^{-1})^T]$$

- `prop_cov_diag`: Sensitivity of  $\Sigma_\infty$  to error variances (i.e. how important are diagonal variances in  $\Sigma$  for shaping  $\Sigma_\infty$ ?), calculated as the relative magnitude of the *diagonals* in the partial derivative matrix:

$$[2 \det(\Sigma_\infty)(\Sigma_\infty^{-1})^T]$$

- **reactivity**: A measure of the degree to which the system moves away from a stable equilibrium following a perturbation. Values  $> 0$  suggest the system is reactive, whereby a perturbation of the system in one period can be amplified in the next period. If  $\sigma_{max}(A)$  is the largest singular value of  $A$ , then reactivity is defined as:

$$\log \sigma_{max}(A)$$

- **mean\_return\_rate**: Asymptotic (long-term) return rate of the mean of the transition distribution to the stationary mean, calculated using the largest eigenvalue of the matrix  $A$ :

$$\max(\lambda_A)$$

Lower values suggest greater stability

- **var\_return\_rate**: Asymptotic (long-term) return rate of the variance of the transition distribution to the stationary variance:

$$\max(\lambda_{A \otimes A})$$

Again, lower values suggest greater stability

Major advantages of using **mvgam** to compute these metrics are that well-calibrated uncertainties are available and that VAR processes are forced to be stationary. These properties make it simple and insightful to calculate and inspect aspects of both long-term and short-term stability. But it is also possible to more directly inspect possible interactions among the time series in a latent VAR process. To do so, you can calculate Generalized or Orthogonalized Impulse Response Functions using the [irf](#) function, or you can calculate Forecast Error Variance Decompositions using the [fevd](#) function.

## Value

A `data.frame` containing posterior draws for each stability metric.

## Author(s)

Nicholas J Clark

## References

AR Ives, B Dennis, KL Cottingham & SR Carpenter (2003). Estimating community stability and ecological interactions from time-series data. *Ecological Monographs*. 73, 301-330.

## See Also

[VAR](#), [irf](#), [fevd](#)

## Examples

```
# Simulate some time series that follow a latent VAR(1) process
simdat <- sim_mvgam(family = gaussian(),
  n_series = 4,
  trend_model = VAR(cor = TRUE),
  prop_trend = 1)
```



```

plot_mvgam_series(data = simdat$data_train, series = 'all')

# Fit a model that uses a latent VAR(1)
mod <- mvgam(y ~ -1,
             trend_formula = ~ 1,
             trend_model = VAR(cor = TRUE),
             family = gaussian(),
             data = simdat$data_train,
             chains = 2,
             silent = 2)

# Calculate stability metrics for this system
metrics <- stability(mod)

# Proportion of stationary forecast distribution
# attributable to lagged interactions
hist(metrics$prop_int,
     xlim = c(0, 1),
     xlab = 'Prop_int',
     main = '',
     col = '#B97C7C',
     border = 'white')

# Within this contribution of interactions, how important
# are inter-series interactions (offdiagonals of the A matrix) vs
# intra-series density dependence (diagonals of the A matrix)?
layout(matrix(1:2, nrow = 2))
hist(metrics$prop_int_offdiag,
     xlim = c(0, 1),
     xlab = '',
     main = 'Inter-series interactions',
     col = '#B97C7C',
     border = 'white')

hist(metrics$prop_int_diag,
     xlim = c(0, 1),
     xlab = 'Contribution to interaction effect',
     main = 'Intra-series interactions (density dependence)',
     col = 'darkblue',
     border = 'white')
layout(1)

# How important are inter-series error covariances
# (offdiagonals of the Sigma matrix) vs
# intra-series variances (diagonals of the Sigma matrix) for explaining
# the variance of the stationary forecast distribution?
layout(matrix(1:2, nrow = 2))
hist(metrics$prop_cov_offdiag,
     xlim = c(0, 1),
     xlab = '',
     main = 'Inter-series covariances',
     col = '#B97C7C',
     border = 'white')

```

```

hist(metrics$prop_cov_diag,
      xlim = c(0, 1),
      xlab = 'Contribution to forecast variance',
      main = 'Intra-series variances',
      col = 'darkblue',
      border = 'white')
layout(1)

# Reactivity, i.e. degree to which the system moves
# away from a stable equilibrium following a perturbation
# (values > 1 suggest a more reactive, less stable system)
hist(metrics$reactivity,
      main = '',
      xlab = 'Reactivity',
      col = '#B97C7C',
      border = 'white',
      xlim = c(-1*max(abs(metrics$reactivity)),
               max(abs(metrics$reactivity))))
abline(v = 0, lwd = 2.5)

```

---

summary.mvgam

---

*Summary for a fitted **mvgam** models*


---

## Description

These functions take a fitted mvgam or jsdgam object and return various useful summaries

## Usage

```

## S3 method for class 'mvgam'
summary(object, include_betas = TRUE, smooth_test = TRUE, digits = 2, ...)

## S3 method for class 'mvgam_predit'
summary(object, ...)

## S3 method for class 'mvgam'
coef(object, summarise = TRUE, ...)

```

## Arguments

object	list object returned from mvgam
include_betas	Logical. Print a summary that includes posterior summaries of all linear predictor beta coefficients (including spline coefficients)? Defaults to TRUE but use FALSE for a more concise summary
smooth_test	Logical. Compute estimated degrees of freedom and approximate p-values for smooth terms? Defaults to TRUE, but users may wish to set to FALSE for complex models with many smooth or random effect terms

digits	The number of significant digits for printing out the summary; defaults to 2.
...	Ignored
summarise	logical. Summaries of coefficients will be returned if TRUE. Otherwise the full posterior distribution will be returned

Details

summary.mvgam and summary.mvgam\_predit return brief summaries of the model’s call, along with posterior intervals for some of the key parameters in the model. Note that some smooths have extra penalties on the null space, so summaries for the rho parameters may include more penalty terms than the number of smooths in the original model formula. Approximate p-values for smooth terms are also returned, with methods used for their calculation following those used for mgcv equivalents (see [summary.gam](#) for details). The Estimated Degrees of Freedom (edf) for smooth terms is computed using either edf.type = 1 for models with no trend component, or edf.type = 0 for models with trend components. These are described in the documentation for [jagam](#). Experiments suggest these p-values tend to be more conservative than those that might be returned from an equivalent model fit with [summary.gam](#) using method = 'REML'

coef.mvgam returns either summaries or full posterior estimates for GAM component coefficients

Value

For summary.mvgam and summary.mvgam\_predit, a list is printed on-screen showing the summaries for the model

For coef.mvgam, either a matrix of posterior coefficient distributions (if summarise == FALSE or data.frame of coefficient summaries)

Author(s)

Nicholas J Clark

---

summary.mvgam_fevd	<i>Posterior summary of forecast error variance decompositions</i>
--------------------	--

---

Description

This function takes an mvgam\_fevd object and calculates a posterior summary of the error variance decompositions of each series, at all horizons

Usage

```
## S3 method for class 'mvgam_fevd'
summary(object, probs = c(0.025, 0.975), ...)
```

**Arguments**

object	an object of class <code>mvgam_fevd</code> obtained using the <code>fevd()</code> function. This object will contain draws from the posterior distribution of the forecast error variance decompositions.
probs	The upper and lower percentiles to be computed by the quantile function, in addition to the median
...	ignored

**Value**

A long-format tibble reporting the posterior median, upper and lower percentiles of the error variance decompositions of each series at all horizons.

**Author(s)**

Nicholas J Clark

**See Also**

[fevd](#), [plot.mvgam\\_fevd](#)

---

summary.mvgam_irf	<i>Posterior summary of impulse responses</i>
-------------------	---

---

**Description**

This function takes an `mvgam_irf` object and calculates a posterior summary of the impulse responses of each series to shocks from each of the other series, at all horizons

**Usage**

```
## S3 method for class 'mvgam_irf'
summary(object, probs = c(0.025, 0.975), ...)
```

**Arguments**

object	an object of class <code>mvgam_irf</code> obtained using the <code>irf()</code> function. This object will contain draws from the posterior distribution of the impulse responses.
probs	The upper and lower percentiles to be computed by the quantile function, in addition to the median
...	ignored

**Value**

A long-format tibble reporting the posterior median, upper and lower percentiles of the impulse responses of each series to shocks from each of the other series at all horizons.

**Author(s)**

Nicholas J Clark

**See Also**[irf](#), [plot.mvgam\\_irf](#)

---

update.mvgam*Update an existing **mvgam** model object*

---

**Description**

This function allows a previously fitted **mvgam** model to be updated

**Usage**

```
## S3 method for class 'mvgam'
update(
  object,
  formula,
  trend_formula,
  knots,
  trend_knots,
  trend_model,
  family,
  share_obs_params,
  data,
  newdata,
  trend_map,
  use_lv,
  n_lv,
  priors,
  chains,
  burnin,
  samples,
  threads,
  algorithm,
  lfo = FALSE,
  ...
)

## S3 method for class 'jsdgam'
update(
  object,
  formula,
  factor_formula,
  knots,
```

```

    factor_knots,
    data,
    newdata,
    n_lv,
    family,
    share_obs_params,
    priors,
    chains,
    burnin,
    samples,
    threads,
    algorithm,
    lfo = FALSE,
    ...
)

```

### Arguments

object	list object returned from mvgam. See <a href="#">mvgam()</a>
formula	Optional new formula object. Note, mvgam currently does not support dynamic formula updates such as removal of specific terms with <code>- term</code> . When updating, the entire formula needs to be supplied
trend_formula	An optional formula object specifying the GAM process model formula. If supplied, a linear predictor will be modelled for the latent trends to capture process model evolution separately from the observation model. Should not have a response variable specified on the left-hand side of the formula (i.e. a valid option would be <code>~ season + s(year)</code> ). Also note that you should not use the identifier series in this formula to specify effects that vary across time series. Instead you should use <code>trend</code> . This will ensure that models in which a <code>trend_map</code> is supplied will still work consistently (i.e. by allowing effects to vary across process models, even when some time series share the same underlying process model). This feature is only currently available for <code>RW()</code> , <code>AR()</code> and <code>VAR()</code> trend models. In <code>nmix()</code> family models, the <code>trend_formula</code> is used to set up a linear predictor for the underlying latent abundance. Be aware that it can be very challenging to simultaneously estimate intercept parameters for both the observation mode (captured by <code>formula</code> ) and the process model (captured by <code>trend_formula</code> ). Users are recommended to drop one of these using the <code>- 1</code> convention in the formula right hand side.
knots	An optional list containing user specified knot values to be used for basis construction. For most bases the user simply supplies the knots to be used, which must match up with the <code>k</code> value supplied (note that the number of knots is not always just <code>k</code> ). Different terms can use different numbers of knots, unless they share a covariate
trend_knots	As for <code>knots</code> above, this is an optional list of knot values for smooth functions within the <code>trend_formula</code>
trend_model	character or function specifying the time series dynamics for the latent trend. Options are:

- None (no latent trend component; i.e. the GAM component is all that contributes to the linear predictor, and the observation process is the only source of error; similarly to what is estimated by [gam](#))
- ZMVN or ZMVN() (Zero-Mean Multivariate Normal; only available in Stan)
- 'RW' or RW()
- 'AR1' or AR(p = 1)
- 'AR2' or AR(p = 2)
- 'AR3' or AR(p = 3)
- 'CAR1' or CAR(p = 1)
- 'VAR1' or VAR()(only available in Stan)
- 'PWlogistic', 'PWlinear' or PW() (only available in Stan)
- 'GP' or GP() (Gaussian Process with squared exponential kernel; only available in Stan)

For all trend types apart from ZMVN(), GP(), CAR() and PW(), moving average and/or correlated process error terms can also be estimated (for example, RW(cor = TRUE) will set up a multivariate Random Walk if `n_series > 1`). It is also possible for many multivariate trends to estimate hierarchical correlations if the data are structured among levels of a relevant grouping factor. See [mvgam\\_trends](#) for more details and see [ZMVN](#) for an example.

family

family specifying the exponential observation family for the series. Currently supported families are:

- gaussian() for real-valued data
- betar() for proportional data on  $(0, 1)$
- lognormal() for non-negative real-valued data
- student\_t() for real-valued data
- Gamma() for non-negative real-valued data
- bernoulli() for binary data
- poisson() for count data
- nb() for overdispersed count data
- binomial() for count data with imperfect detection when the number of trials is known; note that the `cbind()` function must be used to bind the discrete observations and the discrete number of trials
- beta\_binomial() as for binomial() but allows for overdispersion
- nmix() for count data with imperfect detection when the number of trials is unknown and should be modeled via a State-Space N-Mixture model. The latent states are Poisson, capturing the 'true' latent abundance, while the observation process is Binomial to account for imperfect detection. See [mvgam\\_families](#) for an example of how to use this family

Default is `poisson()`. See [mvgam\\_families](#) for more details

share\_obs\_params

logical. If TRUE and the family has additional family-specific observation parameters (e.g. variance components in `student_t()` or `gaussian()`, or dispersion parameters in `nb()` or `betar()`), these parameters will be shared across all outcome variables. This is handy if you have multiple outcomes (time series in most `mvgam` models) that you believe share some properties, such as being from the same species over different spatial units. Default is FALSE.

data	<p>A dataframe or list containing the model response variable and covariates required by the GAM formula and optional trend_formula. Most models should include columns:</p> <ul style="list-style-type: none"> <li>• series (a factor index of the series IDs; the number of levels should be identical to the number of unique series labels (i.e. <code>n_series = length(levels(data\$series))</code>))</li> <li>• time (numeric or integer index of the time point for each observation). For most dynamic trend types available in <code>mvgam</code> (see argument <code>trend_model</code>), time should be measured in discrete, regularly spaced intervals (i.e. <code>c(1, 2, 3, ...)</code>). However you can use irregularly spaced intervals if using <code>trend_model = CAR(1)</code>, though note that any temporal intervals that are exactly 0 will be adjusted to a very small number (<math>1e-12</math>) to prevent sampling errors. See an example of <code>CAR()</code> trends in <a href="#">CAR</a></li> </ul> <p>Note however that there are special cases where these identifiers are not needed. For example, models with hierarchical temporal correlation processes (e.g. <code>AR(gr = region, subgr = species)</code>) should NOT include a series identifier, as this will be constructed internally (see <a href="#">mvgam_trends</a> and <a href="#">AR</a> for details). <code>mvgam</code> can also fit models that do not include a time variable if there are no temporal dynamic structures included (i.e. <code>trend_model = 'None'</code> or <code>trend_model = ZMVN()</code>). <code>data</code> should also include any other variables to be included in the linear predictor of formula</p>
newdata	Optional dataframe or list of test data containing the same variables as in <code>data</code> . If included, the observations in variable <code>y</code> will be set to NA when fitting the model so that posterior simulations can be obtained
trend_map	Optional <code>data.frame</code> specifying which series should depend on which latent trends. Useful for allowing multiple series to depend on the same latent trend process, but with different observation processes. If supplied, a latent factor model is set up by setting <code>use_lv = TRUE</code> and using the mapping to set up the shared trends. Needs to have column names <code>series</code> and <code>trend</code> , with integer values in the <code>trend</code> column to state which trend each series should depend on. The <code>series</code> column should have a single unique entry for each series in the data (names should perfectly match factor levels of the <code>series</code> variable in <code>data</code> ). Note that if this is supplied, the intercept parameter in the process model will NOT be automatically suppressed. Not yet supported for models in which the latent factors evolve in continuous time ( <code>CAR()</code> ). See examples for details
use_lv	logical. If TRUE, use dynamic factors to estimate series' latent trends in a reduced dimension format. Only available for <code>RW()</code> , <code>AR()</code> and <code>GP()</code> trend models. Defaults to FALSE
n_lv	integer the number of latent dynamic factors to use if <code>use_lv == TRUE</code> . Cannot be $> n\_series$ . Defaults arbitrarily to <code>min(2, floor(n_series / 2))</code>
priors	An optional <code>data.frame</code> with prior definitions or, preferentially, a vector containing objects of class <code>brmsprior</code> (see. <a href="#">prior</a> for details). See <a href="#">get_mvgam_priors</a> and <a href="#">Details</a> for more information on changing default prior distributions
chains	integer specifying the number of parallel chains for the model. Ignored if <code>algorithm %in% c('meanfield', 'fullrank', 'pathfinder', 'laplace')</code>
burnin	integer specifying the number of warmup iterations of the Markov chain to run to tune sampling algorithms. Ignored if <code>algorithm %in% c('meanfield', 'fullrank', 'pathfinder', 'laplace')</code>



<code>samples</code>	integer specifying the number of post-warmup iterations of the Markov chain to run for sampling the posterior distribution
<code>threads</code>	integer Experimental option to use multithreading for within-chain parallelisation in Stan. We recommend its use only if you are experienced with Stan's <code>reduce_sum</code> function and have a slow running model that cannot be sped up by any other means. Currently works for all families apart from <code>nmix()</code> and when using Cmdstan as the backend
<code>algorithm</code>	Character string naming the estimation approach to use. Options are "sampling" for MCMC (the default), "meanfield" for variational inference with factorized normal distributions, "fullrank" for variational inference with a multivariate normal distribution, "laplace" for a Laplace approximation (only available when using cmdstanr as the backend) or "pathfinder" for the pathfinder algorithm (only currently available when using cmdstanr as the backend). Can be set globally for the current R session via the "brms.algorithm" option (see <a href="#">options</a> ). Limited testing suggests that "meanfield" performs best out of the non-MCMC approximations for dynamic GAMs, possibly because of the difficulties estimating covariances among the many spline parameters and latent trend parameters. But rigorous testing has not been carried out
<code>lfo</code>	Logical indicating whether this is part of a call to <code>lfo_cv.mvgam</code> . Returns a lighter version of the model with no residuals and fewer monitored parameters to speed up post-processing. But other downstream functions will not work properly, so users should always leave this set as FALSE
<code>...</code>	Other arguments to be passed to <code>mvgam</code> or <code>jsdgam</code>
<code>factor_formula</code>	Optional new formula object for the factor linear predictors
<code>factor_knots</code>	An optional list containing user specified knot values to be used for basis construction of any smooth terms in <code>factor_formula</code> . For most bases the user simply supplies the knots to be used, which must match up with the <code>k</code> value supplied (note that the number of knots is not always just <code>k</code> ). Different terms can use different numbers of knots, unless they share a covariate

## Value

A list object of class `mvgam` containing model output, the text representation of the model file, the `mgcv` model output (for easily generating simulations at unsampled covariate values), Dunn-Smyth residuals for each outcome variable and key information needed for other functions in the package. See [mvgam-class](#) for details. Use `methods(class = "mvgam")` for an overview on available methods.

A list object of class `mvgam` containing model output, the text representation of the model file, the `mgcv` model output (for easily generating simulations at unsampled covariate values), Dunn-Smyth residuals for each series and key information needed for other functions in the package. See [mvgam-class](#) for details. Use `methods(class = "mvgam")` for an overview on available methods.

## Author(s)

Nicholas J Clark

## Examples

```
# Simulate some data and fit a Poisson AR1 model
simdat <- sim_mvgam(n_series = 1, trend_model = AR())
mod <- mvgam(y ~ s(season, bs = 'cc'),
             trend_model = AR(),
             noncentred = TRUE,
             data = simdat$data_train,
             chains = 2)

summary(mod)
conditional_effects(mod, type = 'link')

# Update to an AR2 model
updated_mod <- update(mod, trend_model = AR(p = 2),
                     noncentred = TRUE)

summary(updated_mod)
conditional_effects(updated_mod, type = 'link')

# Now update to a Binomial AR1 by adding information on trials
# requires that we supply newdata that contains the 'trials' variable
simdat$data_train$trials <- max(simdat$data_train$y) + 15
updated_mod <- update(mod,
                    formula = cbind(y, trials) ~ s(season, bs = 'cc'),
                    noncentred = TRUE,
                    data = simdat$data_train,
                    family = binomial())

summary(updated_mod)
conditional_effects(updated_mod, type = 'link')
```

---

ZMVN

Specify correlated residual processes in **mvgam**


---

## Description

Set up latent correlated multivariate Gaussian residual processes in **mvgam**. This function does not evaluate its arguments – it exists purely to help set up a model with particular error processes.

## Usage

```
ZMVN(unit = time, gr = NA, subgr = series)
```

## Arguments

unit	The unquoted name of the variable that represents the unit of analysis in data over which latent residuals should be correlated. This variable should be either a numeric or integer variable in the supplied data. Defaults to time to be consistent with other functionalities in <b>mvgam</b> , though note that the data need not be time series in this case. See examples below for further details and explanations
------	--

gr	An optional grouping variable, which must be a factor in the supplied data, for setting up hierarchical residual correlation structures. If specified, this will automatically set up a model where the residual correlations for a specific level of gr are modelled hierarchically: $\Omega_{group} = p\Omega_{global} + (1 - p)\Omega_{group,local}$ , where $\Omega_{global}$ is a <i>global</i> correlation matrix, $\Omega_{group,local}$ is a <i>local deviation</i> correlation matrix and $p$ is a weighting parameter controlling how strongly the local correlation matrix $\Omega_{group}$ is shrunk towards the global correlation matrix $\Omega_{global}$ . If gr is supplied then subgr <i>must</i> also be supplied
subgr	A subgrouping factor variable specifying which element in data represents the different observational units. Defaults to series to be consistent with other functionalities in <b>mvgam</b> , though note that the data need not be time series in this case. But note that models that use the hierarchical correlations (by supplying a value for gr) <i>should not</i> include a series element in data. Rather, this element will be created internally based on the supplied variables for gr and subgr. For example, if you are modelling counts for a group of species (labelled as species in the data) across sampling sites (labelled as site in the data) in three different geographical regions (labelled as region), and you would like the residuals to be correlated within regions, then you should specify unit = site, gr = region, and subgr = species. Internally, mvgam() will appropriately order the data by unit (in this case, by site) and create the series element for the data using something like: series = as.factor(paste0(group, '_', subgroup))

## Value

An object of class mvgam\_trend, which contains a list of arguments to be interpreted by the parsing functions in **mvgam**

## Examples

```
# Simulate counts of four species over ten sampling locations
site_dat <- data.frame(site = rep(1:10, 4),
                      species = as.factor(sort(rep(letters[1:4], 10))),
                      y = c(NA, rpois(39, 3)))

head(site_dat)

# Set up a correlated residual (i.e. Joint Species Distribution) model,
# where 'site' represents the unit of analysis
trend_model <- ZMVN(unit = site, subgr = species)
mod <- mvgam(y ~ species,
            trend_model = ZMVN(unit = site,
                              subgr = species),
            data = site_dat,
            chains = 2,
            silent = 2)

# Inspect the estimated species-species residual covariances
mcmc_plot(mod, variable = 'Sigma', regex = TRUE, type = 'hist')

# A hierarchical correlation example; set up correlated counts
```

```

# for three species across two sampling locations
Sigma <- matrix(c(1, -0.4, 0.5,
                 -0.4, 1, 0.3,
                 0.5, 0.3, 1),
               byrow = TRUE,
               nrow = 3)
Sigma

make_site_dat = function(...){
  errors <- mgcv::rmvn(n = 30,
                     mu = c(0.6, 0.8, 1.8),
                     V = Sigma)
  site_dat <- do.call(rbind, lapply(1:3, function(spec){
    data.frame(y = rpois(30,
                       lambda = exp(errors[, spec])),
              species = paste0('species',
                              spec),
              site = 1:30)
  )))
  site_dat
}

site_dat <- rbind(make_site_dat() %>%
                  dplyr::mutate(group = 'group1'),
                  make_site_dat() %>%
                  dplyr::mutate(group = 'group2')) %>%
  dplyr::mutate(species = as.factor(species),
               group = as.factor(group))

# Fit the hierarchical correlated residual model
mod <- mvgam(y ~ species,
             trend_model = ZMVN(unit = site,
                                gr = group,
                                subgr = species),
             data = site_dat)

# Inspect the estimated species-species residual covariances
mcmc_plot(mod, variable = 'Sigma', regex = TRUE, type = 'hist')

```

# Index

## \* datasets

- all\_neon\_tick\_data, 4
- portal\_data, 113
- ‘mgcv’ (index-mvgam), 40
- add\_residuals, 45, 67
- add\_residuals (add\_residuals.mvgam), 4
- add\_residuals.mvgam, 4
- all\_neon\_tick\_data, 4
- and (index-mvgam), 40
- AR, 27, 67, 95, 152
- AR (RW), 133
- as.array.mvgam (mvgam\_draws), 80
- as.data.frame.mvgam (mvgam\_draws), 80
- as.matrix.mvgam (mvgam\_draws), 80
- as\_draws.mvgam (mvgam\_draws), 80
- as\_draws\_array.mvgam (mvgam\_draws), 80
- as\_draws\_df.mvgam (mvgam\_draws), 80
- as\_draws\_list.mvgam (mvgam\_draws), 80
- as\_draws\_matrix.mvgam (mvgam\_draws), 80
- as\_draws\_rvars.mvgam (mvgam\_draws), 80
- augment.mvgam, 5, 131
- bam, 61
- bayesplot, 122
- bernoulli, 84
- bernoulli (mvgam\_families), 83
- beta\_binomial, 84
- beta\_binomial (mvgam\_families), 83
- betar, 84
- betar (mvgam\_families), 83
- binomial, 84
- brms::prepare\_predictions(), 56
- CAR, 27, 67, 95, 152
- CAR (RW), 133
- citation, 39
- code, 6
- coef.mvgam (summary.mvgam), 146
- coefficient (index-mvgam), 40

- compare\_mvgams, 52
- compare\_mvgams (evaluate\_mvgams), 14
- conditional\_effects.mvgam, 7, 71, 97, 110
- datagrid(), 92
- dplyr::filter(), 92
- draw.mvgam (gratia\_mvgam\_enhancements), 32
- drawDotmvgam (gratia\_mvgam\_enhancements), 32
- dynamic, 10, 70, 89
- ensemble, 23, 138
- ensemble (ensemble.mvgam\_forecast), 12
- ensemble.mvgam\_forecast, 12
- eval\_mvgam (evaluate\_mvgams), 14
- eval\_smooth.hilbert.smooth (gratia\_mvgam\_enhancements), 32
- eval\_smooth.mod.smooth (gratia\_mvgam\_enhancements), 32
- eval\_smooth.moi.smooth (gratia\_mvgam\_enhancements), 32
- eval\_smoothDothilbertDotsmooth (gratia\_mvgam\_enhancements), 32
- eval\_smoothDotmodDotsmooth (gratia\_mvgam\_enhancements), 32
- eval\_smoothDotmoiDotsmooth (gratia\_mvgam\_enhancements), 32
- evaluate\_mvgams, 14
- fevd, 41, 87, 144, 148
- fevd (fevd.mvgam), 18
- fevd(), 99
- fevd.mvgam, 18
- find\_predictors.mvgam (mvgam\_marginaleffects), 90
- find\_predictors.mvgam\_prefit (mvgam\_marginaleffects), 90
- fitted.mvgam, 6, 20
- fitted.mvgam(), 5

- forecast, [17, 52, 88](#)
- forecast (forecast.mvgam), [22](#)
- forecast.mvgam, [22, 37, 56, 71, 88, 115, 116, 118, 125, 138](#)
- forecast.mvgam(), [13, 137](#)
- formula, [60, 89](#)
- formula.gam, [89](#)
- formula.mvgam, [24](#)
- formula.mvgam\_pfit (formula.mvgam), [24](#)
- gam, [26, 61, 65, 71, 89, 94, 110, 141, 151](#)
- gam.models, [71, 89](#)
- Gamma, [84](#)
- gamObject, [78](#)
- gaussian, [84](#)
- get\_coef.mvgam (mvgam\_marginaleffects), [90](#)
- get\_data.mvgam (mvgam\_marginaleffects), [90](#)
- get\_data.mvgam\_pfit (mvgam\_marginaleffects), [90](#)
- get\_mvgam\_priors, [24, 44, 46, 67, 69, 71, 94, 152](#)
- get\_predict.mvgam (mvgam\_marginaleffects), [90](#)
- get\_vcov.mvgam (mvgam\_marginaleffects), [90](#)
- ggplot, [9, 59, 99](#)
- ggplot2::coord\_sf(), [35, 36](#)
- ggplot2::geom\_contour(), [35](#)
- ggplot2::ggplot(), [36](#)
- ggplot2::guide\_axis(), [35](#)
- glm, [89](#)
- GP, [31, 95](#)
- gp, [31, 70, 89](#)
- gp.smooth, [10](#)
- gratia\_mvgam\_enhancements, [32, 97, 110](#)
- hindcast, [23, 88](#)
- hindcast (hindcast.mvgam), [37](#)
- hindcast.mvgam, [21, 37, 88, 115, 117, 118](#)
- how\_to\_cite, [71](#)
- how\_to\_cite (how\_to\_cite.mvgam), [38](#)
- how\_to\_cite.mvgam, [38](#)
- Index (index-mvgam), [40](#)
- index-mvgam, [40](#)
- insight::find\_predictors(), [93](#)
- insight::get\_data(), [92, 93](#)
- irf, [19, 89, 144, 149](#)
- irf (irf.mvgam), [40](#)
- irf(), [99](#)
- irf.mvgam, [40](#)
- jagam, [70, 71, 89, 147](#)
- jsdgm, [25, 28, 39, 42, 46, 71, 89, 101, 153](#)
- jsdgm(), [38, 131, 133](#)
- lfo\_cv, [16, 17, 56](#)
- lfo\_cv (lfo\_cv.mvgam), [51](#)
- lfo\_cv.mvgam, [51, 69, 71, 153](#)
- log\_posterior.mvgam (mvgam\_diagnostics), [79](#)
- logLik.mvgam, [54](#)
- lognormal, [84](#)
- lognormal (mvgam\_families), [83](#)
- loo.mvgam, [55](#)
- loo::loo(), [55, 56](#)
- loo::loo\_compare(), [56](#)
- loo\_compare.mvgam, [71](#)
- loo\_compare.mvgam (loo.mvgam), [55](#)
- lv\_correlations, [57](#)
- marginaleffects::get\_coef(), [93](#)
- marginaleffects::get\_predict(), [93](#)
- marginaleffects::get\_vcov(), [93](#)
- marginaleffects::set\_coef(), [93](#)
- mcmc\_pairs, [95](#)
- mcmc\_plot.mvgam, [58, 71](#)
- mgcv::exclude\_too\_far(), [35](#)
- mgcv::plot.gam(), [34](#)
- model.frame.mvgam, [60](#)
- model.frame.mvgam\_pfit (model.frame.mvgam), [60](#)
- monotonic, [60](#)
- mvgam, [28, 39, 45, 54, 61, 63, 77, 79, 88–90, 94, 127, 139, 142, 153](#)
- mvgam(), [4, 18, 22, 34, 37, 38, 40, 41, 47, 51, 96, 101, 103, 105, 106, 109, 111, 112, 114, 116, 118, 119, 124, 143, 150](#)
- mvgam-class, [77](#)
- mvgam\_diagnostics, [79](#)
- mvgam\_draws, [59, 80](#)
- mvgam\_families, [26, 27, 44, 66, 69, 71, 83, 151](#)
- mvgam\_fevd-class, [87](#)
- mvgam\_forecast-class, [88](#)

- mvgam\_formulae, [25](#), [28](#), [43](#), [65](#), [69](#), [89](#)
- mvgam\_irf-class, [89](#)
- mvgam\_marginaleffects, [90](#)
- mvgam\_trends, [26](#), [27](#), [66](#), [67](#), [69](#), [71](#), [94](#), [141](#), [151](#), [152](#)
- names (index-mvgam), [40](#)
- nb, [84](#)
- nb (mvgam\_families), [83](#)
- neff\_ratio (mvgam\_diagnostics), [79](#)
- nmix (mvgam\_families), [83](#)
- nuts\_params (mvgam\_diagnostics), [79](#)
- offset, [89](#)
- options, [44](#), [45](#), [68](#), [153](#)
- pairs, [95](#)
- pairs.mvgam, [71](#), [95](#)
- par, [103](#), [119](#)
- patchwork::plot\_layout(), [35](#)
- plot.gam, [97](#), [109](#), [110](#)
- plot.mvgam, [71](#), [96](#)
- plot.mvgam\_conditional\_effects (conditional\_effects.mvgam), [7](#)
- plot.mvgam\_fevd, [98](#), [148](#)
- plot.mvgam\_forecast, [13](#)
- plot.mvgam\_forecast (plot\_mvgam\_forecasts), [102](#)
- plot.mvgam\_irf, [41](#), [99](#), [149](#)
- plot.mvgam\_lfo, [100](#)
- plot.mvgam\_residcor, [100](#)
- plot\_mvgam\_factors, [97](#), [101](#)
- plot\_mvgam\_fc, [97](#), [115](#), [116](#), [118](#), [125](#)
- plot\_mvgam\_fc (plot\_mvgam\_forecasts), [102](#)
- plot\_mvgam\_forecasts, [102](#)
- plot\_mvgam\_pterms, [105](#)
- plot\_mvgam\_ranomeffects, [97](#), [105](#)
- plot\_mvgam\_resids, [97](#), [106](#)
- plot\_mvgam\_series, [70](#), [107](#)
- plot\_mvgam\_smooth, [97](#), [109](#)
- plot\_mvgam\_trend, [97](#), [110](#)
- plot\_mvgam\_uncertainty, [97](#), [112](#)
- plot\_predictions, [8](#), [9](#), [71](#), [97](#)
- plot\_slopes, [9](#), [71](#), [97](#)
- poisson, [84](#)
- portal\_data, [113](#)
- posterior\_epred.mvgam, [21](#), [56](#), [114](#), [117](#), [118](#), [130](#)
- posterior\_linpred.mvgam, [115](#), [115](#), [118](#)
- posterior\_predict.mvgam, [114](#), [115](#), [117](#), [117](#)
- pp\_check (pp\_check.mvgam), [121](#)
- pp\_check.mvgam, [56](#), [71](#), [120](#), [121](#)
- PPC, [121](#), [122](#)
- ppc, [56](#), [122](#)
- ppc (ppc.mvgam), [119](#)
- ppc.mvgam, [119](#)
- predict.gam, [125](#)
- Predict.matrix.mod.smooth (monotonic), [60](#)
- Predict.matrix.moi.smooth (monotonic), [60](#)
- predict.mvgam, [21](#), [56](#), [71](#), [120](#), [122](#), [124](#), [130](#)
- prepare\_predictions, [21](#)
- print.mvgam, [126](#)
- print.mvgam\_conditional\_effects (conditional\_effects.mvgam), [7](#)
- prior, [28](#), [44](#), [67](#), [71](#), [152](#)
- PW, [95](#), [127](#)
- residual\_cor, [101](#)
- residual\_cor (residual\_cor.jsdgam), [131](#)
- residual\_cor(), [46](#), [47](#)
- residual\_cor.jsdgam, [131](#)
- residuals.mvgam, [6](#), [130](#)
- residuals.mvgam(), [5](#)
- rhat (mvgam\_diagnostics), [79](#)
- roll\_eval\_mvgam (evaluate\_mvgam), [14](#)
- RW, [95](#), [133](#)
- s, [70](#), [89](#)
- sampling, [69](#)
- score, [17](#), [23](#), [52](#)
- score (score.mvgam\_forecast), [137](#)
- score.mvgam\_forecast, [13](#), [56](#), [71](#), [137](#)
- series\_to\_mvgam, [139](#)
- set\_coef.mvgam (mvgam\_marginaleffects), [90](#)
- sim\_mvgam, [140](#)
- smooth.construct, [61](#)
- smooth.construct.mod.smooth.spec (monotonic), [60](#)
- smooth.construct.moi.smooth.spec, [89](#)
- smooth.construct.moi.smooth.spec (monotonic), [60](#)
- smooth.construct.re.smooth.spec, [70](#)
- stability, [19](#), [41](#)

`stability(stability.mvgam)`, 142  
`stability.mvgam`, 142  
`stan`, 79  
`stancode.mvgam(code)`, 6  
`stancode.mvgam_pfit(code)`, 6  
`standata.mvgam_pfit(code)`, 6  
`student`, 84  
`student(mvgam_families)`, 83  
`student_t(mvgam_families)`, 83  
`subset()`, 92  
`summary.gam`, 147  
`summary.mvgam`, 71, 146  
`summary.mvgam_fevd`, 147  
`summary.mvgam_irf`, 148  
`summary.mvgam_pfit(summary.mvgam)`,  
146  
  
`t2`, 89  
`te`, 70, 89  
`terms`, 60  
`their(index-mvgam)`, 40  
`ti`, 70, 89  
`ts`, 139  
`tweedie(mvgam_families)`, 83  
  
`update.jsdgm(update.mvgam)`, 149  
`update.mvgam`, 16, 69, 149  
  
`VAR`, 19, 41, 88, 90, 95, 144  
`VAR(RW)`, 133  
`variables(index-mvgam)`, 40  
`vb`, 69  
  
`xts`, 139  
  
`ZMVN`, 26, 66, 95, 151, 154