# Package 'myCRAN'

July 23, 2025

Version 1.2
<b>Date</b> 2025-03-21
Title Graph of Daily and Cumulative Downloads of your Packages
Maintainer Barry Zeeberg 
Author Barry Zeeberg [aut, cre]
<b>Depends</b> R (>= 4.2.0)
Imports cranlogs, grDevices, graphics, pkgsearch
Description Plot the daily and cumulative number of downloads of your packages.  It is designed to be slightly more convenient than the several similar programs. If you want to run this each morning, you do not need to keep typing in the names of your packages. Also, this combines the daily and cumulative counts in one run, you do not need to run separate programs to get both types of information.
License GPL (>= 2)
Encoding UTF-8
VignetteBuilder knitr
Suggests knitr, rmarkdown, testthat (>= 3.0.0)
RoxygenNote 7.2.3
Config/testthat/edition 3
NeedsCompilation no
Repository CRAN
<b>Date/Publication</b> 2025-03-21 23:50:02 UTC
Contents
myCRAN
Index

2 myCRAN

myCRAN myCRAN

#### **Description**

wrapper for cran\_downloads() to plot counts and cumulative counts of downloads of CRAN packages

# Usage

```
myCRAN(
  packages = NULL,
  author = NULL,
  from,
  when,
  plotNew = TRUE,
  plotWidth = 12
)
```

### **Arguments**

packages character vector of names of packages
author character string of name of target author
from date parameter for cran\_downloads()
when date parameter for cran\_downloads()
plotNew Boolean if TRUE start a new plot window
plotWidth integer width parameter for dev.new()

#### **Details**

Use either packages or author as the input parameter. When author is given, the function advanced\_search() queries CRAN to return a list of the names of all packages by that author.

#### Value

returns no values, but has side effect of generating plots of daily and cumulative number of downloads of your packages

# **Examples**

```
## Not run:
packages<-c("timeLineGraphics","textBoxPlacement","SherlockHolmes","myCRAN")
author = "Zeeberg"
from<-"2023-01-01"
myCRAN(author=author,from=from,plotNew=TRUE)
myCRAN(packages=packages,when="last-week",plotNew=FALSE)</pre>
```

myCRAN 3

## End(Not run)

# **Index**

myCRAN, 2