

Package ‘ompr.roi’

July 22, 2025

Type Package

Title A Solver for 'ompr' that Uses the R Optimization Infrastructure ('ROI')

Version 1.0.2

Description A solver for 'ompr' based on the R Optimization Infrastructure ('ROI').

The package makes all solvers in 'ROI' available to solve 'ompr' models. Please see the 'ompr' website <<https://dirkschumacher.github.io/ompr/>> and package docs for more information and examples on how to use it.

License MIT + file LICENSE

RoxygenNote 7.2.3

Encoding UTF-8

URL <https://github.com/dirkschumacher/ompr.roi>

BugReports <https://github.com/dirkschumacher/ompr.roi/issues>

Depends R (>= 3.5.0)

Imports ROI (>= 0.3.0), slam, methods, Matrix, ompr (>= 1.0.1)

Suggests testthat, magrittr, ROI.plugin.glpk

ByteCompile Yes

NeedsCompilation no

Author Dirk Schumacher [aut, cre]

Maintainer Dirk Schumacher <mail@dirk-schumacher.net>

Repository CRAN

Date/Publication 2023-09-09 11:10:02 UTC

Contents

ompr.roi-package	2
as_ROI_model	2
with_ROI	3

Index	4
-------	---

ompr.roi-package	<i>A Solver for 'ompr' that Uses the R Optimization Infrastructure ('ROI')</i>
------------------	--

Description

A solver for 'ompr' based on the R Optimization Infrastructure ('ROI'). The package makes all solvers in 'ROI' available to solve 'ompr' models. Please see the 'ompr' website <<https://dirkschumacher.github.io/ompr>> and package docs for examples on how to use it.

Author(s)

Maintainer: Dirk Schumacher <mail@dirk-schumacher.net>

See Also

Useful links:

- <https://github.com/dirkschumacher/ompr.roi>
- Report bugs at <https://github.com/dirkschumacher/ompr.roi/issues>

as_ROI_model	<i>Export to ROI::OP</i>
--------------	--------------------------

Description

This function can be used to transform an ompr model to a ROI::OP object.

Usage

```
as_ROI_model(model)
```

Arguments

model	an ompr model
-------	---------------

Value

an object of S3 class 'ROI::OP'

with_ROI

*Configures a solver based on 'ROI'***Description**

This function makes all solvers in the R package 'ROI' available to solve 'ompr' models.

Usage

```
with_ROI(solver, ...)
```

Arguments

`solver` the 'ROI' solver name (character vector of length 1)
`...` optional parameters passed to `ROI_solve`
 Note: it does only support column duals. It currently does not export row duals.

Value

a function: Model -> Solution that can be used together with `solve_model`. You can find ROI's original solver message and status information in `<return_value>$ROI`. The ompr status code is "success" if ROI returns code = 0 and is "error" otherwise.

References

Kurt Hornik, David Meyer, Florian Schwendinger and Stefan Theussl (2016). ROI: R Optimization Infrastructure. <<https://CRAN.R-project.org/package=ROI>>

Examples

```
## Not run:
library(magrittr)
library(ompr)
library(ROI)
library(ROI.plugin.glpk)
add_variable(MIPModel(), x, type = "continuous") %>%
  set_objective(x, sense = "max") %>%
  add_constraint(x <= 5) %>%
  solve_model(with_ROI(solver = "glpk", verbose = TRUE))

## End(Not run)
```

Index

`as_ROI_model`, [2](#)

`ompr.roi` (`ompr.roi-package`), [2](#)

`ompr.roi-package`, [2](#)

`solve_model`, [3](#)

`with_ROI`, [3](#)