

Package ‘paintingr’

July 23, 2025

Title Painting Palettes Generator

Version 0.1.0

Description Color palettes generated from paintings.

License MIT + file LICENSE

Encoding UTF-8

RoxygenNote 7.1.1

NeedsCompilation no

Author Dean Li [aut, cre]

Maintainer Dean Li <lida@sioc.ac.cn>

Repository CRAN

Date/Publication 2022-08-23 08:20:09 UTC

Contents

display_all_palettes	1
painting_palettes	2
paint_palette	2
Index	4

display_all_palettes	<i>Display All Available Palettes</i>
----------------------	---------------------------------------

Description

Display All Available Palettes

Usage

```
display_all_palettes(n = NULL)
```

Arguments

n Number of palettes to display. All palettes will be displayed in default

Value

No return value, called for displaying all available palettes.

Examples

display_all_palettes()

painting_palettes	<i>Complete List of Palettes</i>
-------------------	----------------------------------

Description

Use `paint_palette` to construct palettes of desired length.

Usage

painting_palettes

Format

An object of class `list` of length 12.

paint_palette	<i>Paintings Palette Generator</i>
---------------	------------------------------------

Description

Paintings Palette Generator

Usage

paint_palette(name, n, type = c("discrete", "continuous"))

Arguments

name	Name of desired palette. Choice are: Pearlgirl, Splash, Autumn, Villeneuve, Ophelia, Kitchen, Spring, Strawberries, Seascape, Twilight, Abstract, Vesuvius
n	Number of colors you want.
type	Use "discrete" or "continuous". Use "continuous" to automatically interpolate between colors if you want more colors.

Value

A vector of colors.

Examples

```
paint_palette("Ophelia")  
paint_palette("Ophelia", n=3)  
paint_palette("Autumn", n=100, type="continuous")
```

Index

- * **colors**

- paint_palette, [2](#)

- * **datasets**

- painting_palettes, [2](#)

- * **palette**

- paint_palette, [2](#)

display_all_palettes, [1](#)

paint_palette, [2](#), [2](#)

painting_palettes, [2](#)