

Package ‘pipefittr’

July 23, 2025

Type Package

Title Convert Nested Functions to Pipes

Version 0.1.2

Author Houston R Users,
Neeraj Tandon,
Ed Goodwin,
Ju Yeong Kim,
Sahil Seth

Maintainer Sahil Seth <me@sahilseth.com>

Description To take nested function calls and convert them to a more readable form using pipes from package ‘magrittr’.

Depends R (>= 3.0.0)

Imports magrittr, miniUI (>= 0.1.1), rstudioapi (>= 0.4), shiny (>= 0.13), stringr

Suggests testthat

License MIT + file LICENSE

LazyData TRUE

RoxygenNote 5.0.1

NeedsCompilation no

Repository CRAN

Date/Publication 2016-09-14 21:44:10

Contents

make_list	2
make_output	2
pipefittr	2
splitlisttodf	3
splitmultistrtolist	3
Index	4

make_list	<i>make_list</i>
-----------	------------------

Description

make_list

Usage

make_list(string)

Arguments

string	a string to be converted into a list
--------	--------------------------------------

make_output	<i>make_output</i>
-------------	--------------------

Description

make_output

Usage

make_output(funclist)

Arguments

funclist	a list of functions
----------	---------------------

pipefittr	<i>Convert nested calls to magrittr's pipes.</i>
-----------	--

Description

To take nested function calls and convert them to a more readable form using magrittr's pipes.

Usage

pipefittr(string, pretty = F)

Arguments

string	a string, to be converted into magrittr's pipe syntax
pretty	create a multiline output, which is prettier. Try this.

Examples

```
teststring = "jump_on(bop_on( scoop_up( hop_through(foo_foo, forest), field_mouse ), head))"
pipefittr(teststring, pretty = TRUE)
```

splitlisttodf	<i>Splits list into a data.frame</i>
---------------	--------------------------------------

Description

Splits list into a data.frame

Usage

```
splitlisttodf(listtosplit)
```

Arguments

listtosplit a list to be converted into a data.frame

splitmultistrtolist	<i>Splits string into a list</i>
---------------------	----------------------------------

Description

Splits string into a list

Usage

```
splitmultistrtolist(stringtosplit)
```

Arguments

stringtosplit a string to be split

Index

`make_list`, [2](#)

`make_output`, [2](#)

`pipefittr`, [2](#)

`splitlisttodf`, [3](#)

`splitmultistrtolist`, [3](#)