

Package ‘pluscode’

July 23, 2025

Type Package

Title Encoder for Google 'Pluscodes'

Version 0.1.0

Author Michael Doyle

Maintainer Michael Doyle <michaeledoyle7@gmail.com>

Description Retrieves a 'pluscode' by inputting latitude and longitude. Includes additional functions to retrieve neighbouring 'pluscodes'.

License GPL-2

LazyData FALSE

Imports httr, jsonlite

RoxygenNote 5.0.1

NeedsCompilation no

Repository CRAN

Date/Publication 2018-11-14 15:00:03 UTC

Contents

pluscode_eastneighbour	2
pluscode_encode	2
pluscode_neighbours	3
pluscode_northeastneighbour	3
pluscode_northneighbour	4
pluscode_northwestneighbour	4
pluscode_southeastneighbour	5
pluscode_southneighbour	5
pluscode_southwestneighbour	6
pluscode_westneighbour	6

Index	7
--------------	----------

`pluscode_eastneighbour`*Pluscode East Neighbour*

Description

This package retrieves the easterly neighbour of a valid pluscode, with a precision of 2, 4, 8, or 10 excluding the plus sign (which can be included)

Usage

```
pluscode_eastneighbour(pluscode)
```

Arguments

<code>pluscode</code>	A valid pluscode 2, 4, 8, or 10 characters in length excluding the plus sign (which can be included)
-----------------------	--

Examples

```
pluscode_eastneighbour("9C4MGC2M+H4")
```

`pluscode_encode`*Pluscode Encoder*

Description

This package retrieves a pluscode by inputting latitude and longitude

Usage

```
pluscode_encode(lats, lngs, precision)
```

Arguments

<code>lats</code>	A valid latitude within the range -90 to 90
<code>lngs</code>	A valid longitude within the range -180 to 180
<code>precision</code>	Options are 2, 4, 8, or 10

Examples

```
pluscode_encode(52.501450, -6.567180, 8)
```

pluscode_neighbours	<i>Pluscode Neighbours</i>
---------------------	----------------------------

Description

This function retrieves the neighbouring pluscodes of a valid pluscode, with a precision of 2, 4, 8, or 10 excluding the plus sign (which can be included)

Usage

```
pluscode_neighbours(pluscode)
```

Arguments

pluscode	A valid pluscode 2, 4, 8, or 10 characters in length excluding the plus sign (which can be included)
----------	--

Examples

```
pluscode_neighbours("9C4MGC2M+H4")
```

pluscode_northeastneighbour	<i>Pluscode Northeast Neighbour</i>
-----------------------------	-------------------------------------

Description

This package retrieves the north-easterly neighbour of a valid pluscode, with a precision of 2, 4, 8, or 10 excluding the plus sign (which can be included)

Usage

```
pluscode_northeastneighbour(pluscode)
```

Arguments

pluscode	A valid pluscode 2, 4, 8, or 10 characters in length excluding the plus sign (which can be included)
----------	--

Examples

```
pluscode_northeastneighbour("9C4MGC2M+H4")
```

pluscode_northneighbour

Pluscode North Neighbour

Description

This package retrieves the northerly neighbour of a valid pluscode, with a precision of 2, 4, 8, or 10 excluding the plus sign (which can be included)

Usage

```
pluscode_northneighbour(pluscode)
```

Arguments

pluscode	A valid pluscode 2, 4, 8, or 10 characters in length excluding the plus sign (which can be included)
----------	--

Examples

```
pluscode_northneighbour("9C4MGC2M+H4")
```

pluscode_northwestneighbour

Pluscode Northwest Neighbour

Description

This package retrieves the north-westerly neighbour of a valid pluscode, with a precision of 2, 4, 8, or 10 excluding the plus sign (which can be included)

Usage

```
pluscode_northwestneighbour(pluscode)
```

Arguments

pluscode	A valid pluscode 2, 4, 8, or 10 characters in length excluding the plus sign (which can be included)
----------	--

Examples

```
pluscode_northwestneighbour("9C4MGC2M+H4")
```

pluscode_southeastneighbour
Pluscode Southeast Neighbour

Description

This package retrieves the south-easterly neighbour of a valid pluscode, with a precision of 2, 4, 8, or 10 excluding the plus sign (which can be included)

Usage

```
pluscode_southeastneighbour(pluscode)
```

Arguments

pluscode	A valid pluscode 2, 4, 8, or 10 characters in length excluding the plus sign (which can be included)
----------	--

Examples

```
pluscode_southeastneighbour("9C4MGC2M+H4")
```

pluscode_southneighbour
Pluscode South Neighbour

Description

This package retrieves the southerly neighbour of a valid pluscode, with a precision of 2, 4, 8, or 10 excluding the plus sign (which can be included)

Usage

```
pluscode_southneighbour(pluscode)
```

Arguments

pluscode	A valid pluscode 2, 4, 8, or 10 characters in length excluding the plus sign (which can be included)
----------	--

Examples

```
pluscode_southneighbour("9C4MGC2M+H4")
```

`pluscode_southwestneighbour`*Pluscode Southwest Neighbour*

Description

This package retrieves the south-westerly neighbour of a valid pluscode, with a precision of 2, 4, 8, or 10 excluding the plus sign (which can be included)

Usage

```
pluscode_southwestneighbour(pluscode)
```

Arguments

pluscode	A valid pluscode 2, 4, 8, or 10 characters in length excluding the plus sign (which can be included)
----------	--

Examples

```
pluscode_southwestneighbour("9C4MGC2M+H4")
```

`pluscode_westneighbour`*Pluscode West Neighbour*

Description

This package retrieves the westerly neighbour of a valid pluscode, with a precision of 2, 4, 8, or 10 excluding the plus sign (which can be included)

Usage

```
pluscode_westneighbour(pluscode)
```

Arguments

pluscode	A valid pluscode 2, 4, 8, or 10 characters in length excluding the plus sign (which can be included)
----------	--

Examples

```
pluscode_westneighbour("9C4MGC2M+H4")
```

Index

pluscode_eastneighbour, [2](#)
pluscode_encode, [2](#)
pluscode_neighbours, [3](#)
pluscode_northeastneighbour, [3](#)
pluscode_northneighbour, [4](#)
pluscode_northwestneighbour, [4](#)
pluscode_southeastneighbour, [5](#)
pluscode_southneighbour, [5](#)
pluscode_southwestneighbour, [6](#)
pluscode_westneighbour, [6](#)