

# Package ‘procmmaps’

July 23, 2025

**Title** Portable Address Space Mapping

**Version** 0.0.5

**Date** 2023-01-19

**Description** Portable '/proc/self/maps' as a data frame.

Determine which library or other region is mapped to a specific address of a process. --

R packages can contain native code, compiled to shared libraries at build or installation time.

When loaded, each shared library occupies a portion of the address space of the main process.

When only a machine instruction pointer is available (e.g. from a backtrace during error inspection or profiling), the address space map determines which library this instruction pointer corresponds to.

**License** GPL-3

**URL** <https://r-prof.github.io/procmmaps/>,  
<https://github.com/r-prof/procmmaps>

**BugReports** <https://github.com/r-prof/procmmaps/issues>

**Suggests** covr, testthat, tibble

**Encoding** UTF-8

**RoxygenNote** 7.2.3

**NeedsCompilation** yes

**Author** Kirill Müller [aut, cre] (ORCID:  
<<https://orcid.org/0000-0002-1416-3412>>),  
R Consortium [fnd],  
Kostya Serebryany [ctb] (Bundled gperftools library),  
Sanjay Ghemawat [ctb] (Bundled gperftools library),  
Craig Silverstein [ctb] (Bundled gperftools library),  
Google Inc. [cph] (Bundled gperftools library)

**Maintainer** Kirill Müller <[kirill@cynkra.com](mailto:kirill@cynkra.com)>

**Repository** CRAN

**Date/Publication** 2023-01-20 17:10:02 UTC

Contents

path_is_libr	2
procmap_get	2
<b>Index</b>	<b>4</b>

---

path_is_libr	<i>Does a path represent R's main library?</i>
--------------	--

---

Description

For a vector of paths, checks if the [basename](#) matches libR or R. This is useful to detect the addresses occupied by R itself.

Usage

```
path_is_libr(path)
```

Arguments

path                    A character vector of paths

Value

A logical vector of the same length as path.

Examples

```
map <- procmap_get()
path_is_libr(map$pathname)
```

---

procmap_get	<i>Get the address space map of a process</i>
-------------	---

---

Description

Returns the address space map of a process as a data frame.

Usage

```
procmap_get(..., as_tibble = NULL)
```

Arguments

...                    Reserved for future extensions, must be empty.

as\_tibble              When using in a package, set to TRUE to return a [tibble::tibble](#). This requires the tibble package to be installed. The default returns a tibble if the package is installed, otherwise a data frame.

**Value**

A data frame or tibble, depending on the `as_tibble` argument.

**Examples**

```
procmmap_get()
```

# Index

`basename`, [2](#)

`path_is_libr`, [2](#)

`procmmap_get`, [2](#)

`tibble::tibble`, [2](#)