

Package ‘randomcoloR’

July 23, 2025

Type Package

Title Generate Attractive Random Colors

Version 1.1.0.1

Date 2017-12-06

Author Ron Ammar

Maintainer Ron Ammar <ron.ammar@gmail.com>

Description Simple methods to generate attractive random colors. The random colors are from a wrapper of 'randomColor.js' <<https://github.com/davidmerfield/randomColor>>. In addition, it also generates optimally distinct colors based on k-means (inspired by 'IWantHue' <<https://github.com/medialab/iwanthue>>).

License CC0

BugReports <https://github.com/ronammar/randomcoloR/issues>

LazyData TRUE

RoxygenNote 6.0.1

Imports colorspace, stringr, V8, stats, methods, scales, Rtsne, grDevices, cluster

NeedsCompilation no

Repository CRAN

Date/Publication 2019-11-24 18:36:34 UTC

Contents

distinctColorPalette	2
randomColor	2
Index	4

`distinctColorPalette` *Generate palettes of optimally distinct colors.*

Description

Inspired by the theory from <http://tools.medialab.sciences-po.fr/iwanthue/theory.php> For more info, also see https://en.wikipedia.org/wiki/Lab_color_space

Usage

```
distinctColorPalette(k = 1, altCol = FALSE, runTsne = FALSE)
```

Arguments

<code>k</code>	number of colors (≥ 1). May be ineffective for $k > 40$.
<code>altCol</code>	Use an alternate color space
<code>runTsne</code>	Preprocess color space with t-SNE to obtain distinct colors. Reduces performance.

Value

A character vector of `k` optimally distinct colors in hexadecimal codes.

`randomColor` *Get a pretty random color.*

Description

Get a pretty random color.

Usage

```
randomColor(count = 1, hue = c(" ", "random", "red", "orange", "yellow",  
  "green", "blue", "purple", "pink", "monochrome"), luminosity = c(" ",  
  "random", "light", "bright", "dark"))
```

Arguments

<code>count</code>	number of colors (≥ 1)
<code>hue</code>	The hue of the colors to be selected.
<code>luminosity</code>	The luminosity of the colors to be selected.

Value

A character vector of random color hexadecimal codes.

Examples

```
randomColor()
```

```
randomColor(hue="pink")
```

```
randomColor(10, luminosity="light")
```

Index

`distinctColorPalette`, [2](#)

`randomColor`, [2](#)