

Package ‘remmy’

July 23, 2025

Title API Client for 'Lemmy'

Version 0.1.0

Description An HTTP API client for 'Lemmy'
(<https://github.com/LemmyNet/lemmy>) in R. Code and documentation are
generated from the official 'JavaScript' client source
(<https://github.com/LemmyNet/lemmy-js-client>).

License MIT + file LICENSE

URL <https://github.com/long39ng/remmy>,
<https://long39ng.github.io/remmy/>

BugReports <https://github.com/long39ng/remmy/issues>

Imports curl, httr2

Suggests testthat (>= 3.0.0)

Config/testthat/edition 3

Encoding UTF-8

RoxygenNote 7.2.3

NeedsCompilation no

Author Long Nguyen [aut, cre] (ORCID: <https://orcid.org/0000-0001-8878-7386>)

Maintainer Long Nguyen <long.nguyen@uni-bielefeld.de>

Repository CRAN

Date/Publication 2023-07-19 10:50:05 UTC

Contents

lemmy_add_admin	3
lemmy_add_mod_to_community	4
lemmy_approve_registration_application	6
lemmy_ban_from_community	8
lemmy_ban_person	10
lemmy_block_community	11
lemmy_block_person	12

lemmy_change_password	14
lemmy_create_comment	15
lemmy_create_comment_report	17
lemmy_create_community	21
lemmy_create_custom_emoji	23
lemmy_create_post	24
lemmy_create_post_report	26
lemmy_create_private_message	30
lemmy_create_private_message_report	31
lemmy_create_site	34
lemmy_delete_account	38
lemmy_delete_comment	39
lemmy_delete_community	41
lemmy_delete_custom_emoji	43
lemmy_delete_post	44
lemmy_delete_private_message	46
lemmy_distinguish_comment	48
lemmy_edit_comment	50
lemmy_edit_community	53
lemmy_edit_custom_emoji	55
lemmy_edit_post	56
lemmy_edit_private_message	58
lemmy_edit_site	60
lemmy_feature_post	65
lemmy_follow_community	67
lemmy_get_banned_persons	69
lemmy_get_captcha	70
lemmy_get_comment	71
lemmy_get_comments	73
lemmy_get_community	76
lemmy_get_federated_instances	79
lemmy_get_modlog	80
lemmy_get_person_details	99
lemmy_get_person_mentions	105
lemmy_get_post	108
lemmy_get_posts	114
lemmy_get_private_messages	117
lemmy_get_replies	119
lemmy_get_report_count	122
lemmy_get_site	123
lemmy_get_site_metadata	130
lemmy_get_unread_count	131
lemmy_get_unread_registration_application_count	132
lemmy_leave_admin	133
lemmy_like_comment	140
lemmy_like_post	143
lemmy_list_comment_reports	145
lemmy_list_communities	149

lemmy_list_post_reports	151
lemmy_list_private_message_reports	154
lemmy_list_registration_applications	156
lemmy_lock_post	159
lemmy_login	161
lemmy_mark_all_as_read	162
lemmy_mark_comment_reply_as_read	165
lemmy_mark_person_mention_as_read	168
lemmy_mark_post_as_read	171
lemmy_mark_private_message_as_read	173
lemmy_password_change_after_reset	175
lemmy_password_reset	176
lemmy_purge_comment	177
lemmy_purge_community	177
lemmy_purge_person	178
lemmy_purge_post	179
lemmy_register	179
lemmy_remove_comment	181
lemmy_remove_community	183
lemmy_remove_post	185
lemmy_resolve_comment_report	187
lemmy_resolve_object	191
lemmy_resolve_post_report	196
lemmy_resolve_private_message_report	199
lemmy_save_comment	202
lemmy_save_post	204
lemmy_save_user_settings	207
lemmy_search	209
lemmy_transfer_community	215
lemmy_verify_email	217

Index**219**

lemmy_add_admin	<i>Add an admin to your site.</i>
-----------------	-----------------------------------

Description

HTTP.POST /admin/add

Usage

```

lemmy_add_admin(
  person_id,
  added,
  auth,
  .lemmy_instance = getOption("lemmy_instance", "https://lemmy.world")
)

```

Arguments

person_id	A numeric value.
added	A logical value.
auth	A character value.
.lemmy_instance	Default: "https://lemmy.world". Change the default instance by setting the <code>lemmy_instance</code> options() .

Value

A list of length 1:

```
<list>
`-admins: <list>
  `-[Each element]: <list>
    |-person: <list>
      |-id: A numeric value
      |-name: A character value
      |-display_name: (Optional) A character value
      |-avatar: (Optional) A character value
      |-banned: A logical value
      |-published: A character value
      |-updated: (Optional) A character value
      |-actor_id: A character value
      |-bio: (Optional) A character value
      |-local: A logical value
      |-banner: (Optional) A character value
      |-deleted: A logical value
      |-inbox_url: A character value
      |-matrix_user_id: (Optional) A character value
      |-admin: A logical value
      |-bot_account: A logical value
      |-ban_expires: (Optional) A character value
      |-instance_id: A numeric value
    `-counts: <list>
      |-id: A numeric value
      |-person_id: A numeric value
      |-post_count: A numeric value
      |-post_score: A numeric value
      |-comment_count: A numeric value
      `comment_score: A numeric value
```

lemmy_add_mod_to_community

Add a moderator to your community.

Description

HTTP.POST /community/mod

Usage

```
lemmy_add_mod_to_community(
  community_id,
  person_id,
  added,
  auth,
  .lemmy_instance = getOption("lemmy_instance", "https://lemmy.world")
)
```

Arguments

community_id	A numeric value.
person_id	A numeric value.
added	A logical value.
auth	A character value.
.lemmy_instance	Default: "https://lemmy.world". Change the default instance by setting the <code>lemmy_instance</code> options() .

Value

A list of length 1:

```
<list>
`-moderators: <list>
  `[Each element]: <list>
    |-community: <list>
      |-id: A numeric value
      |-name: A character value
      |-title: A character value
      |-description: (Optional) A character value
      |-removed: A logical value
      |-published: A character value
      |-updated: (Optional) A character value
      |-deleted: A logical value
      |-nsfw: A logical value
      |-actor_id: A character value
      |-local: A logical value
      |-icon: (Optional) A character value
      |-banner: (Optional) A character value
      |-followers_url: A character value
      |-inbox_url: A character value
      |-hidden: A logical value
      |-posting_restricted_to_mods: A logical value
```

```

| `~instance_id: A numeric value
`~moderator: <list>
  |-id: A numeric value
  |-name: A character value
  |-display_name: (Optional) A character value
  |-avatar: (Optional) A character value
  |-banned: A logical value
  |-published: A character value
  |-updated: (Optional) A character value
  |-actor_id: A character value
  |-bio: (Optional) A character value
  |-local: A logical value
  |-banner: (Optional) A character value
  |-deleted: A logical value
  |-inbox_url: A character value
  |-matrix_user_id: (Optional) A character value
  |-admin: A logical value
  |-bot_account: A logical value
  |-ban_expires: (Optional) A character value
  `~instance_id: A numeric value

```

lemmy_approve_registration_application

Approve a registration application

Description

HTTP.PUT /admin/registration_application/approve

Usage

```

lemmy_approve_registration_application(
  id,
  approve,
  deny_reason = NULL,
  auth,
  .lemmy_instance = getOption("lemmy_instance", "https://lemmy.world")
)

```

Arguments

id	A numeric value.
approve	A logical value.
deny_reason	(Optional) A character value.
auth	A character value.
.lemmy_instance	Default: "https://lemmy.world". Change the default instance by setting the <code>lemmy_instance</code> options() .

Value

A list of length 1:

```
<list>
  ~-registration_application: <list>
    |-registration_application: <list>
      |-id: A numeric value
      |-local_user_id: A numeric value
      |-answer: A character value
      |-admin_id: (Optional) A numeric value
      |-deny_reason: (Optional) A character value
      |-published: A character value
    |-creator_local_user: <list>
      |-id: A numeric value
      |-person_id: A numeric value
      |-email: (Optional) A character value
      |-show_nsfw: A logical value
      |-theme: A character value
      |-default_sort_type: One of "Active", "Hot", "New", "...
      |-default_listing_type: One of "All", "Local", or "Subsc...
      |-interface_language: A character value
      |-show_avatars: A logical value
      |-send_notifications_to_email: A logical value
      |-validator_time: A character value
      |-show_scores: A logical value
      |-show_bot_accounts: A logical value
      |-show_read_posts: A logical value
      |-show_new_post_notifs: A logical value
      |-email_verified: A logical value
      |-accepted_application: A logical value
      |-totp_2fa_url: (Optional) A character value
      |-open_links_in_new_tab: A logical value
    |-creator: <list>
      |-id: A numeric value
      |-name: A character value
      |-display_name: (Optional) A character value
      |-avatar: (Optional) A character value
      |-banned: A logical value
      |-published: A character value
      |-updated: (Optional) A character value
      |-actor_id: A character value
      |-bio: (Optional) A character value
      |-local: A logical value
      |-banner: (Optional) A character value
      |-deleted: A logical value
      |-inbox_url: A character value
      |-matrix_user_id: (Optional) A character value
      |-admin: A logical value
```

```

| |-bot_account: A logical value
| |-ban_expires: (Optional) A character value
| `~-instance_id: A numeric value
`-admin: <list>
  |-id: A numeric value
  |-name: A character value
  |-display_name: (Optional) A character value
  |-avatar: (Optional) A character value
  |-banned: A logical value
  |-published: A character value
  |-updated: (Optional) A character value
  |-actor_id: A character value
  |-bio: (Optional) A character value
  |-local: A logical value
  |-banner: (Optional) A character value
  |-deleted: A logical value
  |-inbox_url: A character value
  |-matrix_user_id: (Optional) A character value
  |-admin: A logical value
  |-bot_account: A logical value
  |-ban_expires: (Optional) A character value
  `~-instance_id: A numeric value

```

lemmy_ban_from_community

Ban a user from a community.

Description

HTTP.POST /community/ban_user

Usage

```

lemmy_ban_from_community(
  community_id,
  person_id,
  ban,
  remove_data = NULL,
  reason = NULL,
  expires = NULL,
  auth,
  .lemmy_instance = getOption("lemmy_instance", "https://lemmy.world")
)

```

Arguments

community_id	A numeric value.
person_id	A numeric value.
ban	A logical value.
remove_data	(Optional) A logical value.
reason	(Optional) A character value.
expires	(Optional) A numeric value.
auth	A character value.
.lemmy_instance	Default: "https://lemmy.world". Change the default instance by setting the <code>lemmy_instance</code> options() .

Value

A list of length 2:

```
<list>
|-person_view: <list>
| |-person: <list>
| | |-id: A numeric value
| | |-name: A character value
| | |-display_name: (Optional) A character value
| | |-avatar: (Optional) A character value
| | |-banned: A logical value
| | |-published: A character value
| | |-updated: (Optional) A character value
| | |-actor_id: A character value
| | |-bio: (Optional) A character value
| | |-local: A logical value
| | |-banner: (Optional) A character value
| | |-deleted: A logical value
| | |-inbox_url: A character value
| | |-matrix_user_id: (Optional) A character value
| | |-admin: A logical value
| | |-bot_account: A logical value
| | |-ban_expires: (Optional) A character value
| | `~-instance_id: A numeric value
| `~-counts: <list>
|   |-id: A numeric value
|   |-person_id: A numeric value
|   |-post_count: A numeric value
|   |-post_score: A numeric value
|   |-comment_count: A numeric value
|   `~-comment_score: A numeric value
`-banned: A logical value
```

lemmy_ban_person	<i>Ban a person from your site.</i>
------------------	-------------------------------------

Description

HTTP.POST /user/ban

Usage

```
lemmy_ban_person(
  person_id,
  ban,
  remove_data = NULL,
  reason = NULL,
  expires = NULL,
  auth,
  .lemmy_instance = getOption("lemmy_instance", "https://lemmy.world")
)
```

Arguments

person_id	A numeric value.
ban	A logical value.
remove_data	(Optional) A logical value.
reason	(Optional) A character value.
expires	(Optional) A numeric value.
auth	A character value.
.lemmy_instance	Default: "https://lemmy.world". Change the default instance by setting the <code>lemmy_instance</code> options() .

Value

A list of length 2:

```
<list>
|-person_view: <list>
| |-person: <list>
| | |-id: A numeric value
| | |-name: A character value
| | |-display_name: (Optional) A character value
| | |-avatar: (Optional) A character value
| | |-banned: A logical value
| | |-published: A character value
| | |-updated: (Optional) A character value
| | |-actor_id: A character value
```

```

| | |-bio: (Optional) A character value
| | |-local: A logical value
| | |-banner: (Optional) A character value
| | |-deleted: A logical value
| | |-inbox_url: A character value
| | |-matrix_user_id: (Optional) A character value
| | |-admin: A logical value
| | |-bot_account: A logical value
| | |-ban_expires: (Optional) A character value
| | `~-instance_id: A numeric value
| `~-counts: <list>
|   |-id: A numeric value
|   |-person_id: A numeric value
|   |-post_count: A numeric value
|   |-post_score: A numeric value
|   |-comment_count: A numeric value
|   `~-comment_score: A numeric value
`~-banned: A logical value

```

lemmy_block_community *Block a community.*

Description

HTTP.POST /community/block

Usage

```

lemmy_block_community(
  community_id,
  block,
  auth,
  .lemmy_instance = getOption("lemmy_instance", "https://lemmy.world")
)

```

Arguments

community_id	A numeric value.
block	A logical value.
auth	A character value.
.lemmy_instance	Default: "https://lemmy.world". Change the default instance by setting the <code>lemmy_instance</code> options() .

Value

A list of length 2:

```
<list>
|-community_view: <list>
| |-community: <list>
| | |-id: A numeric value
| | |-name: A character value
| | |-title: A character value
| | |-description: (Optional) A character value
| | |-removed: A logical value
| | |-published: A character value
| | |-updated: (Optional) A character value
| | |-deleted: A logical value
| | |-nsfw: A logical value
| | |-actor_id: A character value
| | |-local: A logical value
| | |-icon: (Optional) A character value
| | |-banner: (Optional) A character value
| | |-followers_url: A character value
| | |-inbox_url: A character value
| | |-hidden: A logical value
| | |-posting_restricted_to_mods: A logical value
| | `~-instance_id: A numeric value
| |-subscribed: One of "Subscribed", "NotSubscri...
| |-blocked: A logical value
| `~-counts: <list>
|   |-id: A numeric value
|   |-community_id: A numeric value
|   |-subscribers: A numeric value
|   |-posts: A numeric value
|   |-comments: A numeric value
|   |-published: A character value
|   |-users_active_day: A numeric value
|   |-users_active_week: A numeric value
|   |-users_active_month: A numeric value
|   |-users_active_half_year: A numeric value
|   `~-hot_rank: A numeric value
`-blocked: A logical value
```

lemmy_block_person	<i>Block a person.</i>
--------------------	------------------------

Description

HTTP.POST /user/block

Usage

```
lemmy_block_person(
  person_id,
  block,
  auth,
  .lemmy_instance = getOption("lemmy_instance", "https://lemmy.world")
)
```

Arguments

person_id	A numeric value.
block	A logical value.
auth	A character value.
.lemmy_instance	Default: "https://lemmy.world". Change the default instance by setting the <code>lemmy_instance</code> options() .

Value

A list of length 2:

```
<list>
|-person_view: <list>
| |-person: <list>
| | |-id: A numeric value
| | |-name: A character value
| | |-display_name: (Optional) A character value
| | |-avatar: (Optional) A character value
| | |-banned: A logical value
| | |-published: A character value
| | |-updated: (Optional) A character value
| | |-actor_id: A character value
| | |-bio: (Optional) A character value
| | |-local: A logical value
| | |-banner: (Optional) A character value
| | |-deleted: A logical value
| | |-inbox_url: A character value
| | |-matrix_user_id: (Optional) A character value
| | |-admin: A logical value
| | |-bot_account: A logical value
| | |-ban_expires: (Optional) A character value
| | `--instance_id: A numeric value
| `--counts: <list>
|   |-id: A numeric value
|   |-person_id: A numeric value
|   |-post_count: A numeric value
|   |-post_score: A numeric value
|   `--comment_count: A numeric value
```

```
|  ^-comment_score: A numeric value
|^-blocked: A logical value
```

lemmy_change_password *Change your user password.*

Description

HTTP.PUT /user/change_password

Usage

```
lemmy_change_password(
  new_password,
  new_password_verify,
  old_password,
  auth,
  .lemmy_instance = getOption("lemmy_instance", "https://lemmy.world")
)
```

Arguments

```
new_password    A character value.
new_password_verify
                A character value.
old_password    A character value.
auth            A character value.
.lemmy_instance
                Default: "https://lemmy.world". Change the default instance by setting the
                lemming_instance options\(\).
```

Value

A list of length 3:

```
<list>
|-jwt: (Optional) A character value
|-registration_created: A logical value
^-verify_email_sent: A logical value
```

lemmy_create_comment *Create a comment.*

Description

HTTP.POST /comment

Usage

```
lemmy_create_comment(
  content,
  post_id,
  parent_id = NULL,
  language_id = NULL,
  form_id = NULL,
  auth,
  .lemmy_instance = getOption("lemmy_instance", "https://lemmy.world")
)
```

Arguments

content	A character value.
post_id	A numeric value.
parent_id	(Optional) A numeric value.
language_id	(Optional) A numeric value.
form_id	(Optional) A character value.
auth	A character value.
.lemmy_instance	Default: "https://lemmy.world". Change the default instance by setting the <code>lemmy_instance</code> options() .

Value

A list of length 3:

```
<list>
|-comment_view: <list>
| |-comment: <list>
| | |-id: A numeric value
| | |-creator_id: A numeric value
| | |-post_id: A numeric value
| | |-content: A character value
| | |-removed: A logical value
| | |-published: A character value
| | |-updated: (Optional) A character value
| | |-deleted: A logical value
```

```

| | |-ap_id: A character value
| | |-local: A logical value
| | |-path: A character value
| | |-distinguished: A logical value
| | `|-language_id: A numeric value
| |-creator: <list>
| | |-id: A numeric value
| | |-name: A character value
| | |-display_name: (Optional) A character value
| | |-avatar: (Optional) A character value
| | |-banned: A logical value
| | |-published: A character value
| | |-updated: (Optional) A character value
| | |-actor_id: A character value
| | |-bio: (Optional) A character value
| | |-local: A logical value
| | |-banner: (Optional) A character value
| | |-deleted: A logical value
| | |-inbox_url: A character value
| | |-matrix_user_id: (Optional) A character value
| | |-admin: A logical value
| | |-bot_account: A logical value
| | |-ban_expires: (Optional) A character value
| | `|-instance_id: A numeric value
| |-post: <list>
| | |-id: A numeric value
| | |-name: A character value
| | |-url: (Optional) A character value
| | |-body: (Optional) A character value
| | |-creator_id: A numeric value
| | |-community_id: A numeric value
| | |-removed: A logical value
| | |-locked: A logical value
| | |-published: A character value
| | |-updated: (Optional) A character value
| | |-deleted: A logical value
| | |-nsfw: A logical value
| | |-embed_title: (Optional) A character value
| | |-embed_description: (Optional) A character value
| | |-thumbnail_url: (Optional) A character value
| | |-ap_id: A character value
| | |-local: A logical value
| | |-embed_video_url: (Optional) A character value
| | |-language_id: A numeric value
| | |-featured_community: A logical value
| | `|-featured_local: A logical value
| |-community: <list>
| | |-id: A numeric value

```

```

| | |-name: A character value
| | |-title: A character value
| | |-description: (Optional) A character value
| | |-removed: A logical value
| | |-published: A character value
| | |-updated: (Optional) A character value
| | |-deleted: A logical value
| | |-nsfw: A logical value
| | |-actor_id: A character value
| | |-local: A logical value
| | |-icon: (Optional) A character value
| | |-banner: (Optional) A character value
| | |-followers_url: A character value
| | |-inbox_url: A character value
| | |-hidden: A logical value
| | |-posting_restricted_to_mods: A logical value
| | `~-instance_id: A numeric value
| |-counts: <list>
| | |-id: A numeric value
| | |-comment_id: A numeric value
| | |-score: A numeric value
| | |-upvotes: A numeric value
| | |-downvotes: A numeric value
| | |-published: A character value
| | |-child_count: A numeric value
| | `~-hot_rank: A numeric value
| |-creator_banned_from_community: A logical value
| |-subscribed: One of "Subscribed", "NotSubscri...
| |-saved: A logical value
| |-creator_blocked: A logical value
| `~-my_vote: (Optional) A numeric value
|-recipient_ids: A numeric vector
`~-form_id: (Optional) A character value

```

lemmy_create_comment_report

Report a comment.

Description

HTTP.POST /comment/report

Usage

```

lemmy_create_comment_report(
  comment_id,
  reason,

```

```

    auth,
    .lemmy_instance = getOption("lemmy_instance", "https://lemmy.world")
)

```

Arguments

comment_id	A numeric value.
reason	A character value.
auth	A character value.
.lemmy_instance	Default: "https://lemmy.world". Change the default instance by setting the lemmmy_instance options() .

Value

A list of length 1:

```

<list>
`-comment_report_view: <list>
  |-comment_report: <list>
    | |-id: A numeric value
    | |-creator_id: A numeric value
    | |-comment_id: A numeric value
    | |-original_comment_text: A character value
    | |-reason: A character value
    | |-resolved: A logical value
    | |-resolver_id: (Optional) A numeric value
    | |-published: A character value
    | `--updated: (Optional) A character value
  |-comment: <list>
    | |-id: A numeric value
    | |-creator_id: A numeric value
    | |-post_id: A numeric value
    | |-content: A character value
    | |-removed: A logical value
    | |-published: A character value
    | |-updated: (Optional) A character value
    | |-deleted: A logical value
    | |-ap_id: A character value
    | |-local: A logical value
    | |-path: A character value
    | |-distinguished: A logical value
    | `--language_id: A numeric value
  |-post: <list>
    | |-id: A numeric value
    | |-name: A character value
    | |-url: (Optional) A character value
    | |-body: (Optional) A character value

```

```
| |-creator_id: A numeric value
| |-community_id: A numeric value
| |-removed: A logical value
| |-locked: A logical value
| |-published: A character value
| |-updated: (Optional) A character value
| |-deleted: A logical value
| |-nsfw: A logical value
| |-embed_title: (Optional) A character value
| |-embed_description: (Optional) A character value
| |-thumbnail_url: (Optional) A character value
| |-ap_id: A character value
| |-local: A logical value
| |-embed_video_url: (Optional) A character value
| |-language_id: A numeric value
| |-featured_community: A logical value
| `--featured_local: A logical value
|-community: <list>
| |-id: A numeric value
| |-name: A character value
| |-title: A character value
| |-description: (Optional) A character value
| |-removed: A logical value
| |-published: A character value
| |-updated: (Optional) A character value
| |-deleted: A logical value
| |-nsfw: A logical value
| |-actor_id: A character value
| |-local: A logical value
| |-icon: (Optional) A character value
| |-banner: (Optional) A character value
| |-followers_url: A character value
| |-inbox_url: A character value
| |-hidden: A logical value
| |-posting_restricted_to_mods: A logical value
| `--instance_id: A numeric value
|-creator: <list>
| |-id: A numeric value
| |-name: A character value
| |-display_name: (Optional) A character value
| |-avatar: (Optional) A character value
| |-banned: A logical value
| |-published: A character value
| |-updated: (Optional) A character value
| |-actor_id: A character value
| |-bio: (Optional) A character value
| |-local: A logical value
| |-banner: (Optional) A character value
```

```

| |-deleted: A logical value
| |-inbox_url: A character value
| |-matrix_user_id: (Optional) A character value
| |-admin: A logical value
| |-bot_account: A logical value
| |-ban_expires: (Optional) A character value
| `--instance_id: A numeric value
|-comment_creator: <list>
| |-id: A numeric value
| |-name: A character value
| |-display_name: (Optional) A character value
| |-avatar: (Optional) A character value
| |-banned: A logical value
| |-published: A character value
| |-updated: (Optional) A character value
| |-actor_id: A character value
| |-bio: (Optional) A character value
| |-local: A logical value
| |-banner: (Optional) A character value
| |-deleted: A logical value
| |-inbox_url: A character value
| |-matrix_user_id: (Optional) A character value
| |-admin: A logical value
| |-bot_account: A logical value
| |-ban_expires: (Optional) A character value
| `--instance_id: A numeric value
|-counts: <list>
| |-id: A numeric value
| |-comment_id: A numeric value
| |-score: A numeric value
| |-upvotes: A numeric value
| |-downvotes: A numeric value
| |-published: A character value
| |-child_count: A numeric value
| `--hot_rank: A numeric value
|-creator_banned_from_community: A logical value
|-my_vote: (Optional) A numeric value
`--resolver: <list>
  |-id: A numeric value
  |-name: A character value
  |-display_name: (Optional) A character value
  |-avatar: (Optional) A character value
  |-banned: A logical value
  |-published: A character value
  |-updated: (Optional) A character value
  |-actor_id: A character value
  |-bio: (Optional) A character value
  |-local: A logical value

```

```

|-banner: (Optional) A character value
|-deleted: A logical value
|-inbox_url: A character value
|-matrix_user_id: (Optional) A character value
|-admin: A logical value
|-bot_account: A logical value
|-ban_expires: (Optional) A character value
`-instance_id: A numeric value

```

lemmy_create_community

Create a new community.

Description

HTTP.POST /community

Usage

```

lemmy_create_community(
  name,
  title,
  description = NULL,
  icon = NULL,
  banner = NULL,
  nsfw = NULL,
  posting_restricted_to_mods = NULL,
  discussion_languages = NULL,
  auth,
  .lemmy_instance = getOption("lemmy_instance", "https://lemmy.world")
)

```

Arguments

name	A character value.
title	A character value.
description	(Optional) A character value.
icon	(Optional) A character value.
banner	(Optional) A character value.
nsfw	(Optional) A logical value.
posting_restricted_to_mods	(Optional) A logical value.
discussion_languages	(Optional) A numeric vector.
auth	A character value.

.lemmy_instance

Default: "https://lemmy.world". Change the default instance by setting the
lemmy_instance [options\(\)](#).

Value

A list of length 2:

```
<list>
|-community_view: <list>
| |-community: <list>
| | |-id: A numeric value
| | |-name: A character value
| | |-title: A character value
| | |-description: (Optional) A character value
| | |-removed: A logical value
| | |-published: A character value
| | |-updated: (Optional) A character value
| | |-deleted: A logical value
| | |-nsfw: A logical value
| | |-actor_id: A character value
| | |-local: A logical value
| | |-icon: (Optional) A character value
| | |-banner: (Optional) A character value
| | |-followers_url: A character value
| | |-inbox_url: A character value
| | |-hidden: A logical value
| | |-posting_restricted_to_mods: A logical value
| | `~-instance_id: A numeric value
| |-subscribed: One of "Subscribed", "NotSubscri..."
| |-blocked: A logical value
| `~-counts: <list>
|   |-id: A numeric value
|   |-community_id: A numeric value
|   |-subscribers: A numeric value
|   |-posts: A numeric value
|   |-comments: A numeric value
|   |-published: A character value
|   |-users_active_day: A numeric value
|   |-users_active_week: A numeric value
|   |-users_active_month: A numeric value
|   |-users_active_half_year: A numeric value
|   `~-hot_rank: A numeric value
`~-discussion_languages: A numeric vector
```

```
lemmy_create_custom_emoji
```

Create a new custom emoji

Description

HTTP.POST /custom_emoji

Usage

```
lemmy_create_custom_emoji(
  category,
  shortcode,
  image_url,
  alt_text,
  keywords,
  auth,
  .lemmy_instance = getOption("lemmy_instance", "https://lemmy.world")
)
```

Arguments

category	A character value.
shortcode	A character value.
image_url	A character value.
alt_text	A character value.
keywords	A character vector.
auth	A character value.
.lemmy_instance	Default: "https://lemmy.world". Change the default instance by setting the <code>lemmy_instance</code> options() .

Value

A list of length 1:

```
<list>
~-custom_emoji: <list>
  |-custom_emoji: <list>
    | |-id: A numeric value
    | |-local_site_id: A numeric value
    | |-shortcode: A character value
    | |-image_url: A character value
    | |-alt_text: A character value
    | |-category: A character value
```

```

| |-published: A character value
| `~updated: (Optional) A character value
`-keywords: <list>
  `-[Each element]: <list>
    |-id: A numeric value
    |-custom_emoji_id: A numeric value
    `~keyword: A character value

```

lemmy_create_post	Create a post.
-------------------	----------------

Description

HTTP.POST /post

Usage

```

lemmy_create_post(
  name,
  community_id,
  url = NULL,
  body = NULL,
  honeypot = NULL,
  nsfw = NULL,
  language_id = NULL,
  auth,
  .lemmy_instance = getOption("lemmy_instance", "https://lemmy.world")
)

```

Arguments

name	A character value.
community_id	A numeric value.
url	(Optional) A character value.
body	(Optional) A character value.
honeypot	(Optional) A character value.
nsfw	(Optional) A logical value.
language_id	(Optional) A numeric value.
auth	A character value.
.lemmy_instance	Default: "https://lemmy.world". Change the default instance by setting the <code>lemmy_instance</code> options() .

Value

A list of length 1:

```
<list>
  ^-post_view: <list>
    |-post: <list>
      |-id: A numeric value
      |-name: A character value
      |-url: (Optional) A character value
      |-body: (Optional) A character value
      |-creator_id: A numeric value
      |-community_id: A numeric value
      |-removed: A logical value
      |-locked: A logical value
      |-published: A character value
      |-updated: (Optional) A character value
      |-deleted: A logical value
      |-nsfw: A logical value
      |-embed_title: (Optional) A character value
      |-embed_description: (Optional) A character value
      |-thumbnail_url: (Optional) A character value
      |-ap_id: A character value
      |-local: A logical value
      |-embed_video_url: (Optional) A character value
      |-language_id: A numeric value
      |-featured_community: A logical value
      | ^-featured_local: A logical value
    |-creator: <list>
      |-id: A numeric value
      |-name: A character value
      |-display_name: (Optional) A character value
      |-avatar: (Optional) A character value
      |-banned: A logical value
      |-published: A character value
      |-updated: (Optional) A character value
      |-actor_id: A character value
      |-bio: (Optional) A character value
      |-local: A logical value
      |-banner: (Optional) A character value
      |-deleted: A logical value
      |-inbox_url: A character value
      |-matrix_user_id: (Optional) A character value
      |-admin: A logical value
      |-bot_account: A logical value
      |-ban_expires: (Optional) A character value
      | ^-instance_id: A numeric value
    |-community: <list>
      |-id: A numeric value
```

```

| |-name: A character value
| |-title: A character value
| |-description: (Optional) A character value
| |-removed: A logical value
| |-published: A character value
| |-updated: (Optional) A character value
| |-deleted: A logical value
| |-nsfw: A logical value
| |-actor_id: A character value
| |-local: A logical value
| |-icon: (Optional) A character value
| |-banner: (Optional) A character value
| |-followers_url: A character value
| |-inbox_url: A character value
| |-hidden: A logical value
| |-posting_restricted_to_mods: A logical value
| `~instance_id: A numeric value
|-creator_banned_from_community: A logical value
|-counts: <list>
| |-id: A numeric value
| |-post_id: A numeric value
| |-comments: A numeric value
| |-score: A numeric value
| |-upvotes: A numeric value
| |-downvotes: A numeric value
| |-published: A character value
| |-newest_comment_time_necro: A character value
| |-newest_comment_time: A character value
| |-featured_community: A logical value
| |-featured_local: A logical value
| |-hot_rank: A numeric value
| `~hot_rank_active: A numeric value
|-subscribed: One of "Subscribed", "NotSubscri...
|-saved: A logical value
|-read: A logical value
|-creator_blocked: A logical value
|-my_vote: (Optional) A numeric value
`~unread_comments: A numeric value

```

lemmy_create_post_report

Report a post.

Description

HTTP.POST /post/report

Usage

```
lemmy_create_post_report(
  post_id,
  reason,
  auth,
  .lemmy_instance = getOption("lemmy_instance", "https://lemmy.world")
)
```

Arguments

post_id	A numeric value.
reason	A character value.
auth	A character value.
.lemmy_instance	Default: "https://lemmy.world". Change the default instance by setting the <code>lemmy_instance</code> options() .

Value

A list of length 1:

```
<list>
`-post_report_view: <list>
  |-post_report: <list>
    |-id: A numeric value
    |-creator_id: A numeric value
    |-post_id: A numeric value
    |-original_post_name: A character value
    |-original_post_url: (Optional) A character value
    |-original_post_body: (Optional) A character value
    |-reason: A character value
    |-resolved: A logical value
    |-resolver_id: (Optional) A numeric value
    |-published: A character value
    |-updated: (Optional) A character value
  |-post: <list>
    |-id: A numeric value
    |-name: A character value
    |-url: (Optional) A character value
    |-body: (Optional) A character value
    |-creator_id: A numeric value
    |-community_id: A numeric value
    |-removed: A logical value
    |-locked: A logical value
    |-published: A character value
    |-updated: (Optional) A character value
    |-deleted: A logical value
    |-nsfw: A logical value
```

```

| |-embed_title: (Optional) A character value
| |-embed_description: (Optional) A character value
| |-thumbnail_url: (Optional) A character value
| |-ap_id: A character value
| |-local: A logical value
| |-embed_video_url: (Optional) A character value
| |-language_id: A numeric value
| |-featured_community: A logical value
| `--featured_local: A logical value
|-community: <list>
| |-id: A numeric value
| |-name: A character value
| |-title: A character value
| |-description: (Optional) A character value
| |-removed: A logical value
| |-published: A character value
| |-updated: (Optional) A character value
| |-deleted: A logical value
| |-nsfw: A logical value
| |-actor_id: A character value
| |-local: A logical value
| |-icon: (Optional) A character value
| |-banner: (Optional) A character value
| |-followers_url: A character value
| |-inbox_url: A character value
| |-hidden: A logical value
| |-posting_restricted_to_mods: A logical value
| `--instance_id: A numeric value
|-creator: <list>
| |-id: A numeric value
| |-name: A character value
| |-display_name: (Optional) A character value
| |-avatar: (Optional) A character value
| |-banned: A logical value
| |-published: A character value
| |-updated: (Optional) A character value
| |-actor_id: A character value
| |-bio: (Optional) A character value
| |-local: A logical value
| |-banner: (Optional) A character value
| |-deleted: A logical value
| |-inbox_url: A character value
| |-matrix_user_id: (Optional) A character value
| |-admin: A logical value
| |-bot_account: A logical value
| |-ban_expires: (Optional) A character value
| `--instance_id: A numeric value
|-post_creator: <list>

```

```

| |-id: A numeric value
| |-name: A character value
| |-display_name: (Optional) A character value
| |-avatar: (Optional) A character value
| |-banned: A logical value
| |-published: A character value
| |-updated: (Optional) A character value
| |-actor_id: A character value
| |-bio: (Optional) A character value
| |-local: A logical value
| |-banner: (Optional) A character value
| |-deleted: A logical value
| |-inbox_url: A character value
| |-matrix_user_id: (Optional) A character value
| |-admin: A logical value
| |-bot_account: A logical value
| |-ban_expires: (Optional) A character value
| `--instance_id: A numeric value
|-creator_banned_from_community: A logical value
|-my_vote: (Optional) A numeric value
|-counts: <list>
| |-id: A numeric value
| |-post_id: A numeric value
| |-comments: A numeric value
| |-score: A numeric value
| |-upvotes: A numeric value
| |-downvotes: A numeric value
| |-published: A character value
| |-newest_comment_time_necro: A character value
| |-newest_comment_time: A character value
| |-featured_community: A logical value
| |-featured_local: A logical value
| |-hot_rank: A numeric value
| `--hot_rank_active: A numeric value
`--resolver: <list>
  |-id: A numeric value
  |-name: A character value
  |-display_name: (Optional) A character value
  |-avatar: (Optional) A character value
  |-banned: A logical value
  |-published: A character value
  |-updated: (Optional) A character value
  |-actor_id: A character value
  |-bio: (Optional) A character value
  |-local: A logical value
  |-banner: (Optional) A character value
  |-deleted: A logical value
  |-inbox_url: A character value

```

```

|-matrix_user_id: (Optional) A character value
|-admin: A logical value
|-bot_account: A logical value
|-ban_expires: (Optional) A character value
`-instance_id: A numeric value

```

lemmy_create_private_message

Create a private message.

Description

HTTP.POST /private_message

Usage

```

lemmy_create_private_message(
  content,
  recipient_id,
  auth,
  .lemmy_instance = getOption("lemmy_instance", "https://lemmy.world")
)

```

Arguments

content	A character value.
recipient_id	A numeric value.
auth	A character value.
.lemmy_instance	Default: "https://lemmy.world". Change the default instance by setting the <code>lemmy_instance</code> options() .

Value

A list of length 1:

```

<list>
`-private_message_view: <list>
  |-private_message: <list>
    | |-id: A numeric value
    | |-creator_id: A numeric value
    | |-recipient_id: A numeric value
    | |-content: A character value
    | |-deleted: A logical value
    | |-read: A logical value
    | |-published: A character value
    | |-updated: (Optional) A character value

```

```

| |-ap_id: A character value
| `|-local: A logical value
|-creator: <list>
| |-id: A numeric value
| |-name: A character value
| |-display_name: (Optional) A character value
| |-avatar: (Optional) A character value
| |-banned: A logical value
| |-published: A character value
| |-updated: (Optional) A character value
| |-actor_id: A character value
| |-bio: (Optional) A character value
| |-local: A logical value
| |-banner: (Optional) A character value
| |-deleted: A logical value
| |-inbox_url: A character value
| |-matrix_user_id: (Optional) A character value
| |-admin: A logical value
| |-bot_account: A logical value
| |-ban_expires: (Optional) A character value
| `|-instance_id: A numeric value
`-recipient: <list>
  |-id: A numeric value
  |-name: A character value
  |-display_name: (Optional) A character value
  |-avatar: (Optional) A character value
  |-banned: A logical value
  |-published: A character value
  |-updated: (Optional) A character value
  |-actor_id: A character value
  |-bio: (Optional) A character value
  |-local: A logical value
  |-banner: (Optional) A character value
  |-deleted: A logical value
  |-inbox_url: A character value
  |-matrix_user_id: (Optional) A character value
  |-admin: A logical value
  |-bot_account: A logical value
  |-ban_expires: (Optional) A character value
  `|-instance_id: A numeric value

```

lemmy_create_private_message_report

Create a report for a private message.

Description

HTTP.POST /private_message/report

Usage

```
lemmy_create_private_message_report(
  private_message_id,
  reason,
  auth,
  .lemmy_instance = getOption("lemmy_instance", "https://lemmy.world")
)
```

Arguments

private_message_id	A numeric value.
reason	A character value.
auth	A character value.
.lemmy_instance	Default: "https://lemmy.world". Change the default instance by setting the <code>lemmy_instance</code> options() .

Value

A list of length 1:

```
<list>
~-private_message_report_view: <list>
| -private_message_report: <list>
| | -id: A numeric value
| | -creator_id: A numeric value
| | -private_message_id: A numeric value
| | -original_pm_text: A character value
| | -reason: A character value
| | -resolved: A logical value
| | -resolver_id: (Optional) A numeric value
| | -published: A character value
| | ~-updated: (Optional) A character value
| -private_message: <list>
| | -id: A numeric value
| | -creator_id: A numeric value
| | -recipient_id: A numeric value
| | -content: A character value
| | -deleted: A logical value
| | -read: A logical value
| | -published: A character value
| | -updated: (Optional) A character value
| | -ap_id: A character value
| | ~-local: A logical value
| -private_message_creator: <list>
| | -id: A numeric value
| | -name: A character value
```

```
| |-display_name: (Optional) A character value
| |-avatar: (Optional) A character value
| |-banned: A logical value
| |-published: A character value
| |-updated: (Optional) A character value
| |-actor_id: A character value
| |-bio: (Optional) A character value
| |-local: A logical value
| |-banner: (Optional) A character value
| |-deleted: A logical value
| |-inbox_url: A character value
| |-matrix_user_id: (Optional) A character value
| |-admin: A logical value
| |-bot_account: A logical value
| |-ban_expires: (Optional) A character value
| `~-instance_id: A numeric value
|-creator: <list>
| |-id: A numeric value
| |-name: A character value
| |-display_name: (Optional) A character value
| |-avatar: (Optional) A character value
| |-banned: A logical value
| |-published: A character value
| |-updated: (Optional) A character value
| |-actor_id: A character value
| |-bio: (Optional) A character value
| |-local: A logical value
| |-banner: (Optional) A character value
| |-deleted: A logical value
| |-inbox_url: A character value
| |-matrix_user_id: (Optional) A character value
| |-admin: A logical value
| |-bot_account: A logical value
| |-ban_expires: (Optional) A character value
| `~-instance_id: A numeric value
`~-resolver: <list>
  |-id: A numeric value
  |-name: A character value
  |-display_name: (Optional) A character value
  |-avatar: (Optional) A character value
  |-banned: A logical value
  |-published: A character value
  |-updated: (Optional) A character value
  |-actor_id: A character value
  |-bio: (Optional) A character value
  |-local: A logical value
  |-banner: (Optional) A character value
  |-deleted: A logical value
```

```

|-inbox_url: A character value
|-matrix_user_id: (Optional) A character value
|-admin: A logical value
|-bot_account: A logical value
|-ban_expires: (Optional) A character value
`-instance_id: A numeric value

```

lemmy_create_site	<i>Create your site.</i>
-------------------	--------------------------

Description

HTTP.POST /site

Usage

```

lemmy_create_site(
  name,
  sidebar = NULL,
  description = NULL,
  icon = NULL,
  banner = NULL,
  enable_downvotes = NULL,
  enable_nsfw = NULL,
  community_creation_admin_only = NULL,
  require_email_verification = NULL,
  application_question = NULL,
  private_instance = NULL,
  default_theme = NULL,
  default_post_listing_type = NULL,
  legal_information = NULL,
  application_email_admins = NULL,
  hide_modlog_mod_names = NULL,
  discussion_languages = NULL,
  slur_filter_regex = NULL,
  actor_name_max_length = NULL,
  rate_limit_message = NULL,
  rate_limit_message_per_second = NULL,
  rate_limit_post = NULL,
  rate_limit_post_per_second = NULL,
  rate_limit_register = NULL,
  rate_limit_register_per_second = NULL,
  rate_limit_image = NULL,
  rate_limit_image_per_second = NULL,
  rate_limit_comment = NULL,
  rate_limit_comment_per_second = NULL,
  rate_limit_search = NULL,

```

```

    rate_limit_search_per_second = NULL,
    federation_enabled = NULL,
    federation_debug = NULL,
    captcha_enabled = NULL,
    captcha_difficulty = NULL,
    allowed_instances = NULL,
    blocked_instances = NULL,
    taglines = NULL,
    registration_mode = NULL,
    auth,
    .lemmy_instance = getOption("lemmy_instance", "https://lemmy.world")
)

```

Arguments

name	A character value.
sidebar	(Optional) A character value.
description	(Optional) A character value.
icon	(Optional) A character value.
banner	(Optional) A character value.
enable_downvotes	(Optional) A logical value.
enable_nsfw	(Optional) A logical value.
community_creation_admin_only	(Optional) A logical value.
require_email_verification	(Optional) A logical value.
application_question	(Optional) A character value.
private_instance	(Optional) A logical value.
default_theme	(Optional) A character value.
default_post_listing_type	(Optional) One of "All", "Local", or "Subscribed".
legal_information	(Optional) A character value.
application_email_admins	(Optional) A logical value.
hide_modlog_mod_names	(Optional) A logical value.
discussion_languages	(Optional) A numeric vector.
slur_filter_regex	(Optional) A character value.

actor_name_max_length
 (Optional) A numeric value.

rate_limit_message
 (Optional) A numeric value.

rate_limit_message_per_second
 (Optional) A numeric value.

rate_limit_post
 (Optional) A numeric value.

rate_limit_post_per_second
 (Optional) A numeric value.

rate_limit_register
 (Optional) A numeric value.

rate_limit_register_per_second
 (Optional) A numeric value.

rate_limit_image
 (Optional) A numeric value.

rate_limit_image_per_second
 (Optional) A numeric value.

rate_limit_comment
 (Optional) A numeric value.

rate_limit_comment_per_second
 (Optional) A numeric value.

rate_limit_search
 (Optional) A numeric value.

rate_limit_search_per_second
 (Optional) A numeric value.

federation_enabled
 (Optional) A logical value.

federation_debug
 (Optional) A logical value.

captcha_enabled
 (Optional) A logical value.

captcha_difficulty
 (Optional) A character value.

allowed_instances
 (Optional) A character vector.

blocked_instances
 (Optional) A character vector.

taglines
 (Optional) A character vector.

registration_mode
 (Optional) One of "Closed", "RequireApplication", or "Open".

auth
 A character value.

.lemmy_instance
 Default: "https://lemmy.world". Change the default instance by setting the
 lemmy_instance [options\(\)](#).

Value

A list of length 2:

```

<list>
|-site_view: <list>
| |-site: <list>
| | |-id: A numeric value
| | |-name: A character value
| | |-sidebar: (Optional) A character value
| | |-published: A character value
| | |-updated: (Optional) A character value
| | |-icon: (Optional) A character value
| | |-banner: (Optional) A character value
| | |-description: (Optional) A character value
| | |-actor_id: A character value
| | |-last_refreshed_at: A character value
| | |-inbox_url: A character value
| | |-private_key: (Optional) A character value
| | |-public_key: A character value
| | `--instance_id: A numeric value
| |-local_site: <list>
| | |-id: A numeric value
| | |-site_id: A numeric value
| | |-site_setup: A logical value
| | |-enable_downvotes: A logical value
| | |-enable_nsfw: A logical value
| | |-community_creation_admin_only: A logical value
| | |-require_email_verification: A logical value
| | |-application_question: (Optional) A character value
| | |-private_instance: A logical value
| | |-default_theme: A character value
| | |-default_post_listing_type: One of "All", "Local", or "Subsc...
| | |-legal_information: (Optional) A character value
| | |-hide_modlog_mod_names: A logical value
| | |-application_email_admins: A logical value
| | |-slur_filter_regex: (Optional) A character value
| | |-actor_name_max_length: A numeric value
| | |-federation_enabled: A logical value
| | |-captcha_enabled: A logical value
| | |-captcha_difficulty: A character value
| | |-published: A character value
| | |-updated: (Optional) A character value
| | |-registration_mode: One of "Closed", "RequireApplica...
| | `--reports_email_admins: A logical value
| |-local_site_rate_limit: <list>
| | |-id: A numeric value
| | |-local_site_id: A numeric value
| | |-message: A numeric value

```

```

| | |-message_per_second: A numeric value
| | |-post: A numeric value
| | |-post_per_second: A numeric value
| | |-register: A numeric value
| | |-register_per_second: A numeric value
| | |-image: A numeric value
| | |-image_per_second: A numeric value
| | |-comment: A numeric value
| | |-comment_per_second: A numeric value
| | |-search: A numeric value
| | |-search_per_second: A numeric value
| | |-published: A character value
| | `~updated: (Optional) A character value
| `~counts: <list>
|   |-id: A numeric value
|   |-site_id: A numeric value
|   |-users: A numeric value
|   |-posts: A numeric value
|   |-comments: A numeric value
|   |-communities: A numeric value
|   |-users_active_day: A numeric value
|   |-users_active_week: A numeric value
|   |-users_active_month: A numeric value
|   `~users_active_half_year: A numeric value
`~taglines: <list>
  `-[Each element]: <list>
    |-id: A numeric value
    |-local_site_id: A numeric value
    |-content: A character value
    |-published: A character value
    `~updated: (Optional) A character value

```

lemmy_delete_account *Delete your account.*

Description

HTTP.POST /user/delete_account

Usage

```

lemmy_delete_account(
  password,
  auth,
  .lemmy_instance = getOption("lemmy_instance", "https://lemmy.world")
)

```

Arguments

password	A character value.
auth	A character value.
.lemmy_instance	Default: "https://lemmy.world". Change the default instance by setting the <code>lemmy_instance</code> options() .

Value

A list of length 0:

```
<list>
```

lemmy_delete_comment	<i>Delete a comment.</i>
----------------------	--------------------------

Description

HTTP.POST /comment/delete

Usage

```
lemmy_delete_comment(
  comment_id,
  deleted,
  auth,
  .lemmy_instance = getOption("lemmy_instance", "https://lemmy.world")
)
```

Arguments

comment_id	A numeric value.
deleted	A logical value.
auth	A character value.
.lemmy_instance	Default: "https://lemmy.world". Change the default instance by setting the <code>lemmy_instance</code> options() .

Value

A list of length 3:

```
<list>
|-comment_view: <list>
| |-comment: <list>
| | |-id: A numeric value
```

```

| | |-creator_id: A numeric value
| | |-post_id: A numeric value
| | |-content: A character value
| | |-removed: A logical value
| | |-published: A character value
| | |-updated: (Optional) A character value
| | |-deleted: A logical value
| | |-ap_id: A character value
| | |-local: A logical value
| | |-path: A character value
| | |-distinguished: A logical value
| | `~-language_id: A numeric value
| |-creator: <list>
| | |-id: A numeric value
| | |-name: A character value
| | |-display_name: (Optional) A character value
| | |-avatar: (Optional) A character value
| | |-banned: A logical value
| | |-published: A character value
| | |-updated: (Optional) A character value
| | |-actor_id: A character value
| | |-bio: (Optional) A character value
| | |-local: A logical value
| | |-banner: (Optional) A character value
| | |-deleted: A logical value
| | |-inbox_url: A character value
| | |-matrix_user_id: (Optional) A character value
| | |-admin: A logical value
| | |-bot_account: A logical value
| | |-ban_expires: (Optional) A character value
| | `~-instance_id: A numeric value
| |-post: <list>
| | |-id: A numeric value
| | |-name: A character value
| | |-url: (Optional) A character value
| | |-body: (Optional) A character value
| | |-creator_id: A numeric value
| | |-community_id: A numeric value
| | |-removed: A logical value
| | |-locked: A logical value
| | |-published: A character value
| | |-updated: (Optional) A character value
| | |-deleted: A logical value
| | |-nsfw: A logical value
| | |-embed_title: (Optional) A character value
| | |-embed_description: (Optional) A character value
| | |-thumbnail_url: (Optional) A character value
| | |-ap_id: A character value

```

```

| | |-local: A logical value
| | |-embed_video_url: (Optional) A character value
| | |-language_id: A numeric value
| | |-featured_community: A logical value
| | `--featured_local: A logical value
| |-community: <list>
| | |-id: A numeric value
| | |-name: A character value
| | |-title: A character value
| | |-description: (Optional) A character value
| | |-removed: A logical value
| | |-published: A character value
| | |-updated: (Optional) A character value
| | |-deleted: A logical value
| | |-nsfw: A logical value
| | |-actor_id: A character value
| | |-local: A logical value
| | |-icon: (Optional) A character value
| | |-banner: (Optional) A character value
| | |-followers_url: A character value
| | |-inbox_url: A character value
| | |-hidden: A logical value
| | |-posting_restricted_to_mods: A logical value
| | `--instance_id: A numeric value
| |-counts: <list>
| | |-id: A numeric value
| | |-comment_id: A numeric value
| | |-score: A numeric value
| | |-upvotes: A numeric value
| | |-downvotes: A numeric value
| | |-published: A character value
| | |-child_count: A numeric value
| | `--hot_rank: A numeric value
| |-creator_banned_from_community: A logical value
| |-subscribed: One of "Subscribed", "NotSubscri...
| |-saved: A logical value
| |-creator_blocked: A logical value
| `--my_vote: (Optional) A numeric value
|-recipient_ids: A numeric vector
`--form_id: (Optional) A character value

```

lemmy_delete_community

Delete a community.

Description

HTTP.POST /community/delete

Usage

```

lemmy_delete_community(
  community_id,
  deleted,
  auth,
  .lemmy_instance = getOption("lemmy_instance", "https://lemmy.world")
)

```

Arguments

community_id	A numeric value.
deleted	A logical value.
auth	A character value.
.lemmy_instance	Default: "https://lemmy.world". Change the default instance by setting the <code>lemmy_instance</code> options() .

Value

A list of length 2:

```

<list>
|-community_view: <list>
| |-community: <list>
| | |-id: A numeric value
| | |-name: A character value
| | |-title: A character value
| | |-description: (Optional) A character value
| | |-removed: A logical value
| | |-published: A character value
| | |-updated: (Optional) A character value
| | |-deleted: A logical value
| | |-nsfw: A logical value
| | |-actor_id: A character value
| | |-local: A logical value
| | |-icon: (Optional) A character value
| | |-banner: (Optional) A character value
| | |-followers_url: A character value
| | |-inbox_url: A character value
| | |-hidden: A logical value
| | |-posting_restricted_to_mods: A logical value
| | `--instance_id: A numeric value
| |-subscribed: One of "Subscribed", "NotSubscri...
| |-blocked: A logical value
| `--counts: <list>
|   |-id: A numeric value
|   |-community_id: A numeric value
|   |-subscribers: A numeric value

```

```
|   |-posts: A numeric value
|   |-comments: A numeric value
|   |-published: A character value
|   |-users_active_day: A numeric value
|   |-users_active_week: A numeric value
|   |-users_active_month: A numeric value
|   |-users_active_half_year: A numeric value
|   `~-hot_rank: A numeric value
`~-discussion_languages: A numeric vector
```

`lemmy_delete_custom_emoji`*Delete a custom emoji*

Description

HTTP.Post /custom_emoji/delete

Usage

```
lemmy_delete_custom_emoji(
  id,
  auth,
  .lemmy_instance = getOption("lemmy_instance", "https://lemmy.world")
)
```

Arguments

<code>id</code>	A numeric value.
<code>auth</code>	A character value.
<code>.lemmy_instance</code>	Default: "https://lemmy.world". Change the default instance by setting the <code>lemmy_instance</code> options() .

Value

A list of length 2:

```
<list>
|-id: A numeric value
`~success: A logical value
```

lemmy_delete_post	<i>Delete a post.</i>
-------------------	-----------------------

Description

HTTP.POST /post/delete

Usage

```
lemmy_delete_post(
  post_id,
  deleted,
  auth,
  .lemmy_instance = getOption("lemmy_instance", "https://lemmy.world")
)
```

Arguments

post_id	A numeric value.
deleted	A logical value.
auth	A character value.
.lemmy_instance	Default: "https://lemmy.world". Change the default instance by setting the <code>lemmy_instance</code> options() .

Value

A list of length 1:

```
<list>
`-post_view: <list>
  |-post: <list>
    | |-id: A numeric value
    | |-name: A character value
    | |-url: (Optional) A character value
    | |-body: (Optional) A character value
    | |-creator_id: A numeric value
    | |-community_id: A numeric value
    | |-removed: A logical value
    | |-locked: A logical value
    | |-published: A character value
    | |-updated: (Optional) A character value
    | |-deleted: A logical value
    | |-nsfw: A logical value
    | |-embed_title: (Optional) A character value
    | |-embed_description: (Optional) A character value
```

```
| |-thumbnail_url: (Optional) A character value
| |-ap_id: A character value
| |-local: A logical value
| |-embed_video_url: (Optional) A character value
| |-language_id: A numeric value
| |-featured_community: A logical value
| `--featured_local: A logical value
|-creator: <list>
| |-id: A numeric value
| |-name: A character value
| |-display_name: (Optional) A character value
| |-avatar: (Optional) A character value
| |-banned: A logical value
| |-published: A character value
| |-updated: (Optional) A character value
| |-actor_id: A character value
| |-bio: (Optional) A character value
| |-local: A logical value
| |-banner: (Optional) A character value
| |-deleted: A logical value
| |-inbox_url: A character value
| |-matrix_user_id: (Optional) A character value
| |-admin: A logical value
| |-bot_account: A logical value
| |-ban_expires: (Optional) A character value
| `--instance_id: A numeric value
|-community: <list>
| |-id: A numeric value
| |-name: A character value
| |-title: A character value
| |-description: (Optional) A character value
| |-removed: A logical value
| |-published: A character value
| |-updated: (Optional) A character value
| |-deleted: A logical value
| |-nsfw: A logical value
| |-actor_id: A character value
| |-local: A logical value
| |-icon: (Optional) A character value
| |-banner: (Optional) A character value
| |-followers_url: A character value
| |-inbox_url: A character value
| |-hidden: A logical value
| |-posting_restricted_to_mods: A logical value
| `--instance_id: A numeric value
|-creator_banned_from_community: A logical value
|-counts: <list>
| |-id: A numeric value
```

```

| |-post_id: A numeric value
| |-comments: A numeric value
| |-score: A numeric value
| |-upvotes: A numeric value
| |-downvotes: A numeric value
| |-published: A character value
| |-newest_comment_time_necro: A character value
| |-newest_comment_time: A character value
| |-featured_community: A logical value
| |-featured_local: A logical value
| |-hot_rank: A numeric value
| `|-hot_rank_active: A numeric value
|-subscribed: One of "Subscribed", "NotSubscri...
|-saved: A logical value
|-read: A logical value
|-creator_blocked: A logical value
|-my_vote: (Optional) A numeric value
`-unread_comments: A numeric value

```

lemmy_delete_private_message

Delete a private message.

Description

HTTP.POST /private_message/delete

Usage

```

lemmy_delete_private_message(
  private_message_id,
  deleted,
  auth,
  .lemmy_instance = getOption("lemmy_instance", "https://lemmy.world")
)

```

Arguments

private_message_id	A numeric value.
deleted	A logical value.
auth	A character value.
.lemmy_instance	Default: "https://lemmy.world". Change the default instance by setting the <code>lemmy_instance</code> options() .

Value

A list of length 1:

```
<list>
  ~-private_message_view: <list>
    |-private_message: <list>
      |-id: A numeric value
      |-creator_id: A numeric value
      |-recipient_id: A numeric value
      |-content: A character value
      |-deleted: A logical value
      |-read: A logical value
      |-published: A character value
      |-updated: (Optional) A character value
      |-ap_id: A character value
      | ~-local: A logical value
    |-creator: <list>
      |-id: A numeric value
      |-name: A character value
      |-display_name: (Optional) A character value
      |-avatar: (Optional) A character value
      |-banned: A logical value
      |-published: A character value
      |-updated: (Optional) A character value
      |-actor_id: A character value
      |-bio: (Optional) A character value
      |-local: A logical value
      |-banner: (Optional) A character value
      |-deleted: A logical value
      |-inbox_url: A character value
      |-matrix_user_id: (Optional) A character value
      |-admin: A logical value
      |-bot_account: A logical value
      |-ban_expires: (Optional) A character value
      | ~-instance_id: A numeric value
    ~-recipient: <list>
      |-id: A numeric value
      |-name: A character value
      |-display_name: (Optional) A character value
      |-avatar: (Optional) A character value
      |-banned: A logical value
      |-published: A character value
      |-updated: (Optional) A character value
      |-actor_id: A character value
      |-bio: (Optional) A character value
      |-local: A logical value
      |-banner: (Optional) A character value
      |-deleted: A logical value
```

```

|-inbox_url: A character value
|-matrix_user_id: (Optional) A character value
|-admin: A logical value
|-bot_account: A logical value
|-ban_expires: (Optional) A character value
`-instance_id: A numeric value

```

lemmy_distinguish_comment

Distinguishes a comment (speak as moderator)

Description

HTTP.POST /comment/distinguish

Usage

```

lemmy_distinguish_comment(
  comment_id,
  distinguished,
  auth,
  .lemmy_instance = getOption("lemmy_instance", "https://lemmy.world")
)

```

Arguments

comment_id	A numeric value.
distinguished	A logical value.
auth	A character value.
.lemmy_instance	Default: "https://lemmy.world". Change the default instance by setting the <code>lemmy_instance</code> options() .

Value

A list of length 3:

```

<list>
|-comment_view: <list>
| |-comment: <list>
| | |-id: A numeric value
| | |-creator_id: A numeric value
| | |-post_id: A numeric value
| | |-content: A character value
| | |-removed: A logical value
| | |-published: A character value
| | |-updated: (Optional) A character value

```

```
| | |-deleted: A logical value
| | |-ap_id: A character value
| | |-local: A logical value
| | |-path: A character value
| | |-distinguished: A logical value
| | `|-language_id: A numeric value
| |-creator: <list>
| | |-id: A numeric value
| | |-name: A character value
| | |-display_name: (Optional) A character value
| | |-avatar: (Optional) A character value
| | |-banned: A logical value
| | |-published: A character value
| | |-updated: (Optional) A character value
| | |-actor_id: A character value
| | |-bio: (Optional) A character value
| | |-local: A logical value
| | |-banner: (Optional) A character value
| | |-deleted: A logical value
| | |-inbox_url: A character value
| | |-matrix_user_id: (Optional) A character value
| | |-admin: A logical value
| | |-bot_account: A logical value
| | |-ban_expires: (Optional) A character value
| | `|-instance_id: A numeric value
| |-post: <list>
| | |-id: A numeric value
| | |-name: A character value
| | |-url: (Optional) A character value
| | |-body: (Optional) A character value
| | |-creator_id: A numeric value
| | |-community_id: A numeric value
| | |-removed: A logical value
| | |-locked: A logical value
| | |-published: A character value
| | |-updated: (Optional) A character value
| | |-deleted: A logical value
| | |-nsfw: A logical value
| | |-embed_title: (Optional) A character value
| | |-embed_description: (Optional) A character value
| | |-thumbnail_url: (Optional) A character value
| | |-ap_id: A character value
| | |-local: A logical value
| | |-embed_video_url: (Optional) A character value
| | |-language_id: A numeric value
| | |-featured_community: A logical value
| | `|-featured_local: A logical value
| |-community: <list>
```

```

| | |-id: A numeric value
| | |-name: A character value
| | |-title: A character value
| | |-description: (Optional) A character value
| | |-removed: A logical value
| | |-published: A character value
| | |-updated: (Optional) A character value
| | |-deleted: A logical value
| | |-nsfw: A logical value
| | |-actor_id: A character value
| | |-local: A logical value
| | |-icon: (Optional) A character value
| | |-banner: (Optional) A character value
| | |-followers_url: A character value
| | |-inbox_url: A character value
| | |-hidden: A logical value
| | |-posting_restricted_to_mods: A logical value
| | `~-instance_id: A numeric value
| |-counts: <list>
| | |-id: A numeric value
| | |-comment_id: A numeric value
| | |-score: A numeric value
| | |-upvotes: A numeric value
| | |-downvotes: A numeric value
| | |-published: A character value
| | |-child_count: A numeric value
| | `~-hot_rank: A numeric value
| |-creator_banned_from_community: A logical value
| |-subscribed: One of "Subscribed", "NotSubscri...
| |-saved: A logical value
| |-creator_blocked: A logical value
| `~-my_vote: (Optional) A numeric value
|-recipient_ids: A numeric vector
`~-form_id: (Optional) A character value

```

lemmy_edit_comment *Edit a comment.*

Description

HTTP.PUT /comment

Usage

```

lemmy_edit_comment(
  comment_id,
  content = NULL,

```

```

    language_id = NULL,
    form_id = NULL,
    auth,
    .lemmy_instance = getOption("lemmy_instance", "https://lemmy.world")
)

```

Arguments

comment_id	A numeric value.
content	(Optional) A character value.
language_id	(Optional) A numeric value.
form_id	(Optional) A character value.
auth	A character value.
.lemmy_instance	Default: "https://lemmy.world". Change the default instance by setting the <code>lemmy_instance</code> options() .

Value

A list of length 3:

```

<list>
|-comment_view: <list>
| |-comment: <list>
| | |-id: A numeric value
| | |-creator_id: A numeric value
| | |-post_id: A numeric value
| | |-content: A character value
| | |-removed: A logical value
| | |-published: A character value
| | |-updated: (Optional) A character value
| | |-deleted: A logical value
| | |-ap_id: A character value
| | |-local: A logical value
| | |-path: A character value
| | |-distinguished: A logical value
| | `--language_id: A numeric value
| |-creator: <list>
| | |-id: A numeric value
| | |-name: A character value
| | |-display_name: (Optional) A character value
| | |-avatar: (Optional) A character value
| | |-banned: A logical value
| | |-published: A character value
| | |-updated: (Optional) A character value
| | |-actor_id: A character value
| | |-bio: (Optional) A character value
| | `--local: A logical value

```

```

| | |-banner: (Optional) A character value
| | |-deleted: A logical value
| | |-inbox_url: A character value
| | |-matrix_user_id: (Optional) A character value
| | |-admin: A logical value
| | |-bot_account: A logical value
| | |-ban_expires: (Optional) A character value
| | |-instance_id: A numeric value
| |-post: <list>
| | |-id: A numeric value
| | |-name: A character value
| | |-url: (Optional) A character value
| | |-body: (Optional) A character value
| | |-creator_id: A numeric value
| | |-community_id: A numeric value
| | |-removed: A logical value
| | |-locked: A logical value
| | |-published: A character value
| | |-updated: (Optional) A character value
| | |-deleted: A logical value
| | |-nsfw: A logical value
| | |-embed_title: (Optional) A character value
| | |-embed_description: (Optional) A character value
| | |-thumbnail_url: (Optional) A character value
| | |-ap_id: A character value
| | |-local: A logical value
| | |-embed_video_url: (Optional) A character value
| | |-language_id: A numeric value
| | |-featured_community: A logical value
| | |-featured_local: A logical value
| |-community: <list>
| | |-id: A numeric value
| | |-name: A character value
| | |-title: A character value
| | |-description: (Optional) A character value
| | |-removed: A logical value
| | |-published: A character value
| | |-updated: (Optional) A character value
| | |-deleted: A logical value
| | |-nsfw: A logical value
| | |-actor_id: A character value
| | |-local: A logical value
| | |-icon: (Optional) A character value
| | |-banner: (Optional) A character value
| | |-followers_url: A character value
| | |-inbox_url: A character value
| | |-hidden: A logical value
| | |-posting_restricted_to_mods: A logical value

```

```

| | `~instance_id: A numeric value
| | -counts: <list>
| | | -id: A numeric value
| | | -comment_id: A numeric value
| | | -score: A numeric value
| | | -upvotes: A numeric value
| | | -downvotes: A numeric value
| | | -published: A character value
| | | -child_count: A numeric value
| | `~hot_rank: A numeric value
| | -creator_banned_from_community: A logical value
| | -subscribed: One of "Subscribed", "NotSubscri...
| | -saved: A logical value
| | -creator_blocked: A logical value
| `~my_vote: (Optional) A numeric value
|-recipient_ids: A numeric vector
`~form_id: (Optional) A character value

```

lemmy_edit_community *Edit a community.*

Description

HTTP.PUT /community

Usage

```

lemmy_edit_community(
  community_id,
  title = NULL,
  description = NULL,
  icon = NULL,
  banner = NULL,
  nsfw = NULL,
  posting_restricted_to_mods = NULL,
  discussion_languages = NULL,
  auth,
  .lemmy_instance = getOption("lemmy_instance", "https://lemmy.world")
)

```

Arguments

community_id	A numeric value.
title	(Optional) A character value.
description	(Optional) A character value.
icon	(Optional) A character value.

banner (Optional) A character value.
 nsfw (Optional) A logical value.
 posting_restricted_to_mods (Optional) A logical value.
 discussion_languages (Optional) A numeric vector.
 auth A character value.
 .lemmy_instance Default: "https://lemmy.world". Change the default instance by setting the `lemmy_instance` [options\(\)](#).

Value

A list of length 2:

```

<list>
|-community_view: <list>
| |-community: <list>
| | |-id: A numeric value
| | |-name: A character value
| | |-title: A character value
| | |-description: (Optional) A character value
| | |-removed: A logical value
| | |-published: A character value
| | |-updated: (Optional) A character value
| | |-deleted: A logical value
| | |-nsfw: A logical value
| | |-actor_id: A character value
| | |-local: A logical value
| | |-icon: (Optional) A character value
| | |-banner: (Optional) A character value
| | |-followers_url: A character value
| | |-inbox_url: A character value
| | |-hidden: A logical value
| | |-posting_restricted_to_mods: A logical value
| | `--instance_id: A numeric value
| |-subscribed: One of "Subscribed", "NotSubscri..."
| |-blocked: A logical value
| `--counts: <list>
|   |-id: A numeric value
|   |-community_id: A numeric value
|   |-subscribers: A numeric value
|   |-posts: A numeric value
|   |-comments: A numeric value
|   |-published: A character value
|   |-users_active_day: A numeric value
|   |-users_active_week: A numeric value
|   |-users_active_month: A numeric value

```

```
| | -users_active_half_year: A numeric value
| | ^-hot_rank: A numeric value
^-discussion_languages: A numeric vector
```

lemmy_edit_custom_emoji

Edit an existing custom emoji

Description

HTTP.PUT /custom_emoji

Usage

```
lemmy_edit_custom_emoji(
  id,
  category,
  image_url,
  alt_text,
  keywords,
  auth,
  .lemmy_instance = getOption("lemmy_instance", "https://lemmy.world")
)
```

Arguments

id	A numeric value.
category	A character value.
image_url	A character value.
alt_text	A character value.
keywords	A character vector.
auth	A character value.
.lemmy_instance	Default: "https://lemmy.world". Change the default instance by setting the <code>lemmy_instance</code> options() .

Value

A list of length 1:

```
<list>
^-custom_emoji: <list>
| -custom_emoji: <list>
| | -id: A numeric value
| | -local_site_id: A numeric value
| | -shortcode: A character value
```

```

| |-image_url: A character value
| |-alt_text: A character value
| |-category: A character value
| |-published: A character value
| `~updated: (Optional) A character value
`~keywords: <list>
  `~[Each element]: <list>
    |-id: A numeric value
    |-custom_emoji_id: A numeric value
    `~keyword: A character value

```

lemmy_edit_post	<i>Edit a post.</i>
-----------------	---------------------

Description

HTTP.PUT /post

Usage

```

lemmy_edit_post(
  post_id,
  name = NULL,
  url = NULL,
  body = NULL,
  nsfw = NULL,
  language_id = NULL,
  auth,
  .lemmy_instance = getOption("lemmy_instance", "https://lemmy.world")
)

```

Arguments

post_id	A numeric value.
name	(Optional) A character value.
url	(Optional) A character value.
body	(Optional) A character value.
nsfw	(Optional) A logical value.
language_id	(Optional) A numeric value.
auth	A character value.
.lemmy_instance	Default: "https://lemmy.world". Change the default instance by setting the <code>lemmy_instance</code> options() .

Value

A list of length 1:

```

<list>
  ^-post_view: <list>
    |-post: <list>
      |-id: A numeric value
      |-name: A character value
      |-url: (Optional) A character value
      |-body: (Optional) A character value
      |-creator_id: A numeric value
      |-community_id: A numeric value
      |-removed: A logical value
      |-locked: A logical value
      |-published: A character value
      |-updated: (Optional) A character value
      |-deleted: A logical value
      |-nsfw: A logical value
      |-embed_title: (Optional) A character value
      |-embed_description: (Optional) A character value
      |-thumbnail_url: (Optional) A character value
      |-ap_id: A character value
      |-local: A logical value
      |-embed_video_url: (Optional) A character value
      |-language_id: A numeric value
      |-featured_community: A logical value
      |-^-featured_local: A logical value
    |-creator: <list>
      |-id: A numeric value
      |-name: A character value
      |-display_name: (Optional) A character value
      |-avatar: (Optional) A character value
      |-banned: A logical value
      |-published: A character value
      |-updated: (Optional) A character value
      |-actor_id: A character value
      |-bio: (Optional) A character value
      |-local: A logical value
      |-banner: (Optional) A character value
      |-deleted: A logical value
      |-inbox_url: A character value
      |-matrix_user_id: (Optional) A character value
      |-admin: A logical value
      |-bot_account: A logical value
      |-ban_expires: (Optional) A character value
      |-^-instance_id: A numeric value
    |-community: <list>
      |-id: A numeric value

```

```

| |-name: A character value
| |-title: A character value
| |-description: (Optional) A character value
| |-removed: A logical value
| |-published: A character value
| |-updated: (Optional) A character value
| |-deleted: A logical value
| |-nsfw: A logical value
| |-actor_id: A character value
| |-local: A logical value
| |-icon: (Optional) A character value
| |-banner: (Optional) A character value
| |-followers_url: A character value
| |-inbox_url: A character value
| |-hidden: A logical value
| |-posting_restricted_to_mods: A logical value
| `~instance_id: A numeric value
|-creator_banned_from_community: A logical value
|-counts: <list>
| |-id: A numeric value
| |-post_id: A numeric value
| |-comments: A numeric value
| |-score: A numeric value
| |-upvotes: A numeric value
| |-downvotes: A numeric value
| |-published: A character value
| |-newest_comment_time_necro: A character value
| |-newest_comment_time: A character value
| |-featured_community: A logical value
| |-featured_local: A logical value
| |-hot_rank: A numeric value
| `~hot_rank_active: A numeric value
|-subscribed: One of "Subscribed", "NotSubscri...
|-saved: A logical value
|-read: A logical value
|-creator_blocked: A logical value
|-my_vote: (Optional) A numeric value
`~unread_comments: A numeric value

```

lemmy_edit_private_message

Edit a private message.

Description

HTTP.PUT /private_message

Usage

```
lemmy_edit_private_message(
  private_message_id,
  content,
  auth,
  .lemmy_instance = getOption("lemmy_instance", "https://lemmy.world")
)
```

Arguments

private_message_id	A numeric value.
content	A character value.
auth	A character value.
.lemmy_instance	Default: "https://lemmy.world". Change the default instance by setting the <code>lemmy_instance</code> options() .

Value

A list of length 1:

```
<list>
~-private_message_view: <list>
| -private_message: <list>
| | -id: A numeric value
| | -creator_id: A numeric value
| | -recipient_id: A numeric value
| | -content: A character value
| | -deleted: A logical value
| | -read: A logical value
| | -published: A character value
| | -updated: (Optional) A character value
| | -ap_id: A character value
| | -local: A logical value
| -creator: <list>
| | -id: A numeric value
| | -name: A character value
| | -display_name: (Optional) A character value
| | -avatar: (Optional) A character value
| | -banned: A logical value
| | -published: A character value
| | -updated: (Optional) A character value
| | -actor_id: A character value
| | -bio: (Optional) A character value
| | -local: A logical value
| | -banner: (Optional) A character value
| | -deleted: A logical value
```

```

| |-inbox_url: A character value
| |-matrix_user_id: (Optional) A character value
| |-admin: A logical value
| |-bot_account: A logical value
| |-ban_expires: (Optional) A character value
| `~-instance_id: A numeric value
`-recipient: <list>
  |-id: A numeric value
  |-name: A character value
  |-display_name: (Optional) A character value
  |-avatar: (Optional) A character value
  |-banned: A logical value
  |-published: A character value
  |-updated: (Optional) A character value
  |-actor_id: A character value
  |-bio: (Optional) A character value
  |-local: A logical value
  |-banner: (Optional) A character value
  |-deleted: A logical value
  |-inbox_url: A character value
  |-matrix_user_id: (Optional) A character value
  |-admin: A logical value
  |-bot_account: A logical value
  |-ban_expires: (Optional) A character value
  `~-instance_id: A numeric value

```

lemmy_edit_site

Edit your site.

Description

HTTP.PUT /site

Usage

```

lemmy_edit_site(
  name = NULL,
  sidebar = NULL,
  description = NULL,
  icon = NULL,
  banner = NULL,
  enable_downvotes = NULL,
  enable_nsfw = NULL,
  community_creation_admin_only = NULL,
  require_email_verification = NULL,
  application_question = NULL,
  private_instance = NULL,

```

```

    default_theme = NULL,
    default_post_listing_type = NULL,
    legal_information = NULL,
    application_email_admins = NULL,
    hide_modlog_mod_names = NULL,
    discussion_languages = NULL,
    slur_filter_regex = NULL,
    actor_name_max_length = NULL,
    rate_limit_message = NULL,
    rate_limit_message_per_second = NULL,
    rate_limit_post = NULL,
    rate_limit_post_per_second = NULL,
    rate_limit_register = NULL,
    rate_limit_register_per_second = NULL,
    rate_limit_image = NULL,
    rate_limit_image_per_second = NULL,
    rate_limit_comment = NULL,
    rate_limit_comment_per_second = NULL,
    rate_limit_search = NULL,
    rate_limit_search_per_second = NULL,
    federation_enabled = NULL,
    federation_debug = NULL,
    captcha_enabled = NULL,
    captcha_difficulty = NULL,
    allowed_instances = NULL,
    blocked_instances = NULL,
    taglines = NULL,
    registration_mode = NULL,
    reports_email_admins = NULL,
    auth,
    .lemmy_instance = getOption("lemmy_instance", "https://lemmy.world")
)

```

Arguments

name	(Optional) A character value.
sidebar	(Optional) A character value.
description	(Optional) A character value.
icon	(Optional) A character value.
banner	(Optional) A character value.
enable_downvotes	(Optional) A logical value.
enable_nsfw	(Optional) A logical value.
community_creation_admin_only	(Optional) A logical value.
require_email_verification	(Optional) A logical value.

application_question
(Optional) A character value.

private_instance
(Optional) A logical value.

default_theme (Optional) A character value.

default_post_listing_type
(Optional) One of "All", "Local", or "Subscribed".

legal_information
(Optional) A character value.

application_email_admins
(Optional) A logical value.

hide_modlog_mod_names
(Optional) A logical value.

discussion_languages
(Optional) A numeric vector.

slur_filter_regex
(Optional) A character value.

actor_name_max_length
(Optional) A numeric value.

rate_limit_message
(Optional) A numeric value.

rate_limit_message_per_second
(Optional) A numeric value.

rate_limit_post
(Optional) A numeric value.

rate_limit_post_per_second
(Optional) A numeric value.

rate_limit_register
(Optional) A numeric value.

rate_limit_register_per_second
(Optional) A numeric value.

rate_limit_image
(Optional) A numeric value.

rate_limit_image_per_second
(Optional) A numeric value.

rate_limit_comment
(Optional) A numeric value.

rate_limit_comment_per_second
(Optional) A numeric value.

rate_limit_search
(Optional) A numeric value.

rate_limit_search_per_second
(Optional) A numeric value.

federation_enabled
(Optional) A logical value.

federation_debug
 (Optional) A logical value.
 captcha_enabled
 (Optional) A logical value.
 captcha_difficulty
 (Optional) A character value.
 allowed_instances
 (Optional) A character vector.
 blocked_instances
 (Optional) A character vector.
 taglines
 (Optional) A character vector.
 registration_mode
 (Optional) One of "Closed", "RequireApplication", or "Open".
 reports_email_admins
 (Optional) A logical value.
 auth
 A character value.
 .lemmy_instance
 Default: "https://lemmy.world". Change the default instance by setting the
 lemmy_instance [options\(\)](#).

Value

A list of length 2:

```

<list>
|-site_view: <list>
| |-site: <list>
| | |-id: A numeric value
| | |-name: A character value
| | |-sidebar: (Optional) A character value
| | |-published: A character value
| | |-updated: (Optional) A character value
| | |-icon: (Optional) A character value
| | |-banner: (Optional) A character value
| | |-description: (Optional) A character value
| | |-actor_id: A character value
| | |-last_refreshed_at: A character value
| | |-inbox_url: A character value
| | |-private_key: (Optional) A character value
| | |-public_key: A character value
| | `--instance_id: A numeric value
| |-local_site: <list>
| | |-id: A numeric value
| | |-site_id: A numeric value
| | |-site_setup: A logical value
| | |-enable_downvotes: A logical value
| | |-enable_nsfw: A logical value

```

```

| | |-community_creation_admin_only: A logical value
| | |-require_email_verification: A logical value
| | |-application_question: (Optional) A character value
| | |-private_instance: A logical value
| | |-default_theme: A character value
| | |-default_post_listing_type: One of "All", "Local", or "Subsc...
| | |-legal_information: (Optional) A character value
| | |-hide_modlog_mod_names: A logical value
| | |-application_email_admins: A logical value
| | |-slur_filter_regex: (Optional) A character value
| | |-actor_name_max_length: A numeric value
| | |-federation_enabled: A logical value
| | |-captcha_enabled: A logical value
| | |-captcha_difficulty: A character value
| | |-published: A character value
| | |-updated: (Optional) A character value
| | |-registration_mode: One of "Closed", "RequireApplica...
| | `--reports_email_admins: A logical value
| |-local_site_rate_limit: <list>
| | |-id: A numeric value
| | |-local_site_id: A numeric value
| | |-message: A numeric value
| | |-message_per_second: A numeric value
| | |-post: A numeric value
| | |-post_per_second: A numeric value
| | |-register: A numeric value
| | |-register_per_second: A numeric value
| | |-image: A numeric value
| | |-image_per_second: A numeric value
| | |-comment: A numeric value
| | |-comment_per_second: A numeric value
| | |-search: A numeric value
| | |-search_per_second: A numeric value
| | |-published: A character value
| | `--updated: (Optional) A character value
| `--counts: <list>
|   |-id: A numeric value
|   |-site_id: A numeric value
|   |-users: A numeric value
|   |-posts: A numeric value
|   |-comments: A numeric value
|   |-communities: A numeric value
|   |-users_active_day: A numeric value
|   |-users_active_week: A numeric value
|   |-users_active_month: A numeric value
|   `--users_active_half_year: A numeric value
`--taglines: <list>
  `--[Each element]: <list>

```

```

|-id: A numeric value
|-local_site_id: A numeric value
|-content: A character value
|-published: A character value
`-updated: (Optional) A character value

```

lemmy_feature_post	<i>A moderator can feature a community post (IE stick it to the top of a community).</i>
--------------------	--

Description

HTTP.POST /post/feature

Usage

```

lemmy_feature_post(
  post_id,
  featured,
  feature_type,
  auth,
  .lemmy_instance = getOption("lemmy_instance", "https://lemmy.world")
)

```

Arguments

post_id	A numeric value.
featured	A logical value.
feature_type	One of "Local" or "Community".
auth	A character value.
.lemmy_instance	Default: "https://lemmy.world". Change the default instance by setting the <code>lemmy_instance</code> options() .

Value

A list of length 1:

```

<list>
`-post_view: <list>
  |-post: <list>
    | |-id: A numeric value
    | |-name: A character value
    | |-url: (Optional) A character value
    | |-body: (Optional) A character value
    | |-creator_id: A numeric value

```

```

| |-community_id: A numeric value
| |-removed: A logical value
| |-locked: A logical value
| |-published: A character value
| |-updated: (Optional) A character value
| |-deleted: A logical value
| |-nsfw: A logical value
| |-embed_title: (Optional) A character value
| |-embed_description: (Optional) A character value
| |-thumbnail_url: (Optional) A character value
| |-ap_id: A character value
| |-local: A logical value
| |-embed_video_url: (Optional) A character value
| |-language_id: A numeric value
| |-featured_community: A logical value
| `--featured_local: A logical value
|-creator: <list>
| |-id: A numeric value
| |-name: A character value
| |-display_name: (Optional) A character value
| |-avatar: (Optional) A character value
| |-banned: A logical value
| |-published: A character value
| |-updated: (Optional) A character value
| |-actor_id: A character value
| |-bio: (Optional) A character value
| |-local: A logical value
| |-banner: (Optional) A character value
| |-deleted: A logical value
| |-inbox_url: A character value
| |-matrix_user_id: (Optional) A character value
| |-admin: A logical value
| |-bot_account: A logical value
| |-ban_expires: (Optional) A character value
| `--instance_id: A numeric value
|-community: <list>
| |-id: A numeric value
| |-name: A character value
| |-title: A character value
| |-description: (Optional) A character value
| |-removed: A logical value
| |-published: A character value
| |-updated: (Optional) A character value
| |-deleted: A logical value
| |-nsfw: A logical value
| |-actor_id: A character value
| |-local: A logical value
| |-icon: (Optional) A character value

```

```

| |-banner: (Optional) A character value
| |-followers_url: A character value
| |-inbox_url: A character value
| |-hidden: A logical value
| |-posting_restricted_to_mods: A logical value
| `~-instance_id: A numeric value
|-creator_banned_from_community: A logical value
|-counts: <list>
| |-id: A numeric value
| |-post_id: A numeric value
| |-comments: A numeric value
| |-score: A numeric value
| |-upvotes: A numeric value
| |-downvotes: A numeric value
| |-published: A character value
| |-newest_comment_time_necro: A character value
| |-newest_comment_time: A character value
| |-featured_community: A logical value
| |-featured_local: A logical value
| |-hot_rank: A numeric value
| `~-hot_rank_active: A numeric value
|-subscribed: One of "Subscribed", "NotSubscri...
|-saved: A logical value
|-read: A logical value
|-creator_blocked: A logical value
|-my_vote: (Optional) A numeric value
`~-unread_comments: A numeric value

```

lemmy_follow_community

Follow / subscribe to a community.

Description

HTTP.POST /community/follow

Usage

```

lemmy_follow_community(
  community_id,
  follow,
  auth,
  .lemmy_instance = getOption("lemmy_instance", "https://lemmy.world")
)

```

Arguments

community_id A numeric value.
 follow A logical value.
 auth A character value.
 .lemmy_instance Default: "https://lemmy.world". Change the default instance by setting the
 lemmmy_instance [options\(\)](#).

Value

A list of length 2:

```
<list>
|-community_view: <list>
| |-community: <list>
| | |-id: A numeric value
| | |-name: A character value
| | |-title: A character value
| | |-description: (Optional) A character value
| | |-removed: A logical value
| | |-published: A character value
| | |-updated: (Optional) A character value
| | |-deleted: A logical value
| | |-nsfw: A logical value
| | |-actor_id: A character value
| | |-local: A logical value
| | |-icon: (Optional) A character value
| | |-banner: (Optional) A character value
| | |-followers_url: A character value
| | |-inbox_url: A character value
| | |-hidden: A logical value
| | |-posting_restricted_to_mods: A logical value
| | `~-instance_id: A numeric value
| |-subscribed: One of "Subscribed", "NotSubscri...
| |-blocked: A logical value
| `~-counts: <list>
|   |-id: A numeric value
|   |-community_id: A numeric value
|   |-subscribers: A numeric value
|   |-posts: A numeric value
|   |-comments: A numeric value
|   |-published: A character value
|   |-users_active_day: A numeric value
|   |-users_active_week: A numeric value
|   |-users_active_month: A numeric value
|   |-users_active_half_year: A numeric value
|   `~-hot_rank: A numeric value
`~-discussion_languages: A numeric vector
```

lemmy_get_banned_persons

Get a list of banned users

Description

HTTP.GET /user/banned

Usage

```
lemmy_get_banned_persons(
  auth,
  .lemmy_instance = getOption("lemmy_instance", "https://lemmy.world")
)
```

Arguments

auth A character value.

.lemmy_instance Default: "https://lemmy.world". Change the default instance by setting the
lemmy_instance [options\(\)](#).

Value

A list of length 1:

```
<list>
`-banned: <list>
  `-[Each element]: <list>
    |-person: <list>
      | |-id: A numeric value
      | |-name: A character value
      | |-display_name: (Optional) A character value
      | |-avatar: (Optional) A character value
      | |-banned: A logical value
      | |-published: A character value
      | |-updated: (Optional) A character value
      | |-actor_id: A character value
      | |-bio: (Optional) A character value
      | |-local: A logical value
      | |-banner: (Optional) A character value
      | |-deleted: A logical value
      | |-inbox_url: A character value
      | |-matrix_user_id: (Optional) A character value
      | |-admin: A logical value
      | |-bot_account: A logical value
      | |-ban_expires: (Optional) A character value
```

```

| `~instance_id: A numeric value
`~counts: <list>
  |-id: A numeric value
  |-person_id: A numeric value
  |-post_count: A numeric value
  |-post_score: A numeric value
  |-comment_count: A numeric value
  `~comment_score: A numeric value

```

lemmy_get_captcha	<i>Fetch a Captcha.</i>
-------------------	-------------------------

Description

HTTP.GET /user/get_captcha

Usage

```

lemmy_get_captcha(
  auth = NULL,
  .lemmy_instance = getOption("lemmy_instance", "https://lemmy.world")
)

```

Arguments

auth (Optional) A character value.

.lemmy_instance Default: "https://lemmy.world". Change the default instance by setting the `lemmy_instance` [options\(\)](#).

Value

A list of length 1:

```

<list>
`~ok: <list>
  |-png: A character value
  |-wav: A character value
  `~uuid: A character value

```

lemmy_get_comment	<i>Get / fetch comment.</i>
-------------------	-----------------------------

Description

HTTP.GET /comment

Usage

```
lemmy_get_comment(
  id,
  auth = NULL,
  .lemmy_instance = getOption("lemmy_instance", "https://lemmy.world")
)
```

Arguments

id	A numeric value.
auth	(Optional) A character value.
.lemmy_instance	Default: "https://lemmy.world". Change the default instance by setting the <code>lemmy_instance</code> options() .

Value

A list of length 3:

```
<list>
|-comment_view: <list>
| |-comment: <list>
| | |-id: A numeric value
| | |-creator_id: A numeric value
| | |-post_id: A numeric value
| | |-content: A character value
| | |-removed: A logical value
| | |-published: A character value
| | |-updated: (Optional) A character value
| | |-deleted: A logical value
| | |-ap_id: A character value
| | |-local: A logical value
| | |-path: A character value
| | |-distinguished: A logical value
| | `--language_id: A numeric value
| |-creator: <list>
| | |-id: A numeric value
| | |-name: A character value
| | |-display_name: (Optional) A character value
```

```

| | |-avatar: (Optional) A character value
| | |-banned: A logical value
| | |-published: A character value
| | |-updated: (Optional) A character value
| | |-actor_id: A character value
| | |-bio: (Optional) A character value
| | |-local: A logical value
| | |-banner: (Optional) A character value
| | |-deleted: A logical value
| | |-inbox_url: A character value
| | |-matrix_user_id: (Optional) A character value
| | |-admin: A logical value
| | |-bot_account: A logical value
| | |-ban_expires: (Optional) A character value
| | `--instance_id: A numeric value
| |-post: <list>
| | |-id: A numeric value
| | |-name: A character value
| | |-url: (Optional) A character value
| | |-body: (Optional) A character value
| | |-creator_id: A numeric value
| | |-community_id: A numeric value
| | |-removed: A logical value
| | |-locked: A logical value
| | |-published: A character value
| | |-updated: (Optional) A character value
| | |-deleted: A logical value
| | |-nsfw: A logical value
| | |-embed_title: (Optional) A character value
| | |-embed_description: (Optional) A character value
| | |-thumbnail_url: (Optional) A character value
| | |-ap_id: A character value
| | |-local: A logical value
| | |-embed_video_url: (Optional) A character value
| | |-language_id: A numeric value
| | |-featured_community: A logical value
| | `--featured_local: A logical value
| |-community: <list>
| | |-id: A numeric value
| | |-name: A character value
| | |-title: A character value
| | |-description: (Optional) A character value
| | |-removed: A logical value
| | |-published: A character value
| | |-updated: (Optional) A character value
| | |-deleted: A logical value
| | |-nsfw: A logical value
| | |-actor_id: A character value

```

```

| | |-local: A logical value
| | |-icon: (Optional) A character value
| | |-banner: (Optional) A character value
| | |-followers_url: A character value
| | |-inbox_url: A character value
| | |-hidden: A logical value
| | |-posting_restricted_to_mods: A logical value
| | `~-instance_id: A numeric value
| |-counts: <list>
| | |-id: A numeric value
| | |-comment_id: A numeric value
| | |-score: A numeric value
| | |-upvotes: A numeric value
| | |-downvotes: A numeric value
| | |-published: A character value
| | |-child_count: A numeric value
| | `~-hot_rank: A numeric value
| |-creator_banned_from_community: A logical value
| |-subscribed: One of "Subscribed", "NotSubscri...
| |-saved: A logical value
| |-creator_blocked: A logical value
| `~-my_vote: (Optional) A numeric value
|-recipient_ids: A numeric vector
`~-form_id: (Optional) A character value

```

Examples

```

comment_data <- lemmy_get_comment(546564)

comment_data$comment_view$comment$content

comment_data$comment_view$counts$score

```

lemmy_get_comments	<i>Get / fetch comments.</i>
--------------------	------------------------------

Description

HTTP.GET /comment/list

Usage

```

lemmy_get_comments(
  type_ = NULL,
  sort = NULL,
  max_depth = NULL,
  page = NULL,

```

```

    limit = NULL,
    community_id = NULL,
    community_name = NULL,
    post_id = NULL,
    parent_id = NULL,
    saved_only = NULL,
    auth = NULL,
    .lemmy_instance = getOption("lemmy_instance", "https://lemmy.world")
)

```

Arguments

type_	(Optional) One of "All", "Local", or "Subscribed".
sort	(Optional) One of "Hot", "New", "Old", or "Top".
max_depth	(Optional) A numeric value.
page	(Optional) A numeric value.
limit	(Optional) A numeric value.
community_id	(Optional) A numeric value.
community_name	(Optional) A character value.
post_id	(Optional) A numeric value.
parent_id	(Optional) A numeric value.
saved_only	(Optional) A logical value.
auth	(Optional) A character value.
.lemmy_instance	Default: "https://lemmy.world". Change the default instance by setting the <code>lemmy_instance</code> options() .

Value

A list of length 1:

```

<list>
`-comments: <list>
  `[Each element]: <list>
    |-comment: <list>
      |-id: A numeric value
      |-creator_id: A numeric value
      |-post_id: A numeric value
      |-content: A character value
      |-removed: A logical value
      |-published: A character value
      |-updated: (Optional) A character value
      |-deleted: A logical value
      |-ap_id: A character value
      |-local: A logical value
      |-path: A character value

```

```
| |-distinguished: A logical value
| `~-language_id: A numeric value
|-creator: <list>
| |-id: A numeric value
| |-name: A character value
| |-display_name: (Optional) A character value
| |-avatar: (Optional) A character value
| |-banned: A logical value
| |-published: A character value
| |-updated: (Optional) A character value
| |-actor_id: A character value
| |-bio: (Optional) A character value
| |-local: A logical value
| |-banner: (Optional) A character value
| |-deleted: A logical value
| |-inbox_url: A character value
| |-matrix_user_id: (Optional) A character value
| |-admin: A logical value
| |-bot_account: A logical value
| |-ban_expires: (Optional) A character value
| `~-instance_id: A numeric value
|-post: <list>
| |-id: A numeric value
| |-name: A character value
| |-url: (Optional) A character value
| |-body: (Optional) A character value
| |-creator_id: A numeric value
| |-community_id: A numeric value
| |-removed: A logical value
| |-locked: A logical value
| |-published: A character value
| |-updated: (Optional) A character value
| |-deleted: A logical value
| |-nsfw: A logical value
| |-embed_title: (Optional) A character value
| |-embed_description: (Optional) A character value
| |-thumbnail_url: (Optional) A character value
| |-ap_id: A character value
| |-local: A logical value
| |-embed_video_url: (Optional) A character value
| |-language_id: A numeric value
| |-featured_community: A logical value
| `~-featured_local: A logical value
|-community: <list>
| |-id: A numeric value
| |-name: A character value
| |-title: A character value
| |-description: (Optional) A character value
```

```

| |-removed: A logical value
| |-published: A character value
| |-updated: (Optional) A character value
| |-deleted: A logical value
| |-nsfw: A logical value
| |-actor_id: A character value
| |-local: A logical value
| |-icon: (Optional) A character value
| |-banner: (Optional) A character value
| |-followers_url: A character value
| |-inbox_url: A character value
| |-hidden: A logical value
| |-posting_restricted_to_mods: A logical value
| `--instance_id: A numeric value
|-counts: <list>
| |-id: A numeric value
| |-comment_id: A numeric value
| |-score: A numeric value
| |-upvotes: A numeric value
| |-downvotes: A numeric value
| |-published: A character value
| |-child_count: A numeric value
| `--hot_rank: A numeric value
|-creator_banned_from_community: A logical value
|-subscribed: One of "Subscribed", "NotSubscri...
|-saved: A logical value
|-creator_blocked: A logical value
`--my_vote: (Optional) A numeric value

```

Examples

```

comment_list <- lemmmy_get_comments(limit = 1, sort = "Top")

comment_list$comments[[1]]$community$name

comment_list$comments[[1]]$post$name

comment_list$comments[[1]]$comment$content

```

lemmy_get_community	<i>Get / fetch a community.</i>
---------------------	---------------------------------

Description

HTTP.GET /community

Usage

```
lemmy_get_community(
  id = NULL,
  name = NULL,
  auth = NULL,
  .lemmy_instance = getOption("lemmy_instance", "https://lemmy.world")
)
```

Arguments

`id` (Optional) A numeric value.

`name` (Optional) A character value.

`auth` (Optional) A character value.

`.lemmy_instance` Default: "https://lemmy.world". Change the default instance by setting the `lemmy_instance` [options\(\)](#).

Value

A list of length 4:

```
<list>
|-community_view: <list>
| |-community: <list>
| | |-id: A numeric value
| | |-name: A character value
| | |-title: A character value
| | |-description: (Optional) A character value
| | |-removed: A logical value
| | |-published: A character value
| | |-updated: (Optional) A character value
| | |-deleted: A logical value
| | |-nsfw: A logical value
| | |-actor_id: A character value
| | |-local: A logical value
| | |-icon: (Optional) A character value
| | |-banner: (Optional) A character value
| | |-followers_url: A character value
| | |-inbox_url: A character value
| | |-hidden: A logical value
| | |-posting_restricted_to_mods: A logical value
| | `--instance_id: A numeric value
| |-subscribed: One of "Subscribed", "NotSubscri...
| |-blocked: A logical value
| `--counts: <list>
|   |-id: A numeric value
|   |-community_id: A numeric value
|   |-subscribers: A numeric value
```

```

|   |-posts: A numeric value
|   |-comments: A numeric value
|   |-published: A character value
|   |-users_active_day: A numeric value
|   |-users_active_week: A numeric value
|   |-users_active_month: A numeric value
|   |-users_active_half_year: A numeric value
|   `--hot_rank: A numeric value
|-site: <list>
|   |-id: A numeric value
|   |-name: A character value
|   |-sidebar: (Optional) A character value
|   |-published: A character value
|   |-updated: (Optional) A character value
|   |-icon: (Optional) A character value
|   |-banner: (Optional) A character value
|   |-description: (Optional) A character value
|   |-actor_id: A character value
|   |-last_refreshed_at: A character value
|   |-inbox_url: A character value
|   |-private_key: (Optional) A character value
|   |-public_key: A character value
|   `--instance_id: A numeric value
|-moderators: <list>
|   `-[Each element]: <list>
|       |-community: <list>
|           |-id: A numeric value
|           |-name: A character value
|           |-title: A character value
|           |-description: (Optional) A character value
|           |-removed: A logical value
|           |-published: A character value
|           |-updated: (Optional) A character value
|           |-deleted: A logical value
|           |-nsfw: A logical value
|           |-actor_id: A character value
|           |-local: A logical value
|           |-icon: (Optional) A character value
|           |-banner: (Optional) A character value
|           |-followers_url: A character value
|           |-inbox_url: A character value
|           |-hidden: A logical value
|           |-posting_restricted_to_mods: A logical value
|           `--instance_id: A numeric value
|       `--moderator: <list>
|           |-id: A numeric value
|           |-name: A character value
|           |-display_name: (Optional) A character value

```

```

|   |-avatar: (Optional) A character value
|   |-banned: A logical value
|   |-published: A character value
|   |-updated: (Optional) A character value
|   |-actor_id: A character value
|   |-bio: (Optional) A character value
|   |-local: A logical value
|   |-banner: (Optional) A character value
|   |-deleted: A logical value
|   |-inbox_url: A character value
|   |-matrix_user_id: (Optional) A character value
|   |-admin: A logical value
|   |-bot_account: A logical value
|   |-ban_expires: (Optional) A character value
|   `--instance_id: A numeric value
|--discussion_languages: A numeric vector

```

Examples

```

community_data <- lemmy_get_community(name = "redditwasfun")

community_data$community_view$community$description

```

```

lemmy_get_federated_instances
      Fetch federated instances.

```

Description

HTTP.Get /federated_instances

Usage

```

lemmy_get_federated_instances(
  auth = NULL,
  .lemmy_instance = getOption("lemmy_instance", "https://lemmy.world")
)

```

Arguments

auth (Optional) A character value.

.lemmy_instance Default: "https://lemmy.world". Change the default instance by setting the `lemmy_instance` [options\(\)](#).

Value

A list of length 1:

```
<list>
`-federated_instances: <list>
  |-linked: <list>
    | `-[Each element]: <list>
    |   |-id: A numeric value
    |   |-domain: A character value
    |   |-published: A character value
    |   |-updated: (Optional) A character value
    |   |-software: (Optional) A character value
    |   `--version: (Optional) A character value
  |-allowed: <list>
    | `-[Each element]: <list>
    |   |-id: A numeric value
    |   |-domain: A character value
    |   |-published: A character value
    |   |-updated: (Optional) A character value
    |   |-software: (Optional) A character value
    |   `--version: (Optional) A character value
  `--blocked: <list>
    `-[Each element]: <list>
      |-id: A numeric value
      |-domain: A character value
      |-published: A character value
      |-updated: (Optional) A character value
      |-software: (Optional) A character value
      `--version: (Optional) A character value
```

Examples

```
instances <- lemmmy_get_federated_instances()

length(instances$federated_instances$linked)

some_instance <- instances$federated_instances$linked[[732]]

some_instance$domain

some_instance$published
```

Description

HTTP.GET /modlog

Usage

```
lemmy_get_modlog(
  mod_person_id = NULL,
  community_id = NULL,
  page = NULL,
  limit = NULL,
  type_ = NULL,
  other_person_id = NULL,
  auth = NULL,
  .lemmy_instance = getOption("lemmy_instance", "https://lemmy.world")
)
```

Arguments

mod_person_id	(Optional) A numeric value.
community_id	(Optional) A numeric value.
page	(Optional) A numeric value.
limit	(Optional) A numeric value.
type_	(Optional) One of "All", "ModRemovePost", "ModLockPost", "ModFeature-Post", "ModRemoveComment", "ModRemoveCommunity", "ModBanFromCommunity", "ModAddCommunity", "ModTransferCommunity", "ModAdd", "ModBan", "ModHideCommunity", "AdminPurgePerson", "AdminPurgeCommunity", "AdminPurgePost", or "AdminPurgeComment".
other_person_id	(Optional) A numeric value.
auth	(Optional) A character value.
.lemmy_instance	Default: "https://lemmy.world". Change the default instance by setting the <code>lemmy_instance</code> options() .

Value

A list of length 15:

```
<list>
|-removed_posts: <list>
| `-[Each element]: <list>
|   |-mod_remove_post: <list>
|   | |-id: A numeric value
|   | |-mod_person_id: A numeric value
|   | |-post_id: A numeric value
|   | |-reason: (Optional) A character value
|   | |-removed: A logical value
```

```

| | `~when_: A character value
| |-moderator: <list>
| | | -id: A numeric value
| | | -name: A character value
| | | -display_name: (Optional) A character value
| | | -avatar: (Optional) A character value
| | | -banned: A logical value
| | | -published: A character value
| | | -updated: (Optional) A character value
| | | -actor_id: A character value
| | | -bio: (Optional) A character value
| | | -local: A logical value
| | | -banner: (Optional) A character value
| | | -deleted: A logical value
| | | -inbox_url: A character value
| | | -matrix_user_id: (Optional) A character value
| | | -admin: A logical value
| | | -bot_account: A logical value
| | | -ban_expires: (Optional) A character value
| | `~instance_id: A numeric value
| |-post: <list>
| | | -id: A numeric value
| | | -name: A character value
| | | -url: (Optional) A character value
| | | -body: (Optional) A character value
| | | -creator_id: A numeric value
| | | -community_id: A numeric value
| | | -removed: A logical value
| | | -locked: A logical value
| | | -published: A character value
| | | -updated: (Optional) A character value
| | | -deleted: A logical value
| | | -nsfw: A logical value
| | | -embed_title: (Optional) A character value
| | | -embed_description: (Optional) A character value
| | | -thumbnail_url: (Optional) A character value
| | | -ap_id: A character value
| | | -local: A logical value
| | | -embed_video_url: (Optional) A character value
| | | -language_id: A numeric value
| | | -featured_community: A logical value
| | `~featured_local: A logical value
| `~community: <list>
|   | -id: A numeric value
|   | -name: A character value
|   | -title: A character value
|   | -description: (Optional) A character value
|   | -removed: A logical value

```

```

|   |-published: A character value
|   |-updated: (Optional) A character value
|   |-deleted: A logical value
|   |-nsfw: A logical value
|   |-actor_id: A character value
|   |-local: A logical value
|   |-icon: (Optional) A character value
|   |-banner: (Optional) A character value
|   |-followers_url: A character value
|   |-inbox_url: A character value
|   |-hidden: A logical value
|   |-posting_restricted_to_mods: A logical value
|   `--instance_id: A numeric value
|-locked_posts: <list>
|  `-[Each element]: <list>
|    |-mod_lock_post: <list>
|    |  |-id: A numeric value
|    |  |-mod_person_id: A numeric value
|    |  |-post_id: A numeric value
|    |  |-locked: A logical value
|    |  `--when_: A character value
|    |-moderator: <list>
|    |  |-id: A numeric value
|    |  |-name: A character value
|    |  |-display_name: (Optional) A character value
|    |  |-avatar: (Optional) A character value
|    |  |-banned: A logical value
|    |  |-published: A character value
|    |  |-updated: (Optional) A character value
|    |  |-actor_id: A character value
|    |  |-bio: (Optional) A character value
|    |  |-local: A logical value
|    |  |-banner: (Optional) A character value
|    |  |-deleted: A logical value
|    |  |-inbox_url: A character value
|    |  |-matrix_user_id: (Optional) A character value
|    |  |-admin: A logical value
|    |  |-bot_account: A logical value
|    |  |-ban_expires: (Optional) A character value
|    |  `--instance_id: A numeric value
|    |-post: <list>
|    |  |-id: A numeric value
|    |  |-name: A character value
|    |  |-url: (Optional) A character value
|    |  |-body: (Optional) A character value
|    |  |-creator_id: A numeric value
|    |  |-community_id: A numeric value
|    |  |-removed: A logical value

```

```

| | |-locked: A logical value
| | |-published: A character value
| | |-updated: (Optional) A character value
| | |-deleted: A logical value
| | |-nsfw: A logical value
| | |-embed_title: (Optional) A character value
| | |-embed_description: (Optional) A character value
| | |-thumbnail_url: (Optional) A character value
| | |-ap_id: A character value
| | |-local: A logical value
| | |-embed_video_url: (Optional) A character value
| | |-language_id: A numeric value
| | |-featured_community: A logical value
| | `--featured_local: A logical value
| `--community: <list>
|   |-id: A numeric value
|   |-name: A character value
|   |-title: A character value
|   |-description: (Optional) A character value
|   |-removed: A logical value
|   |-published: A character value
|   |-updated: (Optional) A character value
|   |-deleted: A logical value
|   |-nsfw: A logical value
|   |-actor_id: A character value
|   |-local: A logical value
|   |-icon: (Optional) A character value
|   |-banner: (Optional) A character value
|   |-followers_url: A character value
|   |-inbox_url: A character value
|   |-hidden: A logical value
|   |-posting_restricted_to_mods: A logical value
|   `--instance_id: A numeric value
|-featured_posts: <list>
| `--[Each element]: <list>
|   |-mod_feature_post: <list>
|   | |-id: A numeric value
|   | |-mod_person_id: A numeric value
|   | |-post_id: A numeric value
|   | |-featured: A logical value
|   | |-when_: A character value
|   | `--is_featured_community: A logical value
|   |-moderator: <list>
|   | |-id: A numeric value
|   | |-name: A character value
|   | |-display_name: (Optional) A character value
|   | |-avatar: (Optional) A character value
|   | |-banned: A logical value

```

```

| | |-published: A character value
| | |-updated: (Optional) A character value
| | |-actor_id: A character value
| | |-bio: (Optional) A character value
| | |-local: A logical value
| | |-banner: (Optional) A character value
| | |-deleted: A logical value
| | |-inbox_url: A character value
| | |-matrix_user_id: (Optional) A character value
| | |-admin: A logical value
| | |-bot_account: A logical value
| | |-ban_expires: (Optional) A character value
| | `--instance_id: A numeric value
| |-post: <list>
| | |-id: A numeric value
| | |-name: A character value
| | |-url: (Optional) A character value
| | |-body: (Optional) A character value
| | |-creator_id: A numeric value
| | |-community_id: A numeric value
| | |-removed: A logical value
| | |-locked: A logical value
| | |-published: A character value
| | |-updated: (Optional) A character value
| | |-deleted: A logical value
| | |-nsfw: A logical value
| | |-embed_title: (Optional) A character value
| | |-embed_description: (Optional) A character value
| | |-thumbnail_url: (Optional) A character value
| | |-ap_id: A character value
| | |-local: A logical value
| | |-embed_video_url: (Optional) A character value
| | |-language_id: A numeric value
| | |-featured_community: A logical value
| | `--featured_local: A logical value
| `--community: <list>
|   |-id: A numeric value
|   |-name: A character value
|   |-title: A character value
|   |-description: (Optional) A character value
|   |-removed: A logical value
|   |-published: A character value
|   |-updated: (Optional) A character value
|   |-deleted: A logical value
|   |-nsfw: A logical value
|   |-actor_id: A character value
|   |-local: A logical value
|   |-icon: (Optional) A character value

```

```

|     |-banner: (Optional) A character value
|     |-followers_url: A character value
|     |-inbox_url: A character value
|     |-hidden: A logical value
|     |-posting_restricted_to_mods: A logical value
|     `--instance_id: A numeric value
|-removed_comments: <list>
|  `-[Each element]: <list>
|    |-mod_remove_comment: <list>
|    |   |-id: A numeric value
|    |   |-mod_person_id: A numeric value
|    |   |-comment_id: A numeric value
|    |   |-reason: (Optional) A character value
|    |   |-removed: A logical value
|    |   `--when_: A character value
|    |-moderator: <list>
|    |   |-id: A numeric value
|    |   |-name: A character value
|    |   |-display_name: (Optional) A character value
|    |   |-avatar: (Optional) A character value
|    |   |-banned: A logical value
|    |   |-published: A character value
|    |   |-updated: (Optional) A character value
|    |   |-actor_id: A character value
|    |   |-bio: (Optional) A character value
|    |   |-local: A logical value
|    |   |-banner: (Optional) A character value
|    |   |-deleted: A logical value
|    |   |-inbox_url: A character value
|    |   |-matrix_user_id: (Optional) A character value
|    |   |-admin: A logical value
|    |   |-bot_account: A logical value
|    |   |-ban_expires: (Optional) A character value
|    |   `--instance_id: A numeric value
|    |-comment: <list>
|    |   |-id: A numeric value
|    |   |-creator_id: A numeric value
|    |   |-post_id: A numeric value
|    |   |-content: A character value
|    |   |-removed: A logical value
|    |   |-published: A character value
|    |   |-updated: (Optional) A character value
|    |   |-deleted: A logical value
|    |   |-ap_id: A character value
|    |   |-local: A logical value
|    |   |-path: A character value
|    |   |-distinguished: A logical value
|    |   `--language_id: A numeric value

```

```
|   |-commenter: <list>
|   |   |-id: A numeric value
|   |   |-name: A character value
|   |   |-display_name: (Optional) A character value
|   |   |-avatar: (Optional) A character value
|   |   |-banned: A logical value
|   |   |-published: A character value
|   |   |-updated: (Optional) A character value
|   |   |-actor_id: A character value
|   |   |-bio: (Optional) A character value
|   |   |-local: A logical value
|   |   |-banner: (Optional) A character value
|   |   |-deleted: A logical value
|   |   |-inbox_url: A character value
|   |   |-matrix_user_id: (Optional) A character value
|   |   |-admin: A logical value
|   |   |-bot_account: A logical value
|   |   |-ban_expires: (Optional) A character value
|   |   `--instance_id: A numeric value
|   |-post: <list>
|   |   |-id: A numeric value
|   |   |-name: A character value
|   |   |-url: (Optional) A character value
|   |   |-body: (Optional) A character value
|   |   |-creator_id: A numeric value
|   |   |-community_id: A numeric value
|   |   |-removed: A logical value
|   |   |-locked: A logical value
|   |   |-published: A character value
|   |   |-updated: (Optional) A character value
|   |   |-deleted: A logical value
|   |   |-nsfw: A logical value
|   |   |-embed_title: (Optional) A character value
|   |   |-embed_description: (Optional) A character value
|   |   |-thumbnail_url: (Optional) A character value
|   |   |-ap_id: A character value
|   |   |-local: A logical value
|   |   |-embed_video_url: (Optional) A character value
|   |   |-language_id: A numeric value
|   |   |-featured_community: A logical value
|   |   `--featured_local: A logical value
|   `--community: <list>
|       |-id: A numeric value
|       |-name: A character value
|       |-title: A character value
|       |-description: (Optional) A character value
|       |-removed: A logical value
|       |-published: A character value
```

```

|   |-updated: (Optional) A character value
|   |-deleted: A logical value
|   |-nsfw: A logical value
|   |-actor_id: A character value
|   |-local: A logical value
|   |-icon: (Optional) A character value
|   |-banner: (Optional) A character value
|   |-followers_url: A character value
|   |-inbox_url: A character value
|   |-hidden: A logical value
|   |-posting_restricted_to_mods: A logical value
|   `--instance_id: A numeric value
|-removed_communities: <list>
| `-[Each element]: <list>
|   |-mod_remove_community: <list>
|   |   |-id: A numeric value
|   |   |-mod_person_id: A numeric value
|   |   |-community_id: A numeric value
|   |   |-reason: (Optional) A character value
|   |   |-removed: A logical value
|   |   |-expires: (Optional) A character value
|   |   `--when_: A character value
|   |-moderator: <list>
|   |   |-id: A numeric value
|   |   |-name: A character value
|   |   |-display_name: (Optional) A character value
|   |   |-avatar: (Optional) A character value
|   |   |-banned: A logical value
|   |   |-published: A character value
|   |   |-updated: (Optional) A character value
|   |   |-actor_id: A character value
|   |   |-bio: (Optional) A character value
|   |   |-local: A logical value
|   |   |-banner: (Optional) A character value
|   |   |-deleted: A logical value
|   |   |-inbox_url: A character value
|   |   |-matrix_user_id: (Optional) A character value
|   |   |-admin: A logical value
|   |   |-bot_account: A logical value
|   |   |-ban_expires: (Optional) A character value
|   |   `--instance_id: A numeric value
|   `--community: <list>
|       |-id: A numeric value
|       |-name: A character value
|       |-title: A character value
|       |-description: (Optional) A character value
|       |-removed: A logical value
|       |-published: A character value

```

```

|   |-updated: (Optional) A character value
|   |-deleted: A logical value
|   |-nsfw: A logical value
|   |-actor_id: A character value
|   |-local: A logical value
|   |-icon: (Optional) A character value
|   |-banner: (Optional) A character value
|   |-followers_url: A character value
|   |-inbox_url: A character value
|   |-hidden: A logical value
|   |-posting_restricted_to_mods: A logical value
|   `--instance_id: A numeric value
|-banned_from_community: <list>
| `-[Each element]: <list>
|   |-mod_ban_from_community: <list>
|   |   |-id: A numeric value
|   |   |-mod_person_id: A numeric value
|   |   |-other_person_id: A numeric value
|   |   |-community_id: A numeric value
|   |   |-reason: (Optional) A character value
|   |   |-banned: A logical value
|   |   |-expires: (Optional) A character value
|   |   `--when_: A character value
|   |-moderator: <list>
|   |   |-id: A numeric value
|   |   |-name: A character value
|   |   |-display_name: (Optional) A character value
|   |   |-avatar: (Optional) A character value
|   |   |-banned: A logical value
|   |   |-published: A character value
|   |   |-updated: (Optional) A character value
|   |   |-actor_id: A character value
|   |   |-bio: (Optional) A character value
|   |   |-local: A logical value
|   |   |-banner: (Optional) A character value
|   |   |-deleted: A logical value
|   |   |-inbox_url: A character value
|   |   |-matrix_user_id: (Optional) A character value
|   |   |-admin: A logical value
|   |   |-bot_account: A logical value
|   |   |-ban_expires: (Optional) A character value
|   |   `--instance_id: A numeric value
|   |-community: <list>
|   |   |-id: A numeric value
|   |   |-name: A character value
|   |   |-title: A character value
|   |   |-description: (Optional) A character value
|   |   |-removed: A logical value

```

```

| | |-published: A character value
| | |-updated: (Optional) A character value
| | |-deleted: A logical value
| | |-nsfw: A logical value
| | |-actor_id: A character value
| | |-local: A logical value
| | |-icon: (Optional) A character value
| | |-banner: (Optional) A character value
| | |-followers_url: A character value
| | |-inbox_url: A character value
| | |-hidden: A logical value
| | |-posting_restricted_to_mods: A logical value
| | `--instance_id: A numeric value
| `--banned_person: <list>
|   |-id: A numeric value
|   |-name: A character value
|   |-display_name: (Optional) A character value
|   |-avatar: (Optional) A character value
|   |-banned: A logical value
|   |-published: A character value
|   |-updated: (Optional) A character value
|   |-actor_id: A character value
|   |-bio: (Optional) A character value
|   |-local: A logical value
|   |-banner: (Optional) A character value
|   |-deleted: A logical value
|   |-inbox_url: A character value
|   |-matrix_user_id: (Optional) A character value
|   |-admin: A logical value
|   |-bot_account: A logical value
|   |-ban_expires: (Optional) A character value
|   `--instance_id: A numeric value
|-banned: <list>
| `--[Each element]: <list>
|   |-mod_ban: <list>
|   | |-id: A numeric value
|   | |-mod_person_id: A numeric value
|   | |-other_person_id: A numeric value
|   | |-reason: (Optional) A character value
|   | |-banned: A logical value
|   | |-expires: (Optional) A character value
|   | `--when_: A character value
|   |-moderator: <list>
|   | |-id: A numeric value
|   | |-name: A character value
|   | |-display_name: (Optional) A character value
|   | |-avatar: (Optional) A character value
|   | |-banned: A logical value

```

```

| | |-published: A character value
| | |-updated: (Optional) A character value
| | |-actor_id: A character value
| | |-bio: (Optional) A character value
| | |-local: A logical value
| | |-banner: (Optional) A character value
| | |-deleted: A logical value
| | |-inbox_url: A character value
| | |-matrix_user_id: (Optional) A character value
| | |-admin: A logical value
| | |-bot_account: A logical value
| | |-ban_expires: (Optional) A character value
| | `~-instance_id: A numeric value
| `~-banned_person: <list>
|   |-id: A numeric value
|   |-name: A character value
|   |-display_name: (Optional) A character value
|   |-avatar: (Optional) A character value
|   |-banned: A logical value
|   |-published: A character value
|   |-updated: (Optional) A character value
|   |-actor_id: A character value
|   |-bio: (Optional) A character value
|   |-local: A logical value
|   |-banner: (Optional) A character value
|   |-deleted: A logical value
|   |-inbox_url: A character value
|   |-matrix_user_id: (Optional) A character value
|   |-admin: A logical value
|   |-bot_account: A logical value
|   |-ban_expires: (Optional) A character value
|   `~-instance_id: A numeric value
|-added_to_community: <list>
| `-[Each element]: <list>
|   |-mod_add_community: <list>
|   | |-id: A numeric value
|   | |-mod_person_id: A numeric value
|   | |-other_person_id: A numeric value
|   | |-community_id: A numeric value
|   | |-removed: A logical value
|   | `~-when_: A character value
|   |-moderator: <list>
|   | |-id: A numeric value
|   | |-name: A character value
|   | |-display_name: (Optional) A character value
|   | |-avatar: (Optional) A character value
|   | |-banned: A logical value
|   | |-published: A character value

```

```

| | |-updated: (Optional) A character value
| | |-actor_id: A character value
| | |-bio: (Optional) A character value
| | |-local: A logical value
| | |-banner: (Optional) A character value
| | |-deleted: A logical value
| | |-inbox_url: A character value
| | |-matrix_user_id: (Optional) A character value
| | |-admin: A logical value
| | |-bot_account: A logical value
| | |-ban_expires: (Optional) A character value
| | `--instance_id: A numeric value
| |-community: <list>
| | |-id: A numeric value
| | |-name: A character value
| | |-title: A character value
| | |-description: (Optional) A character value
| | |-removed: A logical value
| | |-published: A character value
| | |-updated: (Optional) A character value
| | |-deleted: A logical value
| | |-nsfw: A logical value
| | |-actor_id: A character value
| | |-local: A logical value
| | |-icon: (Optional) A character value
| | |-banner: (Optional) A character value
| | |-followers_url: A character value
| | |-inbox_url: A character value
| | |-hidden: A logical value
| | |-posting_restricted_to_mods: A logical value
| | `--instance_id: A numeric value
| `--modded_person: <list>
|   |-id: A numeric value
|   |-name: A character value
|   |-display_name: (Optional) A character value
|   |-avatar: (Optional) A character value
|   |-banned: A logical value
|   |-published: A character value
|   |-updated: (Optional) A character value
|   |-actor_id: A character value
|   |-bio: (Optional) A character value
|   |-local: A logical value
|   |-banner: (Optional) A character value
|   |-deleted: A logical value
|   |-inbox_url: A character value
|   |-matrix_user_id: (Optional) A character value
|   |-admin: A logical value
|   |-bot_account: A logical value

```

```
|      |-ban_expires: (Optional) A character value
|      `~-instance_id: A numeric value
|-transferred_to_community: <list>
|  `-[Each element]: <list>
|      |-mod_transfer_community: <list>
|          |-id: A numeric value
|          |-mod_person_id: A numeric value
|          |-other_person_id: A numeric value
|          |-community_id: A numeric value
|          `~-when_: A character value
|      |-moderator: <list>
|          |-id: A numeric value
|          |-name: A character value
|          |-display_name: (Optional) A character value
|          |-avatar: (Optional) A character value
|          |-banned: A logical value
|          |-published: A character value
|          |-updated: (Optional) A character value
|          |-actor_id: A character value
|          |-bio: (Optional) A character value
|          |-local: A logical value
|          |-banner: (Optional) A character value
|          |-deleted: A logical value
|          |-inbox_url: A character value
|          |-matrix_user_id: (Optional) A character value
|          |-admin: A logical value
|          |-bot_account: A logical value
|          |-ban_expires: (Optional) A character value
|          `~-instance_id: A numeric value
|      |-community: <list>
|          |-id: A numeric value
|          |-name: A character value
|          |-title: A character value
|          |-description: (Optional) A character value
|          |-removed: A logical value
|          |-published: A character value
|          |-updated: (Optional) A character value
|          |-deleted: A logical value
|          |-nsfw: A logical value
|          |-actor_id: A character value
|          |-local: A logical value
|          |-icon: (Optional) A character value
|          |-banner: (Optional) A character value
|          |-followers_url: A character value
|          |-inbox_url: A character value
|          |-hidden: A logical value
|          |-posting_restricted_to_mods: A logical value
|          `~-instance_id: A numeric value
```

```

|   ~-modded_person: <list>
|     |-id: A numeric value
|     |-name: A character value
|     |-display_name: (Optional) A character value
|     |-avatar: (Optional) A character value
|     |-banned: A logical value
|     |-published: A character value
|     |-updated: (Optional) A character value
|     |-actor_id: A character value
|     |-bio: (Optional) A character value
|     |-local: A logical value
|     |-banner: (Optional) A character value
|     |-deleted: A logical value
|     |-inbox_url: A character value
|     |-matrix_user_id: (Optional) A character value
|     |-admin: A logical value
|     |-bot_account: A logical value
|     |-ban_expires: (Optional) A character value
|     ~-instance_id: A numeric value
|-added: <list>
|   ~-[Each element]: <list>
|     |-mod_add: <list>
|       |-id: A numeric value
|       |-mod_person_id: A numeric value
|       |-other_person_id: A numeric value
|       |-removed: A logical value
|       ~-when_: A character value
|     |-moderator: <list>
|       |-id: A numeric value
|       |-name: A character value
|       |-display_name: (Optional) A character value
|       |-avatar: (Optional) A character value
|       |-banned: A logical value
|       |-published: A character value
|       |-updated: (Optional) A character value
|       |-actor_id: A character value
|       |-bio: (Optional) A character value
|       |-local: A logical value
|       |-banner: (Optional) A character value
|       |-deleted: A logical value
|       |-inbox_url: A character value
|       |-matrix_user_id: (Optional) A character value
|       |-admin: A logical value
|       |-bot_account: A logical value
|       |-ban_expires: (Optional) A character value
|       ~-instance_id: A numeric value
|     ~-modded_person: <list>
|       |-id: A numeric value

```

```

|     |-name: A character value
|     |-display_name: (Optional) A character value
|     |-avatar: (Optional) A character value
|     |-banned: A logical value
|     |-published: A character value
|     |-updated: (Optional) A character value
|     |-actor_id: A character value
|     |-bio: (Optional) A character value
|     |-local: A logical value
|     |-banner: (Optional) A character value
|     |-deleted: A logical value
|     |-inbox_url: A character value
|     |-matrix_user_id: (Optional) A character value
|     |-admin: A logical value
|     |-bot_account: A logical value
|     |-ban_expires: (Optional) A character value
|     `--instance_id: A numeric value
|-admin_purged_persons: <list>
| `-[Each element]: <list>
|   |-admin_purge_person: <list>
|   |   |-id: A numeric value
|   |   |-admin_person_id: A numeric value
|   |   |-reason: (Optional) A character value
|   |   `--when_: A character value
|   `--admin: <list>
|       |-id: A numeric value
|       |-name: A character value
|       |-display_name: (Optional) A character value
|       |-avatar: (Optional) A character value
|       |-banned: A logical value
|       |-published: A character value
|       |-updated: (Optional) A character value
|       |-actor_id: A character value
|       |-bio: (Optional) A character value
|       |-local: A logical value
|       |-banner: (Optional) A character value
|       |-deleted: A logical value
|       |-inbox_url: A character value
|       |-matrix_user_id: (Optional) A character value
|       |-admin: A logical value
|       |-bot_account: A logical value
|       |-ban_expires: (Optional) A character value
|       `--instance_id: A numeric value
|-admin_purged_communities: <list>
| `-[Each element]: <list>
|   |-admin_purge_community: <list>
|   |   |-id: A numeric value
|   |   |-admin_person_id: A numeric value

```

```

| | |-reason: (Optional) A character value
| | `~-when_: A character value
| `~admin: <list>
|   |-id: A numeric value
|   |-name: A character value
|   |-display_name: (Optional) A character value
|   |-avatar: (Optional) A character value
|   |-banned: A logical value
|   |-published: A character value
|   |-updated: (Optional) A character value
|   |-actor_id: A character value
|   |-bio: (Optional) A character value
|   |-local: A logical value
|   |-banner: (Optional) A character value
|   |-deleted: A logical value
|   |-inbox_url: A character value
|   |-matrix_user_id: (Optional) A character value
|   |-admin: A logical value
|   |-bot_account: A logical value
|   |-ban_expires: (Optional) A character value
|   `~instance_id: A numeric value
|-admin_purged_posts: <list>
| `~-[Each element]: <list>
|   |-admin_purge_post: <list>
|   | |-id: A numeric value
|   | |-admin_person_id: A numeric value
|   | |-community_id: A numeric value
|   | |-reason: (Optional) A character value
|   | `~-when_: A character value
|   |-admin: <list>
|   | |-id: A numeric value
|   | |-name: A character value
|   | |-display_name: (Optional) A character value
|   | |-avatar: (Optional) A character value
|   | |-banned: A logical value
|   | |-published: A character value
|   | |-updated: (Optional) A character value
|   | |-actor_id: A character value
|   | |-bio: (Optional) A character value
|   | |-local: A logical value
|   | |-banner: (Optional) A character value
|   | |-deleted: A logical value
|   | |-inbox_url: A character value
|   | |-matrix_user_id: (Optional) A character value
|   | |-admin: A logical value
|   | |-bot_account: A logical value
|   | |-ban_expires: (Optional) A character value
|   | `~instance_id: A numeric value

```

```

|   `~community: <list>
|     |-id: A numeric value
|     |-name: A character value
|     |-title: A character value
|     |-description: (Optional) A character value
|     |-removed: A logical value
|     |-published: A character value
|     |-updated: (Optional) A character value
|     |-deleted: A logical value
|     |-nsfw: A logical value
|     |-actor_id: A character value
|     |-local: A logical value
|     |-icon: (Optional) A character value
|     |-banner: (Optional) A character value
|     |-followers_url: A character value
|     |-inbox_url: A character value
|     |-hidden: A logical value
|     |-posting_restricted_to_mods: A logical value
|     `~instance_id: A numeric value
|-admin_purged_comments: <list>
| `-[Each element]: <list>
|   |-admin_purge_comment: <list>
|     |-id: A numeric value
|     |-admin_person_id: A numeric value
|     |-post_id: A numeric value
|     |-reason: (Optional) A character value
|     `~when_: A character value
|   |-admin: <list>
|     |-id: A numeric value
|     |-name: A character value
|     |-display_name: (Optional) A character value
|     |-avatar: (Optional) A character value
|     |-banned: A logical value
|     |-published: A character value
|     |-updated: (Optional) A character value
|     |-actor_id: A character value
|     |-bio: (Optional) A character value
|     |-local: A logical value
|     |-banner: (Optional) A character value
|     |-deleted: A logical value
|     |-inbox_url: A character value
|     |-matrix_user_id: (Optional) A character value
|     |-admin: A logical value
|     |-bot_account: A logical value
|     |-ban_expires: (Optional) A character value
|     `~instance_id: A numeric value
|   `~post: <list>
|     |-id: A numeric value

```

```

|   |-name: A character value
|   |-url: (Optional) A character value
|   |-body: (Optional) A character value
|   |-creator_id: A numeric value
|   |-community_id: A numeric value
|   |-removed: A logical value
|   |-locked: A logical value
|   |-published: A character value
|   |-updated: (Optional) A character value
|   |-deleted: A logical value
|   |-nsfw: A logical value
|   |-embed_title: (Optional) A character value
|   |-embed_description: (Optional) A character value
|   |-thumbnail_url: (Optional) A character value
|   |-ap_id: A character value
|   |-local: A logical value
|   |-embed_video_url: (Optional) A character value
|   |-language_id: A numeric value
|   |-featured_community: A logical value
|   `--featured_local: A logical value
`--hidden_communities: <list>
  `--[Each element]: <list>
    |-mod_hide_community: <list>
      | |-id: A numeric value
      | |-community_id: A numeric value
      | |-mod_person_id: A numeric value
      | |-when_: A character value
      | |-reason: (Optional) A character value
      | `--hidden: A logical value
    |-admin: <list>
      | |-id: A numeric value
      | |-name: A character value
      | |-display_name: (Optional) A character value
      | |-avatar: (Optional) A character value
      | |-banned: A logical value
      | |-published: A character value
      | |-updated: (Optional) A character value
      | |-actor_id: A character value
      | |-bio: (Optional) A character value
      | |-local: A logical value
      | |-banner: (Optional) A character value
      | |-deleted: A logical value
      | |-inbox_url: A character value
      | |-matrix_user_id: (Optional) A character value
      | |-admin: A logical value
      | |-bot_account: A logical value
      | |-ban_expires: (Optional) A character value
      | `--instance_id: A numeric value

```

```
`-community: <list>
  |-id: A numeric value
  |-name: A character value
  |-title: A character value
  |-description: (Optional) A character value
  |-removed: A logical value
  |-published: A character value
  |-updated: (Optional) A character value
  |-deleted: A logical value
  |-nsfw: A logical value
  |-actor_id: A character value
  |-local: A logical value
  |-icon: (Optional) A character value
  |-banner: (Optional) A character value
  |-followers_url: A character value
  |-inbox_url: A character value
  |-hidden: A logical value
  |-posting_restricted_to_mods: A logical value
  |-instance_id: A numeric value
```

lemmy_get_person_details

Get the details for a person.

Description

HTTP.GET /user

Usage

```
lemmy_get_person_details(
  person_id = NULL,
  username = NULL,
  sort = NULL,
  page = NULL,
  limit = NULL,
  community_id = NULL,
  saved_only = NULL,
  auth = NULL,
  .lemmy_instance = getOption("lemmy_instance", "https://lemmy.world")
)
```

Arguments

person_id	(Optional) A numeric value.
username	(Optional) A character value.

sort	(Optional) One of "Active", "Hot", "New", "Old", "TopDay", "TopWeek", "TopMonth", "TopYear", "TopAll", "MostComments", "NewComments", "TopHour", "TopSixHour", "TopTwelveHour", "TopThreeMonths", "TopSixMonths", or "TopNineMonths".
page	(Optional) A numeric value.
limit	(Optional) A numeric value.
community_id	(Optional) A numeric value.
saved_only	(Optional) A logical value.
auth	(Optional) A character value.
.lemmy_instance	Default: "https://lemmy.world". Change the default instance by setting the <code>lemmy_instance</code> options() .

Value

A list of length 4:

```
<list>
|-person_view: <list>
| |-person: <list>
| | |-id: A numeric value
| | |-name: A character value
| | |-display_name: (Optional) A character value
| | |-avatar: (Optional) A character value
| | |-banned: A logical value
| | |-published: A character value
| | |-updated: (Optional) A character value
| | |-actor_id: A character value
| | |-bio: (Optional) A character value
| | |-local: A logical value
| | |-banner: (Optional) A character value
| | |-deleted: A logical value
| | |-inbox_url: A character value
| | |-matrix_user_id: (Optional) A character value
| | |-admin: A logical value
| | |-bot_account: A logical value
| | |-ban_expires: (Optional) A character value
| | `--instance_id: A numeric value
| `--counts: <list>
|   |-id: A numeric value
|   |-person_id: A numeric value
|   |-post_count: A numeric value
|   |-post_score: A numeric value
|   |-comment_count: A numeric value
|   `--comment_score: A numeric value
|-comments: <list>
| `--[Each element]: <list>
```

```
| |-comment: <list>
| | |-id: A numeric value
| | |-creator_id: A numeric value
| | |-post_id: A numeric value
| | |-content: A character value
| | |-removed: A logical value
| | |-published: A character value
| | |-updated: (Optional) A character value
| | |-deleted: A logical value
| | |-ap_id: A character value
| | |-local: A logical value
| | |-path: A character value
| | |-distinguished: A logical value
| | `--language_id: A numeric value
| |-creator: <list>
| | |-id: A numeric value
| | |-name: A character value
| | |-display_name: (Optional) A character value
| | |-avatar: (Optional) A character value
| | |-banned: A logical value
| | |-published: A character value
| | |-updated: (Optional) A character value
| | |-actor_id: A character value
| | |-bio: (Optional) A character value
| | |-local: A logical value
| | |-banner: (Optional) A character value
| | |-deleted: A logical value
| | |-inbox_url: A character value
| | |-matrix_user_id: (Optional) A character value
| | |-admin: A logical value
| | |-bot_account: A logical value
| | |-ban_expires: (Optional) A character value
| | `--instance_id: A numeric value
| |-post: <list>
| | |-id: A numeric value
| | |-name: A character value
| | |-url: (Optional) A character value
| | |-body: (Optional) A character value
| | |-creator_id: A numeric value
| | |-community_id: A numeric value
| | |-removed: A logical value
| | |-locked: A logical value
| | |-published: A character value
| | |-updated: (Optional) A character value
| | |-deleted: A logical value
| | |-nsfw: A logical value
| | |-embed_title: (Optional) A character value
| | |-embed_description: (Optional) A character value
```

```

| | |-thumbnail_url: (Optional) A character value
| | |-ap_id: A character value
| | |-local: A logical value
| | |-embed_video_url: (Optional) A character value
| | |-language_id: A numeric value
| | |-featured_community: A logical value
| | `|-featured_local: A logical value
| |-community: <list>
| | |-id: A numeric value
| | |-name: A character value
| | |-title: A character value
| | |-description: (Optional) A character value
| | |-removed: A logical value
| | |-published: A character value
| | |-updated: (Optional) A character value
| | |-deleted: A logical value
| | |-nsfw: A logical value
| | |-actor_id: A character value
| | |-local: A logical value
| | |-icon: (Optional) A character value
| | |-banner: (Optional) A character value
| | |-followers_url: A character value
| | |-inbox_url: A character value
| | |-hidden: A logical value
| | |-posting_restricted_to_mods: A logical value
| | `|-instance_id: A numeric value
| |-counts: <list>
| | |-id: A numeric value
| | |-comment_id: A numeric value
| | |-score: A numeric value
| | |-upvotes: A numeric value
| | |-downvotes: A numeric value
| | |-published: A character value
| | |-child_count: A numeric value
| | `|-hot_rank: A numeric value
| |-creator_banned_from_community: A logical value
| |-subscribed: One of "Subscribed", "NotSubscri...
| |-saved: A logical value
| |-creator_blocked: A logical value
| `|-my_vote: (Optional) A numeric value
|-posts: <list>
| `-[Each element]: <list>
| | |-post: <list>
| | | |-id: A numeric value
| | | |-name: A character value
| | | |-url: (Optional) A character value
| | | |-body: (Optional) A character value
| | | |-creator_id: A numeric value

```

```
| | |-community_id: A numeric value
| | |-removed: A logical value
| | |-locked: A logical value
| | |-published: A character value
| | |-updated: (Optional) A character value
| | |-deleted: A logical value
| | |-nsfw: A logical value
| | |-embed_title: (Optional) A character value
| | |-embed_description: (Optional) A character value
| | |-thumbnail_url: (Optional) A character value
| | |-ap_id: A character value
| | |-local: A logical value
| | |-embed_video_url: (Optional) A character value
| | |-language_id: A numeric value
| | |-featured_community: A logical value
| | `|-featured_local: A logical value
| |-creator: <list>
| | |-id: A numeric value
| | |-name: A character value
| | |-display_name: (Optional) A character value
| | |-avatar: (Optional) A character value
| | |-banned: A logical value
| | |-published: A character value
| | |-updated: (Optional) A character value
| | |-actor_id: A character value
| | |-bio: (Optional) A character value
| | |-local: A logical value
| | |-banner: (Optional) A character value
| | |-deleted: A logical value
| | |-inbox_url: A character value
| | |-matrix_user_id: (Optional) A character value
| | |-admin: A logical value
| | |-bot_account: A logical value
| | |-ban_expires: (Optional) A character value
| | `|-instance_id: A numeric value
| |-community: <list>
| | |-id: A numeric value
| | |-name: A character value
| | |-title: A character value
| | |-description: (Optional) A character value
| | |-removed: A logical value
| | |-published: A character value
| | |-updated: (Optional) A character value
| | |-deleted: A logical value
| | |-nsfw: A logical value
| | |-actor_id: A character value
| | |-local: A logical value
| | |-icon: (Optional) A character value
```

```

| | |-banner: (Optional) A character value
| | |-followers_url: A character value
| | |-inbox_url: A character value
| | |-hidden: A logical value
| | |-posting_restricted_to_mods: A logical value
| | `~-instance_id: A numeric value
| |-creator_banned_from_community: A logical value
| |-counts: <list>
| | |-id: A numeric value
| | |-post_id: A numeric value
| | |-comments: A numeric value
| | |-score: A numeric value
| | |-upvotes: A numeric value
| | |-downvotes: A numeric value
| | |-published: A character value
| | |-newest_comment_time_necro: A character value
| | |-newest_comment_time: A character value
| | |-featured_community: A logical value
| | |-featured_local: A logical value
| | |-hot_rank: A numeric value
| | `~-hot_rank_active: A numeric value
| |-subscribed: One of "Subscribed", "NotSubscri...
| |-saved: A logical value
| |-read: A logical value
| |-creator_blocked: A logical value
| |-my_vote: (Optional) A numeric value
| `~-unread_comments: A numeric value
`~-moderates: <list>
  `-[Each element]: <list>
    |-community: <list>
      |-id: A numeric value
      |-name: A character value
      |-title: A character value
      |-description: (Optional) A character value
      |-removed: A logical value
      |-published: A character value
      |-updated: (Optional) A character value
      |-deleted: A logical value
      |-nsfw: A logical value
      |-actor_id: A character value
      |-local: A logical value
      |-icon: (Optional) A character value
      |-banner: (Optional) A character value
      |-followers_url: A character value
      |-inbox_url: A character value
      |-hidden: A logical value
      |-posting_restricted_to_mods: A logical value
      `~-instance_id: A numeric value

```

```

  ~-moderator: <list>
    |-id: A numeric value
    |-name: A character value
    |-display_name: (Optional) A character value
    |-avatar: (Optional) A character value
    |-banned: A logical value
    |-published: A character value
    |-updated: (Optional) A character value
    |-actor_id: A character value
    |-bio: (Optional) A character value
    |-local: A logical value
    |-banner: (Optional) A character value
    |-deleted: A logical value
    |-inbox_url: A character value
    |-matrix_user_id: (Optional) A character value
    |-admin: A logical value
    |-bot_account: A logical value
    |-ban_expires: (Optional) A character value
  ~-instance_id: A numeric value

```

Examples

```

person_data <- lemmy_get_person_details(username = "ruud")

person_data$person_view$person$bio

sapply(person_data$moderates, function(x) x$community$name)

```

```

lemmy_get_person_mentions
  Get mentions for your user.

```

Description

HTTP.GET /user/mention

Usage

```

lemmy_get_person_mentions(
  sort = NULL,
  page = NULL,
  limit = NULL,
  unread_only = NULL,
  auth,
  .lemmy_instance = getOption("lemmy_instance", "https://lemmy.world")
)

```

Arguments

sort	(Optional) One of "Hot", "New", "Old", or "Top".
page	(Optional) A numeric value.
limit	(Optional) A numeric value.
unread_only	(Optional) A logical value.
auth	A character value.
.lemmy_instance	Default: "https://lemmy.world". Change the default instance by setting the <code>lemmy_instance</code> options() .

Value

A list of length 1:

```

<list>
  ^-mentions: <list>
    ^-[Each element]: <list>
      |-person_mention: <list>
        | |-id: A numeric value
        | |-recipient_id: A numeric value
        | |-comment_id: A numeric value
        | |-read: A logical value
        | ^-published: A character value
        |-comment: <list>
          | |-id: A numeric value
          | |-creator_id: A numeric value
          | |-post_id: A numeric value
          | |-content: A character value
          | |-removed: A logical value
          | |-published: A character value
          | |-updated: (Optional) A character value
          | |-deleted: A logical value
          | |-ap_id: A character value
          | |-local: A logical value
          | |-path: A character value
          | |-distinguished: A logical value
          | ^-language_id: A numeric value
          |-creator: <list>
            | |-id: A numeric value
            | |-name: A character value
            | |-display_name: (Optional) A character value
            | |-avatar: (Optional) A character value
            | |-banned: A logical value
            | |-published: A character value
            | |-updated: (Optional) A character value
            | |-actor_id: A character value
            | |-bio: (Optional) A character value

```

```
| |-local: A logical value
| |-banner: (Optional) A character value
| |-deleted: A logical value
| |-inbox_url: A character value
| |-matrix_user_id: (Optional) A character value
| |-admin: A logical value
| |-bot_account: A logical value
| |-ban_expires: (Optional) A character value
| `--instance_id: A numeric value
|-post: <list>
| |-id: A numeric value
| |-name: A character value
| |-url: (Optional) A character value
| |-body: (Optional) A character value
| |-creator_id: A numeric value
| |-community_id: A numeric value
| |-removed: A logical value
| |-locked: A logical value
| |-published: A character value
| |-updated: (Optional) A character value
| |-deleted: A logical value
| |-nsfw: A logical value
| |-embed_title: (Optional) A character value
| |-embed_description: (Optional) A character value
| |-thumbnail_url: (Optional) A character value
| |-ap_id: A character value
| |-local: A logical value
| |-embed_video_url: (Optional) A character value
| |-language_id: A numeric value
| |-featured_community: A logical value
| `--featured_local: A logical value
|-community: <list>
| |-id: A numeric value
| |-name: A character value
| |-title: A character value
| |-description: (Optional) A character value
| |-removed: A logical value
| |-published: A character value
| |-updated: (Optional) A character value
| |-deleted: A logical value
| |-nsfw: A logical value
| |-actor_id: A character value
| |-local: A logical value
| |-icon: (Optional) A character value
| |-banner: (Optional) A character value
| |-followers_url: A character value
| |-inbox_url: A character value
| |-hidden: A logical value
```

```

| |-posting_restricted_to_mods: A logical value
| `~-instance_id: A numeric value
|-recipient: <list>
| |-id: A numeric value
| |-name: A character value
| |-display_name: (Optional) A character value
| |-avatar: (Optional) A character value
| |-banned: A logical value
| |-published: A character value
| |-updated: (Optional) A character value
| |-actor_id: A character value
| |-bio: (Optional) A character value
| |-local: A logical value
| |-banner: (Optional) A character value
| |-deleted: A logical value
| |-inbox_url: A character value
| |-matrix_user_id: (Optional) A character value
| |-admin: A logical value
| |-bot_account: A logical value
| |-ban_expires: (Optional) A character value
| `~-instance_id: A numeric value
|-counts: <list>
| |-id: A numeric value
| |-comment_id: A numeric value
| |-score: A numeric value
| |-upvotes: A numeric value
| |-downvotes: A numeric value
| |-published: A character value
| |-child_count: A numeric value
| `~-hot_rank: A numeric value
|-creator_banned_from_community: A logical value
|-subscribed: One of "Subscribed", "NotSubscri...
|-saved: A logical value
|-creator_blocked: A logical value
`~-my_vote: (Optional) A numeric value

```

lemmy_get_post

Get / fetch a post.

Description

HTTP.GET /post

Usage

```

lemmy_get_post(
  id = NULL,

```

```

    comment_id = NULL,
    auth = NULL,
    .lemmy_instance = getOption("lemmy_instance", "https://lemmy.world")
)

```

Arguments

id (Optional) A numeric value.
comment_id (Optional) A numeric value.
auth (Optional) A character value.
.lemmy_instance Default: "https://lemmy.world". Change the default instance by setting the `lemmy_instance` [options\(\)](#).

Value

A list of length 4:

```

<list>
|-post_view: <list>
| |-post: <list>
| | |-id: A numeric value
| | |-name: A character value
| | |-url: (Optional) A character value
| | |-body: (Optional) A character value
| | |-creator_id: A numeric value
| | |-community_id: A numeric value
| | |-removed: A logical value
| | |-locked: A logical value
| | |-published: A character value
| | |-updated: (Optional) A character value
| | |-deleted: A logical value
| | |-nsfw: A logical value
| | |-embed_title: (Optional) A character value
| | |-embed_description: (Optional) A character value
| | |-thumbnail_url: (Optional) A character value
| | |-ap_id: A character value
| | |-local: A logical value
| | |-embed_video_url: (Optional) A character value
| | |-language_id: A numeric value
| | |-featured_community: A logical value
| | |-featured_local: A logical value
| |-creator: <list>
| | |-id: A numeric value
| | |-name: A character value
| | |-display_name: (Optional) A character value
| | |-avatar: (Optional) A character value
| | |-banned: A logical value

```

```

| | |-published: A character value
| | |-updated: (Optional) A character value
| | |-actor_id: A character value
| | |-bio: (Optional) A character value
| | |-local: A logical value
| | |-banner: (Optional) A character value
| | |-deleted: A logical value
| | |-inbox_url: A character value
| | |-matrix_user_id: (Optional) A character value
| | |-admin: A logical value
| | |-bot_account: A logical value
| | |-ban_expires: (Optional) A character value
| | `~-instance_id: A numeric value
| |-community: <list>
| | |-id: A numeric value
| | |-name: A character value
| | |-title: A character value
| | |-description: (Optional) A character value
| | |-removed: A logical value
| | |-published: A character value
| | |-updated: (Optional) A character value
| | |-deleted: A logical value
| | |-nsfw: A logical value
| | |-actor_id: A character value
| | |-local: A logical value
| | |-icon: (Optional) A character value
| | |-banner: (Optional) A character value
| | |-followers_url: A character value
| | |-inbox_url: A character value
| | |-hidden: A logical value
| | |-posting_restricted_to_mods: A logical value
| | `~-instance_id: A numeric value
| |-creator_banned_from_community: A logical value
| |-counts: <list>
| | |-id: A numeric value
| | |-post_id: A numeric value
| | |-comments: A numeric value
| | |-score: A numeric value
| | |-upvotes: A numeric value
| | |-downvotes: A numeric value
| | |-published: A character value
| | |-newest_comment_time_necro: A character value
| | |-newest_comment_time: A character value
| | |-featured_community: A logical value
| | |-featured_local: A logical value
| | |-hot_rank: A numeric value
| | `~-hot_rank_active: A numeric value
| |-subscribed: One of "Subscribed", "NotSubscri...

```

```

| |-saved: A logical value
| |-read: A logical value
| |-creator_blocked: A logical value
| |-my_vote: (Optional) A numeric value
| `~unread_comments: A numeric value
|-community_view: <list>
| |-community: <list>
| | |-id: A numeric value
| | |-name: A character value
| | |-title: A character value
| | |-description: (Optional) A character value
| | |-removed: A logical value
| | |-published: A character value
| | |-updated: (Optional) A character value
| | |-deleted: A logical value
| | |-nsfw: A logical value
| | |-actor_id: A character value
| | |-local: A logical value
| | |-icon: (Optional) A character value
| | |-banner: (Optional) A character value
| | |-followers_url: A character value
| | |-inbox_url: A character value
| | |-hidden: A logical value
| | |-posting_restricted_to_mods: A logical value
| | `~instance_id: A numeric value
| |-subscribed: One of "Subscribed", "NotSubscri...
| |-blocked: A logical value
| `~counts: <list>
| | |-id: A numeric value
| | |-community_id: A numeric value
| | |-subscribers: A numeric value
| | |-posts: A numeric value
| | |-comments: A numeric value
| | |-published: A character value
| | |-users_active_day: A numeric value
| | |-users_active_week: A numeric value
| | |-users_active_month: A numeric value
| | |-users_active_half_year: A numeric value
| | `~hot_rank: A numeric value
|-moderators: <list>
| `-[Each element]: <list>
| | |-community: <list>
| | | |-id: A numeric value
| | | |-name: A character value
| | | |-title: A character value
| | | |-description: (Optional) A character value
| | | |-removed: A logical value
| | | |-published: A character value

```

```

| | |-updated: (Optional) A character value
| | |-deleted: A logical value
| | |-nsfw: A logical value
| | |-actor_id: A character value
| | |-local: A logical value
| | |-icon: (Optional) A character value
| | |-banner: (Optional) A character value
| | |-followers_url: A character value
| | |-inbox_url: A character value
| | |-hidden: A logical value
| | |-posting_restricted_to_mods: A logical value
| | `--instance_id: A numeric value
| `--moderator: <list>
|   |-id: A numeric value
|   |-name: A character value
|   |-display_name: (Optional) A character value
|   |-avatar: (Optional) A character value
|   |-banned: A logical value
|   |-published: A character value
|   |-updated: (Optional) A character value
|   |-actor_id: A character value
|   |-bio: (Optional) A character value
|   |-local: A logical value
|   |-banner: (Optional) A character value
|   |-deleted: A logical value
|   |-inbox_url: A character value
|   |-matrix_user_id: (Optional) A character value
|   |-admin: A logical value
|   |-bot_account: A logical value
|   |-ban_expires: (Optional) A character value
|   `--instance_id: A numeric value
| `--cross_posts: <list>
|   `--[Each element]: <list>
|     |-post: <list>
|       |-id: A numeric value
|       |-name: A character value
|       |-url: (Optional) A character value
|       |-body: (Optional) A character value
|       |-creator_id: A numeric value
|       |-community_id: A numeric value
|       |-removed: A logical value
|       |-locked: A logical value
|       |-published: A character value
|       |-updated: (Optional) A character value
|       |-deleted: A logical value
|       |-nsfw: A logical value
|       |-embed_title: (Optional) A character value
|       |-embed_description: (Optional) A character value

```

```
| |-thumbnail_url: (Optional) A character value
| |-ap_id: A character value
| |-local: A logical value
| |-embed_video_url: (Optional) A character value
| |-language_id: A numeric value
| |-featured_community: A logical value
| `--featured_local: A logical value
|-creator: <list>
| |-id: A numeric value
| |-name: A character value
| |-display_name: (Optional) A character value
| |-avatar: (Optional) A character value
| |-banned: A logical value
| |-published: A character value
| |-updated: (Optional) A character value
| |-actor_id: A character value
| |-bio: (Optional) A character value
| |-local: A logical value
| |-banner: (Optional) A character value
| |-deleted: A logical value
| |-inbox_url: A character value
| |-matrix_user_id: (Optional) A character value
| |-admin: A logical value
| |-bot_account: A logical value
| |-ban_expires: (Optional) A character value
| `--instance_id: A numeric value
|-community: <list>
| |-id: A numeric value
| |-name: A character value
| |-title: A character value
| |-description: (Optional) A character value
| |-removed: A logical value
| |-published: A character value
| |-updated: (Optional) A character value
| |-deleted: A logical value
| |-nsfw: A logical value
| |-actor_id: A character value
| |-local: A logical value
| |-icon: (Optional) A character value
| |-banner: (Optional) A character value
| |-followers_url: A character value
| |-inbox_url: A character value
| |-hidden: A logical value
| |-posting_restricted_to_mods: A logical value
| `--instance_id: A numeric value
|-creator_banned_from_community: A logical value
|-counts: <list>
| |-id: A numeric value
```

```

| |-post_id: A numeric value
| |-comments: A numeric value
| |-score: A numeric value
| |-upvotes: A numeric value
| |-downvotes: A numeric value
| |-published: A character value
| |-newest_comment_time_necro: A character value
| |-newest_comment_time: A character value
| |-featured_community: A logical value
| |-featured_local: A logical value
| |-hot_rank: A numeric value
| `|-hot_rank_active: A numeric value
|-subscribed: One of "Subscribed", "NotSubscri...
|-saved: A logical value
|-read: A logical value
|-creator_blocked: A logical value
|-my_vote: (Optional) A numeric value
`-unread_comments: A numeric value

```

Examples

```

post_data <- lemmmy_get_post(1397803)

post_data$community_view$community$name

post_data$post_view$post$name

```

lemmy_get_posts	<i>Get / fetch posts, with various filters.</i>
-----------------	---

Description

HTTP.GET /post/list

Usage

```

lemmy_get_posts(
  type_ = NULL,
  sort = NULL,
  page = NULL,
  limit = NULL,
  community_id = NULL,
  community_name = NULL,
  saved_only = NULL,
  auth = NULL,
  .lemmy_instance = getOption("lemmy_instance", "https://lemmy.world")
)

```

Arguments

type_	(Optional) One of "All", "Local", or "Subscribed".
sort	(Optional) One of "Active", "Hot", "New", "Old", "TopDay", "TopWeek", "TopMonth", "TopYear", "TopAll", "MostComments", "NewComments", "TopHour", "TopSixHour", "TopTwelveHour", "TopThreeMonths", "TopSixMonths", or "TopNineMonths".
page	(Optional) A numeric value.
limit	(Optional) A numeric value.
community_id	(Optional) A numeric value.
community_name	(Optional) A character value.
saved_only	(Optional) A logical value.
auth	(Optional) A character value.
.lemmy_instance	Default: "https://lemmy.world". Change the default instance by setting the <code>lemmy_instance</code> options() .

Value

A list of length 1:

```
<list>
`-posts: <list>
  `-[Each element]: <list>
    |-post: <list>
      |-id: A numeric value
      |-name: A character value
      |-url: (Optional) A character value
      |-body: (Optional) A character value
      |-creator_id: A numeric value
      |-community_id: A numeric value
      |-removed: A logical value
      |-locked: A logical value
      |-published: A character value
      |-updated: (Optional) A character value
      |-deleted: A logical value
      |-nsfw: A logical value
      |-embed_title: (Optional) A character value
      |-embed_description: (Optional) A character value
      |-thumbnail_url: (Optional) A character value
      |-ap_id: A character value
      |-local: A logical value
      |-embed_video_url: (Optional) A character value
      |-language_id: A numeric value
      |-featured_community: A logical value
      |-featured_local: A logical value
    |-creator: <list>
```

```

| |-id: A numeric value
| |-name: A character value
| |-display_name: (Optional) A character value
| |-avatar: (Optional) A character value
| |-banned: A logical value
| |-published: A character value
| |-updated: (Optional) A character value
| |-actor_id: A character value
| |-bio: (Optional) A character value
| |-local: A logical value
| |-banner: (Optional) A character value
| |-deleted: A logical value
| |-inbox_url: A character value
| |-matrix_user_id: (Optional) A character value
| |-admin: A logical value
| |-bot_account: A logical value
| |-ban_expires: (Optional) A character value
| `--instance_id: A numeric value
|-community: <list>
| |-id: A numeric value
| |-name: A character value
| |-title: A character value
| |-description: (Optional) A character value
| |-removed: A logical value
| |-published: A character value
| |-updated: (Optional) A character value
| |-deleted: A logical value
| |-nsfw: A logical value
| |-actor_id: A character value
| |-local: A logical value
| |-icon: (Optional) A character value
| |-banner: (Optional) A character value
| |-followers_url: A character value
| |-inbox_url: A character value
| |-hidden: A logical value
| |-posting_restricted_to_mods: A logical value
| `--instance_id: A numeric value
|-creator_banned_from_community: A logical value
|-counts: <list>
| |-id: A numeric value
| |-post_id: A numeric value
| |-comments: A numeric value
| |-score: A numeric value
| |-upvotes: A numeric value
| |-downvotes: A numeric value
| |-published: A character value
| |-newest_comment_time_necro: A character value
| |-newest_comment_time: A character value

```

```

| |-featured_community: A logical value
| |-featured_local: A logical value
| |-hot_rank: A numeric value
| `|-hot_rank_active: A numeric value
|-subscribed: One of "Subscribed", "NotSubscri...
|-saved: A logical value
|-read: A logical value
|-creator_blocked: A logical value
|-my_vote: (Optional) A numeric value
`-unread_comments: A numeric value

```

Examples

```

post_list <- lemmy_get_posts(community_name = "showerthoughts", sort = "TopAll", limit = 1)

post_list$post[[1]]$post$name

```

```

lemmy_get_private_messages
      Get / fetch private messages.

```

Description

HTTP.GET /private_message/list

Usage

```

lemmy_get_private_messages(
  unread_only = NULL,
  page = NULL,
  limit = NULL,
  auth,
  .lemmy_instance = getOption("lemmy_instance", "https://lemmy.world")
)

```

Arguments

unread_only	(Optional) A logical value.
page	(Optional) A numeric value.
limit	(Optional) A numeric value.
auth	A character value.
.lemmy_instance	Default: "https://lemmy.world". Change the default instance by setting the <code>lemmy_instance</code> options() .

Value

A list of length 1:

```
<list>
  ^-private_messages: <list>
    ^-[Each element]: <list>
      |-private_message: <list>
        | |-id: A numeric value
        | |-creator_id: A numeric value
        | |-recipient_id: A numeric value
        | |-content: A character value
        | |-deleted: A logical value
        | |-read: A logical value
        | |-published: A character value
        | |-updated: (Optional) A character value
        | |-ap_id: A character value
        | ^-local: A logical value
      |-creator: <list>
        | |-id: A numeric value
        | |-name: A character value
        | |-display_name: (Optional) A character value
        | |-avatar: (Optional) A character value
        | |-banned: A logical value
        | |-published: A character value
        | |-updated: (Optional) A character value
        | |-actor_id: A character value
        | |-bio: (Optional) A character value
        | |-local: A logical value
        | |-banner: (Optional) A character value
        | |-deleted: A logical value
        | |-inbox_url: A character value
        | |-matrix_user_id: (Optional) A character value
        | |-admin: A logical value
        | |-bot_account: A logical value
        | |-ban_expires: (Optional) A character value
        | ^-instance_id: A numeric value
      ^-recipient: <list>
        | |-id: A numeric value
        | |-name: A character value
        | |-display_name: (Optional) A character value
        | |-avatar: (Optional) A character value
        | |-banned: A logical value
        | |-published: A character value
        | |-updated: (Optional) A character value
        | |-actor_id: A character value
        | |-bio: (Optional) A character value
        | |-local: A logical value
        | |-banner: (Optional) A character value
```

```

|-deleted: A logical value
|-inbox_url: A character value
|-matrix_user_id: (Optional) A character value
|-admin: A logical value
|-bot_account: A logical value
|-ban_expires: (Optional) A character value
`-instance_id: A numeric value

```

lemmy_get_replies	<i>Get comment replies.</i>
-------------------	-----------------------------

Description

HTTP.GET /user/replies

Usage

```

lemmy_get_replies(
  sort = NULL,
  page = NULL,
  limit = NULL,
  unread_only = NULL,
  auth,
  .lemmy_instance = getOption("lemmy_instance", "https://lemmy.world")
)

```

Arguments

sort	(Optional) One of "Hot", "New", "Old", or "Top".
page	(Optional) A numeric value.
limit	(Optional) A numeric value.
unread_only	(Optional) A logical value.
auth	A character value.
.lemmy_instance	Default: "https://lemmy.world". Change the default instance by setting the <code>lemmy_instance</code> options() .

Value

A list of length 1:

```

<list>
`-replies: <list>
  `[Each element]: <list>
    |-comment_reply: <list>
    | |-id: A numeric value

```

```

| |-recipient_id: A numeric value
| |-comment_id: A numeric value
| |-read: A logical value
| `~-published: A character value
|-comment: <list>
| |-id: A numeric value
| |-creator_id: A numeric value
| |-post_id: A numeric value
| |-content: A character value
| |-removed: A logical value
| |-published: A character value
| |-updated: (Optional) A character value
| |-deleted: A logical value
| |-ap_id: A character value
| |-local: A logical value
| |-path: A character value
| |-distinguished: A logical value
| `~-language_id: A numeric value
|-creator: <list>
| |-id: A numeric value
| |-name: A character value
| |-display_name: (Optional) A character value
| |-avatar: (Optional) A character value
| |-banned: A logical value
| |-published: A character value
| |-updated: (Optional) A character value
| |-actor_id: A character value
| |-bio: (Optional) A character value
| |-local: A logical value
| |-banner: (Optional) A character value
| |-deleted: A logical value
| |-inbox_url: A character value
| |-matrix_user_id: (Optional) A character value
| |-admin: A logical value
| |-bot_account: A logical value
| |-ban_expires: (Optional) A character value
| `~-instance_id: A numeric value
|-post: <list>
| |-id: A numeric value
| |-name: A character value
| |-url: (Optional) A character value
| |-body: (Optional) A character value
| |-creator_id: A numeric value
| |-community_id: A numeric value
| |-removed: A logical value
| |-locked: A logical value
| |-published: A character value
| |-updated: (Optional) A character value

```

```
| |-deleted: A logical value
| |-nsfw: A logical value
| |-embed_title: (Optional) A character value
| |-embed_description: (Optional) A character value
| |-thumbnail_url: (Optional) A character value
| |-ap_id: A character value
| |-local: A logical value
| |-embed_video_url: (Optional) A character value
| |-language_id: A numeric value
| |-featured_community: A logical value
| `--featured_local: A logical value
|-community: <list>
| |-id: A numeric value
| |-name: A character value
| |-title: A character value
| |-description: (Optional) A character value
| |-removed: A logical value
| |-published: A character value
| |-updated: (Optional) A character value
| |-deleted: A logical value
| |-nsfw: A logical value
| |-actor_id: A character value
| |-local: A logical value
| |-icon: (Optional) A character value
| |-banner: (Optional) A character value
| |-followers_url: A character value
| |-inbox_url: A character value
| |-hidden: A logical value
| |-posting_restricted_to_mods: A logical value
| `--instance_id: A numeric value
|-recipient: <list>
| |-id: A numeric value
| |-name: A character value
| |-display_name: (Optional) A character value
| |-avatar: (Optional) A character value
| |-banned: A logical value
| |-published: A character value
| |-updated: (Optional) A character value
| |-actor_id: A character value
| |-bio: (Optional) A character value
| |-local: A logical value
| |-banner: (Optional) A character value
| |-deleted: A logical value
| |-inbox_url: A character value
| |-matrix_user_id: (Optional) A character value
| |-admin: A logical value
| |-bot_account: A logical value
| |-ban_expires: (Optional) A character value
```

```

| `~instance_id: A numeric value
|-counts: <list>
|  |-id: A numeric value
|  |-comment_id: A numeric value
|  |-score: A numeric value
|  |-upvotes: A numeric value
|  |-downvotes: A numeric value
|  |-published: A character value
|  |-child_count: A numeric value
|  `~hot_rank: A numeric value
|-creator_banned_from_community: A logical value
|-subscribed: One of "Subscribed", "NotSubscri...
|-saved: A logical value
|-creator_blocked: A logical value
`~my_vote: (Optional) A numeric value

```

lemmy_get_report_count

Get counts for your reports

Description

HTTP.GET /user/report_count

Usage

```

lemmy_get_report_count(
  community_id = NULL,
  auth,
  .lemmy_instance = getOption("lemmy_instance", "https://lemmy.world")
)

```

Arguments

community_id (Optional) A numeric value.

auth A character value.

.lemmy_instance Default: "https://lemmy.world". Change the default instance by setting the `lemmy_instance` [options\(\)](#).

Value

A list of length 4:

```

<list>
|-community_id: (Optional) A numeric value
|-comment_reports: A numeric value

```

```

|-post_reports: A numeric value
`-private_message_reports: (Optional) A numeric value

```

lemmy_get_site	<i>Gets the site, and your user data.</i>
----------------	---

Description

HTTP.GET /site

Usage

```

lemmy_get_site(
  auth = NULL,
  .lemmy_instance = getOption("lemmy_instance", "https://lemmy.world")
)

```

Arguments

auth (Optional) A character value.

.lemmy_instance Default: "https://lemmy.world". Change the default instance by setting the `lemmy_instance` [options\(\)](#).

Value

A list of length 8:

```

<list>
|-site_view: <list>
| |-site: <list>
| | |-id: A numeric value
| | |-name: A character value
| | |-sidebar: (Optional) A character value
| | |-published: A character value
| | |-updated: (Optional) A character value
| | |-icon: (Optional) A character value
| | |-banner: (Optional) A character value
| | |-description: (Optional) A character value
| | |-actor_id: A character value
| | |-last_refreshed_at: A character value
| | |-inbox_url: A character value
| | |-private_key: (Optional) A character value
| | |-public_key: A character value
| | `--instance_id: A numeric value
| |-local_site: <list>
| | |-id: A numeric value

```

```

| | |-site_id: A numeric value
| | |-site_setup: A logical value
| | |-enable_downvotes: A logical value
| | |-enable_nsfw: A logical value
| | |-community_creation_admin_only: A logical value
| | |-require_email_verification: A logical value
| | |-application_question: (Optional) A character value
| | |-private_instance: A logical value
| | |-default_theme: A character value
| | |-default_post_listing_type: One of "All", "Local", or "Subsc...
| | |-legal_information: (Optional) A character value
| | |-hide_modlog_mod_names: A logical value
| | |-application_email_admins: A logical value
| | |-slur_filter_regex: (Optional) A character value
| | |-actor_name_max_length: A numeric value
| | |-federation_enabled: A logical value
| | |-captcha_enabled: A logical value
| | |-captcha_difficulty: A character value
| | |-published: A character value
| | |-updated: (Optional) A character value
| | |-registration_mode: One of "Closed", "RequireApplica...
| | `--reports_email_admins: A logical value
| |-local_site_rate_limit: <list>
| | |-id: A numeric value
| | |-local_site_id: A numeric value
| | |-message: A numeric value
| | |-message_per_second: A numeric value
| | |-post: A numeric value
| | |-post_per_second: A numeric value
| | |-register: A numeric value
| | |-register_per_second: A numeric value
| | |-image: A numeric value
| | |-image_per_second: A numeric value
| | |-comment: A numeric value
| | |-comment_per_second: A numeric value
| | |-search: A numeric value
| | |-search_per_second: A numeric value
| | |-published: A character value
| | `--updated: (Optional) A character value
| `--counts: <list>
|   |-id: A numeric value
|   |-site_id: A numeric value
|   |-users: A numeric value
|   |-posts: A numeric value
|   |-comments: A numeric value
|   |-communities: A numeric value
|   |-users_active_day: A numeric value
|   |-users_active_week: A numeric value

```

```

|   |-users_active_month: A numeric value
|   `--users_active_half_year: A numeric value
|-admins: <list>
|   `-[Each element]: <list>
|       |-person: <list>
|           |-id: A numeric value
|           |-name: A character value
|           |-display_name: (Optional) A character value
|           |-avatar: (Optional) A character value
|           |-banned: A logical value
|           |-published: A character value
|           |-updated: (Optional) A character value
|           |-actor_id: A character value
|           |-bio: (Optional) A character value
|           |-local: A logical value
|           |-banner: (Optional) A character value
|           |-deleted: A logical value
|           |-inbox_url: A character value
|           |-matrix_user_id: (Optional) A character value
|           |-admin: A logical value
|           |-bot_account: A logical value
|           |-ban_expires: (Optional) A character value
|           `--instance_id: A numeric value
|       `--counts: <list>
|           |-id: A numeric value
|           |-person_id: A numeric value
|           |-post_count: A numeric value
|           |-post_score: A numeric value
|           |-comment_count: A numeric value
|           `--comment_score: A numeric value
|-version: A character value
|-my_user: <list>
|   |-local_user_view: <list>
|       |-local_user: <list>
|           |-id: A numeric value
|           |-person_id: A numeric value
|           |-email: (Optional) A character value
|           |-show_nsfw: A logical value
|           |-theme: A character value
|           |-default_sort_type: One of "Active", "Hot", "New", "...
|           |-default_listing_type: One of "All", "Local", or "Subsc...
|           |-interface_language: A character value
|           |-show_avatars: A logical value
|           |-send_notifications_to_email: A logical value
|           |-validator_time: A character value
|           |-show_scores: A logical value
|           |-show_bot_accounts: A logical value
|           |-show_read_posts: A logical value

```

```

| | | -show_new_post_notifs: A logical value
| | | -email_verified: A logical value
| | | -accepted_application: A logical value
| | | -totp_2fa_url: (Optional) A character value
| | | -open_links_in_new_tab: A logical value
| | | -person: <list>
| | |   | -id: A numeric value
| | |   | -name: A character value
| | |   | -display_name: (Optional) A character value
| | |   | -avatar: (Optional) A character value
| | |   | -banned: A logical value
| | |   | -published: A character value
| | |   | -updated: (Optional) A character value
| | |   | -actor_id: A character value
| | |   | -bio: (Optional) A character value
| | |   | -local: A logical value
| | |   | -banner: (Optional) A character value
| | |   | -deleted: A logical value
| | |   | -inbox_url: A character value
| | |   | -matrix_user_id: (Optional) A character value
| | |   | -admin: A logical value
| | |   | -bot_account: A logical value
| | |   | -ban_expires: (Optional) A character value
| | |   | -instance_id: A numeric value
| | | -counts: <list>
| | |   | -id: A numeric value
| | |   | -person_id: A numeric value
| | |   | -post_count: A numeric value
| | |   | -post_score: A numeric value
| | |   | -comment_count: A numeric value
| | |   | -comment_score: A numeric value
| | | -follows: <list>
| | |   | -[Each element]: <list>
| | |     | -community: <list>
| | |       | -id: A numeric value
| | |       | -name: A character value
| | |       | -title: A character value
| | |       | -description: (Optional) A character value
| | |       | -removed: A logical value
| | |       | -published: A character value
| | |       | -updated: (Optional) A character value
| | |       | -deleted: A logical value
| | |       | -nsfw: A logical value
| | |       | -actor_id: A character value
| | |       | -local: A logical value
| | |       | -icon: (Optional) A character value
| | |       | -banner: (Optional) A character value
| | |       | -followers_url: A character value

```

```

| | | |-inbox_url: A character value
| | | |-hidden: A logical value
| | | |-posting_restricted_to_mods: A logical value
| | | `~-instance_id: A numeric value
| | `~-follower: <list>
| |   |-id: A numeric value
| |   |-name: A character value
| |   |-display_name: (Optional) A character value
| |   |-avatar: (Optional) A character value
| |   |-banned: A logical value
| |   |-published: A character value
| |   |-updated: (Optional) A character value
| |   |-actor_id: A character value
| |   |-bio: (Optional) A character value
| |   |-local: A logical value
| |   |-banner: (Optional) A character value
| |   |-deleted: A logical value
| |   |-inbox_url: A character value
| |   |-matrix_user_id: (Optional) A character value
| |   |-admin: A logical value
| |   |-bot_account: A logical value
| |   |-ban_expires: (Optional) A character value
| |   `~-instance_id: A numeric value
| | -moderates: <list>
| | `-[Each element]: <list>
| |   |-community: <list>
| |     |-id: A numeric value
| |     |-name: A character value
| |     |-title: A character value
| |     |-description: (Optional) A character value
| |     |-removed: A logical value
| |     |-published: A character value
| |     |-updated: (Optional) A character value
| |     |-deleted: A logical value
| |     |-nsfw: A logical value
| |     |-actor_id: A character value
| |     |-local: A logical value
| |     |-icon: (Optional) A character value
| |     |-banner: (Optional) A character value
| |     |-followers_url: A character value
| |     |-inbox_url: A character value
| |     |-hidden: A logical value
| |     |-posting_restricted_to_mods: A logical value
| |     `~-instance_id: A numeric value
| |   `~-moderator: <list>
| |     |-id: A numeric value
| |     |-name: A character value
| |     |-display_name: (Optional) A character value

```

```

| |   |-avatar: (Optional) A character value
| |   |-banned: A logical value
| |   |-published: A character value
| |   |-updated: (Optional) A character value
| |   |-actor_id: A character value
| |   |-bio: (Optional) A character value
| |   |-local: A logical value
| |   |-banner: (Optional) A character value
| |   |-deleted: A logical value
| |   |-inbox_url: A character value
| |   |-matrix_user_id: (Optional) A character value
| |   |-admin: A logical value
| |   |-bot_account: A logical value
| |   |-ban_expires: (Optional) A character value
| |   `--instance_id: A numeric value
| |-community_blocks: <list>
| |   `-[Each element]: <list>
| |       |-person: <list>
| |           |-id: A numeric value
| |           |-name: A character value
| |           |-display_name: (Optional) A character value
| |           |-avatar: (Optional) A character value
| |           |-banned: A logical value
| |           |-published: A character value
| |           |-updated: (Optional) A character value
| |           |-actor_id: A character value
| |           |-bio: (Optional) A character value
| |           |-local: A logical value
| |           |-banner: (Optional) A character value
| |           |-deleted: A logical value
| |           |-inbox_url: A character value
| |           |-matrix_user_id: (Optional) A character value
| |           |-admin: A logical value
| |           |-bot_account: A logical value
| |           |-ban_expires: (Optional) A character value
| |           `--instance_id: A numeric value
| |       `--community: <list>
| |           |-id: A numeric value
| |           |-name: A character value
| |           |-title: A character value
| |           |-description: (Optional) A character value
| |           |-removed: A logical value
| |           |-published: A character value
| |           |-updated: (Optional) A character value
| |           |-deleted: A logical value
| |           |-nsfw: A logical value
| |           |-actor_id: A character value
| |           |-local: A logical value

```

```

| |   |-icon: (Optional) A character value
| |   |-banner: (Optional) A character value
| |   |-followers_url: A character value
| |   |-inbox_url: A character value
| |   |-hidden: A logical value
| |   |-posting_restricted_to_mods: A logical value
| |   `--instance_id: A numeric value
| |-person_blocks: <list>
| |   `-[Each element]: <list>
| |       |-person: <list>
| |           |-id: A numeric value
| |           |-name: A character value
| |           |-display_name: (Optional) A character value
| |           |-avatar: (Optional) A character value
| |           |-banned: A logical value
| |           |-published: A character value
| |           |-updated: (Optional) A character value
| |           |-actor_id: A character value
| |           |-bio: (Optional) A character value
| |           |-local: A logical value
| |           |-banner: (Optional) A character value
| |           |-deleted: A logical value
| |           |-inbox_url: A character value
| |           |-matrix_user_id: (Optional) A character value
| |           |-admin: A logical value
| |           |-bot_account: A logical value
| |           |-ban_expires: (Optional) A character value
| |           `--instance_id: A numeric value
| |       `--target: <list>
| |           |-id: A numeric value
| |           |-name: A character value
| |           |-display_name: (Optional) A character value
| |           |-avatar: (Optional) A character value
| |           |-banned: A logical value
| |           |-published: A character value
| |           |-updated: (Optional) A character value
| |           |-actor_id: A character value
| |           |-bio: (Optional) A character value
| |           |-local: A logical value
| |           |-banner: (Optional) A character value
| |           |-deleted: A logical value
| |           |-inbox_url: A character value
| |           |-matrix_user_id: (Optional) A character value
| |           |-admin: A logical value
| |           |-bot_account: A logical value
| |           |-ban_expires: (Optional) A character value
| |           `--instance_id: A numeric value
| `--discussion_languages: A numeric vector

```

```

|-all_languages: <list>
|  `-[Each element]: <list>
|    |-id: A numeric value
|    |-code: A character value
|    `~-name: A character value
|-discussion_languages: A numeric vector
|-taglines: <list>
|  `-[Each element]: <list>
|    |-id: A numeric value
|    |-local_site_id: A numeric value
|    |-content: A character value
|    |-published: A character value
|    `~-updated: (Optional) A character value
`-custom_emojis: <list>
  `-[Each element]: <list>
    |-custom_emoji: <list>
      |-id: A numeric value
      |-local_site_id: A numeric value
      |-shortcode: A character value
      |-image_url: A character value
      |-alt_text: A character value
      |-category: A character value
      |-published: A character value
      `~-updated: (Optional) A character value
    `~keywords: <list>
      `-[Each element]: <list>
        |-id: A numeric value
        |-custom_emoji_id: A numeric value
        `~keyword: A character value

```

Examples

```

site_data <- lemmy_get_site()

site_data$site_view$site$name

site_data$site_view$counts$users

```

```
lemmy_get_site_metadata
```

Fetch metadata for any given site.

Description

HTTP.GET /post/site_metadata

Usage

```
lemmy_get_site_metadata(  
  url,  
  .lemmy_instance = getOption("lemmy_instance", "https://lemmy.world")  
)
```

Arguments

`url` A character value.

`.lemmy_instance` Default: "https://lemmy.world". Change the default instance by setting the `lemmy_instance` [options\(\)](#).

Value

A list of length 1:

```
<list>  
`-metadata: <list>  
  |-title: (Optional) A character value  
  |-description: (Optional) A character value  
  |-image: (Optional) A character value  
  `-embed_video_url: (Optional) A character value
```

Examples

```
site_metadata <- lemmmy_get_site_metadata("https://feddit.de")  
  
site_metadata$metadata$title
```

`lemmy_get_unread_count`*Get your unread counts*

Description

HTTP.GET /user/unread_count

Usage

```
lemmy_get_unread_count(  
  auth,  
  .lemmy_instance = getOption("lemmy_instance", "https://lemmy.world")  
)
```

Arguments

auth A character value.
 .lemmy_instance Default: "https://lemmy.world". Change the default instance by setting the
 lemmmy_instance [options\(\)](#).

Value

A list of length 3:

```
<list>
|-replies: A numeric value
|-mentions: A numeric value
`-private_messages: A numeric value
```

lemmy_get_unread_registration_application_count

Get the unread registration applications count.

Description

HTTP.GET /admin/registration_application/count

Usage

```
lemmy_get_unread_registration_application_count(
  auth,
  .lemmy_instance = getOption("lemmy_instance", "https://lemmy.world")
)
```

Arguments

auth A character value.
 .lemmy_instance Default: "https://lemmy.world". Change the default instance by setting the
 lemmmy_instance [options\(\)](#).

Value

A list of length 1:

```
<list>
`-registration_applications: A numeric value
```

lemmy_leave_admin	<i>Leave the Site admins.</i>
-------------------	-------------------------------

Description

HTTP.POST /user/leave_admin

Usage

```
lemmy_leave_admin(
  auth,
  .lemmy_instance = getOption("lemmy_instance", "https://lemmy.world")
)
```

Arguments

auth	A character value.
.lemmy_instance	Default: "https://lemmy.world". Change the default instance by setting the <code>lemmy_instance</code> options() .

Value

A list of length 8:

```
<list>
|-site_view: <list>
| |-site: <list>
| | |-id: A numeric value
| | |-name: A character value
| | |-sidebar: (Optional) A character value
| | |-published: A character value
| | |-updated: (Optional) A character value
| | |-icon: (Optional) A character value
| | |-banner: (Optional) A character value
| | |-description: (Optional) A character value
| | |-actor_id: A character value
| | |-last_refreshed_at: A character value
| | |-inbox_url: A character value
| | |-private_key: (Optional) A character value
| | |-public_key: A character value
| | `--instance_id: A numeric value
| |-local_site: <list>
| | |-id: A numeric value
| | |-site_id: A numeric value
| | |-site_setup: A logical value
| | `--enable_downvotes: A logical value
```

```

| | |-enable_nsfw: A logical value
| | |-community_creation_admin_only: A logical value
| | |-require_email_verification: A logical value
| | |-application_question: (Optional) A character value
| | |-private_instance: A logical value
| | |-default_theme: A character value
| | |-default_post_listing_type: One of "All", "Local", or "Subsc...
| | |-legal_information: (Optional) A character value
| | |-hide_modlog_mod_names: A logical value
| | |-application_email_admins: A logical value
| | |-slur_filter_regex: (Optional) A character value
| | |-actor_name_max_length: A numeric value
| | |-federation_enabled: A logical value
| | |-captcha_enabled: A logical value
| | |-captcha_difficulty: A character value
| | |-published: A character value
| | |-updated: (Optional) A character value
| | |-registration_mode: One of "Closed", "RequireApplica...
| | `--reports_email_admins: A logical value
| |-local_site_rate_limit: <list>
| | |-id: A numeric value
| | |-local_site_id: A numeric value
| | |-message: A numeric value
| | |-message_per_second: A numeric value
| | |-post: A numeric value
| | |-post_per_second: A numeric value
| | |-register: A numeric value
| | |-register_per_second: A numeric value
| | |-image: A numeric value
| | |-image_per_second: A numeric value
| | |-comment: A numeric value
| | |-comment_per_second: A numeric value
| | |-search: A numeric value
| | |-search_per_second: A numeric value
| | |-published: A character value
| | `--updated: (Optional) A character value
| `--counts: <list>
|   |-id: A numeric value
|   |-site_id: A numeric value
|   |-users: A numeric value
|   |-posts: A numeric value
|   |-comments: A numeric value
|   |-communities: A numeric value
|   |-users_active_day: A numeric value
|   |-users_active_week: A numeric value
|   |-users_active_month: A numeric value
|   `--users_active_half_year: A numeric value
|-admins: <list>

```

```

|  `-[Each element]: <list>
|  | -person: <list>
|  | | -id: A numeric value
|  | | -name: A character value
|  | | -display_name: (Optional) A character value
|  | | -avatar: (Optional) A character value
|  | | -banned: A logical value
|  | | -published: A character value
|  | | -updated: (Optional) A character value
|  | | -actor_id: A character value
|  | | -bio: (Optional) A character value
|  | | -local: A logical value
|  | | -banner: (Optional) A character value
|  | | -deleted: A logical value
|  | | -inbox_url: A character value
|  | | -matrix_user_id: (Optional) A character value
|  | | -admin: A logical value
|  | | -bot_account: A logical value
|  | | -ban_expires: (Optional) A character value
|  | | `-instance_id: A numeric value
|  | `-counts: <list>
|  | | -id: A numeric value
|  | | -person_id: A numeric value
|  | | -post_count: A numeric value
|  | | -post_score: A numeric value
|  | | -comment_count: A numeric value
|  | | `-comment_score: A numeric value
| -version: A character value
| -my_user: <list>
| | -local_user_view: <list>
| | | -local_user: <list>
| | | | -id: A numeric value
| | | | -person_id: A numeric value
| | | | -email: (Optional) A character value
| | | | -show_nsfw: A logical value
| | | | -theme: A character value
| | | | -default_sort_type: One of "Active", "Hot", "New", "...
| | | | -default_listing_type: One of "All", "Local", or "Subsc...
| | | | -interface_language: A character value
| | | | -show_avatars: A logical value
| | | | -send_notifications_to_email: A logical value
| | | | -validator_time: A character value
| | | | -show_scores: A logical value
| | | | -show_bot_accounts: A logical value
| | | | -show_read_posts: A logical value
| | | | -show_new_post_notifs: A logical value
| | | | -email_verified: A logical value
| | | | -accepted_application: A logical value

```

```

| | | |-totp_2fa_url: (Optional) A character value
| | | `~-open_links_in_new_tab: A logical value
| | | -person: <list>
| | |   |-id: A numeric value
| | |   |-name: A character value
| | |   |-display_name: (Optional) A character value
| | |   |-avatar: (Optional) A character value
| | |   |-banned: A logical value
| | |   |-published: A character value
| | |   |-updated: (Optional) A character value
| | |   |-actor_id: A character value
| | |   |-bio: (Optional) A character value
| | |   |-local: A logical value
| | |   |-banner: (Optional) A character value
| | |   |-deleted: A logical value
| | |   |-inbox_url: A character value
| | |   |-matrix_user_id: (Optional) A character value
| | |   |-admin: A logical value
| | |   |-bot_account: A logical value
| | |   |-ban_expires: (Optional) A character value
| | |   `~-instance_id: A numeric value
| | | `~-counts: <list>
| | |   |-id: A numeric value
| | |   |-person_id: A numeric value
| | |   |-post_count: A numeric value
| | |   |-post_score: A numeric value
| | |   |-comment_count: A numeric value
| | |   `~-comment_score: A numeric value
| | | -follows: <list>
| | | `~-[Each element]: <list>
| | |   |-community: <list>
| | |     |-id: A numeric value
| | |     |-name: A character value
| | |     |-title: A character value
| | |     |-description: (Optional) A character value
| | |     |-removed: A logical value
| | |     |-published: A character value
| | |     |-updated: (Optional) A character value
| | |     |-deleted: A logical value
| | |     |-nsfw: A logical value
| | |     |-actor_id: A character value
| | |     |-local: A logical value
| | |     |-icon: (Optional) A character value
| | |     |-banner: (Optional) A character value
| | |     |-followers_url: A character value
| | |     |-inbox_url: A character value
| | |     |-hidden: A logical value
| | |     |-posting_restricted_to_mods: A logical value

```

```

| | | ^-instance_id: A numeric value
| | ^-follower: <list>
| | | |-id: A numeric value
| | | |-name: A character value
| | | |-display_name: (Optional) A character value
| | | |-avatar: (Optional) A character value
| | | |-banned: A logical value
| | | |-published: A character value
| | | |-updated: (Optional) A character value
| | | |-actor_id: A character value
| | | |-bio: (Optional) A character value
| | | |-local: A logical value
| | | |-banner: (Optional) A character value
| | | |-deleted: A logical value
| | | |-inbox_url: A character value
| | | |-matrix_user_id: (Optional) A character value
| | | |-admin: A logical value
| | | |-bot_account: A logical value
| | | |-ban_expires: (Optional) A character value
| | ^-instance_id: A numeric value
| |-moderates: <list>
| | ^-[Each element]: <list>
| | | |-community: <list>
| | | | |-id: A numeric value
| | | | |-name: A character value
| | | | |-title: A character value
| | | | |-description: (Optional) A character value
| | | | |-removed: A logical value
| | | | |-published: A character value
| | | | |-updated: (Optional) A character value
| | | | |-deleted: A logical value
| | | | |-nsfw: A logical value
| | | | |-actor_id: A character value
| | | | |-local: A logical value
| | | | |-icon: (Optional) A character value
| | | | |-banner: (Optional) A character value
| | | | |-followers_url: A character value
| | | | |-inbox_url: A character value
| | | | |-hidden: A logical value
| | | | |-posting_restricted_to_mods: A logical value
| | | ^-instance_id: A numeric value
| | ^-moderator: <list>
| | | |-id: A numeric value
| | | |-name: A character value
| | | |-display_name: (Optional) A character value
| | | |-avatar: (Optional) A character value
| | | |-banned: A logical value
| | | |-published: A character value

```

```

| |   |-updated: (Optional) A character value
| |   |-actor_id: A character value
| |   |-bio: (Optional) A character value
| |   |-local: A logical value
| |   |-banner: (Optional) A character value
| |   |-deleted: A logical value
| |   |-inbox_url: A character value
| |   |-matrix_user_id: (Optional) A character value
| |   |-admin: A logical value
| |   |-bot_account: A logical value
| |   |-ban_expires: (Optional) A character value
| |   `~-instance_id: A numeric value
| |-community_blocks: <list>
| |   `-[Each element]: <list>
| |     |-person: <list>
| |       |-id: A numeric value
| |       |-name: A character value
| |       |-display_name: (Optional) A character value
| |       |-avatar: (Optional) A character value
| |       |-banned: A logical value
| |       |-published: A character value
| |       |-updated: (Optional) A character value
| |       |-actor_id: A character value
| |       |-bio: (Optional) A character value
| |       |-local: A logical value
| |       |-banner: (Optional) A character value
| |       |-deleted: A logical value
| |       |-inbox_url: A character value
| |       |-matrix_user_id: (Optional) A character value
| |       |-admin: A logical value
| |       |-bot_account: A logical value
| |       |-ban_expires: (Optional) A character value
| |       `~-instance_id: A numeric value
| |     `~-community: <list>
| |       |-id: A numeric value
| |       |-name: A character value
| |       |-title: A character value
| |       |-description: (Optional) A character value
| |       |-removed: A logical value
| |       |-published: A character value
| |       |-updated: (Optional) A character value
| |       |-deleted: A logical value
| |       |-nsfw: A logical value
| |       |-actor_id: A character value
| |       |-local: A logical value
| |       |-icon: (Optional) A character value
| |       |-banner: (Optional) A character value
| |       |-followers_url: A character value

```

```

| |   |-inbox_url: A character value
| |   |-hidden: A logical value
| |   |-posting_restricted_to_mods: A logical value
| |   `~-instance_id: A numeric value
| |-person_blocks: <list>
| | `-[Each element]: <list>
| |   |-person: <list>
| |   | |-id: A numeric value
| |   | |-name: A character value
| |   | |-display_name: (Optional) A character value
| |   | |-avatar: (Optional) A character value
| |   | |-banned: A logical value
| |   | |-published: A character value
| |   | |-updated: (Optional) A character value
| |   | |-actor_id: A character value
| |   | |-bio: (Optional) A character value
| |   | |-local: A logical value
| |   | |-banner: (Optional) A character value
| |   | |-deleted: A logical value
| |   | |-inbox_url: A character value
| |   | |-matrix_user_id: (Optional) A character value
| |   | |-admin: A logical value
| |   | |-bot_account: A logical value
| |   | |-ban_expires: (Optional) A character value
| |   | `~-instance_id: A numeric value
| |   `~-target: <list>
| |   | |-id: A numeric value
| |   | |-name: A character value
| |   | |-display_name: (Optional) A character value
| |   | |-avatar: (Optional) A character value
| |   | |-banned: A logical value
| |   | |-published: A character value
| |   | |-updated: (Optional) A character value
| |   | |-actor_id: A character value
| |   | |-bio: (Optional) A character value
| |   | |-local: A logical value
| |   | |-banner: (Optional) A character value
| |   | |-deleted: A logical value
| |   | |-inbox_url: A character value
| |   | |-matrix_user_id: (Optional) A character value
| |   | |-admin: A logical value
| |   | |-bot_account: A logical value
| |   | |-ban_expires: (Optional) A character value
| |   | `~-instance_id: A numeric value
| `~-discussion_languages: A numeric vector
|-all_languages: <list>
| `-[Each element]: <list>
|   |-id: A numeric value

```

```

|   |-code: A character value
|   `~name: A character value
|-discussion_languages: A numeric vector
|-taglines: <list>
|   `-[Each element]: <list>
|       |-id: A numeric value
|       |-local_site_id: A numeric value
|       |-content: A character value
|       |-published: A character value
|       `~updated: (Optional) A character value
`~custom_emojis: <list>
    `-[Each element]: <list>
        |-custom_emoji: <list>
            | |-id: A numeric value
            | |-local_site_id: A numeric value
            | |-shortcode: A character value
            | |-image_url: A character value
            | |-alt_text: A character value
            | |-category: A character value
            | |-published: A character value
            | `~updated: (Optional) A character value
        `~keywords: <list>
            `-[Each element]: <list>
                |-id: A numeric value
                |-custom_emoji_id: A numeric value
                `~keyword: A character value

```

lemmy_like_comment	<i>Like / vote on a comment.</i>
--------------------	----------------------------------

Description

HTTP.POST /comment/like

Usage

```

lemmy_like_comment(
  comment_id,
  score,
  auth,
  .lemmy_instance = getOption("lemmy_instance", "https://lemmy.world")
)

```

Arguments

comment_id	A numeric value.
score	A numeric value.

auth A character value.
 .lemmy_instance Default: "https://lemmy.world". Change the default instance by setting the
 lemmy_instance [options\(\)](#).

Value

A list of length 3:

```
<list>
|-comment_view: <list>
| |-comment: <list>
| | |-id: A numeric value
| | |-creator_id: A numeric value
| | |-post_id: A numeric value
| | |-content: A character value
| | |-removed: A logical value
| | |-published: A character value
| | |-updated: (Optional) A character value
| | |-deleted: A logical value
| | |-ap_id: A character value
| | |-local: A logical value
| | |-path: A character value
| | |-distinguished: A logical value
| | |-language_id: A numeric value
| |-creator: <list>
| | |-id: A numeric value
| | |-name: A character value
| | |-display_name: (Optional) A character value
| | |-avatar: (Optional) A character value
| | |-banned: A logical value
| | |-published: A character value
| | |-updated: (Optional) A character value
| | |-actor_id: A character value
| | |-bio: (Optional) A character value
| | |-local: A logical value
| | |-banner: (Optional) A character value
| | |-deleted: A logical value
| | |-inbox_url: A character value
| | |-matrix_user_id: (Optional) A character value
| | |-admin: A logical value
| | |-bot_account: A logical value
| | |-ban_expires: (Optional) A character value
| | |-instance_id: A numeric value
| |-post: <list>
| | |-id: A numeric value
| | |-name: A character value
| | |-url: (Optional) A character value
| | |-body: (Optional) A character value
```

```

| | |-creator_id: A numeric value
| | |-community_id: A numeric value
| | |-removed: A logical value
| | |-locked: A logical value
| | |-published: A character value
| | |-updated: (Optional) A character value
| | |-deleted: A logical value
| | |-nsfw: A logical value
| | |-embed_title: (Optional) A character value
| | |-embed_description: (Optional) A character value
| | |-thumbnail_url: (Optional) A character value
| | |-ap_id: A character value
| | |-local: A logical value
| | |-embed_video_url: (Optional) A character value
| | |-language_id: A numeric value
| | |-featured_community: A logical value
| | `--featured_local: A logical value
| |-community: <list>
| | |-id: A numeric value
| | |-name: A character value
| | |-title: A character value
| | |-description: (Optional) A character value
| | |-removed: A logical value
| | |-published: A character value
| | |-updated: (Optional) A character value
| | |-deleted: A logical value
| | |-nsfw: A logical value
| | |-actor_id: A character value
| | |-local: A logical value
| | |-icon: (Optional) A character value
| | |-banner: (Optional) A character value
| | |-followers_url: A character value
| | |-inbox_url: A character value
| | |-hidden: A logical value
| | |-posting_restricted_to_mods: A logical value
| | `--instance_id: A numeric value
| |-counts: <list>
| | |-id: A numeric value
| | |-comment_id: A numeric value
| | |-score: A numeric value
| | |-upvotes: A numeric value
| | |-downvotes: A numeric value
| | |-published: A character value
| | |-child_count: A numeric value
| | `--hot_rank: A numeric value
| |-creator_banned_from_community: A logical value
| |-subscribed: One of "Subscribed", "NotSubscri...
| |-saved: A logical value

```

```

|-creator_blocked: A logical value
| `~my_vote: (Optional) A numeric value
|-recipient_ids: A numeric vector
`~form_id: (Optional) A character value

```

lemmy_like_post	<i>Like / vote on a post.</i>
-----------------	-------------------------------

Description

HTTP.POST /post/like

Usage

```

lemmy_like_post(
  post_id,
  score,
  auth,
  .lemmy_instance = getOption("lemmy_instance", "https://lemmy.world")
)

```

Arguments

post_id	A numeric value.
score	A numeric value.
auth	A character value.
.lemmy_instance	Default: "https://lemmy.world". Change the default instance by setting the <code>lemmy_instance</code> options() .

Value

A list of length 1:

```

<list>
`-post_view: <list>
  |-post: <list>
    | |-id: A numeric value
    | |-name: A character value
    | |-url: (Optional) A character value
    | |-body: (Optional) A character value
    | |-creator_id: A numeric value
    | |-community_id: A numeric value
    | |-removed: A logical value
    | |-locked: A logical value
    | |-published: A character value
    | |-updated: (Optional) A character value

```

```

| |-deleted: A logical value
| |-nsfw: A logical value
| |-embed_title: (Optional) A character value
| |-embed_description: (Optional) A character value
| |-thumbnail_url: (Optional) A character value
| |-ap_id: A character value
| |-local: A logical value
| |-embed_video_url: (Optional) A character value
| |-language_id: A numeric value
| |-featured_community: A logical value
| `--featured_local: A logical value
|-creator: <list>
| |-id: A numeric value
| |-name: A character value
| |-display_name: (Optional) A character value
| |-avatar: (Optional) A character value
| |-banned: A logical value
| |-published: A character value
| |-updated: (Optional) A character value
| |-actor_id: A character value
| |-bio: (Optional) A character value
| |-local: A logical value
| |-banner: (Optional) A character value
| |-deleted: A logical value
| |-inbox_url: A character value
| |-matrix_user_id: (Optional) A character value
| |-admin: A logical value
| |-bot_account: A logical value
| |-ban_expires: (Optional) A character value
| `--instance_id: A numeric value
|-community: <list>
| |-id: A numeric value
| |-name: A character value
| |-title: A character value
| |-description: (Optional) A character value
| |-removed: A logical value
| |-published: A character value
| |-updated: (Optional) A character value
| |-deleted: A logical value
| |-nsfw: A logical value
| |-actor_id: A character value
| |-local: A logical value
| |-icon: (Optional) A character value
| |-banner: (Optional) A character value
| |-followers_url: A character value
| |-inbox_url: A character value
| |-hidden: A logical value
| |-posting_restricted_to_mods: A logical value

```

```

| ~-instance_id: A numeric value
|-creator_banned_from_community: A logical value
|-counts: <list>
| |-id: A numeric value
| |-post_id: A numeric value
| |-comments: A numeric value
| |-score: A numeric value
| |-upvotes: A numeric value
| |-downvotes: A numeric value
| |-published: A character value
| |-newest_comment_time_necro: A character value
| |-newest_comment_time: A character value
| |-featured_community: A logical value
| |-featured_local: A logical value
| |-hot_rank: A numeric value
| ~-hot_rank_active: A numeric value
|-subscribed: One of "Subscribed", "NotSubscri...
|-saved: A logical value
|-read: A logical value
|-creator_blocked: A logical value
|-my_vote: (Optional) A numeric value
~-unread_comments: A numeric value

```

lemmy_list_comment_reports

List comment reports.

Description

HTTP.GET /comment/report/list

Usage

```

lemmy_list_comment_reports(
  page = NULL,
  limit = NULL,
  unresolved_only = NULL,
  community_id = NULL,
  auth,
  .lemmy_instance = getOption("lemmy_instance", "https://lemmy.world")
)

```

Arguments

page	(Optional) A numeric value.
limit	(Optional) A numeric value.

unresolved_only (Optional) A logical value.
 community_id (Optional) A numeric value.
 auth A character value.
 .lemmy_instance Default: "https://lemmy.world". Change the default instance by setting the
 lemming_instance [options\(\)](#).

Value

A list of length 1:

```

<list>
  ^-comment_reports: <list>
    ^-[Each element]: <list>
      |-comment_report: <list>
        | |-id: A numeric value
        | |-creator_id: A numeric value
        | |-comment_id: A numeric value
        | |-original_comment_text: A character value
        | |-reason: A character value
        | |-resolved: A logical value
        | |-resolver_id: (Optional) A numeric value
        | |-published: A character value
        | ^-updated: (Optional) A character value
        |-comment: <list>
          | |-id: A numeric value
          | |-creator_id: A numeric value
          | |-post_id: A numeric value
          | |-content: A character value
          | |-removed: A logical value
          | |-published: A character value
          | |-updated: (Optional) A character value
          | |-deleted: A logical value
          | |-ap_id: A character value
          | |-local: A logical value
          | |-path: A character value
          | |-distinguished: A logical value
          | ^-language_id: A numeric value
          |-post: <list>
            | |-id: A numeric value
            | |-name: A character value
            | |-url: (Optional) A character value
            | |-body: (Optional) A character value
            | |-creator_id: A numeric value
            | |-community_id: A numeric value
            | |-removed: A logical value
            | |-locked: A logical value
  
```

```
| |-published: A character value
| |-updated: (Optional) A character value
| |-deleted: A logical value
| |-nsfw: A logical value
| |-embed_title: (Optional) A character value
| |-embed_description: (Optional) A character value
| |-thumbnail_url: (Optional) A character value
| |-ap_id: A character value
| |-local: A logical value
| |-embed_video_url: (Optional) A character value
| |-language_id: A numeric value
| |-featured_community: A logical value
| `--featured_local: A logical value
|-community: <list>
| |-id: A numeric value
| |-name: A character value
| |-title: A character value
| |-description: (Optional) A character value
| |-removed: A logical value
| |-published: A character value
| |-updated: (Optional) A character value
| |-deleted: A logical value
| |-nsfw: A logical value
| |-actor_id: A character value
| |-local: A logical value
| |-icon: (Optional) A character value
| |-banner: (Optional) A character value
| |-followers_url: A character value
| |-inbox_url: A character value
| |-hidden: A logical value
| |-posting_restricted_to_mods: A logical value
| `--instance_id: A numeric value
|-creator: <list>
| |-id: A numeric value
| |-name: A character value
| |-display_name: (Optional) A character value
| |-avatar: (Optional) A character value
| |-banned: A logical value
| |-published: A character value
| |-updated: (Optional) A character value
| |-actor_id: A character value
| |-bio: (Optional) A character value
| |-local: A logical value
| |-banner: (Optional) A character value
| |-deleted: A logical value
| |-inbox_url: A character value
| |-matrix_user_id: (Optional) A character value
| |-admin: A logical value
```

```

| |-bot_account: A logical value
| |-ban_expires: (Optional) A character value
| `~-instance_id: A numeric value
|-comment_creator: <list>
| |-id: A numeric value
| |-name: A character value
| |-display_name: (Optional) A character value
| |-avatar: (Optional) A character value
| |-banned: A logical value
| |-published: A character value
| |-updated: (Optional) A character value
| |-actor_id: A character value
| |-bio: (Optional) A character value
| |-local: A logical value
| |-banner: (Optional) A character value
| |-deleted: A logical value
| |-inbox_url: A character value
| |-matrix_user_id: (Optional) A character value
| |-admin: A logical value
| |-bot_account: A logical value
| |-ban_expires: (Optional) A character value
| `~-instance_id: A numeric value
|-counts: <list>
| |-id: A numeric value
| |-comment_id: A numeric value
| |-score: A numeric value
| |-upvotes: A numeric value
| |-downvotes: A numeric value
| |-published: A character value
| |-child_count: A numeric value
| `~-hot_rank: A numeric value
|-creator_banned_from_community: A logical value
|-my_vote: (Optional) A numeric value
`~-resolver: <list>
  |-id: A numeric value
  |-name: A character value
  |-display_name: (Optional) A character value
  |-avatar: (Optional) A character value
  |-banned: A logical value
  |-published: A character value
  |-updated: (Optional) A character value
  |-actor_id: A character value
  |-bio: (Optional) A character value
  |-local: A logical value
  |-banner: (Optional) A character value
  |-deleted: A logical value
  |-inbox_url: A character value
  |-matrix_user_id: (Optional) A character value

```

```

|-admin: A logical value
|-bot_account: A logical value
|-ban_expires: (Optional) A character value
`-instance_id: A numeric value

```

lemmy_list_communities

List communities, with various filters.

Description

HTTP.GET /community/list

Usage

```

lemmy_list_communities(
  type_ = NULL,
  sort = NULL,
  show_nsfw = NULL,
  page = NULL,
  limit = NULL,
  auth = NULL,
  .lemmy_instance = getOption("lemmy_instance", "https://lemmy.world")
)

```

Arguments

type_	(Optional) One of "All", "Local", or "Subscribed".
sort	(Optional) One of "Active", "Hot", "New", "Old", "TopDay", "TopWeek", "TopMonth", "TopYear", "TopAll", "MostComments", "NewComments", "TopHour", "TopSixHour", "TopTwelveHour", "TopThreeMonths", "TopSixMonths", or "TopNineMonths".
show_nsfw	(Optional) A logical value.
page	(Optional) A numeric value.
limit	(Optional) A numeric value.
auth	(Optional) A character value.
.lemmy_instance	Default: "https://lemmy.world". Change the default instance by setting the <code>lemmy_instance</code> options() .

Value

A list of length 1:

```
<list>
`-communities: <list>
  `[Each element]: <list>
    |-community: <list>
      |-id: A numeric value
      |-name: A character value
      |-title: A character value
      |-description: (Optional) A character value
      |-removed: A logical value
      |-published: A character value
      |-updated: (Optional) A character value
      |-deleted: A logical value
      |-nsfw: A logical value
      |-actor_id: A character value
      |-local: A logical value
      |-icon: (Optional) A character value
      |-banner: (Optional) A character value
      |-followers_url: A character value
      |-inbox_url: A character value
      |-hidden: A logical value
      |-posting_restricted_to_mods: A logical value
      |-instance_id: A numeric value
      |-subscribed: One of "Subscribed", "NotSubscri...
      |-blocked: A logical value
    `~counts: <list>
      |-id: A numeric value
      |-community_id: A numeric value
      |-subscribers: A numeric value
      |-posts: A numeric value
      |-comments: A numeric value
      |-published: A character value
      |-users_active_day: A numeric value
      |-users_active_week: A numeric value
      |-users_active_month: A numeric value
      |-users_active_half_year: A numeric value
      `~hot_rank: A numeric value
```

Examples

```
community_list <- lemmys_list_communities(sort = "TopMonth", limit = 1)

community_list$communities[[1]]$community$name
```

```
lemmy_list_post_reports
    List post reports.
```

Description

HTTP.GET /post/report/list

Usage

```
lemmy_list_post_reports(
    page = NULL,
    limit = NULL,
    unresolved_only = NULL,
    community_id = NULL,
    auth,
    .lemmy_instance = getOption("lemmy_instance", "https://lemmy.world")
)
```

Arguments

page	(Optional) A numeric value.
limit	(Optional) A numeric value.
unresolved_only	(Optional) A logical value.
community_id	(Optional) A numeric value.
auth	A character value.
.lemmy_instance	Default: "https://lemmy.world". Change the default instance by setting the <code>lemmy_instance</code> options() .

Value

A list of length 1:

```
<list>
`-post_reports: <list>
  `[Each element]: <list>
    |-post_report: <list>
      |-id: A numeric value
      |-creator_id: A numeric value
      |-post_id: A numeric value
      |-original_post_name: A character value
      |-original_post_url: (Optional) A character value
      |-original_post_body: (Optional) A character value
      |-reason: A character value
```

```

| |-resolved: A logical value
| |-resolver_id: (Optional) A numeric value
| |-published: A character value
| |-updated: (Optional) A character value
|-post: <list>
| |-id: A numeric value
| |-name: A character value
| |-url: (Optional) A character value
| |-body: (Optional) A character value
| |-creator_id: A numeric value
| |-community_id: A numeric value
| |-removed: A logical value
| |-locked: A logical value
| |-published: A character value
| |-updated: (Optional) A character value
| |-deleted: A logical value
| |-nsfw: A logical value
| |-embed_title: (Optional) A character value
| |-embed_description: (Optional) A character value
| |-thumbnail_url: (Optional) A character value
| |-ap_id: A character value
| |-local: A logical value
| |-embed_video_url: (Optional) A character value
| |-language_id: A numeric value
| |-featured_community: A logical value
| |-featured_local: A logical value
|-community: <list>
| |-id: A numeric value
| |-name: A character value
| |-title: A character value
| |-description: (Optional) A character value
| |-removed: A logical value
| |-published: A character value
| |-updated: (Optional) A character value
| |-deleted: A logical value
| |-nsfw: A logical value
| |-actor_id: A character value
| |-local: A logical value
| |-icon: (Optional) A character value
| |-banner: (Optional) A character value
| |-followers_url: A character value
| |-inbox_url: A character value
| |-hidden: A logical value
| |-posting_restricted_to_mods: A logical value
| |-instance_id: A numeric value
|-creator: <list>
| |-id: A numeric value
| |-name: A character value

```

```
| |-display_name: (Optional) A character value
| |-avatar: (Optional) A character value
| |-banned: A logical value
| |-published: A character value
| |-updated: (Optional) A character value
| |-actor_id: A character value
| |-bio: (Optional) A character value
| |-local: A logical value
| |-banner: (Optional) A character value
| |-deleted: A logical value
| |-inbox_url: A character value
| |-matrix_user_id: (Optional) A character value
| |-admin: A logical value
| |-bot_account: A logical value
| |-ban_expires: (Optional) A character value
| `--instance_id: A numeric value
|-post_creator: <list>
| |-id: A numeric value
| |-name: A character value
| |-display_name: (Optional) A character value
| |-avatar: (Optional) A character value
| |-banned: A logical value
| |-published: A character value
| |-updated: (Optional) A character value
| |-actor_id: A character value
| |-bio: (Optional) A character value
| |-local: A logical value
| |-banner: (Optional) A character value
| |-deleted: A logical value
| |-inbox_url: A character value
| |-matrix_user_id: (Optional) A character value
| |-admin: A logical value
| |-bot_account: A logical value
| |-ban_expires: (Optional) A character value
| `--instance_id: A numeric value
|-creator_banned_from_community: A logical value
|-my_vote: (Optional) A numeric value
|-counts: <list>
| |-id: A numeric value
| |-post_id: A numeric value
| |-comments: A numeric value
| |-score: A numeric value
| |-upvotes: A numeric value
| |-downvotes: A numeric value
| |-published: A character value
| |-newest_comment_time_necro: A character value
| |-newest_comment_time: A character value
| |-featured_community: A logical value
```

```

| |-featured_local: A logical value
| |-hot_rank: A numeric value
| `~hot_rank_active: A numeric value
`-resolver: <list>
  |-id: A numeric value
  |-name: A character value
  |-display_name: (Optional) A character value
  |-avatar: (Optional) A character value
  |-banned: A logical value
  |-published: A character value
  |-updated: (Optional) A character value
  |-actor_id: A character value
  |-bio: (Optional) A character value
  |-local: A logical value
  |-banner: (Optional) A character value
  |-deleted: A logical value
  |-inbox_url: A character value
  |-matrix_user_id: (Optional) A character value
  |-admin: A logical value
  |-bot_account: A logical value
  |-ban_expires: (Optional) A character value
  `~instance_id: A numeric value

```

lemmy_list_private_message_reports

List private message reports.

Description

HTTP.GET /private_message/report/list

Usage

```

lemmy_list_private_message_reports(
  page = NULL,
  limit = NULL,
  unresolved_only = NULL,
  auth,
  .lemmy_instance = getOption("lemmy_instance", "https://lemmy.world")
)

```

Arguments

page	(Optional) A numeric value.
limit	(Optional) A numeric value.
unresolved_only	(Optional) A logical value.

auth A character value.
 .lemmy_instance Default: "https://lemmy.world". Change the default instance by setting the
 lemmy_instance [options\(\)](#).

Value

A list of length 1:

```
<list>
  ^-private_message_reports: <list>
    ^-[Each element]: <list>
      |-private_message_report: <list>
        | |-id: A numeric value
        | |-creator_id: A numeric value
        | |-private_message_id: A numeric value
        | |-original_pm_text: A character value
        | |-reason: A character value
        | |-resolved: A logical value
        | |-resolver_id: (Optional) A numeric value
        | |-published: A character value
        | ^-updated: (Optional) A character value
        |-private_message: <list>
          | |-id: A numeric value
          | |-creator_id: A numeric value
          | |-recipient_id: A numeric value
          | |-content: A character value
          | |-deleted: A logical value
          | |-read: A logical value
          | |-published: A character value
          | |-updated: (Optional) A character value
          | |-ap_id: A character value
          | ^-local: A logical value
          |-private_message_creator: <list>
            | |-id: A numeric value
            | |-name: A character value
            | |-display_name: (Optional) A character value
            | |-avatar: (Optional) A character value
            | |-banned: A logical value
            | |-published: A character value
            | |-updated: (Optional) A character value
            | |-actor_id: A character value
            | |-bio: (Optional) A character value
            | |-local: A logical value
            | |-banner: (Optional) A character value
            | |-deleted: A logical value
            | |-inbox_url: A character value
            | |-matrix_user_id: (Optional) A character value
            | |-admin: A logical value
```

```

| |-bot_account: A logical value
| |-ban_expires: (Optional) A character value
| `~-instance_id: A numeric value
|-creator: <list>
| |-id: A numeric value
| |-name: A character value
| |-display_name: (Optional) A character value
| |-avatar: (Optional) A character value
| |-banned: A logical value
| |-published: A character value
| |-updated: (Optional) A character value
| |-actor_id: A character value
| |-bio: (Optional) A character value
| |-local: A logical value
| |-banner: (Optional) A character value
| |-deleted: A logical value
| |-inbox_url: A character value
| |-matrix_user_id: (Optional) A character value
| |-admin: A logical value
| |-bot_account: A logical value
| |-ban_expires: (Optional) A character value
| `~-instance_id: A numeric value
`~-resolver: <list>
  |-id: A numeric value
  |-name: A character value
  |-display_name: (Optional) A character value
  |-avatar: (Optional) A character value
  |-banned: A logical value
  |-published: A character value
  |-updated: (Optional) A character value
  |-actor_id: A character value
  |-bio: (Optional) A character value
  |-local: A logical value
  |-banner: (Optional) A character value
  |-deleted: A logical value
  |-inbox_url: A character value
  |-matrix_user_id: (Optional) A character value
  |-admin: A logical value
  |-bot_account: A logical value
  |-ban_expires: (Optional) A character value
  `~-instance_id: A numeric value

```

lemmy_list_registration_applications

List the registration applications.

Description

HTTP.GET /admin/registration_application/list

Usage

```
lemmy_list_registration_applications(
  unread_only = NULL,
  page = NULL,
  limit = NULL,
  auth,
  .lemmy_instance = getOption("lemmy_instance", "https://lemmy.world")
)
```

Arguments

unread_only	(Optional) A logical value.
page	(Optional) A numeric value.
limit	(Optional) A numeric value.
auth	A character value.
.lemmy_instance	Default: "https://lemmy.world". Change the default instance by setting the <code>lemmy_instance</code> options() .

Value

A list of length 1:

```
<list>
~-registration_applications: <list>
  ~-[Each element]: <list>
    |-registration_application: <list>
      | |-id: A numeric value
      | |-local_user_id: A numeric value
      | |-answer: A character value
      | |-admin_id: (Optional) A numeric value
      | |-deny_reason: (Optional) A character value
      | `~-published: A character value
      |-creator_local_user: <list>
        | |-id: A numeric value
        | |-person_id: A numeric value
        | |-email: (Optional) A character value
        | |-show_nsfw: A logical value
        | |-theme: A character value
        | |-default_sort_type: One of "Active", "Hot", "New", "...
        | |-default_listing_type: One of "All", "Local", or "Subsc...
        | |-interface_language: A character value
        | |-show_avatars: A logical value
        | |-send_notifications_to_email: A logical value
```

```

| |-validator_time: A character value
| |-show_scores: A logical value
| |-show_bot_accounts: A logical value
| |-show_read_posts: A logical value
| |-show_new_post_notifs: A logical value
| |-email_verified: A logical value
| |-accepted_application: A logical value
| |-totp_2fa_url: (Optional) A character value
| `--open_links_in_new_tab: A logical value
|-creator: <list>
| |-id: A numeric value
| |-name: A character value
| |-display_name: (Optional) A character value
| |-avatar: (Optional) A character value
| |-banned: A logical value
| |-published: A character value
| |-updated: (Optional) A character value
| |-actor_id: A character value
| |-bio: (Optional) A character value
| |-local: A logical value
| |-banner: (Optional) A character value
| |-deleted: A logical value
| |-inbox_url: A character value
| |-matrix_user_id: (Optional) A character value
| |-admin: A logical value
| |-bot_account: A logical value
| |-ban_expires: (Optional) A character value
| `--instance_id: A numeric value
`-admin: <list>
  |-id: A numeric value
  |-name: A character value
  |-display_name: (Optional) A character value
  |-avatar: (Optional) A character value
  |-banned: A logical value
  |-published: A character value
  |-updated: (Optional) A character value
  |-actor_id: A character value
  |-bio: (Optional) A character value
  |-local: A logical value
  |-banner: (Optional) A character value
  |-deleted: A logical value
  |-inbox_url: A character value
  |-matrix_user_id: (Optional) A character value
  |-admin: A logical value
  |-bot_account: A logical value
  |-ban_expires: (Optional) A character value
  `--instance_id: A numeric value

```

lemmy_lock_post	<i>A moderator can lock a post (IE disable new comments).</i>
-----------------	---

Description

HTTP.POST /post/lock

Usage

```
lemmy_lock_post(
  post_id,
  locked,
  auth,
  .lemmy_instance = getOption("lemmy_instance", "https://lemmy.world")
)
```

Arguments

post_id	A numeric value.
locked	A logical value.
auth	A character value.
.lemmy_instance	Default: "https://lemmy.world". Change the default instance by setting the lemmy_instance options() .

Value

A list of length 1:

```
<list>
~-post_view: <list>
|-post: <list>
| |-id: A numeric value
| |-name: A character value
| |-url: (Optional) A character value
| |-body: (Optional) A character value
| |-creator_id: A numeric value
| |-community_id: A numeric value
| |-removed: A logical value
| |-locked: A logical value
| |-published: A character value
| |-updated: (Optional) A character value
| |-deleted: A logical value
| |-nsfw: A logical value
| |-embed_title: (Optional) A character value
| |-embed_description: (Optional) A character value
```

```

| |-thumbnail_url: (Optional) A character value
| |-ap_id: A character value
| |-local: A logical value
| |-embed_video_url: (Optional) A character value
| |-language_id: A numeric value
| |-featured_community: A logical value
| `--featured_local: A logical value
|-creator: <list>
| |-id: A numeric value
| |-name: A character value
| |-display_name: (Optional) A character value
| |-avatar: (Optional) A character value
| |-banned: A logical value
| |-published: A character value
| |-updated: (Optional) A character value
| |-actor_id: A character value
| |-bio: (Optional) A character value
| |-local: A logical value
| |-banner: (Optional) A character value
| |-deleted: A logical value
| |-inbox_url: A character value
| |-matrix_user_id: (Optional) A character value
| |-admin: A logical value
| |-bot_account: A logical value
| |-ban_expires: (Optional) A character value
| `--instance_id: A numeric value
|-community: <list>
| |-id: A numeric value
| |-name: A character value
| |-title: A character value
| |-description: (Optional) A character value
| |-removed: A logical value
| |-published: A character value
| |-updated: (Optional) A character value
| |-deleted: A logical value
| |-nsfw: A logical value
| |-actor_id: A character value
| |-local: A logical value
| |-icon: (Optional) A character value
| |-banner: (Optional) A character value
| |-followers_url: A character value
| |-inbox_url: A character value
| |-hidden: A logical value
| |-posting_restricted_to_mods: A logical value
| `--instance_id: A numeric value
|-creator_banned_from_community: A logical value
|-counts: <list>
| |-id: A numeric value

```

```

| |-post_id: A numeric value
| |-comments: A numeric value
| |-score: A numeric value
| |-upvotes: A numeric value
| |-downvotes: A numeric value
| |-published: A character value
| |-newest_comment_time_necro: A character value
| |-newest_comment_time: A character value
| |-featured_community: A logical value
| |-featured_local: A logical value
| |-hot_rank: A numeric value
| `|-hot_rank_active: A numeric value
|-subscribed: One of "Subscribed", "NotSubscri...
|-saved: A logical value
|-read: A logical value
|-creator_blocked: A logical value
|-my_vote: (Optional) A numeric value
`-unread_comments: A numeric value

```

lemmy_login

Log into lemmy.

Description

HTTP.POST /user/login

Usage

```

lemmy_login(
  username_or_email,
  password,
  totp_2fa_token = NULL,
  .lemmy_instance = getOption("lemmy_instance", "https://lemmy.world")
)

```

Arguments

```

username_or_email      A character value.

password               A character value.

totp_2fa_token         (Optional) A character value.

.lemmy_instance        Default: "https://lemmy.world". Change the default instance by setting the
                        lemmy_instance options\(\).

```

Value

A list of length 3:

```
<list>
|-jwt: (Optional) A character value
|-registration_created: A logical value
`-verify_email_sent: A logical value
```

lemmy_mark_all_as_read

Mark all replies as read.

Description

HTTP.POST /user/mark_all_as_read

Usage

```
lemmy_mark_all_as_read(
  auth,
  .lemmy_instance = getOption("lemmy_instance", "https://lemmy.world")
)
```

Arguments

auth	A character value.
.lemmy_instance	Default: "https://lemmy.world". Change the default instance by setting the <code>lemmy_instance</code> options() .

Value

A list of length 1:

```
<list>
`-replies: <list>
  `[Each element]: <list>
    |-comment_reply: <list>
      | |-id: A numeric value
      | |-recipient_id: A numeric value
      | |-comment_id: A numeric value
      | |-read: A logical value
      | `published: A character value
    |-comment: <list>
      | |-id: A numeric value
      | |-creator_id: A numeric value
      | |-post_id: A numeric value
```

```
| |-content: A character value
| |-removed: A logical value
| |-published: A character value
| |-updated: (Optional) A character value
| |-deleted: A logical value
| |-ap_id: A character value
| |-local: A logical value
| |-path: A character value
| |-distinguished: A logical value
| `--language_id: A numeric value
|-creator: <list>
| |-id: A numeric value
| |-name: A character value
| |-display_name: (Optional) A character value
| |-avatar: (Optional) A character value
| |-banned: A logical value
| |-published: A character value
| |-updated: (Optional) A character value
| |-actor_id: A character value
| |-bio: (Optional) A character value
| |-local: A logical value
| |-banner: (Optional) A character value
| |-deleted: A logical value
| |-inbox_url: A character value
| |-matrix_user_id: (Optional) A character value
| |-admin: A logical value
| |-bot_account: A logical value
| |-ban_expires: (Optional) A character value
| `--instance_id: A numeric value
|-post: <list>
| |-id: A numeric value
| |-name: A character value
| |-url: (Optional) A character value
| |-body: (Optional) A character value
| |-creator_id: A numeric value
| |-community_id: A numeric value
| |-removed: A logical value
| |-locked: A logical value
| |-published: A character value
| |-updated: (Optional) A character value
| |-deleted: A logical value
| |-nsfw: A logical value
| |-embed_title: (Optional) A character value
| |-embed_description: (Optional) A character value
| |-thumbnail_url: (Optional) A character value
| |-ap_id: A character value
| |-local: A logical value
| |-embed_video_url: (Optional) A character value
```

```

| |-language_id: A numeric value
| |-featured_community: A logical value
| `--featured_local: A logical value
|-community: <list>
| |-id: A numeric value
| |-name: A character value
| |-title: A character value
| |-description: (Optional) A character value
| |-removed: A logical value
| |-published: A character value
| |-updated: (Optional) A character value
| |-deleted: A logical value
| |-nsfw: A logical value
| |-actor_id: A character value
| |-local: A logical value
| |-icon: (Optional) A character value
| |-banner: (Optional) A character value
| |-followers_url: A character value
| |-inbox_url: A character value
| |-hidden: A logical value
| |-posting_restricted_to_mods: A logical value
| `--instance_id: A numeric value
|-recipient: <list>
| |-id: A numeric value
| |-name: A character value
| |-display_name: (Optional) A character value
| |-avatar: (Optional) A character value
| |-banned: A logical value
| |-published: A character value
| |-updated: (Optional) A character value
| |-actor_id: A character value
| |-bio: (Optional) A character value
| |-local: A logical value
| |-banner: (Optional) A character value
| |-deleted: A logical value
| |-inbox_url: A character value
| |-matrix_user_id: (Optional) A character value
| |-admin: A logical value
| |-bot_account: A logical value
| |-ban_expires: (Optional) A character value
| `--instance_id: A numeric value
|-counts: <list>
| |-id: A numeric value
| |-comment_id: A numeric value
| |-score: A numeric value
| |-upvotes: A numeric value
| |-downvotes: A numeric value
| |-published: A character value

```

```

| |-child_count: A numeric value
| `|-hot_rank: A numeric value
|-creator_banned_from_community: A logical value
|-subscribed: One of "Subscribed", "NotSubscri...
|-saved: A logical value
|-creator_blocked: A logical value
`-my_vote: (Optional) A numeric value

```

lemmy_mark_comment_reply_as_read

Mark a comment as read.

Description

HTTP.POST /comment/mark_as_read

Usage

```

lemmy_mark_comment_reply_as_read(
  comment_reply_id,
  read,
  auth,
  .lemmy_instance = getOption("lemmy_instance", "https://lemmy.world")
)

```

Arguments

comment_reply_id	A numeric value.
read	A logical value.
auth	A character value.
.lemmy_instance	Default: "https://lemmy.world". Change the default instance by setting the <code>lemmy_instance</code> options() .

Value

A list of length 1:

```

<list>
`-comment_reply_view: <list>
  |-comment_reply: <list>
    |-id: A numeric value
    |-recipient_id: A numeric value
    |-comment_id: A numeric value
    |-read: A logical value
    `|-published: A character value

```

```

|-comment: <list>
| |-id: A numeric value
| |-creator_id: A numeric value
| |-post_id: A numeric value
| |-content: A character value
| |-removed: A logical value
| |-published: A character value
| |-updated: (Optional) A character value
| |-deleted: A logical value
| |-ap_id: A character value
| |-local: A logical value
| |-path: A character value
| |-distinguished: A logical value
| `~-language_id: A numeric value
|-creator: <list>
| |-id: A numeric value
| |-name: A character value
| |-display_name: (Optional) A character value
| |-avatar: (Optional) A character value
| |-banned: A logical value
| |-published: A character value
| |-updated: (Optional) A character value
| |-actor_id: A character value
| |-bio: (Optional) A character value
| |-local: A logical value
| |-banner: (Optional) A character value
| |-deleted: A logical value
| |-inbox_url: A character value
| |-matrix_user_id: (Optional) A character value
| |-admin: A logical value
| |-bot_account: A logical value
| |-ban_expires: (Optional) A character value
| `~-instance_id: A numeric value
|-post: <list>
| |-id: A numeric value
| |-name: A character value
| |-url: (Optional) A character value
| |-body: (Optional) A character value
| |-creator_id: A numeric value
| |-community_id: A numeric value
| |-removed: A logical value
| |-locked: A logical value
| |-published: A character value
| |-updated: (Optional) A character value
| |-deleted: A logical value
| |-nsfw: A logical value
| |-embed_title: (Optional) A character value
| |-embed_description: (Optional) A character value

```

```
| |-thumbnail_url: (Optional) A character value
| |-ap_id: A character value
| |-local: A logical value
| |-embed_video_url: (Optional) A character value
| |-language_id: A numeric value
| |-featured_community: A logical value
| `--featured_local: A logical value
|-community: <list>
| |-id: A numeric value
| |-name: A character value
| |-title: A character value
| |-description: (Optional) A character value
| |-removed: A logical value
| |-published: A character value
| |-updated: (Optional) A character value
| |-deleted: A logical value
| |-nsfw: A logical value
| |-actor_id: A character value
| |-local: A logical value
| |-icon: (Optional) A character value
| |-banner: (Optional) A character value
| |-followers_url: A character value
| |-inbox_url: A character value
| |-hidden: A logical value
| |-posting_restricted_to_mods: A logical value
| `--instance_id: A numeric value
|-recipient: <list>
| |-id: A numeric value
| |-name: A character value
| |-display_name: (Optional) A character value
| |-avatar: (Optional) A character value
| |-banned: A logical value
| |-published: A character value
| |-updated: (Optional) A character value
| |-actor_id: A character value
| |-bio: (Optional) A character value
| |-local: A logical value
| |-banner: (Optional) A character value
| |-deleted: A logical value
| |-inbox_url: A character value
| |-matrix_user_id: (Optional) A character value
| |-admin: A logical value
| |-bot_account: A logical value
| |-ban_expires: (Optional) A character value
| `--instance_id: A numeric value
|-counts: <list>
| |-id: A numeric value
| |-comment_id: A numeric value
```

```

| |-score: A numeric value
| |-upvotes: A numeric value
| |-downvotes: A numeric value
| |-published: A character value
| |-child_count: A numeric value
| `--hot_rank: A numeric value
|--creator_banned_from_community: A logical value
|--subscribed: One of "Subscribed", "NotSubscri...
|--saved: A logical value
|--creator_blocked: A logical value
`--my_vote: (Optional) A numeric value

```

lemmy_mark_person_mention_as_read

Mark a person mention as read.

Description

HTTP.POST /user/mention/mark_as_read

Usage

```

lemmy_mark_person_mention_as_read(
  person_mention_id,
  read,
  auth,
  .lemmy_instance = getOption("lemmy_instance", "https://lemmy.world")
)

```

Arguments

person_mention_id	A numeric value.
read	A logical value.
auth	A character value.
.lemmy_instance	Default: "https://lemmy.world". Change the default instance by setting the <code>lemmy_instance</code> options() .

Value

A list of length 1:

```

<list>
`-person_mention_view: <list>
  |-person_mention: <list>
  | |-id: A numeric value

```

```
| |-recipient_id: A numeric value
| |-comment_id: A numeric value
| |-read: A logical value
| `~published: A character value
|-comment: <list>
| |-id: A numeric value
| |-creator_id: A numeric value
| |-post_id: A numeric value
| |-content: A character value
| |-removed: A logical value
| |-published: A character value
| |-updated: (Optional) A character value
| |-deleted: A logical value
| |-ap_id: A character value
| |-local: A logical value
| |-path: A character value
| |-distinguished: A logical value
| `~language_id: A numeric value
|-creator: <list>
| |-id: A numeric value
| |-name: A character value
| |-display_name: (Optional) A character value
| |-avatar: (Optional) A character value
| |-banned: A logical value
| |-published: A character value
| |-updated: (Optional) A character value
| |-actor_id: A character value
| |-bio: (Optional) A character value
| |-local: A logical value
| |-banner: (Optional) A character value
| |-deleted: A logical value
| |-inbox_url: A character value
| |-matrix_user_id: (Optional) A character value
| |-admin: A logical value
| |-bot_account: A logical value
| |-ban_expires: (Optional) A character value
| `~instance_id: A numeric value
|-post: <list>
| |-id: A numeric value
| |-name: A character value
| |-url: (Optional) A character value
| |-body: (Optional) A character value
| |-creator_id: A numeric value
| |-community_id: A numeric value
| |-removed: A logical value
| |-locked: A logical value
| |-published: A character value
| |-updated: (Optional) A character value
```

```

| |-deleted: A logical value
| |-nsfw: A logical value
| |-embed_title: (Optional) A character value
| |-embed_description: (Optional) A character value
| |-thumbnail_url: (Optional) A character value
| |-ap_id: A character value
| |-local: A logical value
| |-embed_video_url: (Optional) A character value
| |-language_id: A numeric value
| |-featured_community: A logical value
| `--featured_local: A logical value
|-community: <list>
| |-id: A numeric value
| |-name: A character value
| |-title: A character value
| |-description: (Optional) A character value
| |-removed: A logical value
| |-published: A character value
| |-updated: (Optional) A character value
| |-deleted: A logical value
| |-nsfw: A logical value
| |-actor_id: A character value
| |-local: A logical value
| |-icon: (Optional) A character value
| |-banner: (Optional) A character value
| |-followers_url: A character value
| |-inbox_url: A character value
| |-hidden: A logical value
| |-posting_restricted_to_mods: A logical value
| `--instance_id: A numeric value
|-recipient: <list>
| |-id: A numeric value
| |-name: A character value
| |-display_name: (Optional) A character value
| |-avatar: (Optional) A character value
| |-banned: A logical value
| |-published: A character value
| |-updated: (Optional) A character value
| |-actor_id: A character value
| |-bio: (Optional) A character value
| |-local: A logical value
| |-banner: (Optional) A character value
| |-deleted: A logical value
| |-inbox_url: A character value
| |-matrix_user_id: (Optional) A character value
| |-admin: A logical value
| |-bot_account: A logical value
| |-ban_expires: (Optional) A character value

```

```

| ^-instance_id: A numeric value
|-counts: <list>
| | -id: A numeric value
| | -comment_id: A numeric value
| | -score: A numeric value
| | -upvotes: A numeric value
| | -downvotes: A numeric value
| | -published: A character value
| | -child_count: A numeric value
| ^-hot_rank: A numeric value
|-creator_banned_from_community: A logical value
|-subscribed: One of "Subscribed", "NotSubscri...
|-saved: A logical value
|-creator_blocked: A logical value
^-my_vote: (Optional) A numeric value

```

lemmy_mark_post_as_read

Mark a post as read.

Description

HTTP.POST /post/mark_as_read

Usage

```

lemmy_mark_post_as_read(
  post_id,
  read,
  auth,
  .lemmy_instance = getOption("lemmy_instance", "https://lemmy.world")
)

```

Arguments

post_id	A numeric value.
read	A logical value.
auth	A character value.
.lemmy_instance	Default: "https://lemmy.world". Change the default instance by setting the <code>lemmy_instance</code> options() .

Value

A list of length 1:

```

<list>
  ^-post_view: <list>
    |-post: <list>
      |-id: A numeric value
      |-name: A character value
      |-url: (Optional) A character value
      |-body: (Optional) A character value
      |-creator_id: A numeric value
      |-community_id: A numeric value
      |-removed: A logical value
      |-locked: A logical value
      |-published: A character value
      |-updated: (Optional) A character value
      |-deleted: A logical value
      |-nsfw: A logical value
      |-embed_title: (Optional) A character value
      |-embed_description: (Optional) A character value
      |-thumbnail_url: (Optional) A character value
      |-ap_id: A character value
      |-local: A logical value
      |-embed_video_url: (Optional) A character value
      |-language_id: A numeric value
      |-featured_community: A logical value
      |-^-featured_local: A logical value
    |-creator: <list>
      |-id: A numeric value
      |-name: A character value
      |-display_name: (Optional) A character value
      |-avatar: (Optional) A character value
      |-banned: A logical value
      |-published: A character value
      |-updated: (Optional) A character value
      |-actor_id: A character value
      |-bio: (Optional) A character value
      |-local: A logical value
      |-banner: (Optional) A character value
      |-deleted: A logical value
      |-inbox_url: A character value
      |-matrix_user_id: (Optional) A character value
      |-admin: A logical value
      |-bot_account: A logical value
      |-ban_expires: (Optional) A character value
      |-^-instance_id: A numeric value
    |-community: <list>
      |-id: A numeric value

```

```

| |-name: A character value
| |-title: A character value
| |-description: (Optional) A character value
| |-removed: A logical value
| |-published: A character value
| |-updated: (Optional) A character value
| |-deleted: A logical value
| |-nsfw: A logical value
| |-actor_id: A character value
| |-local: A logical value
| |-icon: (Optional) A character value
| |-banner: (Optional) A character value
| |-followers_url: A character value
| |-inbox_url: A character value
| |-hidden: A logical value
| |-posting_restricted_to_mods: A logical value
| `~instance_id: A numeric value
|-creator_banned_from_community: A logical value
|-counts: <list>
| |-id: A numeric value
| |-post_id: A numeric value
| |-comments: A numeric value
| |-score: A numeric value
| |-upvotes: A numeric value
| |-downvotes: A numeric value
| |-published: A character value
| |-newest_comment_time_necro: A character value
| |-newest_comment_time: A character value
| |-featured_community: A logical value
| |-featured_local: A logical value
| |-hot_rank: A numeric value
| `~hot_rank_active: A numeric value
|-subscribed: One of "Subscribed", "NotSubscri...
|-saved: A logical value
|-read: A logical value
|-creator_blocked: A logical value
|-my_vote: (Optional) A numeric value
`~unread_comments: A numeric value

```

lemmy_mark_private_message_as_read

Mark a private message as read.

Description

HTTP.POST /private_message/mark_as_read

Usage

```
lemmy_mark_private_message_as_read(
  private_message_id,
  read,
  auth,
  .lemmy_instance = getOption("lemmy_instance", "https://lemmy.world")
)
```

Arguments

private_message_id	A numeric value.
read	A logical value.
auth	A character value.
.lemmy_instance	Default: "https://lemmy.world". Change the default instance by setting the <code>lemmy_instance</code> options() .

Value

A list of length 1:

```
<list>
~-private_message_view: <list>
|-private_message: <list>
| |-id: A numeric value
| |-creator_id: A numeric value
| |-recipient_id: A numeric value
| |-content: A character value
| |-deleted: A logical value
| |-read: A logical value
| |-published: A character value
| |-updated: (Optional) A character value
| |-ap_id: A character value
| `~-local: A logical value
|-creator: <list>
| |-id: A numeric value
| |-name: A character value
| |-display_name: (Optional) A character value
| |-avatar: (Optional) A character value
| |-banned: A logical value
| |-published: A character value
| |-updated: (Optional) A character value
| |-actor_id: A character value
| |-bio: (Optional) A character value
| |-local: A logical value
| |-banner: (Optional) A character value
| |-deleted: A logical value
```

```

| |-inbox_url: A character value
| |-matrix_user_id: (Optional) A character value
| |-admin: A logical value
| |-bot_account: A logical value
| |-ban_expires: (Optional) A character value
| `~-instance_id: A numeric value
`~-recipient: <list>
  |-id: A numeric value
  |-name: A character value
  |-display_name: (Optional) A character value
  |-avatar: (Optional) A character value
  |-banned: A logical value
  |-published: A character value
  |-updated: (Optional) A character value
  |-actor_id: A character value
  |-bio: (Optional) A character value
  |-local: A logical value
  |-banner: (Optional) A character value
  |-deleted: A logical value
  |-inbox_url: A character value
  |-matrix_user_id: (Optional) A character value
  |-admin: A logical value
  |-bot_account: A logical value
  |-ban_expires: (Optional) A character value
  `~-instance_id: A numeric value

```

lemmy_password_change_after_reset

Change your password from an email / token based reset.

Description

HTTP.POST /user/password_change

Usage

```

lemmy_password_change_after_reset(
  token,
  password,
  password_verify,
  .lemmy_instance = getOption("lemmy_instance", "https://lemmy.world")
)

```

Arguments

token	A character value.
password	A character value.

password_verify A character value.

.lemmy_instance Default: "https://lemmy.world". Change the default instance by setting the
lemmy_instance [options\(\)](#).

Value

A list of length 3:

```
<list>
|-jwt: (Optional) A character value
|-registration_created: A logical value
`-verify_email_sent: A logical value
```

lemmy_password_reset *Reset your password.*

Description

HTTP.POST /user/password_reset

Usage

```
lemmy_password_reset(
  email,
  .lemmy_instance = getOption("lemmy_instance", "https://lemmy.world")
)
```

Arguments

email A character value.

.lemmy_instance Default: "https://lemmy.world". Change the default instance by setting the
lemmy_instance [options\(\)](#).

Value

A list of length 0:

```
<list>
```

lemmy_purge_comment *Purge / Delete a comment from the database.*

Description

HTTP.POST /admin/purge/comment

Usage

```
lemmy_purge_comment(  
  comment_id,  
  reason = NULL,  
  auth,  
  .lemmy_instance = getOption("lemmy_instance", "https://lemmy.world")  
)
```

Arguments

comment_id	A numeric value.
reason	(Optional) A character value.
auth	A character value.
.lemmy_instance	Default: "https://lemmy.world". Change the default instance by setting the <code>lemmy_instance</code> options() .

Value

A list of length 1:

```
<list>  
`-success: A logical value
```

lemmy_purge_community *Purge / Delete a community from the database.*

Description

HTTP.POST /admin/purge/community

Usage

```
lemmy_purge_community(  
  community_id,  
  reason = NULL,  
  auth,  
  .lemmy_instance = getOption("lemmy_instance", "https://lemmy.world")  
)
```

Arguments

community_id	A numeric value.
reason	(Optional) A character value.
auth	A character value.
.lemmy_instance	Default: "https://lemmy.world". Change the default instance by setting the lemmy_instance options() .

Value

A list of length 1:

```
<list>
`-success: A logical value
```

lemmy_purge_person	<i>Purge / Delete a person from the database.</i>
--------------------	---

Description

HTTP.POST /admin/purge/person

Usage

```
lemmy_purge_person(
  person_id,
  reason = NULL,
  auth,
  .lemmy_instance = getOption("lemmy_instance", "https://lemmy.world")
)
```

Arguments

person_id	A numeric value.
reason	(Optional) A character value.
auth	A character value.
.lemmy_instance	Default: "https://lemmy.world". Change the default instance by setting the lemmy_instance options() .

Value

A list of length 1:

```
<list>
`-success: A logical value
```

lemmy_purge_post	<i>Purge / Delete a post from the database.</i>
------------------	---

Description

HTTP.POST /admin/purge/post

Usage

```
lemmy_purge_post(  
  post_id,  
  reason = NULL,  
  auth,  
  .lemmy_instance = getOption("lemmy_instance", "https://lemmy.world")  
)
```

Arguments

post_id	A numeric value.
reason	(Optional) A character value.
auth	A character value.
.lemmy_instance	Default: "https://lemmy.world". Change the default instance by setting the <code>lemmy_instance</code> options() .

Value

A list of length 1:

```
<list>  
`-success: A logical value
```

lemmy_register	<i>Register a new user.</i>
----------------	-----------------------------

Description

HTTP.POST /user/register

Usage

```
lemmy_register(  
  username,  
  password,  
  password_verify,  
  show_nsfw,  
  email = NULL,  
  captcha_uuid = NULL,  
  captcha_answer = NULL,  
  honeypot = NULL,  
  answer = NULL,  
  .lemmy_instance = getOption("lemmy_instance", "https://lemmy.world")  
)
```

Arguments

username	A character value.
password	A character value.
password_verify	A character value.
show_nsfw	A logical value.
email	(Optional) A character value.
captcha_uuid	(Optional) A character value.
captcha_answer	(Optional) A character value.
honeypot	(Optional) A character value.
answer	(Optional) A character value.
.lemmy_instance	Default: "https://lemmy.world". Change the default instance by setting the <code>lemmy_instance</code> options() .

Value

A list of length 3:

```
<list>  
|-jwt: (Optional) A character value  
|-registration_created: A logical value  
~-verify_email_sent: A logical value
```

lemmy_remove_comment *A moderator remove for a comment.*

Description

HTTP.POST /comment/remove

Usage

```
lemmy_remove_comment(
  comment_id,
  removed,
  reason = NULL,
  auth,
  .lemmy_instance = getOption("lemmy_instance", "https://lemmy.world")
)
```

Arguments

comment_id	A numeric value.
removed	A logical value.
reason	(Optional) A character value.
auth	A character value.
.lemmy_instance	Default: "https://lemmy.world". Change the default instance by setting the <code>lemmy_instance</code> options() .

Value

A list of length 3:

```
<list>
|-comment_view: <list>
| |-comment: <list>
| | |-id: A numeric value
| | |-creator_id: A numeric value
| | |-post_id: A numeric value
| | |-content: A character value
| | |-removed: A logical value
| | |-published: A character value
| | |-updated: (Optional) A character value
| | |-deleted: A logical value
| | |-ap_id: A character value
| | |-local: A logical value
| | |-path: A character value
| | |-distinguished: A logical value
```

```

| | ~-language_id: A numeric value
| |-creator: <list>
| | |-id: A numeric value
| | |-name: A character value
| | |-display_name: (Optional) A character value
| | |-avatar: (Optional) A character value
| | |-banned: A logical value
| | |-published: A character value
| | |-updated: (Optional) A character value
| | |-actor_id: A character value
| | |-bio: (Optional) A character value
| | |-local: A logical value
| | |-banner: (Optional) A character value
| | |-deleted: A logical value
| | |-inbox_url: A character value
| | |-matrix_user_id: (Optional) A character value
| | |-admin: A logical value
| | |-bot_account: A logical value
| | |-ban_expires: (Optional) A character value
| | ~-instance_id: A numeric value
| |-post: <list>
| | |-id: A numeric value
| | |-name: A character value
| | |-url: (Optional) A character value
| | |-body: (Optional) A character value
| | |-creator_id: A numeric value
| | |-community_id: A numeric value
| | |-removed: A logical value
| | |-locked: A logical value
| | |-published: A character value
| | |-updated: (Optional) A character value
| | |-deleted: A logical value
| | |-nsfw: A logical value
| | |-embed_title: (Optional) A character value
| | |-embed_description: (Optional) A character value
| | |-thumbnail_url: (Optional) A character value
| | |-ap_id: A character value
| | |-local: A logical value
| | |-embed_video_url: (Optional) A character value
| | |-language_id: A numeric value
| | |-featured_community: A logical value
| | ~-featured_local: A logical value
| |-community: <list>
| | |-id: A numeric value
| | |-name: A character value
| | |-title: A character value
| | |-description: (Optional) A character value
| | |-removed: A logical value

```

```

| | |-published: A character value
| | |-updated: (Optional) A character value
| | |-deleted: A logical value
| | |-nsfw: A logical value
| | |-actor_id: A character value
| | |-local: A logical value
| | |-icon: (Optional) A character value
| | |-banner: (Optional) A character value
| | |-followers_url: A character value
| | |-inbox_url: A character value
| | |-hidden: A logical value
| | |-posting_restricted_to_mods: A logical value
| | `~-instance_id: A numeric value
| |-counts: <list>
| | |-id: A numeric value
| | |-comment_id: A numeric value
| | |-score: A numeric value
| | |-upvotes: A numeric value
| | |-downvotes: A numeric value
| | |-published: A character value
| | |-child_count: A numeric value
| | `~-hot_rank: A numeric value
| |-creator_banned_from_community: A logical value
| |-subscribed: One of "Subscribed", "NotSubscri...
| |-saved: A logical value
| |-creator_blocked: A logical value
| `~-my_vote: (Optional) A numeric value
|-recipient_ids: A numeric vector
`~-form_id: (Optional) A character value

```

lemmy_remove_community

A moderator remove for a community.

Description

HTTP.POST /community/remove

Usage

```

lemmy_remove_community(
  community_id,
  removed,
  reason = NULL,
  expires = NULL,
  auth,
  .lemmy_instance = getOption("lemmy_instance", "https://lemmy.world")
)

```

Arguments

community_id	A numeric value.
removed	A logical value.
reason	(Optional) A character value.
expires	(Optional) A numeric value.
auth	A character value.
.lemmy_instance	Default: "https://lemmy.world". Change the default instance by setting the <code>lemmy_instance</code> options() .

Value

A list of length 2:

```
<list>
|-community_view: <list>
| |-community: <list>
| | |-id: A numeric value
| | |-name: A character value
| | |-title: A character value
| | |-description: (Optional) A character value
| | |-removed: A logical value
| | |-published: A character value
| | |-updated: (Optional) A character value
| | |-deleted: A logical value
| | |-nsfw: A logical value
| | |-actor_id: A character value
| | |-local: A logical value
| | |-icon: (Optional) A character value
| | |-banner: (Optional) A character value
| | |-followers_url: A character value
| | |-inbox_url: A character value
| | |-hidden: A logical value
| | |-posting_restricted_to_mods: A logical value
| | `--instance_id: A numeric value
| |-subscribed: One of "Subscribed", "NotSubscri...
| |-blocked: A logical value
| `--counts: <list>
|   |-id: A numeric value
|   |-community_id: A numeric value
|   |-subscribers: A numeric value
|   |-posts: A numeric value
|   |-comments: A numeric value
|   |-published: A character value
|   |-users_active_day: A numeric value
|   |-users_active_week: A numeric value
|   |-users_active_month: A numeric value
```

```
|   |-users_active_half_year: A numeric value
|   `--hot_rank: A numeric value
|--discussion_languages: A numeric vector
```

lemmy_remove_post	<i>A moderator remove for a post.</i>
-------------------	---------------------------------------

Description

HTTP.POST /post/remove

Usage

```
lemmy_remove_post(
  post_id,
  removed,
  reason = NULL,
  auth,
  .lemmy_instance = getOption("lemmy_instance", "https://lemmy.world")
)
```

Arguments

post_id	A numeric value.
removed	A logical value.
reason	(Optional) A character value.
auth	A character value.
.lemmy_instance	Default: "https://lemmy.world". Change the default instance by setting the <code>lemmy_instance</code> options() .

Value

A list of length 1:

```
<list>
`-post_view: <list>
  |-post: <list>
    | |-id: A numeric value
    | |-name: A character value
    | |-url: (Optional) A character value
    | |-body: (Optional) A character value
    | |-creator_id: A numeric value
    | |-community_id: A numeric value
    | |-removed: A logical value
    | |-locked: A logical value
```

```

| |-published: A character value
| |-updated: (Optional) A character value
| |-deleted: A logical value
| |-nsfw: A logical value
| |-embed_title: (Optional) A character value
| |-embed_description: (Optional) A character value
| |-thumbnail_url: (Optional) A character value
| |-ap_id: A character value
| |-local: A logical value
| |-embed_video_url: (Optional) A character value
| |-language_id: A numeric value
| |-featured_community: A logical value
| `--featured_local: A logical value
|-creator: <list>
| |-id: A numeric value
| |-name: A character value
| |-display_name: (Optional) A character value
| |-avatar: (Optional) A character value
| |-banned: A logical value
| |-published: A character value
| |-updated: (Optional) A character value
| |-actor_id: A character value
| |-bio: (Optional) A character value
| |-local: A logical value
| |-banner: (Optional) A character value
| |-deleted: A logical value
| |-inbox_url: A character value
| |-matrix_user_id: (Optional) A character value
| |-admin: A logical value
| |-bot_account: A logical value
| |-ban_expires: (Optional) A character value
| `--instance_id: A numeric value
|-community: <list>
| |-id: A numeric value
| |-name: A character value
| |-title: A character value
| |-description: (Optional) A character value
| |-removed: A logical value
| |-published: A character value
| |-updated: (Optional) A character value
| |-deleted: A logical value
| |-nsfw: A logical value
| |-actor_id: A character value
| |-local: A logical value
| |-icon: (Optional) A character value
| |-banner: (Optional) A character value
| |-followers_url: A character value
| |-inbox_url: A character value

```

```

| |-hidden: A logical value
| |-posting_restricted_to_mods: A logical value
| |-instance_id: A numeric value
| |-creator_banned_from_community: A logical value
| |-counts: <list>
| |-id: A numeric value
| |-post_id: A numeric value
| |-comments: A numeric value
| |-score: A numeric value
| |-upvotes: A numeric value
| |-downvotes: A numeric value
| |-published: A character value
| |-newest_comment_time_necro: A character value
| |-newest_comment_time: A character value
| |-featured_community: A logical value
| |-featured_local: A logical value
| |-hot_rank: A numeric value
| |-hot_rank_active: A numeric value
| |-subscribed: One of "Subscribed", "NotSubscri...
| |-saved: A logical value
| |-read: A logical value
| |-creator_blocked: A logical value
| |-my_vote: (Optional) A numeric value
| |-unread_comments: A numeric value

```

lemmy_resolve_comment_report

Resolve a comment report. Only a mod can do this.

Description

HTTP.PUT /comment/report/resolve

Usage

```

lemmy_resolve_comment_report(
  report_id,
  resolved,
  auth,
  .lemmy_instance = getOption("lemmy_instance", "https://lemmy.world")
)

```

Arguments

report_id	A numeric value.
resolved	A logical value.

auth A character value.
 .lemmy_instance Default: "https://lemmy.world". Change the default instance by setting the
 lemmmy_instance [options\(\)](#).

Value

A list of length 1:

```
<list>
`-comment_report_view: <list>
  |-comment_report: <list>
    | |-id: A numeric value
    | |-creator_id: A numeric value
    | |-comment_id: A numeric value
    | |-original_comment_text: A character value
    | |-reason: A character value
    | |-resolved: A logical value
    | |-resolver_id: (Optional) A numeric value
    | |-published: A character value
    | `~-updated: (Optional) A character value
  |-comment: <list>
    | |-id: A numeric value
    | |-creator_id: A numeric value
    | |-post_id: A numeric value
    | |-content: A character value
    | |-removed: A logical value
    | |-published: A character value
    | |-updated: (Optional) A character value
    | |-deleted: A logical value
    | |-ap_id: A character value
    | |-local: A logical value
    | |-path: A character value
    | |-distinguished: A logical value
    | `~-language_id: A numeric value
  |-post: <list>
    | |-id: A numeric value
    | |-name: A character value
    | |-url: (Optional) A character value
    | |-body: (Optional) A character value
    | |-creator_id: A numeric value
    | |-community_id: A numeric value
    | |-removed: A logical value
    | |-locked: A logical value
    | |-published: A character value
    | |-updated: (Optional) A character value
    | |-deleted: A logical value
    | |-nsfw: A logical value
    | |-embed_title: (Optional) A character value
```

```
| |-embed_description: (Optional) A character value
| |-thumbnail_url: (Optional) A character value
| |-ap_id: A character value
| |-local: A logical value
| |-embed_video_url: (Optional) A character value
| |-language_id: A numeric value
| |-featured_community: A logical value
| `--featured_local: A logical value
|-community: <list>
| |-id: A numeric value
| |-name: A character value
| |-title: A character value
| |-description: (Optional) A character value
| |-removed: A logical value
| |-published: A character value
| |-updated: (Optional) A character value
| |-deleted: A logical value
| |-nsfw: A logical value
| |-actor_id: A character value
| |-local: A logical value
| |-icon: (Optional) A character value
| |-banner: (Optional) A character value
| |-followers_url: A character value
| |-inbox_url: A character value
| |-hidden: A logical value
| |-posting_restricted_to_mods: A logical value
| `--instance_id: A numeric value
|-creator: <list>
| |-id: A numeric value
| |-name: A character value
| |-display_name: (Optional) A character value
| |-avatar: (Optional) A character value
| |-banned: A logical value
| |-published: A character value
| |-updated: (Optional) A character value
| |-actor_id: A character value
| |-bio: (Optional) A character value
| |-local: A logical value
| |-banner: (Optional) A character value
| |-deleted: A logical value
| |-inbox_url: A character value
| |-matrix_user_id: (Optional) A character value
| |-admin: A logical value
| |-bot_account: A logical value
| |-ban_expires: (Optional) A character value
| `--instance_id: A numeric value
|-comment_creator: <list>
| |-id: A numeric value
```

```

| |-name: A character value
| |-display_name: (Optional) A character value
| |-avatar: (Optional) A character value
| |-banned: A logical value
| |-published: A character value
| |-updated: (Optional) A character value
| |-actor_id: A character value
| |-bio: (Optional) A character value
| |-local: A logical value
| |-banner: (Optional) A character value
| |-deleted: A logical value
| |-inbox_url: A character value
| |-matrix_user_id: (Optional) A character value
| |-admin: A logical value
| |-bot_account: A logical value
| |-ban_expires: (Optional) A character value
| `--instance_id: A numeric value
|-counts: <list>
| |-id: A numeric value
| |-comment_id: A numeric value
| |-score: A numeric value
| |-upvotes: A numeric value
| |-downvotes: A numeric value
| |-published: A character value
| |-child_count: A numeric value
| `--hot_rank: A numeric value
|-creator_banned_from_community: A logical value
|-my_vote: (Optional) A numeric value
`--resolver: <list>
  |-id: A numeric value
  |-name: A character value
  |-display_name: (Optional) A character value
  |-avatar: (Optional) A character value
  |-banned: A logical value
  |-published: A character value
  |-updated: (Optional) A character value
  |-actor_id: A character value
  |-bio: (Optional) A character value
  |-local: A logical value
  |-banner: (Optional) A character value
  |-deleted: A logical value
  |-inbox_url: A character value
  |-matrix_user_id: (Optional) A character value
  |-admin: A logical value
  |-bot_account: A logical value
  |-ban_expires: (Optional) A character value
  `--instance_id: A numeric value

```

lemmy_resolve_object *Fetch a non-local / federated object.*

Description

HTTP.GET /resolve_object

Usage

```
lemmy_resolve_object(  
  q,  
  auth,  
  .lemmy_instance = getOption("lemmy_instance", "https://lemmy.world")  
)
```

Arguments

q	A character value.
auth	A character value.
.lemmy_instance	Default: "https://lemmy.world". Change the default instance by setting the <code>lemmy_instance</code> options() .

Value

A list of length 4:

```
<list>  
|-comment: <list>  
| |-comment: <list>  
| | |-id: A numeric value  
| | |-creator_id: A numeric value  
| | |-post_id: A numeric value  
| | |-content: A character value  
| | |-removed: A logical value  
| | |-published: A character value  
| | |-updated: (Optional) A character value  
| | |-deleted: A logical value  
| | |-ap_id: A character value  
| | |-local: A logical value  
| | |-path: A character value  
| | |-distinguished: A logical value  
| | `~-language_id: A numeric value  
| |-creator: <list>  
| | |-id: A numeric value  
| | |-name: A character value  
| | |-display_name: (Optional) A character value
```

```

| | |-avatar: (Optional) A character value
| | |-banned: A logical value
| | |-published: A character value
| | |-updated: (Optional) A character value
| | |-actor_id: A character value
| | |-bio: (Optional) A character value
| | |-local: A logical value
| | |-banner: (Optional) A character value
| | |-deleted: A logical value
| | |-inbox_url: A character value
| | |-matrix_user_id: (Optional) A character value
| | |-admin: A logical value
| | |-bot_account: A logical value
| | |-ban_expires: (Optional) A character value
| | `--instance_id: A numeric value
| |-post: <list>
| | |-id: A numeric value
| | |-name: A character value
| | |-url: (Optional) A character value
| | |-body: (Optional) A character value
| | |-creator_id: A numeric value
| | |-community_id: A numeric value
| | |-removed: A logical value
| | |-locked: A logical value
| | |-published: A character value
| | |-updated: (Optional) A character value
| | |-deleted: A logical value
| | |-nsfw: A logical value
| | |-embed_title: (Optional) A character value
| | |-embed_description: (Optional) A character value
| | |-thumbnail_url: (Optional) A character value
| | |-ap_id: A character value
| | |-local: A logical value
| | |-embed_video_url: (Optional) A character value
| | |-language_id: A numeric value
| | |-featured_community: A logical value
| | `--featured_local: A logical value
| |-community: <list>
| | |-id: A numeric value
| | |-name: A character value
| | |-title: A character value
| | |-description: (Optional) A character value
| | |-removed: A logical value
| | |-published: A character value
| | |-updated: (Optional) A character value
| | |-deleted: A logical value
| | |-nsfw: A logical value
| | |-actor_id: A character value

```

```

| | |-local: A logical value
| | |-icon: (Optional) A character value
| | |-banner: (Optional) A character value
| | |-followers_url: A character value
| | |-inbox_url: A character value
| | |-hidden: A logical value
| | |-posting_restricted_to_mods: A logical value
| | `~-instance_id: A numeric value
| |-counts: <list>
| | |-id: A numeric value
| | |-comment_id: A numeric value
| | |-score: A numeric value
| | |-upvotes: A numeric value
| | |-downvotes: A numeric value
| | |-published: A character value
| | |-child_count: A numeric value
| | `~-hot_rank: A numeric value
| |-creator_banned_from_community: A logical value
| |-subscribed: One of "Subscribed", "NotSubscri...
| |-saved: A logical value
| |-creator_blocked: A logical value
| `~-my_vote: (Optional) A numeric value
|-post: <list>
| |-post: <list>
| | |-id: A numeric value
| | |-name: A character value
| | |-url: (Optional) A character value
| | |-body: (Optional) A character value
| | |-creator_id: A numeric value
| | |-community_id: A numeric value
| | |-removed: A logical value
| | |-locked: A logical value
| | |-published: A character value
| | |-updated: (Optional) A character value
| | |-deleted: A logical value
| | |-nsfw: A logical value
| | |-embed_title: (Optional) A character value
| | |-embed_description: (Optional) A character value
| | |-thumbnail_url: (Optional) A character value
| | |-ap_id: A character value
| | |-local: A logical value
| | |-embed_video_url: (Optional) A character value
| | |-language_id: A numeric value
| | |-featured_community: A logical value
| | `~-featured_local: A logical value
| |-creator: <list>
| | |-id: A numeric value
| | |-name: A character value

```

```

| | |-display_name: (Optional) A character value
| | |-avatar: (Optional) A character value
| | |-banned: A logical value
| | |-published: A character value
| | |-updated: (Optional) A character value
| | |-actor_id: A character value
| | |-bio: (Optional) A character value
| | |-local: A logical value
| | |-banner: (Optional) A character value
| | |-deleted: A logical value
| | |-inbox_url: A character value
| | |-matrix_user_id: (Optional) A character value
| | |-admin: A logical value
| | |-bot_account: A logical value
| | |-ban_expires: (Optional) A character value
| | `~-instance_id: A numeric value
| |-community: <list>
| | |-id: A numeric value
| | |-name: A character value
| | |-title: A character value
| | |-description: (Optional) A character value
| | |-removed: A logical value
| | |-published: A character value
| | |-updated: (Optional) A character value
| | |-deleted: A logical value
| | |-nsfw: A logical value
| | |-actor_id: A character value
| | |-local: A logical value
| | |-icon: (Optional) A character value
| | |-banner: (Optional) A character value
| | |-followers_url: A character value
| | |-inbox_url: A character value
| | |-hidden: A logical value
| | |-posting_restricted_to_mods: A logical value
| | `~-instance_id: A numeric value
| |-creator_banned_from_community: A logical value
| |-counts: <list>
| | |-id: A numeric value
| | |-post_id: A numeric value
| | |-comments: A numeric value
| | |-score: A numeric value
| | |-upvotes: A numeric value
| | |-downvotes: A numeric value
| | |-published: A character value
| | |-newest_comment_time_necro: A character value
| | |-newest_comment_time: A character value
| | |-featured_community: A logical value
| | |-featured_local: A logical value

```

```

| | |-hot_rank: A numeric value
| | `|-hot_rank_active: A numeric value
| |-subscribed: One of "Subscribed", "NotSubscri...
| |-saved: A logical value
| |-read: A logical value
| |-creator_blocked: A logical value
| |-my_vote: (Optional) A numeric value
| `|-unread_comments: A numeric value
|-community: <list>
| |-community: <list>
| | |-id: A numeric value
| | |-name: A character value
| | |-title: A character value
| | |-description: (Optional) A character value
| | |-removed: A logical value
| | |-published: A character value
| | |-updated: (Optional) A character value
| | |-deleted: A logical value
| | |-nsfw: A logical value
| | |-actor_id: A character value
| | |-local: A logical value
| | |-icon: (Optional) A character value
| | |-banner: (Optional) A character value
| | |-followers_url: A character value
| | |-inbox_url: A character value
| | |-hidden: A logical value
| | |-posting_restricted_to_mods: A logical value
| | `|-instance_id: A numeric value
| |-subscribed: One of "Subscribed", "NotSubscri...
| |-blocked: A logical value
| `|-counts: <list>
|   |-id: A numeric value
|   |-community_id: A numeric value
|   |-subscribers: A numeric value
|   |-posts: A numeric value
|   |-comments: A numeric value
|   |-published: A character value
|   |-users_active_day: A numeric value
|   |-users_active_week: A numeric value
|   |-users_active_month: A numeric value
|   |-users_active_half_year: A numeric value
|   `|-hot_rank: A numeric value
`-person: <list>
  |-person: <list>
  | |-id: A numeric value
  | |-name: A character value
  | |-display_name: (Optional) A character value
  | |-avatar: (Optional) A character value

```

```

| |-banned: A logical value
| |-published: A character value
| |-updated: (Optional) A character value
| |-actor_id: A character value
| |-bio: (Optional) A character value
| |-local: A logical value
| |-banner: (Optional) A character value
| |-deleted: A logical value
| |-inbox_url: A character value
| |-matrix_user_id: (Optional) A character value
| |-admin: A logical value
| |-bot_account: A logical value
| |-ban_expires: (Optional) A character value
| `~-instance_id: A numeric value
`~counts: <list>
  |-id: A numeric value
  |-person_id: A numeric value
  |-post_count: A numeric value
  |-post_score: A numeric value
  |-comment_count: A numeric value
  `~-comment_score: A numeric value

```

lemmy_resolve_post_report

Resolve a post report. Only a mod can do this.

Description

HTTP.PUT /post/report/resolve

Usage

```

lemmy_resolve_post_report(
  report_id,
  resolved,
  auth,
  .lemmy_instance = getOption("lemmy_instance", "https://lemmy.world")
)

```

Arguments

report_id	A numeric value.
resolved	A logical value.
auth	A character value.
.lemmy_instance	Default: "https://lemmy.world". Change the default instance by setting the lemmmy_instance options() .

Value

A list of length 1:

```
<list>
  ^-post_report_view: <list>
    |-post_report: <list>
      |-id: A numeric value
      |-creator_id: A numeric value
      |-post_id: A numeric value
      |-original_post_name: A character value
      |-original_post_url: (Optional) A character value
      |-original_post_body: (Optional) A character value
      |-reason: A character value
      |-resolved: A logical value
      |-resolver_id: (Optional) A numeric value
      |-published: A character value
      | ^-updated: (Optional) A character value
    |-post: <list>
      |-id: A numeric value
      |-name: A character value
      |-url: (Optional) A character value
      |-body: (Optional) A character value
      |-creator_id: A numeric value
      |-community_id: A numeric value
      |-removed: A logical value
      |-locked: A logical value
      |-published: A character value
      |-updated: (Optional) A character value
      |-deleted: A logical value
      |-nsfw: A logical value
      |-embed_title: (Optional) A character value
      |-embed_description: (Optional) A character value
      |-thumbnail_url: (Optional) A character value
      |-ap_id: A character value
      |-local: A logical value
      |-embed_video_url: (Optional) A character value
      |-language_id: A numeric value
      |-featured_community: A logical value
      | ^-featured_local: A logical value
    |-community: <list>
      |-id: A numeric value
      |-name: A character value
      |-title: A character value
      |-description: (Optional) A character value
      |-removed: A logical value
      |-published: A character value
      |-updated: (Optional) A character value
      |-deleted: A logical value
```

```

| |-nsfw: A logical value
| |-actor_id: A character value
| |-local: A logical value
| |-icon: (Optional) A character value
| |-banner: (Optional) A character value
| |-followers_url: A character value
| |-inbox_url: A character value
| |-hidden: A logical value
| |-posting_restricted_to_mods: A logical value
| `~-instance_id: A numeric value
|-creator: <list>
| |-id: A numeric value
| |-name: A character value
| |-display_name: (Optional) A character value
| |-avatar: (Optional) A character value
| |-banned: A logical value
| |-published: A character value
| |-updated: (Optional) A character value
| |-actor_id: A character value
| |-bio: (Optional) A character value
| |-local: A logical value
| |-banner: (Optional) A character value
| |-deleted: A logical value
| |-inbox_url: A character value
| |-matrix_user_id: (Optional) A character value
| |-admin: A logical value
| |-bot_account: A logical value
| |-ban_expires: (Optional) A character value
| `~-instance_id: A numeric value
|-post_creator: <list>
| |-id: A numeric value
| |-name: A character value
| |-display_name: (Optional) A character value
| |-avatar: (Optional) A character value
| |-banned: A logical value
| |-published: A character value
| |-updated: (Optional) A character value
| |-actor_id: A character value
| |-bio: (Optional) A character value
| |-local: A logical value
| |-banner: (Optional) A character value
| |-deleted: A logical value
| |-inbox_url: A character value
| |-matrix_user_id: (Optional) A character value
| |-admin: A logical value
| |-bot_account: A logical value
| |-ban_expires: (Optional) A character value
| `~-instance_id: A numeric value

```

```

|-creator_banned_from_community: A logical value
|-my_vote: (Optional) A numeric value
|-counts: <list>
|  |-id: A numeric value
|  |-post_id: A numeric value
|  |-comments: A numeric value
|  |-score: A numeric value
|  |-upvotes: A numeric value
|  |-downvotes: A numeric value
|  |-published: A character value
|  |-newest_comment_time_necro: A character value
|  |-newest_comment_time: A character value
|  |-featured_community: A logical value
|  |-featured_local: A logical value
|  |-hot_rank: A numeric value
|  `~-hot_rank_active: A numeric value
`~-resolver: <list>
  |-id: A numeric value
  |-name: A character value
  |-display_name: (Optional) A character value
  |-avatar: (Optional) A character value
  |-banned: A logical value
  |-published: A character value
  |-updated: (Optional) A character value
  |-actor_id: A character value
  |-bio: (Optional) A character value
  |-local: A logical value
  |-banner: (Optional) A character value
  |-deleted: A logical value
  |-inbox_url: A character value
  |-matrix_user_id: (Optional) A character value
  |-admin: A logical value
  |-bot_account: A logical value
  |-ban_expires: (Optional) A character value
  `~-instance_id: A numeric value

```

lemmy_resolve_private_message_report

Resolve a report for a private message.

Description

HTTP.PUT /private_message/report/resolve

Usage

```
lemmy_resolve_private_message_report(
```

```

    report_id,
    resolved,
    auth,
    .lemmy_instance = getOption("lemmy_instance", "https://lemmy.world")
)

```

Arguments

report_id	A numeric value.
resolved	A logical value.
auth	A character value.
.lemmy_instance	Default: "https://lemmy.world". Change the default instance by setting the lemmmy_instance options() .

Value

A list of length 1:

```

<list>
`-private_message_report_view: <list>
  |-private_message_report: <list>
    |-id: A numeric value
    |-creator_id: A numeric value
    |-private_message_id: A numeric value
    |-original_pm_text: A character value
    |-reason: A character value
    |-resolved: A logical value
    |-resolver_id: (Optional) A numeric value
    |-published: A character value
    |-updated: (Optional) A character value
    |-private_message: <list>
      |-id: A numeric value
      |-creator_id: A numeric value
      |-recipient_id: A numeric value
      |-content: A character value
      |-deleted: A logical value
      |-read: A logical value
      |-published: A character value
      |-updated: (Optional) A character value
      |-ap_id: A character value
      |-local: A logical value
    |-private_message_creator: <list>
      |-id: A numeric value
      |-name: A character value
      |-display_name: (Optional) A character value
      |-avatar: (Optional) A character value
      |-banned: A logical value

```

```
| |-published: A character value
| |-updated: (Optional) A character value
| |-actor_id: A character value
| |-bio: (Optional) A character value
| |-local: A logical value
| |-banner: (Optional) A character value
| |-deleted: A logical value
| |-inbox_url: A character value
| |-matrix_user_id: (Optional) A character value
| |-admin: A logical value
| |-bot_account: A logical value
| |-ban_expires: (Optional) A character value
| `~-instance_id: A numeric value
|-creator: <list>
| |-id: A numeric value
| |-name: A character value
| |-display_name: (Optional) A character value
| |-avatar: (Optional) A character value
| |-banned: A logical value
| |-published: A character value
| |-updated: (Optional) A character value
| |-actor_id: A character value
| |-bio: (Optional) A character value
| |-local: A logical value
| |-banner: (Optional) A character value
| |-deleted: A logical value
| |-inbox_url: A character value
| |-matrix_user_id: (Optional) A character value
| |-admin: A logical value
| |-bot_account: A logical value
| |-ban_expires: (Optional) A character value
| `~-instance_id: A numeric value
`~-resolver: <list>
  |-id: A numeric value
  |-name: A character value
  |-display_name: (Optional) A character value
  |-avatar: (Optional) A character value
  |-banned: A logical value
  |-published: A character value
  |-updated: (Optional) A character value
  |-actor_id: A character value
  |-bio: (Optional) A character value
  |-local: A logical value
  |-banner: (Optional) A character value
  |-deleted: A logical value
  |-inbox_url: A character value
  |-matrix_user_id: (Optional) A character value
  |-admin: A logical value
```

```

|-bot_account: A logical value
|-ban_expires: (Optional) A character value
~-instance_id: A numeric value

```

lemmy_save_comment	<i>Save a comment.</i>
--------------------	------------------------

Description

HTTP.PUT /comment/save

Usage

```

lemmy_save_comment(
  comment_id,
  save,
  auth,
  .lemmy_instance = getOption("lemmy_instance", "https://lemmy.world")
)

```

Arguments

comment_id	A numeric value.
save	A logical value.
auth	A character value.
.lemmy_instance	Default: "https://lemmy.world". Change the default instance by setting the <code>lemmy_instance</code> options() .

Value

A list of length 3:

```

<list>
|-comment_view: <list>
| |-comment: <list>
| | |-id: A numeric value
| | |-creator_id: A numeric value
| | |-post_id: A numeric value
| | |-content: A character value
| | |-removed: A logical value
| | |-published: A character value
| | |-updated: (Optional) A character value
| | |-deleted: A logical value
| | |-ap_id: A character value
| | |-local: A logical value
| | |-path: A character value

```

```
| | |-distinguished: A logical value
| | `~-language_id: A numeric value
| |-creator: <list>
| | |-id: A numeric value
| | |-name: A character value
| | |-display_name: (Optional) A character value
| | |-avatar: (Optional) A character value
| | |-banned: A logical value
| | |-published: A character value
| | |-updated: (Optional) A character value
| | |-actor_id: A character value
| | |-bio: (Optional) A character value
| | |-local: A logical value
| | |-banner: (Optional) A character value
| | |-deleted: A logical value
| | |-inbox_url: A character value
| | |-matrix_user_id: (Optional) A character value
| | |-admin: A logical value
| | |-bot_account: A logical value
| | |-ban_expires: (Optional) A character value
| | `~-instance_id: A numeric value
| |-post: <list>
| | |-id: A numeric value
| | |-name: A character value
| | |-url: (Optional) A character value
| | |-body: (Optional) A character value
| | |-creator_id: A numeric value
| | |-community_id: A numeric value
| | |-removed: A logical value
| | |-locked: A logical value
| | |-published: A character value
| | |-updated: (Optional) A character value
| | |-deleted: A logical value
| | |-nsfw: A logical value
| | |-embed_title: (Optional) A character value
| | |-embed_description: (Optional) A character value
| | |-thumbnail_url: (Optional) A character value
| | |-ap_id: A character value
| | |-local: A logical value
| | |-embed_video_url: (Optional) A character value
| | |-language_id: A numeric value
| | |-featured_community: A logical value
| | `~-featured_local: A logical value
| |-community: <list>
| | |-id: A numeric value
| | |-name: A character value
| | |-title: A character value
| | |-description: (Optional) A character value
```

```

| | |-removed: A logical value
| | |-published: A character value
| | |-updated: (Optional) A character value
| | |-deleted: A logical value
| | |-nsfw: A logical value
| | |-actor_id: A character value
| | |-local: A logical value
| | |-icon: (Optional) A character value
| | |-banner: (Optional) A character value
| | |-followers_url: A character value
| | |-inbox_url: A character value
| | |-hidden: A logical value
| | |-posting_restricted_to_mods: A logical value
| | `~-instance_id: A numeric value
| |-counts: <list>
| | |-id: A numeric value
| | |-comment_id: A numeric value
| | |-score: A numeric value
| | |-upvotes: A numeric value
| | |-downvotes: A numeric value
| | |-published: A character value
| | |-child_count: A numeric value
| | `~-hot_rank: A numeric value
| |-creator_banned_from_community: A logical value
| |-subscribed: One of "Subscribed", "NotSubscri...
| |-saved: A logical value
| |-creator_blocked: A logical value
| `~-my_vote: (Optional) A numeric value
|-recipient_ids: A numeric vector
`~-form_id: (Optional) A character value

```

lemmy_save_post	<i>Save a post.</i>
-----------------	---------------------

Description

HTTP.PUT /post/save

Usage

```

lemmy_save_post(
  post_id,
  save,
  auth,
  .lemmy_instance = getOption("lemmy_instance", "https://lemmy.world")
)

```

Arguments

post_id	A numeric value.
save	A logical value.
auth	A character value.
.lemmy_instance	Default: "https://lemmy.world". Change the default instance by setting the <code>lemmy_instance</code> options() .

Value

A list of length 1:

```
<list>
~-post_view: <list>
  |-post: <list>
    |-id: A numeric value
    |-name: A character value
    |-url: (Optional) A character value
    |-body: (Optional) A character value
    |-creator_id: A numeric value
    |-community_id: A numeric value
    |-removed: A logical value
    |-locked: A logical value
    |-published: A character value
    |-updated: (Optional) A character value
    |-deleted: A logical value
    |-nsfw: A logical value
    |-embed_title: (Optional) A character value
    |-embed_description: (Optional) A character value
    |-thumbnail_url: (Optional) A character value
    |-ap_id: A character value
    |-local: A logical value
    |-embed_video_url: (Optional) A character value
    |-language_id: A numeric value
    |-featured_community: A logical value
    |-featured_local: A logical value
  |-creator: <list>
    |-id: A numeric value
    |-name: A character value
    |-display_name: (Optional) A character value
    |-avatar: (Optional) A character value
    |-banned: A logical value
    |-published: A character value
    |-updated: (Optional) A character value
    |-actor_id: A character value
    |-bio: (Optional) A character value
    |-local: A logical value
    |-banner: (Optional) A character value
```

```

| |-deleted: A logical value
| |-inbox_url: A character value
| |-matrix_user_id: (Optional) A character value
| |-admin: A logical value
| |-bot_account: A logical value
| |-ban_expires: (Optional) A character value
| `--instance_id: A numeric value
|-community: <list>
| |-id: A numeric value
| |-name: A character value
| |-title: A character value
| |-description: (Optional) A character value
| |-removed: A logical value
| |-published: A character value
| |-updated: (Optional) A character value
| |-deleted: A logical value
| |-nsfw: A logical value
| |-actor_id: A character value
| |-local: A logical value
| |-icon: (Optional) A character value
| |-banner: (Optional) A character value
| |-followers_url: A character value
| |-inbox_url: A character value
| |-hidden: A logical value
| |-posting_restricted_to_mods: A logical value
| `--instance_id: A numeric value
|-creator_banned_from_community: A logical value
|-counts: <list>
| |-id: A numeric value
| |-post_id: A numeric value
| |-comments: A numeric value
| |-score: A numeric value
| |-upvotes: A numeric value
| |-downvotes: A numeric value
| |-published: A character value
| |-newest_comment_time_necro: A character value
| |-newest_comment_time: A character value
| |-featured_community: A logical value
| |-featured_local: A logical value
| |-hot_rank: A numeric value
| `--hot_rank_active: A numeric value
|-subscribed: One of "Subscribed", "NotSubscri...
|-saved: A logical value
|-read: A logical value
|-creator_blocked: A logical value
|-my_vote: (Optional) A numeric value
`--unread_comments: A numeric value

```

`lemmy_save_user_settings`*Save your user settings.*

Description

HTTP.PUT /user/save_user_settings

Usage

```
lemmy_save_user_settings(  
  show_nsfw = NULL,  
  show_scores = NULL,  
  theme = NULL,  
  default_sort_type = NULL,  
  default_listing_type = NULL,  
  interface_language = NULL,  
  avatar = NULL,  
  banner = NULL,  
  display_name = NULL,  
  email = NULL,  
  bio = NULL,  
  matrix_user_id = NULL,  
  show_avatars = NULL,  
  send_notifications_to_email = NULL,  
  bot_account = NULL,  
  show_bot_accounts = NULL,  
  show_read_posts = NULL,  
  show_new_post_notifs = NULL,  
  discussion_languages = NULL,  
  generate_totp_2fa = NULL,  
  auth,  
  open_links_in_new_tab = NULL,  
  .lemmy_instance = getOption("lemmy_instance", "https://lemmy.world")  
)
```

Arguments

<code>show_nsfw</code>	(Optional) A logical value.
<code>show_scores</code>	(Optional) A logical value.
<code>theme</code>	(Optional) A character value.
<code>default_sort_type</code>	(Optional) One of "Active", "Hot", "New", "Old", "TopDay", "TopWeek", "TopMonth", "TopYear", "TopAll", "MostComments", "NewComments", "TopHour", "TopSixHour", "TopTwelveHour", "TopThreeMonths", "TopSixMonths", or "TopNineMonths".

```

default_listing_type
    (Optional) One of "All", "Local", or "Subscribed".
interface_language
    (Optional) A character value.
avatar
    (Optional) A character value.
banner
    (Optional) A character value.
display_name
    (Optional) A character value.
email
    (Optional) A character value.
bio
    (Optional) A character value.
matrix_user_id
    (Optional) A character value.
show_avatars
    (Optional) A logical value.
send_notifications_to_email
    (Optional) A logical value.
bot_account
    (Optional) A logical value.
show_bot_accounts
    (Optional) A logical value.
show_read_posts
    (Optional) A logical value.
show_new_post_notifs
    (Optional) A logical value.
discussion_languages
    (Optional) A numeric vector.
generate_totp_2fa
    (Optional) A logical value.
auth
    A character value.
open_links_in_new_tab
    (Optional) A logical value.
.lemmy_instance
    Default: "https://lemmy.world". Change the default instance by setting the
    lemmmy_instance options\(\).

```

Value

A list of length 3:

```

<list>
|-jwt: (Optional) A character value
|-registration_created: A logical value
`-verify_email_sent: A logical value

```

lemmy_search	<i>Search lemmy.</i>
--------------	----------------------

Description

HTTP.GET /search

Usage

```
lemmy_search(  
  q,  
  community_id = NULL,  
  community_name = NULL,  
  creator_id = NULL,  
  type_ = NULL,  
  sort = NULL,  
  listing_type = NULL,  
  page = NULL,  
  limit = NULL,  
  auth = NULL,  
  .lemmy_instance = getOption("lemmy_instance", "https://lemmy.world")  
)
```

Arguments

q	A character value.
community_id	(Optional) A numeric value.
community_name	(Optional) A character value.
creator_id	(Optional) A numeric value.
type_	(Optional) One of "All", "Comments", "Posts", "Communities", "Users", or "Url".
sort	(Optional) One of "Active", "Hot", "New", "Old", "TopDay", "TopWeek", "Top-Month", "TopYear", "TopAll", "MostComments", "NewComments", "TopHour", "TopSixHour", "TopTwelveHour", "TopThreeMonths", "TopSixMonths", or "Top-NineMonths".
listing_type	(Optional) One of "All", "Local", or "Subscribed".
page	(Optional) A numeric value.
limit	(Optional) A numeric value.
auth	(Optional) A character value.
.lemmy_instance	Default: "https://lemmy.world". Change the default instance by setting the lemmy_instance options() .

Value

A list of length 5:

```

<list>
|-type_: One of "All", "Comments", "Posts...
|-comments: <list>
|  `-[Each element]: <list>
|    |-comment: <list>
|      | |-id: A numeric value
|      | |-creator_id: A numeric value
|      | |-post_id: A numeric value
|      | |-content: A character value
|      | |-removed: A logical value
|      | |-published: A character value
|      | |-updated: (Optional) A character value
|      | |-deleted: A logical value
|      | |-ap_id: A character value
|      | |-local: A logical value
|      | |-path: A character value
|      | |-distinguished: A logical value
|      | `|-language_id: A numeric value
|    |-creator: <list>
|      | |-id: A numeric value
|      | |-name: A character value
|      | |-display_name: (Optional) A character value
|      | |-avatar: (Optional) A character value
|      | |-banned: A logical value
|      | |-published: A character value
|      | |-updated: (Optional) A character value
|      | |-actor_id: A character value
|      | |-bio: (Optional) A character value
|      | |-local: A logical value
|      | |-banner: (Optional) A character value
|      | |-deleted: A logical value
|      | |-inbox_url: A character value
|      | |-matrix_user_id: (Optional) A character value
|      | |-admin: A logical value
|      | |-bot_account: A logical value
|      | |-ban_expires: (Optional) A character value
|      | `|-instance_id: A numeric value
|    |-post: <list>
|      | |-id: A numeric value
|      | |-name: A character value
|      | |-url: (Optional) A character value
|      | |-body: (Optional) A character value
|      | |-creator_id: A numeric value
|      | |-community_id: A numeric value
|      | |-removed: A logical value

```

```

| | |-locked: A logical value
| | |-published: A character value
| | |-updated: (Optional) A character value
| | |-deleted: A logical value
| | |-nsfw: A logical value
| | |-embed_title: (Optional) A character value
| | |-embed_description: (Optional) A character value
| | |-thumbnail_url: (Optional) A character value
| | |-ap_id: A character value
| | |-local: A logical value
| | |-embed_video_url: (Optional) A character value
| | |-language_id: A numeric value
| | |-featured_community: A logical value
| | `--featured_local: A logical value
| |-community: <list>
| | |-id: A numeric value
| | |-name: A character value
| | |-title: A character value
| | |-description: (Optional) A character value
| | |-removed: A logical value
| | |-published: A character value
| | |-updated: (Optional) A character value
| | |-deleted: A logical value
| | |-nsfw: A logical value
| | |-actor_id: A character value
| | |-local: A logical value
| | |-icon: (Optional) A character value
| | |-banner: (Optional) A character value
| | |-followers_url: A character value
| | |-inbox_url: A character value
| | |-hidden: A logical value
| | |-posting_restricted_to_mods: A logical value
| | `--instance_id: A numeric value
| |-counts: <list>
| | |-id: A numeric value
| | |-comment_id: A numeric value
| | |-score: A numeric value
| | |-upvotes: A numeric value
| | |-downvotes: A numeric value
| | |-published: A character value
| | |-child_count: A numeric value
| | `--hot_rank: A numeric value
| |-creator_banned_from_community: A logical value
| |-subscribed: One of "Subscribed", "NotSubscri...
| |-saved: A logical value
| |-creator_blocked: A logical value
| `--my_vote: (Optional) A numeric value
|-posts: <list>

```

```

|  `-[Each element]: <list>
|  | -post: <list>
|  | | -id: A numeric value
|  | | -name: A character value
|  | | -url: (Optional) A character value
|  | | -body: (Optional) A character value
|  | | -creator_id: A numeric value
|  | | -community_id: A numeric value
|  | | -removed: A logical value
|  | | -locked: A logical value
|  | | -published: A character value
|  | | -updated: (Optional) A character value
|  | | -deleted: A logical value
|  | | -nsfw: A logical value
|  | | -embed_title: (Optional) A character value
|  | | -embed_description: (Optional) A character value
|  | | -thumbnail_url: (Optional) A character value
|  | | -ap_id: A character value
|  | | -local: A logical value
|  | | -embed_video_url: (Optional) A character value
|  | | -language_id: A numeric value
|  | | -featured_community: A logical value
|  | | `-featured_local: A logical value
|  | -creator: <list>
|  | | -id: A numeric value
|  | | -name: A character value
|  | | -display_name: (Optional) A character value
|  | | -avatar: (Optional) A character value
|  | | -banned: A logical value
|  | | -published: A character value
|  | | -updated: (Optional) A character value
|  | | -actor_id: A character value
|  | | -bio: (Optional) A character value
|  | | -local: A logical value
|  | | -banner: (Optional) A character value
|  | | -deleted: A logical value
|  | | -inbox_url: A character value
|  | | -matrix_user_id: (Optional) A character value
|  | | -admin: A logical value
|  | | -bot_account: A logical value
|  | | -ban_expires: (Optional) A character value
|  | | `-instance_id: A numeric value
|  | -community: <list>
|  | | -id: A numeric value
|  | | -name: A character value
|  | | -title: A character value
|  | | -description: (Optional) A character value
|  | | -removed: A logical value

```

```

| | |-published: A character value
| | |-updated: (Optional) A character value
| | |-deleted: A logical value
| | |-nsfw: A logical value
| | |-actor_id: A character value
| | |-local: A logical value
| | |-icon: (Optional) A character value
| | |-banner: (Optional) A character value
| | |-followers_url: A character value
| | |-inbox_url: A character value
| | |-hidden: A logical value
| | |-posting_restricted_to_mods: A logical value
| | `~-instance_id: A numeric value
| |-creator_banned_from_community: A logical value
| |-counts: <list>
| | |-id: A numeric value
| | |-post_id: A numeric value
| | |-comments: A numeric value
| | |-score: A numeric value
| | |-upvotes: A numeric value
| | |-downvotes: A numeric value
| | |-published: A character value
| | |-newest_comment_time_necro: A character value
| | |-newest_comment_time: A character value
| | |-featured_community: A logical value
| | |-featured_local: A logical value
| | |-hot_rank: A numeric value
| | `~-hot_rank_active: A numeric value
| |-subscribed: One of "Subscribed", "NotSubscri...
| |-saved: A logical value
| |-read: A logical value
| |-creator_blocked: A logical value
| |-my_vote: (Optional) A numeric value
| | `~-unread_comments: A numeric value
|-communities: <list>
| `-[Each element]: <list>
| | |-community: <list>
| | | |-id: A numeric value
| | | |-name: A character value
| | | |-title: A character value
| | | |-description: (Optional) A character value
| | | |-removed: A logical value
| | | |-published: A character value
| | | |-updated: (Optional) A character value
| | | |-deleted: A logical value
| | | |-nsfw: A logical value
| | | |-actor_id: A character value
| | | |-local: A logical value

```

```

| | |-icon: (Optional) A character value
| | |-banner: (Optional) A character value
| | |-followers_url: A character value
| | |-inbox_url: A character value
| | |-hidden: A logical value
| | |-posting_restricted_to_mods: A logical value
| | `--instance_id: A numeric value
| |-subscribed: One of "Subscribed", "NotSubscri...
| |-blocked: A logical value
| `--counts: <list>
|   |-id: A numeric value
|   |-community_id: A numeric value
|   |-subscribers: A numeric value
|   |-posts: A numeric value
|   |-comments: A numeric value
|   |-published: A character value
|   |-users_active_day: A numeric value
|   |-users_active_week: A numeric value
|   |-users_active_month: A numeric value
|   |-users_active_half_year: A numeric value
|   `--hot_rank: A numeric value
|--users: <list>
  |--[Each element]: <list>
    |--person: <list>
      |-id: A numeric value
      |-name: A character value
      |-display_name: (Optional) A character value
      |-avatar: (Optional) A character value
      |-banned: A logical value
      |-published: A character value
      |-updated: (Optional) A character value
      |-actor_id: A character value
      |-bio: (Optional) A character value
      |-local: A logical value
      |-banner: (Optional) A character value
      |-deleted: A logical value
      |-inbox_url: A character value
      |-matrix_user_id: (Optional) A character value
      |-admin: A logical value
      |-bot_account: A logical value
      |-ban_expires: (Optional) A character value
      `--instance_id: A numeric value
    `--counts: <list>
      |-id: A numeric value
      |-person_id: A numeric value
      |-post_count: A numeric value
      |-post_score: A numeric value
      |-comment_count: A numeric value

```

``-comment_score`: A numeric value

Examples

```
search_results <- lemmys_search("Liverpool", type_ = "Posts", sort = "TopAll", limit = 1)

search_results$posts[[1]]$community$name

search_results$posts[[1]]$post$name
```

```
lemmy_transfer_community
```

Transfer your community to an existing moderator.

Description

HTTP.POST /community/transfer

Usage

```
lemmy_transfer_community(
  community_id,
  person_id,
  auth,
  .lemmy_instance = getOption("lemmy_instance", "https://lemmy.world")
)
```

Arguments

<code>community_id</code>	A numeric value.
<code>person_id</code>	A numeric value.
<code>auth</code>	A character value.
<code>.lemmy_instance</code>	Default: "https://lemmy.world". Change the default instance by setting the <code>lemmy_instance</code> options() .

Value

A list of length 4:

```
<list>
|-community_view: <list>
| |-community: <list>
| | |-id: A numeric value
| | |-name: A character value
| | |-title: A character value
```

```

| | |-description: (Optional) A character value
| | |-removed: A logical value
| | |-published: A character value
| | |-updated: (Optional) A character value
| | |-deleted: A logical value
| | |-nsfw: A logical value
| | |-actor_id: A character value
| | |-local: A logical value
| | |-icon: (Optional) A character value
| | |-banner: (Optional) A character value
| | |-followers_url: A character value
| | |-inbox_url: A character value
| | |-hidden: A logical value
| | |-posting_restricted_to_mods: A logical value
| | `~instance_id: A numeric value
| |-subscribed: One of "Subscribed", "NotSubscri...
| |-blocked: A logical value
| `~counts: <list>
|   |-id: A numeric value
|   |-community_id: A numeric value
|   |-subscribers: A numeric value
|   |-posts: A numeric value
|   |-comments: A numeric value
|   |-published: A character value
|   |-users_active_day: A numeric value
|   |-users_active_week: A numeric value
|   |-users_active_month: A numeric value
|   |-users_active_half_year: A numeric value
|   `~hot_rank: A numeric value
|-site: <list>
|   |-id: A numeric value
|   |-name: A character value
|   |-sidebar: (Optional) A character value
|   |-published: A character value
|   |-updated: (Optional) A character value
|   |-icon: (Optional) A character value
|   |-banner: (Optional) A character value
|   |-description: (Optional) A character value
|   |-actor_id: A character value
|   |-last_refreshed_at: A character value
|   |-inbox_url: A character value
|   |-private_key: (Optional) A character value
|   |-public_key: A character value
|   `~instance_id: A numeric value
|-moderators: <list>
| `~[Each element]: <list>
|   |-community: <list>
|     |-id: A numeric value

```

```

| | |-name: A character value
| | |-title: A character value
| | |-description: (Optional) A character value
| | |-removed: A logical value
| | |-published: A character value
| | |-updated: (Optional) A character value
| | |-deleted: A logical value
| | |-nsfw: A logical value
| | |-actor_id: A character value
| | |-local: A logical value
| | |-icon: (Optional) A character value
| | |-banner: (Optional) A character value
| | |-followers_url: A character value
| | |-inbox_url: A character value
| | |-hidden: A logical value
| | |-posting_restricted_to_mods: A logical value
| | `~instance_id: A numeric value
| `~moderator: <list>
|   |-id: A numeric value
|   |-name: A character value
|   |-display_name: (Optional) A character value
|   |-avatar: (Optional) A character value
|   |-banned: A logical value
|   |-published: A character value
|   |-updated: (Optional) A character value
|   |-actor_id: A character value
|   |-bio: (Optional) A character value
|   |-local: A logical value
|   |-banner: (Optional) A character value
|   |-deleted: A logical value
|   |-inbox_url: A character value
|   |-matrix_user_id: (Optional) A character value
|   |-admin: A logical value
|   |-bot_account: A logical value
|   |-ban_expires: (Optional) A character value
|   `~instance_id: A numeric value
| `~discussion_languages: A numeric vector

```

lemmy_verify_email	Verify your email
--------------------	-------------------

Description

HTTP.POST /user/verify_email

Usage

```
lemmy_verify_email(  
  token,  
  .lemmy_instance = getOption("lemmy_instance", "https://lemmy.world")  
)
```

Arguments

token	A character value.
.lemmy_instance	Default: "https://lemmy.world". Change the default instance by setting the <code>lemmy_instance</code> options() .

Value

A list of length 0:

<list>

Index

lemmy_add_admin, [3](#)
lemmy_add_mod_to_community, [4](#)
lemmy_approve_registration_application,
[6](#)
lemmy_ban_from_community, [8](#)
lemmy_ban_person, [10](#)
lemmy_block_community, [11](#)
lemmy_block_person, [12](#)
lemmy_change_password, [14](#)
lemmy_create_comment, [15](#)
lemmy_create_comment_report, [17](#)
lemmy_create_community, [21](#)
lemmy_create_custom_emoji, [23](#)
lemmy_create_post, [24](#)
lemmy_create_post_report, [26](#)
lemmy_create_private_message, [30](#)
lemmy_create_private_message_report,
[31](#)
lemmy_create_site, [34](#)
lemmy_delete_account, [38](#)
lemmy_delete_comment, [39](#)
lemmy_delete_community, [41](#)
lemmy_delete_custom_emoji, [43](#)
lemmy_delete_post, [44](#)
lemmy_delete_private_message, [46](#)
lemmy_distinguish_comment, [48](#)
lemmy_edit_comment, [50](#)
lemmy_edit_community, [53](#)
lemmy_edit_custom_emoji, [55](#)
lemmy_edit_post, [56](#)
lemmy_edit_private_message, [58](#)
lemmy_edit_site, [60](#)
lemmy_feature_post, [65](#)
lemmy_follow_community, [67](#)
lemmy_get_banned_persons, [69](#)
lemmy_get_captcha, [70](#)
lemmy_get_comment, [71](#)
lemmy_get_comments, [73](#)
lemmy_get_community, [76](#)
lemmy_get_federated_instances, [79](#)
lemmy_get_modlog, [80](#)
lemmy_get_person_details, [99](#)
lemmy_get_person_mentions, [105](#)
lemmy_get_post, [108](#)
lemmy_get_posts, [114](#)
lemmy_get_private_messages, [117](#)
lemmy_get_replies, [119](#)
lemmy_get_report_count, [122](#)
lemmy_get_site, [123](#)
lemmy_get_site_metadata, [130](#)
lemmy_get_unread_count, [131](#)
lemmy_get_unread_registration_application_count,
[132](#)
lemmy_leave_admin, [133](#)
lemmy_like_comment, [140](#)
lemmy_like_post, [143](#)
lemmy_list_comment_reports, [145](#)
lemmy_list_communities, [149](#)
lemmy_list_post_reports, [151](#)
lemmy_list_private_message_reports,
[154](#)
lemmy_list_registration_applications,
[156](#)
lemmy_lock_post, [159](#)
lemmy_login, [161](#)
lemmy_mark_all_as_read, [162](#)
lemmy_mark_comment_reply_as_read, [165](#)
lemmy_mark_person_mention_as_read, [168](#)
lemmy_mark_post_as_read, [171](#)
lemmy_mark_private_message_as_read,
[173](#)
lemmy_password_change_after_reset, [175](#)
lemmy_password_reset, [176](#)
lemmy_purge_comment, [177](#)
lemmy_purge_community, [177](#)
lemmy_purge_person, [178](#)
lemmy_purge_post, [179](#)
lemmy_register, [179](#)

lemmy_remove_comment, [181](#)
lemmy_remove_community, [183](#)
lemmy_remove_post, [185](#)
lemmy_resolve_comment_report, [187](#)
lemmy_resolve_object, [191](#)
lemmy_resolve_post_report, [196](#)
lemmy_resolve_private_message_report,
 [199](#)
lemmy_save_comment, [202](#)
lemmy_save_post, [204](#)
lemmy_save_user_settings, [207](#)
lemmy_search, [209](#)
lemmy_transfer_community, [215](#)
lemmy_verify_email, [217](#)

options(), [4–6](#), [9–11](#), [13–15](#), [18](#), [22–24](#), [27](#),
 [30](#), [32](#), [36](#), [39](#), [42–44](#), [46](#), [48](#), [51](#),
 [54–56](#), [59](#), [63](#), [65](#), [68–71](#), [74](#), [77](#), [79](#),
 [81](#), [100](#), [106](#), [109](#), [115](#), [117](#), [119](#),
 [122](#), [123](#), [131–133](#), [141](#), [143](#), [146](#),
 [149](#), [151](#), [155](#), [157](#), [159](#), [161](#), [162](#),
 [165](#), [168](#), [171](#), [174](#), [176–181](#), [184](#),
 [185](#), [188](#), [191](#), [196](#), [200](#), [202](#), [205](#),
 [208](#), [209](#), [215](#), [218](#)