

Package ‘rodeo’

July 23, 2025

Type Package
NeedsCompilation yes
Title A Code Generator for ODE-Based Models
Version 0.8.2
Date 2024-07-08
Author David Kneis <david.kneis@tu-dresden.de>
Maintainer David Kneis <david.kneis@tu-dresden.de>
Description Provides an R6 class and several utility methods to facilitate the implementation of models based on ordinary differential equations. The heart of the package is a code generator that creates compiled 'Fortran' (or 'R') code which can be passed to a numerical solver. There is direct support for solvers contained in packages 'deSolve' and 'rootSolve'.
URL <https://github.com/dkneis/rodeo>
License GPL (>= 2)
Imports R6, deSolve, readxl, readODS
VignetteBuilder knitr
Suggests knitr, rmarkdown, xtable, rootSolve
SystemRequirements The tools to run 'R CMD SHLIB' on 'Fortran' code. The used 'Fortran' compiler must support pointer initialization which is a feature of the 2008 standard.
Encoding UTF-8
RoxygenNote 7.3.2
Repository CRAN
Date/Publication 2024-07-08 22:00:02 UTC

Contents

rodeo-package	2
buildFromWorkbook	3

compile	5
dynamics	6
exportDF	7
finalize	9
forcingFunctions	9
funs	11
generate	12
getPars	13
getVars	13
initialize	14
initStepper	16
libFunc	16
libName	17
pars	17
plotStoichiometry	18
pros	19
rodeo-class	19
setPars	21
setVars	22
step	23
stoi	24
stoiCheck	25
stoichiometry	26
stoiCreate	27
vars	30
Index	31

rodeo-package	<i>Package to Facilitate ODE-Based Modeling</i>
---------------	---

Description

- This package provides methods to
- import a conceptual ODE-based model stored in tabular form (i.e. as text files or spreadsheets).
 - generate source code (either R or Fortran) to be passed to an ODE-solver.
 - visualize and export basic information about a model, e.g. for documentation purposes.

Details

Consult the package vignette for details. The concept of writing an ODE system in tabular/matrix form is nicely introduced, e. g., in the book of Reichert, P., Borchardt, D., Henze, M., Rauch, W., Shanahan, P., Somlyódy, L., and Vanrolleghem, P. A. (2001): River water quality model No. 1, IWA publishing, ISBN 9781900222822.

The current source code repository is <https://github.com/dkneis/rodeo>.

Class and class methods

See [rodeo-class](#) for the rodeo class and the corresponding class methods.

Non-class methods

Type `help(package="rodeo")` or see the links below to access the documentation of non-class methods contained in the package.

- [buildFromWorkbook](#) Builds and compiles a model fully specified in a workbook (supports .xlsx and .ods format).
- [forcingFunctions](#) Generation of forcing functions in Fortran.
- [exportDF](#) Export of data frames as TEX or HTML code.
- [stoiCreate](#) Creates a stoichiometry matrix from a set of chemical reactions.
- [stoiCheck](#) Validates a stoichiometry matrix by checking for conservation of mass.

Author(s)

<david.kneis@tu-dresden.de>

See Also

Useful links:

- <https://github.com/dkneis/rodeo>

buildFromWorkbook

Build a model from the contents of a workbook

Description

The function builds a [rodeo](#)-based model by importing all declarations and equations from a workbook established with common spreadsheet software.

Usage

```
buildFromWorkbook(workbook, dim = 1, fortran = FALSE, sources = NULL, ...)
```

Arguments

- | | |
|----------|--|
| workbook | File path of the workbook. The file type is guessed from the extension which must be '.xlsx' or '.ods'. See below for the mandatory worksheets that must be present in the workbook. |
| dim | The number of spatial compartments, possibly in multiple dimensions. For single-box models without spatial resolution, use dim=1 (default). For a one-dimensional model with 10 compartments use, e.g., dim=10. See the dim argument of the method initialize for further details. |

fortran	Controls the language of code generation. The default (FALSE) produces R code. Use TRUE if you want to use compiled Fortran code for better performance. In the latter case, you will need a Fortran compiler which is accessible by R.
sources	Only relevant if fortran=TRUE. The argument allows the name(s) of additional source file(s) to be provided for processing by the Fortran compiler. In any case, the Fortran code in sources must implement a module with the fixed name 'functions'. This module must contain all user-defined functions referenced in any process rate expressions or any cell of the stoichiometry matrix.
...	Optional arguments passed to <code>read_excel</code> or <code>read_ods</code> , respectively.

Value

An object of class `rodeo`.

Note

The file provided as workbook must contain at least the four mandatory sheets:

- 'vars' Declares the state variables of the model. Mandatory columns are 'name', 'unit', 'description'.
- 'pars' Declares the parameters of the model. Mandatory columns are the same as for sheet 'vars'.
- 'funs' Declares user-defined functions appearing in any equations of the model. Mandatory columns are the same as for sheet 'vars'. If source code is generated for R (fortran=FALSE), the declared functions must be accessible in the environment where the model is run. If fortran=TRUE, the functions must be implemented in the file(s) listed in sources to be included in compilation.
- 'eqns' Specifies the model equations. Mandatory columns are 'name', 'unit', 'description', 'expression' plus one column for every state variable of the model. The 'expression' columns holds the process rate expressions and columns named after state variables contain the corresponding stoichiometric factors.

The best way to understand the contents of a suitable workbook is to study the examples in the folder 'models' shipped with the package. Type `system.file("models", package="rodeo")` at the R prompt to see where this folder is installed on your system.

Author(s)

David Kneis <david.kneis@tu-dresden.de>

Examples

```
# Build a SEIR type epidemic model
m <- buildFromWorkbook(
  system.file("models/SEIR.xlsx", package="rodeo")
)
m$setPars(setNames(m$ getParsTable()$default,
  m$ getParsTable()$name))
m$setVars(setNames(m$ getVarsTable()$default,
```

```
m$getVarsTable()$name))
x <- m$dynamics(times=0:30, fortran=FALSE)
print(head(x))
```

compile

Generate Executable Code

Description

Creates and 'compiles' a function for use with numerical methods from package [deSolve](#) or [rootSolve](#).

Arguments

sources	Name(s) of source files(s) where functions appearing in process rates or stoichiometric factors are implemented. Can be NULL if no external functions are required, the name of a single file, or a vector of file names. See notes below.
fortran	If TRUE, Fortran code is generated and compiled into a shared library. If FALSE, R code is generated.
target	Name of a 'target environment'. Currently, 'deSolve' is the only supported value.
lib	File path to be used for the generated library (without the platform specific extension). Note that any uppercase characters will be converted to lowercase. By default, the file is created in R's temporary folder under a random name.
reuse	If TRUE, an already existing library file will be loaded. Use this to prevent unnecessary re-compilation but note that R is likely to crash in case of any mismatches between the object and the existing library. Default is FALSE, i.e. the library is unconditionally build from scratch.

Value

invisible(NULL)

Note

The expected language of the external code passed in sources depends on the value of fortran.

If fortran is FALSE, R code is generated and made executable by [eval](#) and [parse](#). Auxiliary code passed via sources is made available via [source](#). The created R function is stored in the object.

If fortran is TRUE, the external code passed in sources must implement a module with the fixed name 'functions'. This module must contain all user-defined functions referenced in process rates or stoichiometric factors.

If fortran is TRUE, a shared library is created. The library is immediately loaded with [dyn.load](#) and it is automatically unloaded with [dyn.unload](#) when the object's [finalize](#) method is called.

The name of the library (base name without extension) as well as the name of the function to compute the derivatives are stored in the object. These names can be queried with the [libName](#) and [libFunc](#) methods, respectively. Unless a file path is specified via the lib argument, the library is created in the folder returned by [tempdir](#) under a unique random name.

Author(s)

<david.kneis@tu-dresden.de>

See Also

This method internally calls [generate](#).

Examples

```
data(vars, pars, funs, pros, stoi)
model <- rodeo$new(vars, pars, funs, pros, stoi, dim=c(1))
# This would trigger compilation assuming that 'functionsCode.f95' contains
# a Fortran implementation of all functions; see vignette for full example
## Not run:
model$compile(sources="functionsCode.f95")

## End(Not run)
```

dynamics

Numerical Integration

Description

Compute a dynamic solution with the numerical algorithms from package [deSolve](#).

Arguments

times	Times of interest (numeric vector).
fortran	Switch between compiled Fortran and R code (logical). Default is TRUE.
proNames	Assign names to output columns holding the process rates? Default is TRUE.
...	Auxiliary arguments passed to ode . See notes below.

Value

The matrix returned by the integrator (see [ode](#)).

Note

This method can only be used after [compile](#) has been called.

The ... argument should *not* be used to assign values to any of y, parms, times, func. If fortran is TRUE it should also not assign values to dllname, nout, or outnames. All these arguments of [ode](#) get their appropriate values automatically.

Author(s)

<david.kneis@tu-dresden.de>

See Also

Use [step](#) for integration over a single time step with a built-in, Fortran-based solver.

exportDF

Export a Data Frame as HTML/TEX Code

Description

Generates code to include tabular data in a tex document or web site.

Usage

```
exportDF(
  x,
  tex = FALSE,
  colnames = NULL,
  width = NULL,
  align = NULL,
  funHead = NULL,
  funCell = NULL,
  lines = TRUE,
  indent = 2
)
```

Arguments

x	The data frame being exported.
tex	Logical. Allows to switch between generation of TEX code and HTML.
colnames	Displayed column names. If NULL, the original names of x are used. Otherwise it must be a named vector with element names corresponding to column names in x. It is OK to supply alternative names for selected columns only.
width	Either NULL (all columns get equal width) or a named vector with element names corresponding to column names in x. If tex == TRUE, values (between 0 and 1) are needed for columns with align code 'p' only. They are interpreted as a multiplier for '\textwidth'. If tex == FALSE, values (between 0 and 100) should be supplied for all columns of x.
align	Either NULL (to use automatic alignment) or a named vector with element names corresponding to column names in x. If tex == FALSE valid alignment codes are 'left', 'right', 'center'. If tex == TRUE valid alignment codes are 'l', 'r', 'c', and 'p'. For columns with code 'p' a corresponding value of width should be set. It is OK to supply alignment codes for selected columns only.
funHead	Either NULL or a list of functions whose names correspond to column names of x. The functions should have a single formal argument; the respective column names of x are used as the actual arguments. It is OK to supply functions for selected columns only (an empty function is applied to the remaining columns). See below for some typical examples.

funCell	Like funHead but these functions are applied to the cells in columns rather than to the column names.
lines	Logical. Switches table borders on/off.
indent	Integer. Number of blanks used to indent the generated code.

Value

A character string (usually needs to be exported to a file).

Note

The functions funHead and funCell are useful to apply formatting or character replacement. For example, one could use

```
function(x) {paste0("\\bold{", toupper(x), "}")}
```

to generate bold, uppercase column names in a TEX table.

Author(s)

David Kneis <david.kneis@tu-dresden.de>

See Also

The xtable packages provides similar functionality with more sophisticated options. Consider the 'pandoc' software to convert documents from one markup language to another one. Finally, consider the latex package 'datatools' for direct inclusion of delimited text files (e.g. produced by write.table) in tex documents.

Examples

```
# Create example table
df <- data.frame(stringsAsFactors=FALSE, name= c("growth", "dead"),
  unit= c("1/d", "1/d"), expression= c("r * N * (1 - N/K)", "d * N"))

# Export as TEX: header in bold, 1st colum in italics, last column as math
tex <- exportDF(df, tex=TRUE,
  colnames=c(expression="process rate expression"),
  width=c(expression=0.5),
  align=c(expression="p"),
  funHead=setNames(replicate(ncol(df),
    function(x){paste0("\\textbf{", x, "}")}), names(df)),
  funCell=c(name=function(x){paste0("\\textit{", x, "}"}),
    expression=function(x){paste0("$", x, "$")})
)
cat(tex, "\n")

# Export as HTML: non-standard colors are used for all columns
tf <- tempfile(fileext=".html")
write(x= exportDF(df, tex=FALSE,
  funHead=setNames(replicate(ncol(df),
    function(x){paste0("<font color='red'>", x, "</font>")}), names(df)),
```



```

    funCell=setNames(replicate(ncol(df),
      function(x){paste0("<font color='blue'>",x,"</font>")}),names(df))
  ), file=tf)
## Not run:
  browseURL(tf)
  file.remove(tf)

## End(Not run)

```

finalize

Clean-up a rodeo Object

Description

Clean-up method for objects of the [rodeo-class](#).

Value

The method is called implicitly for its side effects when a [rodeo](#) object is destroyed.

Note

At present, the method just unloads the object-specific shared libraries created with the [compile](#) or [initStepper](#) methods.

Author(s)

<david.kneis@tu-dresden.de>

forcingFunctions

Generation of Forcing Functions in Fortran

Description

Generates Fortran code to return the current values of forcing functions based on interpolation in tabulated time series data.

Usage

```
forcingFunctions(x)
```

Arguments

x	Data frame with columns 'name', 'file', 'column', 'mode', 'default'. See below for expected entries.
---	--

Value

A character string holding generated Fortran code. Must be written to disk, e.g. using `write`, prior to compilation.

Note

The fields of the input data frame are interpreted as follows:

- **name** Name of the forcing function as declared in the table of functions.
- **file** Name of the text file containing the time series data either as an absolute or relative path. Time information is expected as numeric values in the first column (e.g. as number of seconds after some reference date). The period is used as the decimal character in floating point numbers, numeric values can also be given in scientific format (e.g. as 0.314e+1). Allowed column delimiters are blank, tab, or comma. A sequence of white spaces collapses to a single delimiter but this is not the case for commas. It is strictly recommended to use a consistent delimiter character within a particular file. Blank lines are allowed everywhere in the file, comment lines must start with a '#'. The first non-blank, non-comment line is interpreted as column headers and the name of the first column (holding time info) is essentially ignored).
- **column** Name of the column in file from which data are to be read.
- **mode** Integer code to control how the interpolation is performed. Use 0 for constant interpolation with full weight given to the value at the end of a time interval. Use 1 for constant interpolation with full weight given to the value at the begin of a time interval. Any other values (< 0 or > 1) result in linear interpolation with weights being set automatically.
- **default** Logical. If FALSE, the generated function has the interface 'f(time)'. If TRUE, the generated function has a two-argument interface 'f(time, z)'. If the actual argument 'z' is NaN, the function behaves just like the single-argument version, i.e. interpolation in tabulated data is performed. If 'z' is not NaN, the function returns the value of 'z'.

The generated code provides a single module named 'forcings' which defines as many forcing functions as there are rows in x. The module 'forcings' needs to be made available to the compiler (either at the command line or via inclusion in another file with Fortran's include mechanism). In addition, it must be referenced in the module 'functions' with an appropriate 'use' statement (see example below).

The generated function return scalar values of type double precision. If an error condition is encountered, the return value of a functions equals the largest possible double precision value (generated by Fortran's 'huge' function). In addition, errors trigger calls of the subroutines 'rexit' (at top level) or 'rwarn' (at lower levels). These two functions are available automatically if the Fortran code is compiled using 'R CMD SHLIB'. Otherwise, the two functions need to be defined (see examples below).

In the two-argument version, the second argument is tested against NaN using 'ISNAN'. This function is not part of the Fortran standard but it is supported by most compilers, including gfortan. The Fortran 2003 standard conformal function would be 'IS_IEEE_NAN' which is not yet supported by compiler versions normally installed with R (March 2016).

Author(s)

David Kneis <david.kneis@tu-dresden.de>

Examples

```
## Not run:
! Example of a Fortran file to define functions
include 'forcings.f95' ! include generated forcings file in compilation
module functions
  use forcings          ! make forcings available as functions
  implicit none
  contains
  ! ... any non-forcing functions go here ...
end module

## End(Not run)

## Not run:
! Definition of 'rexit' and 'rwarn' for testing of the generated code
! outside of R
subroutine rexit (x)
  character(len=*), intent(in):: x
  write(*,*) "ERROR: ",trim(adjustl(x))
  stop 1
end subroutine

subroutine rwarn (x)
  character(len=*), intent(in):: x
  write(*,*) "WARNING: ",trim(adjustl(x))
end subroutine

## End(Not run)
```

funs

Declaration of Functions

Description

Declaration of functions referenced at the ODE's right hand sides of the bacteria growth example model.

Format

A data frame with the following fields:

name : Name of the function

unit : Unit of the return value

description : Short description (text)

generate

Code Generator

Description

This is a low-level method to translate the ODE-model specification into a function that computes process rates and the state variables derivatives (either in R or Fortran). You probably want to use the high-level method [compile](#) instead, which uses `generate` internally.

Arguments

<code>lang</code>	Character string to select the language of the generated source code. Currently either 'f95' (for Fortran) or 'r' (for R).
<code>name</code>	Name for the generated function (character string). It should start with a letter, optionally followed by letters, numbers, or underscores.

Value

The generated source code as a string. Must be written to disk, e.g. using [write](#), prior to compilation.

Note

Details of this low-level method may change in the future.

Author(s)

<david.kneis@tu-dresden.de>

See Also

See other methods of the [rodeo-class](#), especially [compile](#) which internally uses this method.

Examples

```
data(vars, pars, funs, pros, stoi)
model <- rodeo$new(vars, pars, funs, pros, stoi, dim=c(1))
fortranCode <- model$generate(lang="f95")
## Not run:
write(fortranCode, file="")

## End(Not run)
```

`getPars`*Query Values of Parameters*

Description

Query values of parameters of a [rodeo](#)-based model.

Arguments

<code>asArray</code>	Logical. If FALSE, the values of parameters are returned as vector irrespective of the model's spatial resolution. If TRUE, the values are returned as an array with properly named dimensions. The array's last dimension represents the parameters and its first (fastest cycling) dimension, if any, refers to the model's highest spatial dimension.
<code>useNames</code>	Logical. Used to enable/disable element names for the return vector when <code>asArray</code> is FALSE. The names follow the pattern 'x.i.j' where 'x' is the parameter name and 'i', 'j' are indices of the sub-units in the first and second spatial dimension. The actual suffix is controlled by the number of dimensions and in the 0-dimensional case, no suffix is applied at all, i.e. the pure parameter names are used to label the elements of the vector. If <code>isArray</code> is TRUE, this argument is simply ignored, hence the dimensions of a returned array are always named.

Value

A numeric vector or array.

Author(s)

<david.kneis@tu-dresden.de>

See Also

The corresponding 'set' method is [setPars](#) and examples can be found there. Use [getVarS](#) to query the values of variables rather than parameters.

`getVarS`*Query Values of State Variables*

Description

Query values of state variables of a [rodeo](#)-based model.

Arguments

asArray	Logical. If FALSE, the values of variables are returned as vector irrespective of the model's spatial resolution. If TRUE, the values are returned as an array with properly named dimensions. The array's last dimension represents the variables and its first (fastest cycling) dimension, if any, refers to the model's highest spatial dimension.
useNames	Logical. Used to enable/disable element names for the return vector when asArray is FALSE. The names follow the pattern 'x.i.j' where 'x' is the variable name and 'i', 'j' are indices of the sub-units in the first and second spatial dimension. The actual suffix is controlled by the number of dimensions and in the 0-dimensional case, no suffix is applied at all, i.e. the pure variable names are used to label the elements of the vector. If isArray is TRUE, this argument is simply ignored, hence the dimensions of a returned array are always named.

Value

A numeric vector or array.

Author(s)

<david.kneis@tu-dresden.de>

See Also

The corresponding 'set' method is [setVars](#) and examples can be found there. Use [getPars](#) to query the values of parameters rather than variables.

initialize	<i>Initialize a rodeo Object</i>
------------	----------------------------------

Description

Initializes an object of the [rodeo-class](#) with data frames holding the specification of an ODE system.

Arguments

vars	Declaration of state variables appearing in the ODE system. Data frame with mandatory columns 'name', 'unit', 'description'.
pars	Declaration of parameters (i.e. constants) appearing in the ODE system. Data frame with the same mandatory columns as vars.
funcs	Declaration of functions being referenced in the ODE system. Data frame with the same mandatory columns as vars or NULL if no function calls are present at the ODEs' right-hand sides.
pros	Declaration of process rates. Data frame with mandatory columns 'name', 'unit', 'description', 'expression'.

<code>stoi</code>	Declaration of stoichiometric factors. A data frame with mandatory columns 'variable', 'process', 'expression', if <code>asMatrix</code> is FALSE. The 'expression' column holds the stoichiometric factors. If <code>asMatrix</code> is TRUE, this must be a matrix of type character with row names (processes) and column names (variables). Empty or NA matrix elements are interpreted as zero stoichiometry factors.
<code>asMatrix</code>	Logical. Specifies whether stoichiometry information is given in matrix or data base format.
<code>dim</code>	An integer vector, specifying the number of boxes in each spatial dimension. Use <code>c(1)</code> to create a zero-dimensional (i.e. single-box) model. This is the default. Use, e.g. <code>c(5)</code> to create a 1-dimensional model with 5 boxes. To create, e.g., a 2-dimensional model with 4 x 5 boxes, use <code>c(4, 5)</code> .

Value

The method is called implicitly for its side effects when a [rodeo](#) object is instantiated with [new](#). It has no accessible return value.

Note

The mandatory fields of the input data frames should be of type character. Additional fields may be present in these data frames and the contents becomes part of the [rodeo](#) object. The 'expression' fields of `pros` and `stoi` (or the contents of the stoichiometry matrix) should be valid mathematical expressions in R and Fortran. These can involve the names of declared state variables, parameters, and functions as well as numeric constants or basic math operators. Branching or loop constructs are not allowed (but these can appear inside referenced functions). There are currently few reserved words that cannot be used as variable, parameter, function, or process names. The reserved words are 'time', 'left', and 'right'.

Initialization does not assign numeric values to state variables or parameters. Use the dedicated methods [setVars](#) and [setPars](#) for that purpose.

Author(s)

<david.kneis@tu-dresden.de>

See Also

See the package vignette for examples.

Examples

```
data(vars, pars, funs, pros, stoi)
model <- rodeo$new(vars, pars, funs, pros, stoi, dim=c(1))
print(model)
```

initStepper	<i>Initialize Internal ODE Solver</i>
-------------	---------------------------------------

Description

Initializes rodeo's built-in ODE solver. This method must be called prior to using [step](#).

Arguments

sources	Name(s) of fortran source file(s) where a module with the fixed name 'functions' is implemented. This module must contain all user-defined functions referenced in process rates or stoichiometric factors. Can be NULL, the name of a single file, or a vector of file names if the Fortran code is split over several files.
method	Name of a the solver. Currently, 'rk5' is the only supported value (Runge-Kutta method of Cash and Karp).

Value

invisible(NULL)

Note

After this method was called, [step](#) can be used to perform the integration.

Author(s)

<david.kneis@tu-dresden.de>

See Also

To perform integration with the solvers from package [deSolve](#) use [compile](#) instead of this method.

libFunc	<i>Return name of library function</i>
---------	--

Description

Return the name of the library function for use with [deSolve](#) or [rootSolve](#) methods.

Value

The name of the function to compute derivatives which is contained in the library built with [compile](#). This name has to be supplied as the func argument of the solver methods in [deSolve](#) or [rootSolve](#).

Author(s)

<david.kneis@tu-dresden.de>

libName	<i>Return library name</i>
---------	----------------------------

Description

Return the pure name of the shared library for use with [deSolve](#) or [rootSolve](#) methods.

Value

The base name of the shared library file created with [compile](#) after stripping of the the platform specific extension. This name has to be supplied as the `dllname` argument of the solver methods in [deSolve](#) or [rootSolve](#).

Author(s)

<david.kneis@tu-dresden.de>

pars	<i>Declaration of Parameters</i>
------	----------------------------------

Description

Declaration of parameters of the bacteria growth example model.

Format

A data frame with the following fields:

name : Name of the parameter

unit : Unit

description : Short description (text)

plotStoichiometry*Plot Qualitative Stoichiometry Matrix*

Description

Visualizes the stoichiometry matrix using standard plot methods. The sign of stoichiometric factors is displayed as upward and downward pointing triangles. Also visualized are dependencies of process rates on variables.

Arguments

box	A positive integer pointing to a spatial sub-unit of the model.
time	Time. The value is ignored in the case of autonomous models.
cex	Character expansion factor.
colPositive	Color for positive stoichiometric factors.
colNegative	Color for negative stoichiometric factors.
colInteract	Color used to highlight dependencies.
colBack	Color of background.
colGrid	Color of a grid.
lwdGrid	Grid line width.
translateVars	Optional function to recode variable labels. Must take the original vector as argument and return the altered version.
translatePros	Optional function to recode process labels. Must take the original vector as argument and return the altered version.

Note

The values of state variables and parameters must have been set using the [setVars](#) and [setPars](#) methods. If the stoichiometric factors are mathematical expressions involving function references, these functions must be defined in R (even if the numerical computations are based on generated Fortran code).

Author(s)

<david.kneis@tu-dresden.de>

See Also

See other methods of the [rodeo-class](#) or [stoichiometry](#) for computing the stoichiometric factors only. Alternative options for displaying stoichiometry information are described in the package vignette.

Examples

```
data(vars, pars, funs, pros, stoi)
model <- rodeo$new(vars, pars, funs, pros, stoi, dim=c(1))
model$setVars(c(bac=0.1, sub=0.5))
model$setPars(c(mu=0.8, half=0.1, yield= 0.1, vol=1000, flow=50, sub_in=1))
monod <- function(c,h) {c/(c+h)}
model$plotStoichiometry(box=c(1))
```

pros	<i>Declaration of Processes</i>
------	---------------------------------

Description

Definition of processes of the bacteria growth example model.

Format

A data frame with the following fields:

name : Name of the process
unit : Unit of the rate expression
description : Short description (text)
expression : Mathematical expression (as a string)

rodeo-class	rodeo <i>Class</i>
-------------	--------------------

Description

This documents the rodeo class to represent an ODE-based model. See the [rodeo-package](#) main page or type `help(package="rodeo")` for an introduction to the package of the same name.

Fields

prosTbl A data frame with fields 'name', 'unit', 'description', and 'expression' defining the process rates.

stoiTbl A data frame with fields 'variable', 'process', and 'expression' representing the stoichiometry matrix in data base format.

varsTbl A data frame with fields 'name', 'unit', 'description' declaring the state variables of the model. The declared names become valid identifiers to be used in the expression fields of **prosTbl** or **stoiTbl**.

parsTbl A data frame of the same structure as **vars** declaring the parameters of the model. The declared names become valid identifiers to be used in the expression fields of **prosTbl** or **stoiTbl**.

funstbl A data frame of the same structure as **vars** declaring any functions referenced in the expression fields of **prostbl** or **stoitbl**.

dim Integer vector specifying the spatial dimensions.

vars Numeric vector, holding values of state variables.

pars Numeric vector, holding values of parameters.

Class methods

For most of the methods below, a separate help page is available describing its arguments and usage.

- **initialize** Initialization method for new objects.
- **namesVars**, **namesPars**, **namesFuns**, **namesPros** Functions returning the names of declared state variables, parameters, functions, and processes, respectively (character vectors). No arguments.
- **lenVars**, **lenPars**, **lenFuns**, **lenPros** Functions returning the number of declared state variables, parameters, functions and processes, respectively (integer). No arguments.
- **getVarTable**, **getParsTable**, **getFunsTable**, **getProsTable**, **getStoiTable** Functions returning the data frames used to initialize the object. No arguments
- **getDim** Returns the spatial dimensions as an integer vector. No arguments.
- **compile** Compiles a Fortran library for use with numerical methods from packages **deSolve** or **rootSolve**.
- **generate** Translate the ODE-model specification into a function that computes process rates and the state variables' derivatives (either in R or Fortran). Consider to use the high-level method **compile**.
- **setVars** Assign values to state variables.
- **setPars** Assign values to parameters.
- **getVar** Returns the values of state variables.
- **getPars** Returns the values of parameters.
- **stoichiometry** Returns the stoichiometry matrix, either evaluated (numeric) or as text.
- **plotStoichiometry** Plots qualitative stoichiometry information.

See Also

See the [rodeo-package](#) main page or type `help(package="rodeo")` to find the documentation of any non-class methods contained in the **rodeo** package.

Examples

```
## Example using high-level functions: Epidemiological SEIR model

# Import model from workbook shipped with this package
m <- buildFromWorkbook(system.file("models/SEIR.xlsx",
  package="rodeo"))

# Set parameters and initial state (defaults stored in workbook)
```

```

p <- m$getParsTable()
m$setPars(setNames(p$default, p$name))

v <- m$getVarsTable()
m$setVars(setNames(v$default, v$name))

# Run a dynamic simulations and print parts of the result
sim <- m$dynamics(time=1:30, fortran=FALSE)
print(head(sim))
print(tail(sim))

### Example using low-level functions: Bacterial growth in bioreactor

# Creation of model object (data frames shipped as package data)
data(vars, pars, funs, pros, stoi)
model <- rodeo$new(vars, pars, funs, pros, stoi, dim=c(1))

# Assignment of parameters and initial values
model$setPars(c(mu=0.8, half=0.1, yield= 0.1, vol=1000,
  flow=50, sub_in=1))
model$setVars(c(bac=0.01, sub=0))

# Implementation of functions declared in 'funs'
monod <- function(c,h) {c/(c+h)}

# Creation of derivatives function in a low-level way; calling
# the 'compile' method is a more convenient alternative
code <- model$generate(name="derivs", lang="r")
derivs <- eval(parse(text=code))

# Explicit call of an integrator from the deSolve package
times <- 0:96
out <- deSolve::ode(y=model$getVar(), times=times, func=derivs,
  parms=model$getVar())
colnames(out) <- c("time", model$namesVars(), model$namesPros())
plot(out)

```

setPars

Assign Values to Parameters

Description

Assign values to parameters of a [rodeo](#)-based model.

Arguments

x	A numeric vector or array, depending on the model's spatial dimensions. Consult the help page of the sister method setVars for details on the required input.
---	---

Value

NULL (invisible). The assigned numeric data are stored in the object and can be accessed by the [getPars](#) method.

Note

Look at the notes and examples for the [setVars](#) method.

Author(s)

<david.kneis@tu-dresden.de>

See Also

The corresponding 'get' method is [getPars](#). Use [setVars](#) to assign values to variables rather than parameters. Consult the help page of the latter function for examples.

setVars

Assign Values to State Variables

Description

Assign values to state variables of a [rodeo](#)-based model.

Arguments

x A numeric vector or array, depending on the model's spatial dimensions. See details below.

Value

NULL (invisible). The assigned numeric data are stored in the object and can be accessed by the [getVars](#) method.

Note

For a 0-dimensional model (i.e. a model without spatial resolution), **x** must be a numeric vector whose length equals the number of state variables. The element names of **x** must match those returned by the object's `namesVars` method. See the examples for how to bring the vector elements into required order.

For models with a spatial resolution, **x** must be a numeric array of proper dimensions. The last dimension (cycling slowest) corresponds to the variables and the first dimension (cycling fastest) corresponds to the models' highest spatial dimension. Thus, `dim(x)` must be equal to `c(rev(obj$getDim()), obj$namesVars())` where `obj` is the object whose variables are to be assigned. The names of the array's last dimension must match the return value of `obj$namesVars()`.

In the common 1-dimensional case, this just means that **x** must be a matrix with column names matching the return value of `obj$namesVars()` and as many rows as given by `obj$getDim()`.

Author(s)

<david.kneis@tu-dresden.de>

See Also

The corresponding 'get' method is [getVarS](#). Use [setPars](#) to assign values to parameters rather than variables.

Examples

```
data(vars, pars, funs, pros, stoi)
x0 <- c(bac=0.1, sub=0.5)

# 0-dimensional model
model <- rodeo$new(vars, pars, funs, pros, stoi, dim=c(1))
model$setVars(x0)
print(model$getVarS())

# How to sort vector elements
x0 <- c(sub=0.5, bac=0.1)          # doesn't match order of variables
model$setVars(x0[model$namesVars()])

# 1-dimensional model with 3 boxes
nBox <- 3
model <- rodeo$new(vars, pars, funs, pros, stoi, dim=c(nBox))
x1 <- matrix(rep(x0, each=nBox), nrow=nBox, ncol=model$lenVars(),
  dimnames=list(NULL, model$namesVars()))
model$setVars(x1)
print(model$getVarS())
print(model$getVarS(asArray=TRUE))

# 2-dimensional model with 3 x 4 boxes
model <- rodeo$new(vars, pars, funs, pros, stoi, dim=c(3,4))
x2 <- array(rep(x0, each=3*4), dim=c(4,3,model$lenVars()),
  dimnames=list(dim2=NULL, dim1=NULL, variables=model$namesVars()))
model$setVars(x2)
print(model$getVarS())
print(model$getVarS(asArray=TRUE))
```

Description

Performs integration over a single time step using a built-in ODE solver. At present, a single solver is implement with limited options. The interface of this method may change when support for other solvers is added.

Arguments

t0	Numeric. Initial time.
h	Numeric. Length of time step of interest.
hmin	Minimum tolerated internal step size. The default of NULL sets this to 10 times the value of <code>.Machine\$double.eps</code> .
maxsteps	Maximum tolerated number of sub-steps.
tol	Numeric. Relative accuracy requested. This is currently a global value, i.e. one cannot set the accuracy per state variable.
method	String. Currently, 'rk5' is the only method implemented. This is a Runge-Kutta Cash-Karp solver adapted from Press et al. (2002), Numerical recipes in Fortran 90. It is designed to handle non-stiff problems only.
check	Logical. Can be used to avoid repeated checks of arguments. This may increase performance in repeated calls.

Value

A named numeric vector holding the values of state variables and process rates in all boxes.

Note

This method can only be used after a call to `initStepper` has been made.

Author(s)

<david.kneis@tu-dresden.de>

See Also

Use `deSolve` for advanced solvers with more options and capabilities to handle stiff problems.

 stoi

Specification of Stoichiometry

Description

Definition of the links between simulated processes and state variables in the bacteria growth example model.

Format

A data frame with the following fields:

variable : Name of the state variable

process : Name of the process

expression : Mathematical expression (as a string)

Description

Validates the stoichiometry matrix by checking for conservation of mass (more typically conservation of moles).

Usage

```
stoiCheck(stoi, comp, env = globalenv(), zero = .Machine$double.eps * 2)
```

Arguments

stoi	Stoichiometry matrix either in evaluated (numeric) or non-evaluated (character) form. A suitable matrix can be created with stoiCreate , for example.
comp	Matrix defining the elemental composition of compounds. Column names of comp need to match column names of stoi (but additional columns are allowed and columns can be in different order). There must be one row per element whose balance is to be checked and the elements' names must appear as row names. The elements of the matrix specify how much of an element is contained in a certain amount of a compound. Typically, these are molar ratios. If one works with mass ratios (not being a good idea), the information in stoi must be based on mass concentrations as well. The elements of comp are treated as mathematical expressions. Any variables, functions, or operators needed to evaluate those expressions must be provided by the specified environment env.
env	An environment or list supplying constants, functions, and operators needed to evaluate expressions in comp or stoi.
zero	A number close to zero. If the absolute result value of a mass balance computation is less than this, the result is set to 0 (exactly).

Value

A numeric matrix with the following properties:

- There is one row for each process, thus the number and names of rows are the same as in stoi.
- There is one column per checked element, hence column names are equal to the row names of comp.
- A matrix element at position $[i, k]$ represent the mass balance for the process in row i with respect to the element in column k . A value of zero indicates a close balance. Positive (negative) values indicate that mass is gained (lost) in the respective process.

Author(s)

David Kneis <david.kneis@tu-dresden.de>

See Also

Use `stoiCreate` to create a stoichiometry matrix from a set of reactions in common notation.

Examples

```
# Eq. 1 and 2 are from Soetaert et al. (1996), Geochimica et Cosmochimica
# Acta, 60 (6), 1019-1040. 'OM' is organic matter. Constants 'nc' and 'pc'
# represent the nitrogen/carbon and phosphorus/carbon ratio, respectively.
reactions <- c(
  oxicDegrad= "OM + O2 -> CO2 + nc * NH3 + pc * H3PO4 + H2O",
  denitrific= "OM + 0.8*HNO3 -> CO2 + nc*NH3 + 0.4*N2 + pc*H3PO4 + 1.4*H2O",
  dissPhosp1= "H3PO4 <-> H + H2PO4",
  dissPhosp2= "H2PO4 <-> H + HPO4"
)
# Non-evaluated stoichiometry matrix
stoi <- stoiCreate(reactions, toRight="_f", toLeft="_b")
# Parameters ('nc' and 'pc' according to Redfield ratio)
pars <- list(nc=16/106, pc=1/106)
# Elemental composition
comp <- rbind(
  OM= c(C=1, N="nc", P="pc", H="2 + 3*nc + 3*pc"),
  O2= c(C=0, N=0, P=0, H=0),
  CO2= c(C=1, N=0, P=0, H=0),
  NH3= c(C=0, N=1, P=0, H=3),
  H3PO4= c(C=0, N=0, P=1, H=3),
  H2PO4= c(C=0, N=0, P=1, H=2),
  HPO4= c(C=0, N=0, P=1, H=1),
  H2O= c(C=0, N=0, P=0, H=2),
  HNO3= c(C=0, N=1, P=0, H=1),
  N2= c(C=0, N=2, P=0, H=0),
  H= c(C=0, N=0, P=0, H=1)
)
# We need the transposed form
comp <- t(comp)
# Mass balance check
bal <- stoiCheck(stoi, comp=comp, env=pars)
print(bal)
print(colSums(bal) == 0)
```

 stoichiometry

Return the Stoichiometry Matrix

Description

Return and optionally evaluate the mathematical expression appearing in the stoichiometry matrix.

Arguments

box	Either NULL or a vector of positive integers pointing to a spatial sub-unit of the model. If NULL, the mathematical expressions appearing in the stoichiometry matrix are not evaluated, hence, they are returned as character strings. If a spatial sub-unit is specified, a numeric matrix is returned. In the latter case, the values of state variables and parameters must have been set using the setVars and setPars methods.
time	Time. The value is ignored in the case of autonomous models.

Value

A matrix of numeric or character type, depending on the value of box.

Note

If the stoichiometric factors are mathematical expressions involving function references, these functions must be defined in R (even if the numerical computations are based on generated Fortran code).

Author(s)

<david.kneis@tu-dresden.de>

See Also

See other methods of the [rodeo-class](#) or [plotStoichiometry](#) for a graphical representation of the stoichiometric factors only.

Examples

```
data(vars, pars, funs, pros, stoi)
model <- rodeo$new(vars, pars, funs, pros, stoi, dim=c(1))
model$setPars(c(mu=0.8, half=0.1, yield= 0.1, vol=1000, flow=50, sub_in=1))
model$setVars(c(bac=0.1, sub=0.5))
monod <- function(c,h) {c/(c+h)}
print(model$stoichiometry(box=NULL))
print(model$stoichiometry(box=c(1)))
```

stoiCreate

Stoichiometry Matrix from Reaction Equations

Description

Creates a stoichiometry matrix from a set of reaction equations.

Usage

```
stoiCreate(  
  reactions,  
  eval = FALSE,  
  env = globalenv(),  
  toRight = "_forward",  
  toLeft = "_backward"  
)
```

Arguments

reactions	A named vector of character strings, each representing a (chemical) reaction. See syntax details below.
eval	Logical. If FALSE (default), the returned matrix is of type <code>character</code> and any mathematical expressions are returned as text. If TRUE, an attempt is made to return a <code>numeric</code> matrix by evaluating the expression making use <code>env</code> .
env	Only relevant if <code>eval</code> is TRUE. Must be an environment or list supplying constants, functions, and operators needed to evaluate expressions in the generated matrix.
toRight	Only relevant for reversible reactions. The passed character string is appended to the name of the respective element of <code>reactions</code> to create a unique name for the forward reaction.
toLeft	Like <code>toRight</code> , but this is the suffix for the backward reaction.

Value

A matrix with the following properties:

- The number of columns equals the total number of components present in reactions. The components' names are used as column names.
- The number of rows equals the length of reactions plus the number of reversible reactions. Thus, a single row is created for each non-reversible reaction but two rows are created for reversible ones. The latter represent the forward and backward reaction (in that order). The row names are constructed from the names of reactions, making use of the suffixes `toRight` and `toLeft` in the case of reversible reactions.
- The matrix is filled with the stoichiometric factors extracted from reactions. Empty elements are set to zero.
- The type of the matrix (`character` or `numeric`) depends on the value of `eval`.

Note

The syntax rules for reaction equations are as follows (see examples):

- There must be a left hand side and a right hand side. Sides must be separated by one of the arrows `'->'`, `'<-'`, or `'<->'` with the latter indicating a reversible reaction.
- Names of component(s) must appear at each side of the reaction. These must be legal row/column names in R. If multiple components are consumed or produced, they must be separated by `'+'`.

- Any stoichiometric factors need to appear before the respective component name using '*' as the separating character. Stoichiometric factors being equal to unity can be omitted.
- A stoichiometric factor is treated as a mathematical expression. In common cases, it is just a numeric constant. However, the expression can also involve references to variables or functions. If such an expression contains math operators '*' or '+' it needs to be enclosed in parenthesis.

Author(s)

David Kneis <david.kneis@tu-dresden.de>

See Also

Use [stoiCheck](#) to validate the mass balance of the generated matrix.

Examples

```
# EXAMPLE 1: From https://en.wikipedia.org/wiki/Petersen_matrix (July 2016)
#
reactions <- c(
  formS= "A + 2 * B -> S",
  equiES= "E + S <-> ES",
  decoES= "ES -> E + P"
)
stoi <- stoiCreate(reactions, eval=TRUE, toRight="_f", toLeft="_b")
print(stoi)

# EXAMPLE 2: Decomposition of organic matter (selected equations only)
#
# Eq. 1 and 2 are from Soetaert et al. (1996), Geochimica et Cosmochimica
# Acta, 60 (6), 1019-1040. 'OM' is organic matter. Constants 'nc' and 'pc'
# represent the nitrogen/carbon and phosphorus/carbon ratio, respectively.
reactions <- c(
  oxicDegrad= "OM + O2 -> CO2 + nc * NH3 + pc * H3PO4 + H2O",
  denitrific= "OM + 0.8*HN03 -> CO2 + nc*NH3 + 0.4*N2 + pc*H3PO4 + 1.4*H2O",
  dissPhosp1= "H3PO4 <-> H + H2PO4",
  dissPhosp2= "H2PO4 <-> H + HPO4"
)
# Non-evaluated matrix
stoi <- stoiCreate(reactions, toRight="_f", toLeft="_b")
print(stoi)
# Evaluated matrix ('nc' and 'pc' according to Redfield ratio)
pars <- list(nc=16/106, pc=1/106)
stoi <- stoiCreate(reactions, eval=TRUE, env=pars, toRight="_f", toLeft="_b")
print(stoi)
```

vars

Declaration of Variables

Description

Declaration of variables of the bacteria growth example model.

Format

A data frame with the following fields:

name : Name of the variable

unit : Unit

description : Short description (text)

Index

array, [13](#), [14](#)

buildFromWorkbook, [3](#), [3](#)

character, [25](#), [28](#)

compile, [5](#), [6](#), [9](#), [12](#), [16](#), [17](#), [20](#)

deSolve, [5](#), [6](#), [16](#), [17](#), [20](#), [24](#)

dyn.load, [5](#)

dyn.unload, [5](#)

dynamics, [6](#)

eval, [5](#)

exportDF, [3](#), [7](#)

finalize, [5](#), [9](#)

forcingFunctions, [3](#), [9](#)

funcs, [11](#)

generate, [6](#), [12](#), [20](#)

getPars, [13](#), [14](#), [20](#), [22](#)

getVar, [13](#), [13](#), [20](#), [22](#), [23](#)

initialize, [3](#), [14](#), [20](#)

initStepper, [9](#), [16](#), [24](#)

libFunc, [5](#), [16](#)

libName, [5](#), [17](#)

new, [15](#)

new(initialize), [14](#)

numeric, [25](#), [28](#)

ode, [6](#)

pars, [17](#)

parse, [5](#)

plotStoichiometry, [18](#), [20](#), [27](#)

pros, [19](#)

read_excel, [4](#)

read_ods, [4](#)

rodeo, [3](#), [4](#), [9](#), [13](#), [15](#), [21](#), [22](#)

rodeo (rodeo-class), [19](#)

rodeo-class, [19](#)

rodeo-package, [2](#)

rootSolve, [5](#), [16](#), [17](#), [20](#)

setPars, [13](#), [15](#), [18](#), [20](#), [21](#), [23](#), [27](#)

setVars, [14](#), [15](#), [18](#), [20–22](#), [22](#), [27](#)

source, [5](#)

step, [7](#), [16](#), [23](#)

stoi, [24](#)

stoiCheck, [3](#), [25](#), [29](#)

stoichiometry, [18](#), [20](#), [26](#)

stoiCreate, [3](#), [25](#), [26](#), [27](#)

tempdir, [5](#)

vars, [30](#)

write, [10](#), [12](#)