

Package ‘roundyh’

July 23, 2025

Type Package

Title Round Dataframe

Version 0.1.0

Description A simple rounding function. The default round() function in R uses the IEC 60559 standard and therefore it rounds 0.5 to 0 and rounds -1.5 to -2. The roundx() function accounts for this and helps to round 0.5 up to 1.

License MIT + file LICENSE

Encoding UTF-8

RoxygenNote 7.2.3

Suggests spelling, testthat (>= 3.0.0)

Config/testthat/edition 3

Language en-US

Depends R (>= 3.5.0)

NeedsCompilation no

Author Duan Yuanheng [aut, cre, cph]

Maintainer Duan Yuanheng <yhyuanheng@gmail.com>

Repository CRAN

Date/Publication 2023-04-07 09:00:02 UTC

Contents

roundx	2
roundx_df	2
Index	3

roundx	<i>A rounding function</i>
--------	----------------------------

Description

A rounding function

Usage

```
roundx(n, dp)
```

Arguments

n	a number to round
dp	decimal place to round to

Value

rounded number

Examples

```
roundx(10.111, 1)
```

roundx_df	<i>Applying the rounding function to all numeric values of dataframe while excluding characters</i>
-----------	---

Description

Applying the rounding function to all numeric values of dataframe while excluding characters

Usage

```
roundx_df(df, dp)
```

Arguments

df	a dataframe
dp	decimal place to round to

Value

a dataframe

Examples

```
roundx_df(data.frame(c(1.111, 1, 1.11), c(1, 1, 1), c("a", "b", "c")), 1)
```

Index

roundx, [2](#)
roundx_df, [2](#)