

Package ‘spOccupancy’

July 23, 2025

Type Package

Title Single-Species, Multi-Species, and Integrated Spatial Occupancy Models

Version 0.8.0

Author Jeffrey Doser [aut, cre],
Andrew Finley [aut],
Marc Kery [ctb]

Maintainer Jeffrey Doser <jwdoser@ncsu.edu>

Description Fits single-species, multi-species, and integrated non-spatial and spatial occupancy models using Markov Chain Monte Carlo (MCMC). Models are fit using Polya-Gamma data augmentation detailed in Polson, Scott, and Windle (2013) <[doi:10.1080/01621459.2013.829001](https://doi.org/10.1080/01621459.2013.829001)>. Spatial models are fit using either Gaussian processes or Nearest Neighbor Gaussian Processes (NNGP) for large spatial datasets. Details on NNGP models are given in Datta, Banerjee, Finley, and Gelfand (2016) <[doi:10.1080/01621459.2015.1044091](https://doi.org/10.1080/01621459.2015.1044091)> and Finley, Datta, and Banerjee (2022) <[doi:10.18637/jss.v103.i05](https://doi.org/10.18637/jss.v103.i05)>. Provides functionality for data integration of multiple single-species occupancy data sets using a joint likelihood framework. Details on data integration are given in Miller, Pacifici, Sanderlin, and Reich (2019) <[doi:10.1111/2041-210X.13110](https://doi.org/10.1111/2041-210X.13110)>. Details on single-species and multi-species models are found in MacKenzie, Nichols, Lachman, Droege, Royle, and Langtimm (2002) <[doi:10.1890/0012-9658\(2002\)083\[2248:ESORWD\]2.0.CO;2](https://doi.org/10.1890/0012-9658(2002)083[2248:ESORWD]2.0.CO;2)> and Dorazio and Royle <[doi:10.1198/016214505000000015](https://doi.org/10.1198/016214505000000015)>, respectively.

License GPL (>= 3)

Encoding UTF-8

LazyData true

RoxygenNote 7.1.1

URL <https://www.doserlab.com/files/spoccupancy-web>,
<https://groups.google.com/g/spocc-spabund-users>,
<https://github.com/biodiverse/spOccupancy>

BugReports <https://github.com/biodiverse/spOccupancy/issues>

Depends R (>= 3.5.0)

Imports stats, coda, abind, RANN, lme4, foreach, doParallel,
spAbundance, methods

Suggests testthat

NeedsCompilation yes

Repository CRAN

Date/Publication 2024-12-14 08:00:02 UTC

Contents

spOccupancy-package	4
fitted.intPGOcc	6
fitted.lfJSDM	7
fitted.lfMsPGOcc	8
fitted.msPGOcc	8
fitted.PGOcc	9
fitted.sfJSDM	10
fitted.sfMsPGOcc	11
fitted.spIntPGOcc	11
fitted.spMsPGOcc	12
fitted.spPGOcc	13
fitted.stIntPGOcc	14
fitted.stMsPGOcc	14
fitted.stPGOcc	15
fitted.svcMsPGOcc	16
fitted.svcPGBinom	17
fitted.svcPGOcc	17
fitted.svcTIntPGOcc	18
fitted.svcTMsPGOcc	19
fitted.svcTPGBinom	19
fitted.svcTPGOcc	20
fitted.tIntPGOcc	21
fitted.tMsPGOcc	21
fitted.tPGOcc	22
getSVCSamples	23
hbeF2015	25
hbeFElev	26
hbeFTrends	27
intMsPGOcc	28
intPGOcc	33
lfJSDM	38
lfMsPGOcc	43
msPGOcc	49
neon2015	54
PGOcc	56
postHocLM	60
ppcOcc	63

predict.intMsPGOcc	65
predict.intPGOcc	69
predict.lfJSDM	72
predict.lfMsPGOcc	75
predict.msPGOcc	78
predict.PGOcc	81
predict.sfJSDM	83
predict.sfMsPGOcc	87
predict.spIntPGOcc	91
predict.spMsPGOcc	94
predict.spPGOcc	98
predict.stIntPGOcc	102
predict.stMsPGOcc	106
predict.stPGOcc	111
predict.svcMsPGOcc	115
predict.svcPGBinom	119
predict.svcPGOcc	123
predict.svcTIntPGOcc	126
predict.svcTMsPGOcc	131
predict.svcTPGBinom	135
predict.svcTPGOcc	139
predict.tIntPGOcc	144
predict.tMsPGOcc	147
predict.tPGOcc	151
residuals.PGOcc	155
residuals.spPGOcc	156
residuals.svcPGOcc	157
sfJSDM	158
sfMsPGOcc	165
simBinom	173
simIntMsOcc	175
simIntOcc	179
simMsOcc	182
simOcc	186
simTBinom	189
simTIntOcc	192
simTMsOcc	197
simTOcc	202
spIntPGOcc	206
spMsPGOcc	213
spPGOcc	220
stIntPGOcc	226
stMsPGOcc	233
stPGOcc	241
summary.intMsPGOcc	248
summary.intPGOcc	249
summary.lfJSDM	250
summary.lfMsPGOcc	251

summary.msPGOcc	252
summary.PGOcc	253
summary.postHocLM	254
summary.ppcOcc	254
summary.sfJSDM	255
summary.sfMsPGOcc	256
summary.spIntPGOcc	257
summary.spMsPGOcc	258
summary.spPGOcc	259
summary.stIntPGOcc	260
summary.stMsPGOcc	261
summary.stPGOcc	262
summary.svcMsPGOcc	263
summary.svcPGBinom	264
summary.svcPGOcc	265
summary.svcTIntPGOcc	266
summary.svcTMsPGOcc	267
summary.svcTPGBinom	268
summary.svcTPGOcc	269
summary.tIntPGOcc	270
summary.tMsPGOcc	271
summary.tPGOcc	272
svcMsPGOcc	273
svcPGBinom	280
svcPGOcc	286
svcTIntPGOcc	293
svcTMsPGOcc	300
svcTPGBinom	309
svcTPGOcc	315
tIntPGOcc	323
tMsPGOcc	329
tPGOcc	335
updateMCMC	341
waicOcc	344

Index **347**

spOccupancy-package	<i>Single-Species, Multi-Species, and Integrated Spatial Occupancy Models</i>
---------------------	---

Description

Fits single-species, multi-species, and integrated non-spatial and spatial occupancy models using Markov Chain Monte Carlo (MCMC). Models are fit using Polya-Gamma data augmentation detailed in Polson, Scott, and Windle (2013). Spatial models are fit using either Gaussian processes or Nearest Neighbor Gaussian Processes (NNGP) for large spatial datasets. Details on NNGPs are given in Datta, Banerjee, Finley, and Gelfand (2016). Provides functionality for data integration

of multiple occupancy data sets using a joint likelihood framework. Details on data integration are given in Miller, Pacifici, Sanderlin, and Reich (2019). Details on single-species and multi-species models are found in MacKenzie et al. (2002) and Dorazio and Royle (2005), respectively. Details on the package functionality is given in Doser et al. (2022), Doser, Finley, Banerjee (2023), Doser et al. (2024a,b). See `citation('spOccupancy')` for how to cite spOccupancy in publications.

Single-species models

`PGOcc` fits single-species occupancy models.

`spPGOcc` fits single-species spatial occupancy models.

`intPGOcc` fits single-species integrated occupancy models (i.e., an occupancy model with multiple data sources).

`spIntPGOcc` fits single-species integrated spatial occupancy models.

`tPGOcc` fits a multi-season single-species occupancy model.

`stPGOcc` fits a multi-season single-species spatial occupancy model.

`svcPGBinom` fits a single-species spatially-varying coefficient GLM.

`svcPGOcc` fits a single-species spatially-varying coefficient occupancy model.

`svcTPGBinom` fits a single-species spatially-varying coefficient multi-season GLM.

`svcTPGOcc` fits a single-species spatially-varying coefficient multi-season occupancy model.

Multi-species models

`msPGOcc` fits multi-species occupancy models.

`spMsPGOcc` fits multi-species spatial occupancy models.

`lfJSdm` fits a joint species distribution model without imperfect detection.

`sfJSdm` fits a spatial joint species distribution model without imperfect detection.

`lfMsPGOcc` fits a joint species distribution model with imperfect detection (i.e., a multi-species occupancy model with residual species correlations).

`sfMsPGOcc` fits a spatial joint species distribution model with imperfect detection.

`svcMsPGOcc` fits a multi-species spatially-varying coefficient occupancy model.

`tMsPGOcc` fits a multi-season multi-species occupancy model.

`stMsPGOcc` fits a multi-season multi-species spatial occupancy model.

`svcTMsPGOcc` fits a multi-season multi-species spatially-varying coefficient occupancy model.

Goodness of Fit and Model Assessment Functions

`ppcOcc` performs posterior predictive checks.

`waicOcc` computes the Widely Applicable Information Criterion for spOccupancy model objects.

Data Simulation Functions

`simOcc` simulates single-species occupancy data.

`simTOcc` simulates single-species multi-season occupancy data.

`simBinom` simulates detection-nondetection data with perfect detection.

`simTBinom` simulates multi-season detection-nondetection data with perfect detection.

`simMsOcc` simulates multi-species occupancy data.

`simIntOcc` simulates single-species occupancy data from multiple data sources.

`simTMsOcc` simulates multi-species multi-season occupancy data from multiple data sources.

Miscellaneous

`postHocLM` fits post-hoc linear (mixed) models.

`getSVCSamples` extracts spatially varying coefficient MCMC samples.

`updateMCMC` updates a `spOccupancy` or `spAbundance` model object with more MCMC iterations.

All objects from model-fitting functions have support with the `summary` function for displaying a concise summary of model results, the `fitted` function for extracting model fitted values, and the `predict` function for predicting occupancy and/or detection across an area of interest.

Author(s)

Jeffrey W. Doser, Andrew O. Finley, Marc Kery

References

Doser, J. W., Finley, A. O., Kery, M., & Zipkin, E. F. (2022). `spOccupancy`: An R package for single-species, multi-species, and integrated spatial occupancy models. *Methods in Ecology and Evolution*, 13, 1670-1678. doi:10.1111/2041210X.13897.

Doser, J. W., Finley, A. O., & Banerjee, S. (2023). Joint species distribution models with imperfect detection for high-dimensional spatial data. *Ecology*, 104(9), e4137. doi:10.1002/ecy.4137.

Doser, J. W., Finley, A. O., Saunders, S. P., Kery, M., Weed, A. S., & Zipkin, E. F. (2024A). Modeling complex species-environment relationships through spatially-varying coefficient occupancy models. *Journal of Agricultural, Biological and Environmental Statistics*. doi:10.1007/s13253023-005956.

Doser, J. W., Kery, M., Saunders, S. P., Finley, A. O., Bateman, B. L., Grand, J., Reault, S., Weed, A. S., & Zipkin, E. F. (2024B). Guidelines for the use of spatially varying coefficients in species distribution models. *Global Ecology and Biogeography*, 33(4), e13814. doi:10.1111/geb.13814.

fitted.intPGOcc

Extract Model Fitted Values for intPGOcc Object

Description

Method for extracting model fitted values and detection probability values from a fitted single-species integrated occupancy (`intPGOcc`) model.

Usage

```
## S3 method for class 'intPGOcc'
fitted(object, ...)
```

Arguments

<code>object</code>	object of class <code>intPGOcc</code> .
<code>...</code>	currently no additional arguments

Details

A method to the generic `fitted` function to extract fitted values and detection probability values for fitted model objects of class `intPGOcc`.

Value

A list comprised of

- `y.rep.samples` A list of three-dimensional numeric arrays of fitted values for each individual data source for use in Goodness of Fit assessments.
- `p.samples` A list of three-dimensional numeric arrays of detection probability values.

<code>fitted.lfJSDM</code>	<i>Extract Model Fitted Values for lfJSDM Object</i>
----------------------------	--

Description

Method for extracting model fitted values and probability values from a fitted latent factor joint species distribution model (`lfJSDM`).

Usage

```
## S3 method for class 'lfJSDM'
fitted(object, ...)
```

Arguments

- `object` object of class `lfJSDM`.
- `...` currently no additional arguments

Details

A method to the generic `fitted` function to extract fitted values and probability values for fitted model objects of class `lfJSDM`.

Value

A list comprised of:

- `z.samples` A three-dimensional numeric array of fitted values for use in Goodness of Fit assessments. Array dimensions correspond to MCMC samples, species, and sites.
- `psi.samples` A three-dimensional numeric array of probability values. Array dimensions correspond to MCMC samples, species, and sites.

fitted.lfMsPGOcc	<i>Extract Model Fitted Values for lfMsPGOcc Object</i>
------------------	---

Description

Method for extracting model fitted values and detection probability values from a fitted latent factor multi-species occupancy (lfMsPGOcc) model.

Usage

```
## S3 method for class 'lfMsPGOcc'
fitted(object, ...)
```

Arguments

object	object of class lfMsPGOcc.
...	currently no additional arguments

Details

A method to the generic `fitted` function to extract fitted values and detection probability values for fitted model objects of class lfMsPGOcc.

Value

A list comprised of:

y.rep.samples	A four-dimensional numeric array of fitted values for use in Goodness of Fit assessments. Array dimensions correspond to MCMC samples, species, sites, and replicates.
p.samples	A four-dimensional numeric array of detection probability values. Array dimensions correspond to MCMC samples, species, sites, and replicates.

fitted.msPGOcc	<i>Extract Model Fitted Values for msPGOcc Object</i>
----------------	---

Description

Method for extracting model fitted values and detection probability values from a fitted multi-species occupancy (msPGOcc) model.

Usage

```
## S3 method for class 'msPGOcc'
fitted(object, ...)
```


Arguments

object	object of class msPGOcc.
...	currently no additional arguments

Details

A method to the generic `fitted` function to extract fitted values and detection probability values for fitted model objects of class msPGOcc.

Value

A list comprised of:

y.rep.samples	A four-dimensional numeric array of fitted values for use in Goodness of Fit assessments. Array dimensions correspond to MCMC samples, species, sites, and replicates.
p.samples	A four-dimensional numeric array of detection probability values. Array dimensions correspond to MCMC samples, species, sites, and replicates.

fitted.PGOcc	<i>Extract Model Fitted Values for PGOcc Object</i>
--------------	---

Description

Method for extracting model fitted values and detection probabilities from a fitted single-species occupancy (PGOcc) model.

Usage

```
## S3 method for class 'PGOcc'
fitted(object, ...)
```

Arguments

object	object of class PGOcc.
...	currently no additional arguments

Details

A method to the generic `fitted` function to extract fitted values and detection probabilities for fitted model objects of class PGOcc.

Value

A list comprised of:

- | | |
|---------------|--|
| y.rep.samples | A three-dimensional numeric array of fitted values for use in Goodness of Fit assessments. Array dimensions correspond to MCMC samples, sites, and replicates. |
| p.samples | A three-dimensional numeric array of detection probability values. Array dimensions correspond to MCMC samples, sites, and replicates. |

fitted.sfJSDM	<i>Extract Model Fitted Values for sfJSDM Object</i>
---------------	--

Description

Method for extracting model fitted values and probability values from a fitted spatial factor joint species distribution model (sfJSDM).

Usage

```
## S3 method for class 'sfJSDM'
fitted(object, ...)
```

Arguments

- | | |
|--------|-----------------------------------|
| object | object of class sfJSDM. |
| ... | currently no additional arguments |

Details

A method to the generic `fitted` function to extract fitted values and probability values for fitted model objects of class sfJSDM.

Value

A list comprised of:

- | | |
|-------------|---|
| z.samples | A three-dimensional numeric array of fitted values for use in Goodness of Fit assessments. Array dimensions correspond to MCMC samples, species, and sites. |
| psi.samples | A three-dimensional numeric array of probability values. Array dimensions correspond to MCMC samples, species, and sites. |

fitted.sfMsPGOcc	<i>Extract Model Fitted Values for sfMsPGOcc Object</i>
------------------	---

Description

Method for extracting model fitted values and detection probability values from a fitted spatial factor multi-species occupancy (sfMsPGOcc) model.

Usage

```
## S3 method for class 'sfMsPGOcc'
fitted(object, ...)
```

Arguments

object	object of class sfMsPGOcc.
...	currently no additional arguments

Details

A method to the generic `fitted` function to extract fitted values and detection probability values for fitted model objects of class sfMsPGOcc.

Value

A list comprised of:

y.rep.samples	A four-dimensional numeric array of fitted values for use in Goodness of Fit assessments. Array dimensions correspond to MCMC samples, species, sites, and replicates.
p.samples	A four-dimensional numeric array of detection probability values. Array dimensions correspond to MCMC samples, species, sites, and replicates.

fitted.spIntPGOcc	<i>Extract Model Fitted Values for spIntPGOcc Object</i>
-------------------	--

Description

Method for extracting model fitted values and detection probability values from a fitted single-species integrated spatial occupancy (spIntPGOcc) model.

Usage

```
## S3 method for class 'spIntPGOcc'
fitted(object, ...)
```

Arguments

- object object of class spIntPGOcc.
- ... currently no additional arguments

Details

A method to the generic `fitted` function to extract fitted values and detection probability values for fitted model objects of class `spIntPGOcc`.

Value

- A list comprised of
- `y.rep.samples` A list of three-dimensional numeric arrays of fitted values for each individual data source for use in Goodness of Fit assessments.
 - `p.samples` A list of three-dimensional numeric arrays of detection probability values.

<code>fitted.spMsPGOcc</code>	<i>Extract Model Fitted Values for spMsPGOcc Object</i>
-------------------------------	---

Description

Method for extracting model fitted values and detection probability values from a fitted multi-species spatial occupancy (`spMsPGOcc`) model.

Usage

```
## S3 method for class 'spMsPGOcc'  
fitted(object, ...)
```

Arguments

- object object of class spMsPGOcc.
- ... currently no additional arguments

Details

A method to the generic `fitted` function to extract fitted values and detection probability values for fitted model objects of class `spMsPGOcc`.

Value

A list comprised of:

- | | |
|---------------|--|
| y.rep.samples | A four-dimensional numeric array of fitted values for use in Goodness of Fit assessments. Array dimensions correspond to MCMC samples, species, sites, and replicates. |
| p.samples | A four-dimensional numeric array of detection probability values. Array dimensions correspond to MCMC samples, species, sites, and replicates. |

fitted.spPGOcc	<i>Extract Model Fitted Values for spPGOcc Object</i>
----------------	---

Description

Method for extracting model fitted values and detection probabilities from a fitted single-species spatial occupancy (spPGOcc) model.

Usage

```
## S3 method for class 'spPGOcc'
fitted(object, ...)
```

Arguments

- | | |
|--------|-----------------------------------|
| object | object of class spPGOcc. |
| ... | currently no additional arguments |

Details

A method to the generic [fitted](#) function to extract fitted values and detection probabilities for fitted model objects of class spPGOcc.

Value

A list comprised of:

- | | |
|---------------|--|
| y.rep.samples | A three-dimensional numeric array of fitted values for use in Goodness of Fit assessments. Array dimensions correspond to MCMC samples, sites, and replicates. |
| p.samples | A three-dimensional numeric array of detection probability values. Array dimensions correspond to MCMC samples, sites, and replicates. |

fitted.stIntPGOcc	<i>Extract Model Fitted Values for stIntPGOcc Object</i>
-------------------	--

Description

Method for extracting model fitted values and detection probabilities from a fitted multi-season single-species spatial integrated occupancy (stIntPGOcc) model.

Usage

```
## S3 method for class 'stIntPGOcc'
fitted(object, ...)
```

Arguments

object	object of class stIntPGOcc.
...	currently no additional arguments

Details

A method to the generic [fitted](#) function to extract fitted values and detection probabilities for fitted model objects of class stIntPGOcc.

Value

A list comprised of:

y.rep.samples	a list of four-dimensional numeric arrays of fitted values for each data set for use in Goodness of Fit assessments. Array dimensions correspond to MCMC samples, sites, primary time periods, and replicates.
p.samples	a list of four-dimensional numeric arrays of detection probability values for each data set. Array dimensions correspond to MCMC samples, sites, primary time periods, and replicates.

fitted.stMsPGOcc	<i>Extract Model Fitted Values for stMsPGOcc Object</i>
------------------	---

Description

Method for extracting model fitted values and detection probability values from a fitted multi-species multi-season spatial occupancy (stMsPGOcc) model.

Usage

```
## S3 method for class 'stMsPGOcc'
fitted(object, ...)
```

Arguments

object object of class stMsPGOcc.
 ... currently no additional arguments

Details

A method to the generic `fitted` function to extract fitted values and detection probability values for fitted model objects of class stMsPGOcc.

Value

A list comprised of:

`y.rep.samples` A five-dimensional numeric array of fitted values for use in Goodness of Fit assessments. Array dimensions correspond to MCMC samples, species, sites, primary time period, and replicates.
`p.samples` A five-dimensional numeric array of detection probability values. Array dimensions correspond to MCMC samples, species, sites, primary time period, and replicates.

<code>fitted.stPGOcc</code>	<i>Extract Model Fitted Values for stPGOcc Object</i>
-----------------------------	---

Description

Method for extracting model fitted values and detection probabilities from a fitted multi-season single-species spatial occupancy (stPGOcc) model.

Usage

```
## S3 method for class 'stPGOcc'
fitted(object, ...)
```

Arguments

object object of class stPGOcc.
 ... currently no additional arguments

Details

A method to the generic `fitted` function to extract fitted values and detection probabilities for fitted model objects of class stPGOcc.

Value

A list comprised of:

- y.rep.samples A four-dimensional numeric array of fitted values for use in Goodness of Fit assessments. Array dimensions correspond to MCMC samples, sites, primary time periods, and replicates.
- p.samples A four-dimensional numeric array of detection probability values. Array dimensions correspond to MCMC samples, sites, primary time periods, and replicates.

<code>fitted.svcMsPGOcc</code>	<i>Extract Model Fitted Values for svcMsPGOcc Object</i>
--------------------------------	--

Description

Method for extracting model fitted values and detection probability values from a fitted multi-species spatially varying coefficient occupancy (svcMsPGOcc) model.

Usage

```
## S3 method for class 'svcMsPGOcc'
fitted(object, ...)
```

Arguments

- object object of class svcMsPGOcc.
- ... currently no additional arguments

Details

A method to the generic `fitted` function to extract fitted values and detection probability values for fitted model objects of class svcMsPGOcc.

Value

A list comprised of:

- y.rep.samples A four-dimensional numeric array of fitted values for use in Goodness of Fit assessments. Array dimensions correspond to MCMC samples, species, sites, and replicates.
- p.samples A four-dimensional numeric array of detection probability values. Array dimensions correspond to MCMC samples, species, sites, and replicates.

fitted.svcPGBinom	<i>Extract Model Fitted Values for svcPGBinom Object</i>
-------------------	--

Description

Method for extracting model fitted values from a fitted single-species spatially-varying coefficients binomial model (svcPGBinom).

Usage

```
## S3 method for class 'svcPGBinom'
fitted(object, ...)
```

Arguments

object	object of class svcPGBinom.
...	currently no additional arguments

Details

A method to the generic `fitted` function to extract fitted values for fitted model objects of class svcPGBinom.

Value

A two-dimensional matrix of fitted values for use in Goodness of Fit assessments. Dimensions correspond to MCMC samples and sites.

fitted.svcPGOcc	<i>Extract Model Fitted Values for svcPGOcc Object</i>
-----------------	--

Description

Method for extracting model fitted values and detection probabilities from a fitted single-species spatially-varying coefficients occupancy (svcPGOcc) model.

Usage

```
## S3 method for class 'svcPGOcc'
fitted(object, ...)
```

Arguments

object	object of class svcPGOcc.
...	currently no additional arguments

Details

A method to the generic `fitted` function to extract fitted values and detection probabilities for fitted model objects of class `svcPGOcc`.

Value

A list comprised of:

- `y.rep.samples` A three-dimensional numeric array of fitted values for use in Goodness of Fit assessments. Array dimensions correspond to MCMC samples, sites, and replicates.
- `p.samples` A three-dimensional numeric array of detection probability values. Array dimensions correspond to MCMC samples, sites, and replicates.

<code>fitted.svcTIntPGOcc</code>	<i>Extract Model Fitted Values for svcTIntPGOcc Object</i>
----------------------------------	--

Description

Method for extracting model fitted values and detection probabilities from a fitted multi-season single-species spatially-varying coefficient integrated occupancy (`svcTIntPGOcc`) model.

Usage

```
## S3 method for class 'svcTIntPGOcc'
fitted(object, ...)
```

Arguments

- `object` object of class `svcTIntPGOcc`.
- `...` currently no additional arguments

Details

A method to the generic `fitted` function to extract fitted values and detection probabilities for fitted model objects of class `svcTIntPGOcc`.

Value

A list comprised of:

- `y.rep.samples` a list of four-dimensional numeric arrays of fitted values for each data set for use in Goodness of Fit assessments. Array dimensions correspond to MCMC samples, sites, primary time periods, and replicates.
- `p.samples` a list of four-dimensional numeric arrays of detection probability values for each data set. Array dimensions correspond to MCMC samples, sites, primary time periods, and replicates.

fitted.svcTMsPGOcc	<i>Extract Model Fitted Values for svcTMsPGOcc Object</i>
--------------------	---

Description

Method for extracting model fitted values and detection probability values from a fitted multi-species multi-season spatially varying coefficient occupancy (svcTMsPGOcc) model.

Usage

```
## S3 method for class 'svcTMsPGOcc'
fitted(object, ...)
```

Arguments

object	object of class svcTMsPGOcc.
...	currently no additional arguments

Details

A method to the generic [fitted](#) function to extract fitted values and detection probability values for fitted model objects of class svcTMsPGOcc.

Value

A list comprised of:

y.rep.samples	A five-dimensional numeric array of fitted values for use in Goodness of Fit assessments. Array dimensions correspond to MCMC samples, species, sites, primary time period, and replicates.
p.samples	A five-dimensional numeric array of detection probability values. Array dimensions correspond to MCMC samples, species, sites, primary time period, and replicates.

fitted.svcTPGBinom	<i>Extract Model Fitted Values for svcTPGBinom Object</i>
--------------------	---

Description

Method for extracting model fitted values from a fitted multi-season single-species spatially-varying coefficients binomial model (svcTPGBinom).

Usage

```
## S3 method for class 'svcTPGBinom'
fitted(object, ...)
```

Arguments

object object of class svcTPGBinom.
 ... currently no additional arguments

Details

A method to the generic `fitted` function to extract fitted values for fitted model objects of class `svcTPGBinom`.

Value

A three-dimensional matrix of fitted values for use in Goodness of Fit assessments. Dimensions correspond to MCMC samples, sites, and primary time periods.

<code>fitted.svcTPGOcc</code>	<i>Extract Model Fitted Values for svcTPGOcc Object</i>
-------------------------------	---

Description

Method for extracting model fitted values and detection probabilities from a fitted multi-season single-species spatially-varying coefficients occupancy (`svcTPGOcc`) model.

Usage

```
## S3 method for class 'svcTPGOcc'
fitted(object, ...)
```

Arguments

object object of class `svcTPGOcc`.
 ... currently no additional arguments

Details

A method to the generic `fitted` function to extract fitted values and detection probabilities for fitted model objects of class `svcTPGOcc`.

Value

A list comprised of:

<code>y.rep.samples</code>	A four-dimensional numeric array of fitted values for use in Goodness of Fit assessments. Array dimensions correspond to MCMC samples, sites, primary time periods, and replicates.
<code>p.samples</code>	A four-dimensional numeric array of detection probability values. Array dimensions correspond to MCMC samples, sites, primary time periods, and replicates.

fitted.tIntPGOcc	<i>Extract Model Fitted Values for tIntPGOcc Object</i>
------------------	---

Description

Method for extracting model fitted values and detection probabilities from a fitted multi-season single-species integrated occupancy (tIntPGOcc) model.

Usage

```
## S3 method for class 'tIntPGOcc'
fitted(object, ...)
```

Arguments

object	object of class tIntPGOcc.
...	currently no additional arguments

Details

A method to the generic [fitted](#) function to extract fitted values and detection probabilities for fitted model objects of class tIntPGOcc.

Value

A list comprised of:

y.rep.samples	a list of four-dimensional numeric arrays of fitted values for each data set for use in Goodness of Fit assessments. Array dimensions correspond to MCMC samples, sites, primary time periods, and replicates.
p.samples	a list of four-dimensional numeric arrays of detection probability values for each data set. Array dimensions correspond to MCMC samples, sites, primary time periods, and replicates.

fitted.tMsPGOcc	<i>Extract Model Fitted Values for tMsPGOcc Object</i>
-----------------	--

Description

Method for extracting model fitted values and detection probability values from a fitted multi-species multi-season occupancy (tMsPGOcc) model.

Usage

```
## S3 method for class 'tMsPGOcc'
fitted(object, ...)
```

Arguments

object object of class tMsPGOcc.
... currently no additional arguments

Details

A method to the generic [fitted](#) function to extract fitted values and detection probability values for fitted model objects of class tMsPGOcc.

Value

A list comprised of:

y.rep.samples A five-dimensional numeric array of fitted values for use in Goodness of Fit assessments. Array dimensions correspond to MCMC samples, species, sites, primary time period, and replicates.

p.samples A five-dimensional numeric array of detection probability values. Array dimensions correspond to MCMC samples, species, sites, primary time period, and replicates.

fitted.tPGOcc	<i>Extract Model Fitted Values for tPGOcc Object</i>
---------------	--

Description

Method for extracting model fitted values and detection probabilities from a fitted multi-season single-species occupancy (tPGOcc) model.

Usage

```
## S3 method for class 'tPGOcc'  
fitted(object, ...)
```

Arguments

object object of class tPGOcc.
... currently no additional arguments

Details

A method to the generic [fitted](#) function to extract fitted values and detection probabilities for fitted model objects of class tPGOcc.

Value

A list comprised of:

- | | |
|----------------------------|---|
| <code>y.rep.samples</code> | A four-dimensional numeric array of fitted values for use in Goodness of Fit assessments. Array dimensions correspond to MCMC samples, sites, primary time periods, and replicates. |
| <code>p.samples</code> | A four-dimensional numeric array of detection probability values. Array dimensions correspond to MCMC samples, sites, primary time periods, and replicates. |

<code>getSVCSamples</code>	<i>Extract spatially-varying coefficient MCMC samples</i>
----------------------------	---

Description

Function for extracting the full spatially-varying coefficient MCMC samples from an `spOccupancy` model object.

Usage

```
getSVCSamples(object, pred.object, ...)
```

Arguments

- | | |
|--------------------------|---|
| <code>object</code> | an object of class <code>svcPGOcc</code> , <code>svcPGBinom</code> , <code>svcTPGOcc</code> , <code>svcTPGBinom</code> , <code>svcMsPGOcc</code> , <code>svcTMsPGOcc</code> . |
| <code>pred.object</code> | a prediction object from a spatially-varying coefficient model fit using <code>spOccupancy</code> . Should be of class <code>predict.svcPGOcc</code> , <code>predict.svcPGBinom</code> , <code>predict.svcTPGOcc</code> , <code>predict.svcTPGBinom</code> , <code>predict.svcMsPGOcc</code> , or <code>predict.svcTMsPGOcc</code> . If specified, SVC samples are extracted at the prediction locations. |
| <code>...</code> | currently no additional arguments |

Value

A list of `coda::mcmc` objects of the spatially-varying coefficient MCMC samples for all spatially-varying coefficients estimated in the model (including the intercept if specified). Note these values correspond to the sum of the estimated spatial and non-spatial effect to give the overall effect of the covariate at each location. Each element of the list is a two-dimensional matrix where dimensions correspond to MCMC sample and site. If `pred.object` is specified, values are returned for the prediction locations instead of the sampled locations.

Note

For multi-species models, the value of the SVC will be returned at all spatial locations for each species even when `range.ind` is specified in the data list when fitting the model. This may not be desirable for complete summaries of the SVC for each species, so if specifying `range.ind` in the data list, you may want to subsequently process the SVC samples for each species to be restricted to each species range.

Author(s)

Jeffrey W. Doser <doserjef@msu.edu>,

Examples

```

set.seed(400)
# Simulate Data -----
J.x <- 8
J.y <- 8
J <- J.x * J.y
n.rep <- sample(2:4, J, replace = TRUE)
beta <- c(0.5, 2)
p.occ <- length(beta)
alpha <- c(0, 1)
p.det <- length(alpha)
phi <- c(3 / .6, 3 / .8)
sigma.sq <- c(1.2, 0.7)
svc.cols <- c(1, 2)
dat <- simOcc(J.x = J.x, J.y = J.y, n.rep = n.rep, beta = beta, alpha = alpha,
             sigma.sq = sigma.sq, phi = phi, sp = TRUE, cov.model = 'exponential',
             svc.cols = svc.cols)

# Detection-nondetection data
y <- dat$y
# Occupancy covariates
X <- dat$X
# Detection covarites
X.p <- dat$X.p
# Spatial coordinates
coords <- dat$coords

# Package all data into a list
occ.covs <- X[, -1, drop = FALSE]
colnames(occ.covs) <- c('occ.cov')
det.covs <- list(det.cov.1 = X.p[, , 2])
data.list <- list(y = y,
                 occ.covs = occ.covs,
                 det.covs = det.covs,
                 coords = coords)

# Number of batches
n.batch <- 10
# Batch length
batch.length <- 25
n.iter <- n.batch * batch.length
# Priors
prior.list <- list(beta.normal = list(mean = 0, var = 2.72),
                  alpha.normal = list(mean = 0, var = 2.72),
                  sigma.sq.ig = list(a = 2, b = 1),
                  phi.unif = list(a = 3/1, b = 3/.1))
# Initial values
inits.list <- list(alpha = 0, beta = 0,

```



```

        phi = 3 / .5,
        sigma.sq = 2,
        w = matrix(0, nrow = length(svc.cols), ncol = nrow(X)),
        z = apply(y, 1, max, na.rm = TRUE))

# Tuning
tuning.list <- list(phi = 1)

out <- svcPGOcc(occ.formula = ~ occ.cov,
               det.formula = ~ det.cov.1,
               data = data.list,
               inits = inits.list,
               n.batch = n.batch,
               batch.length = batch.length,
               accept.rate = 0.43,
               priors = prior.list,
               cov.model = 'exponential',
               svc.cols = c(1, 2),
               tuning = tuning.list,
               n.omp.threads = 1,
               verbose = TRUE,
               NNGP = TRUE,
               n.neighbors = 5,
               search.type = 'cb',
               n.report = 10,
               n.burn = 50,
               n.thin = 1)

svc.samples <- getSVCSamples(out)
str(svc.samples)

```

hbef2015

Detection-nondetection data of 12 foliage gleaning bird species in 2015 in the Hubbard Brook Experimental Forest

Description

Detection-nondetection data of 12 foliage gleaning bird species in 2015 in the Hubbard Brook Experimental Forest (HBEF) in New Hampshire, USA. Data were collected at 373 sites over three replicate point counts each of 10 minutes in length, with a detection radius of 100m. Some sites were not visited for all three replicates. The 12 species included in the data set are as follows: (1) AMRE: American Redstart; (2) BAWW: Black-and-white Warbler; (3) BHVI: Blue-headed Vireo; (4) BLBW: Blackburnian Warbler; (5) BLPW: Blackpoll Warbler; (6) BTBW: Black-throated Blue Warbler; (7) BTNW: Black-throated Green Warbler; (8) CAWA: Canada Warbler; (9) MAWA: Magnolia Warbler; (10) NAWA: Nashville Warbler; (11) OVEN: Ovenbird; (12) REVI: Red-eyed Vireo.

Usage

```
data(hbef2015)
```

Format

hbef2015 is a list with four elements:

y: a three-dimensional array of detection-nondetection data with dimensions of species (12), sites (373) and replicates (3).

occ.covs: a numeric matrix with 373 rows and one column consisting of the elevation at each site.

det.covs: a list of two numeric matrices with 373 rows and 3 columns. The first element is the day of year when the survey was conducted for a given site and replicate. The second element is the time of day when the survey was conducted.

coords: a numeric matrix with 373 rows and two columns containing the site coordinates (Easting and Northing) in UTM Zone 19. The proj4string is "+proj=utm +zone=19 +units=m +datum=NAD83".

Source

Rodenhouse, N. and S. Sillett. 2019. Valleywide Bird Survey, Hubbard Brook Experimental Forest, 1999-2016 (ongoing) ver 3. Environmental Data Initiative. [doi:10.6073/pasta/faca2b2cf2db9d415c39b695cc7fc217](https://doi.org/10.6073/pasta/faca2b2cf2db9d415c39b695cc7fc217) (Accessed 2021-09-07)

References

Doser, J. W., Leuenberger, W., Sillett, T. S., Hallworth, M. T. & Zipkin, E. F. (2022). Integrated community occupancy models: A framework to assess occurrence and biodiversity dynamics using multiple data sources. *Methods in Ecology and Evolution*, 00, 1-14. [doi:10.1111/2041210X.13811](https://doi.org/10.1111/2041210X.13811)

hbefElev

Elevation in meters extracted at a 30m resolution across the Hubbard Brook Experimental Forest

Description

Elevation in meters extracted at a 30m resolution of the Hubbard Brook Experimental Forest. Data come from the National Elevation Dataset.

Usage

```
data(hbefElev)
```

Format

hbefElev is a data frame with three columns:

val: the elevation value in meters.

Easting: the x coordinate of the point. The proj4string is "+proj=utm +zone=19 +units=m +datum=NAD83".

Northing: the y coordinate of the point. The proj4string is "+proj=utm +zone=19 +units=m +datum=NAD83".

Source

Gesch, D., Oimoen, M., Greenlee, S., Nelson, C., Steuck, M., & Tyler, D. (2002). The national elevation dataset. *Photogrammetric engineering and remote sensing*, 68(1), 5-32.

References

Gesch, D., Oimoen, M., Greenlee, S., Nelson, C., Steuck, M., & Tyler, D. (2002). The national elevation dataset. *Photogrammetric engineering and remote sensing*, 68(1), 5-32.

hbefTrends	<i>Detection-nondetection data of 12 foliage gleaning bird species from 2010-2018 in the Hubbard Brook Experimental Forest</i>
------------	--

Description

Detection-nondetection data of 12 foliage gleaning bird species in 2010-2018 in the Hubbard Brook Experimental Forest (HBEF) in New Hampshire, USA. Data were collected at 373 sites over three replicate point counts each of 10 minutes in length, with a detection radius of 100m. Some sites were not visited for all three replicates. The 12 species included in the data set are as follows: (1) AMRE: American Redstart; (2) BAWW: Black-and-white Warbler; (3) BHVI: Blue-headed Vireo; (4) BLBW: Blackburnian Warbler; (5) BLPW: Blackpoll Warbler; (6) BTBW: Black-throated Blue Warbler; (7) BTNW: Black-throated Green Warbler; (8) CAWA: Canada Warbler; (9) MAWA: Magnolia Warbler; (10) NAWA: Nashville Warbler; (11) OVEN: Ovenbird; (12) REVI: Red-eyed Vireo.

Usage

```
data(hbefTrends)
```

Format

hbefTrends is a list with four elements:

y: a four-dimensional array of detection-nondetection data with dimensions of species (12), sites (373), years (9), and replicates (3).

occ.covs: a list of potential covariates for inclusion in the occurrence portion of an occupancy model. There are two covariates: elevation (a site-level covariate), and years (a temporal covariate).

det.covs: a list of two numeric three-dimensional arrays with dimensions corresponding to sites (373), years (9), and replicates (3). The first element is the day of year when the survey was conducted for a given site, year, and replicate. The second element is the time of day when the survey was conducted.

coords: a numeric matrix with 373 rows and two columns containing the site coordinates (East-ing and North-ing) in UTM Zone 19. The proj4string is "+proj=utm +zone=19 +units=m +datum=NAD83".

Source

Rodenhouse, N. and S. Sillett. 2019. Valleywide Bird Survey, Hubbard Brook Experimental Forest, 1999-2016 (ongoing) ver 3. Environmental Data Initiative. doi:10.6073/pasta/faca2b2cf2db9d415c39b695cc7fc217 (Accessed 2021-09-07)

References

Doser, J. W., Leuenberger, W., Sillett, T. S., Hallworth, M. T. & Zipkin, E. F. (2022). Integrated community occupancy models: A framework to assess occurrence and biodiversity dynamics using multiple data sources. *Methods in Ecology and Evolution*, 00, 1-14. doi:10.1111/2041210X.13811

intMsPGOcc

Function for Fitting Integrated Multi-Species Occupancy Models Using Polya-Gamma Latent Variables

Description

Function for fitting integrated multi-species occupancy models using Polya-Gamma latent variables.

Usage

```
intMsPGOcc(occ.formula, det.formula, data, inits, priors, n.samples,
            n.omp.threads = 1, verbose = TRUE, n.report = 100,
            n.burn = round(.10 * n.samples), n.thin = 1, n.chains = 1,
            ...)
```

Arguments

occ.formula	a symbolic description of the model to be fit for the occurrence portion of the model using R's model syntax. Only right-hand side of formula is specified. See example below. Random intercepts are allowed using lme4 syntax (Bates et al. 2015).
det.formula	a list of symbolic descriptions of the models to be fit for the detection portion of the model using R's model syntax for each data set. Each element in the list is a formula for the detection model of a given data set. Only right-hand side of formula is specified. Random effects are not currently supported. See example below.
data	a list containing data necessary for model fitting. Valid tags are y, occ.covs, det.covs, sites, and species. y is a list of three-dimensional arrays. Each element of the list has first dimension equal to the number of species observed in that data source, second dimension equal to the number of sites observed in that data source, and third dimension equal to the maximum number of replicates at a given site. occ.covs is a matrix or data frame containing the variables used in the occurrence portion of the model, with the number of rows being the number of sites with at least one data source for each column (variable). det.covs is a list of variables included in the detection portion of the model for each

data source. `det.covs` should have the same number of elements as `y`, where each element is itself a list. Each element of the list for a given data source is a different detection covariate, which can be site-level or observational-level. Site-level covariates are specified as a vector with length equal to the number of observed sites of that data source, while observational-level covariates are specified as a matrix or data frame with the number of rows equal to the number of observed sites of that data source and number of columns equal to the maximum number of replicates at a given site. `sites` is a list of site indices with number of elements equal to the number of data sources being modeled. Each element contains a vector of length equal to the number of sites that specific data source contains. Each value in the vector indicates the row in `occ.covs` that corresponds with the specific row of the detection-nondetection data for the data source. This is used to properly link sites across data sets. `species` is a list with number of data sources being modeled. Each element of the list is a vector of codes (these can be numeric or character) that indicate the species modeled in the specific data set.

<code>inits</code>	a list with each tag corresponding to a parameter name. Valid tags are <code>alpha.comm</code> , <code>beta.comm</code> , <code>beta</code> , <code>alpha</code> , <code>tau.sq.beta</code> , <code>tau.sq.alpha</code> , <code>sigma.sq.psi</code> , and <code>z</code> . The value portion of each tag is the parameter's initial value. See <code>priors</code> description for definition of each parameter name. Additionally, the tag <code>fix</code> can be set to <code>TRUE</code> to fix the starting values across all chains. If <code>fix</code> is not specified (the default), starting values are varied randomly across chains.
<code>priors</code>	a list with each tag corresponding to a parameter name. Valid tags are <code>beta.comm.normal</code> , <code>alpha.comm.normal</code> , <code>tau.sq.beta.ig</code> , <code>tau.sq.alpha.ig</code> , <code>sigma.sq.psi.ig</code> , and <code>sigma.sq.p.ig</code> . Community-level occurrence (<code>beta.comm</code>) regression coefficients are assumed to follow a normal distribution. The hyperparameters of the normal distribution are passed as a list of length two with the first and second elements corresponding to the mean and variance of the normal distribution, which are each specified as vectors of length equal to the number of coefficients to be estimated or of length one if priors are the same for all coefficients. If not specified, prior means are set to 0 and prior variances set to 2.72. For the community-level detection means (<code>alpha.comm</code>), the mean and variance hyperparameters are themselves passed in as lists, with each element of the list corresponding to the specific hyperparameters for the detection parameters in a given data source. If not specified, prior means are set to 0 and prior variances set to 2.72. Community-level variance parameters for occurrence (<code>tau.sq.beta</code>) and detection (<code>tau.sq.alpha</code>) are assumed to follow an inverse Gamma distribution. For the occurrence parameters, the hyperparameters of the inverse gamma distribution are passed as a list of length two with the first and second elements corresponding to the shape and scale parameters, which are each specified as vectors of length equal to the number of coefficients to be estimated or a single value if all parameters are assigned the same prior. If not specified, prior shape and scale parameters are set to 0.1. For the detection community-level variance parameters (<code>tau.sq.alpha</code>), the shape and scale parameters are passed in as lists, with each element of the list corresponding to the specific hyperparameters for the detection variances in a given data source. <code>sigma.sq.psi</code> and <code>sigma.sq.p.ig</code> are the random effect variances for any occurrence random effects, respectively, and are assumed to follow an inverse Gamma distribution. The hyperparameters of

	the inverse-Gamma distribution are passed as a list of length two with first and second elements corresponding to the shape and scale parameters, respectively, which are each specified as vectors of length equal to the number of random intercepts or of length one if priors are the same for all random effect variances.
n.samples	the number of posterior samples to collect in each chain.
n.omp.threads	a positive integer indicating the number of threads to use for SMP parallel processing within chains. This will have no impact on model run times for non-spatial models. The package must be compiled for OpenMP support. For most Intel-based machines, we recommend setting n.omp.threads up to the number of hyperthreaded cores. Note, n.omp.threads > 1 might not work on some systems. Currently only relevant for spatial models.
verbose	if TRUE, messages about data preparation, model specification, and progress of the sampler are printed to the screen. Otherwise, no messages are printed.
n.report	the interval to report MCMC progress.
n.burn	the number of samples out of the total n.samples to discard as burn-in for each chain. By default, the first 10% of samples is discarded.
n.thin	the thinning interval for collection of MCMC samples. The thinning occurs after the n.burn samples are discarded. Default value is set to 1.
n.chains	the number of chains to run in sequence.
...	currently no additional arguments

Value

An object of class `intMsPGOcc` that is a list comprised of:

beta.comm.samples	a coda object of posterior samples for the community level occurrence regression coefficients.
alpha.comm.samples	a coda object of posterior samples for the community level detection regression coefficients for all data sources.
tau.sq.beta.samples	a coda object of posterior samples for the occurrence community variance parameters.
tau.sq.alpha.samples	a coda object of posterior samples for the detection community variance parameters for all data sources.
beta.samples	a coda object of posterior samples for the species level occurrence regression coefficients.
alpha.samples	a coda object of posterior samples for the species level detection regression coefficients for all data sources.
z.samples	a three-dimensional array of posterior samples for the latent occurrence values for each species.
psi.samples	a three-dimensional array of posterior samples for the latent occurrence probability values for each species.

`sigma.sq.psi.samples` a coda object of posterior samples for variances of random intercepts included in the occurrence portion of the model. Only included if random intercepts are specified in `occ.formula`.

`beta.star.samples` a coda object of posterior samples for the occurrence random effects. Only included if random intercepts are specified in `occ.formula`.

`like.samples` a three-dimensional array of posterior samples for the likelihood value associated with each site and species. Used for calculating WAIC.

`rhat` a list of Gelman-Rubin diagnostic values for some of the model parameters.

`ESS` a list of effective sample sizes for some of the model parameters.

`run.time` MCMC sampler execution time reported using `proc.time()`.

The return object will include additional objects used for subsequent prediction and/or model fit evaluation.

Author(s)

Jeffrey W. Doser <doserjef@msu.edu>,

References

- Polson, N.G., J.G. Scott, and J. Windle. (2013) Bayesian Inference for Logistic Models Using Polya-Gamma Latent Variables. *Journal of the American Statistical Association*, 108:1339-1349.
- Bates, Douglas, Martin Maechler, Ben Bolker, Steve Walker (2015). Fitting Linear Mixed-Effects Models Using lme4. *Journal of Statistical Software*, 67(1), 1-48. doi:10.18637/jss.v067.i01.
- Dorazio, R. M., and Royle, J. A. (2005). Estimating size and composition of biological communities by modeling the occurrence of species. *Journal of the American Statistical Association*, 100(470), 389-398.
- Doser, J. W., Leuenberger, W., Sillett, T. S., Hallworth, M. T. & Zipkin, E. F. (2022). Integrated community occupancy models: A framework to assess occurrence and biodiversity dynamics using multiple data sources. *Methods in Ecology and Evolution*, 00, 1-14. doi:10.1111/2041210X.13811

Examples

```
set.seed(91)
J.x <- 10
J.y <- 10
# Total number of data sources across the study region
J.all <- J.x * J.y
# Number of data sources.
n.data <- 2
# Sites for each data source.
J.obs <- sample(ceiling(0.2 * J.all):ceiling(0.5 * J.all), n.data, replace = TRUE)
n.rep <- list()
n.rep[[1]] <- rep(3, J.obs[1])
n.rep[[2]] <- rep(4, J.obs[2])
```

```

# Number of species observed in each data source
N <- c(8, 3)

# Community-level covariate effects
# Occurrence
beta.mean <- c(0.2, 0.5)
p.occ <- length(beta.mean)
tau.sq.beta <- c(0.4, 0.3)
# Detection
# Detection covariates
alpha.mean <- list()
tau.sq.alpha <- list()
# Number of detection parameters in each data source
p.det.long <- c(4, 3)
for (i in 1:n.data) {
  alpha.mean[[i]] <- runif(p.det.long[i], -1, 1)
  tau.sq.alpha[[i]] <- runif(p.det.long[i], 0.1, 1)
}
# Random effects
psi.RE <- list()
p.RE <- list()
beta <- matrix(NA, nrow = max(N), ncol = p.occ)
for (i in 1:p.occ) {
  beta[, i] <- rnorm(max(N), beta.mean[i], sqrt(tau.sq.beta[i]))
}
alpha <- list()
for (i in 1:n.data) {
  alpha[[i]] <- matrix(NA, nrow = N[i], ncol = p.det.long[i])
  for (t in 1:p.det.long[i]) {
    alpha[[i]][, t] <- rnorm(N[i], alpha.mean[[i]][t], sqrt(tau.sq.alpha[[i]])[t])
  }
}
sp <- FALSE
factor.model <- FALSE
# Simulate occupancy data
dat <- simIntMsOcc(n.data = n.data, J.x = J.x, J.y = J.y,
  J.obs = J.obs, n.rep = n.rep, N = N, beta = beta, alpha = alpha,
  psi.RE = psi.RE, p.RE = p.RE, sp = sp, factor.model = factor.model,
  n.factors = n.factors)
J <- nrow(dat$coords.obs)
y <- dat$y
X <- dat$X.obs
X.p <- dat$X.p
X.re <- dat$X.re.obs
X.p.re <- dat$X.p.re
sites <- dat$sites
species <- dat$species

# Package all data into a list
occ.covs <- cbind(X)
colnames(occ.covs) <- c('int', 'occ.cov.1')
#colnames(occ.covs) <- c('occ.cov')

```



```

det.covs <- list()
# Add covariates one by one
det.covs[[1]] <- list(det.cov.1.1 = X.p[[1]][, 2],
                     det.cov.1.2 = X.p[[1]][, 3],
                     det.cov.1.3 = X.p[[1]][, 4])
det.covs[[2]] <- list(det.cov.2.1 = X.p[[2]][, 2],
                     det.cov.2.2 = X.p[[2]][, 3])

data.list <- list(y = y,
                 occ.covs = occ.covs,
                 det.covs = det.covs,
                 sites = sites,
                 species = species)
# Take a look at the data.list structure for integrated multi-species
# occupancy models.
# Priors
prior.list <- list(beta.comm.normal = list(mean = 0, var = 2.73),
                  alpha.comm.normal = list(mean = list(0, 0),
                                              var = list(2.72, 2.72)),
                  tau.sq.beta.ig = list(a = 0.1, b = 0.1),
                  tau.sq.alpha.ig = list(a = list(0.1, 0.1),
                                          b = list(0.1, 0.1)))
inits.list <- list(alpha.comm = list(0, 0),
                  beta.comm = 0,
                  tau.sq.beta = 1,
                  tau.sq.alpha = list(1, 1),
                  alpha = list(a = matrix(rnorm(p.det.long[1] * N[1]), N[1], p.det.long[1]),
                                   b = matrix(rnorm(p.det.long[2] * N[2]), N[2], p.det.long[2])),
                                   beta = 0)

# Fit the model.
# Note that this is just a test case and more iterations/chains may need to
# be run to ensure convergence.
out <- intMsPGOcc(occ.formula = ~ occ.cov.1,
                 det.formula = list(f.1 = ~ det.cov.1.1 + det.cov.1.2 + det.cov.1.3,
                                   f.2 = ~ det.cov.2.1 + det.cov.2.2),
                 inits = inits.list,
                 priors = prior.list,
                 data = data.list,
                 n.samples = 100,
                 n.omp.threads = 1,
                 verbose = TRUE,
                 n.report = 10,
                 n.burn = 50,
                 n.thin = 1,
                 n.chains = 1)
summary(out, level = 'community')

```

Description

Function for fitting single-species integrated occupancy models using Polya-Gamma latent variables. Data integration is done using a joint likelihood framework, assuming distinct detection models for each data source that are each conditional on a single latent occurrence process.

Usage

```
intPGOcc(occ.formula, det.formula, data, inits, priors, n.samples,
         n.omp.threads = 1, verbose = TRUE, n.report = 1000,
         n.burn = round(.10 * n.samples), n.thin = 1, n.chains = 1,
         k.fold, k.fold.threads = 1,
         k.fold.seed, k.fold.data, k.fold.only = FALSE, ...)
```

Arguments

- | | |
|-------------|---|
| occ.formula | a symbolic description of the model to be fit for the occurrence portion of the model using R's model syntax. Only right-hand side of formula is specified. See example below. Random intercepts are allowed using lme4 syntax (Bates et al. 2015). |
| det.formula | a list of symbolic descriptions of the models to be fit for the detection portion of the model using R's model syntax for each data set. Each element in the list is a formula for the detection model of a given data set. Only right-hand side of formula is specified. See example below. Random intercepts are allowed using lme4 syntax (Bates et al. 2015). |
| data | a list containing data necessary for model fitting. Valid tags are y, occ.covs, det.covs, and sites. y is a list of matrices or data frames for each data set used in the integrated model. Each element of the list has first dimension equal to the number of sites with that data source and second dimension equal to the maximum number of replicates at a given site. occ.covs is a matrix or data frame containing the variables used in the occupancy portion of the model, with the number of rows being the number of sites with at least one data source for each column (variable). det.covs is a list of variables included in the detection portion of the model for each data source. det.covs should have the same number of elements as y, where each element is itself a list. Each element of the list for a given data source is a different detection covariate, which can be site-level or observational-level. Site-level covariates are specified as a vector with length equal to the number of observed sites of that data source, while observation-level covariates are specified as a matrix or data frame with the number of rows equal to the number of observed sites of that data source and number of columns equal to the maximum number of replicates at a given site. sites is a list of site indices with number of elements equal to the number of data sources being modeled. Each element contains a vector of length equal to the number of sites that specific data source contains. Each value in the vector indicates the row in occ.covs that corresponds with the specific row of the detection-nondetection data for the data source. This is used to properly link sites across data sets. |
| inits | a list with each tag corresponding to a parameter name. Valid tags are z, beta, alpha, sigma.sq.psi, and sigma.sq.p. The value portion of tags z and beta |

is the parameter's initial value. The tag `alpha` is a list comprised of the initial values for the detection parameters for each data source. `sigma.sq.psi` and `sigma.sq.p` are only relevant when including random effects in the occurrence and detection portion of the occupancy model, respectively. Each element of the list should be a vector of initial values for all detection parameters in the given data source or a single value for each data source to assign all parameters for a given data source the same initial value. See `priors` description for definition of each parameter name. Additionally, the tag `fix` can be set to `TRUE` to fix the starting values across all chains. If `fix` is not specified (the default), starting values are varied randomly across chains.

<code>priors</code>	a list with each tag corresponding to a parameter name. Valid tags are <code>beta.normal</code> , <code>alpha.normal</code> , <code>sigma.sq.psi.ig</code> , and <code>sigma.sq.p.ig</code> . Occurrence (<code>beta</code>) and detection (<code>alpha</code>) regression coefficients are assumed to follow a normal distribution. For <code>beta</code> hyperparameters of the normal distribution are passed as a list of length two with the first and second elements corresponding to the mean and variance of the normal distribution, which are each specified as vectors of length equal to the number of coefficients to be estimated or of length one if priors are the same for all coefficients. For the detection coefficients <code>alpha</code> , the mean and variance hyperparameters are themselves passed in as lists, with each element of the list corresponding to the specific hyperparameters for the detection parameters in a given data source. If not specified, prior means are set to 0 and prior variances set to 2.72. <code>sigma.sq.psi</code> and <code>sigma.sq.p</code> are the random effect variances for any occurrence or detection random effects, respectively, and are assumed to follow an inverse Gamma distribution. The hyperparameters of the inverse-Gamma distribution are passed as a list of length two with first and second elements corresponding to the shape and scale parameters, respectively, which are each specified as vectors of length equal to the number of random intercepts or of length one if priors are the same for all random effect variances.
<code>n.samples</code>	the number of posterior samples to collect in each chain.
<code>n.omp.threads</code>	a positive integer indicating the number of threads to use for SMP parallel processing within chains. This will have no impact on model run times for non-spatial models. The package must be compiled for OpenMP support. For most Intel-based machines, we recommend setting <code>n.omp.threads</code> up to the number of hyperthreaded cores. Note, <code>n.omp.threads > 1</code> might not work on some systems.
<code>verbose</code>	if <code>TRUE</code> , messages about data preparation, model specification, and progress of the sampler are printed to the screen. Otherwise, no messages are printed.
<code>n.report</code>	the interval to report MCMC progress.
<code>n.burn</code>	the number of samples out of the total <code>n.samples</code> to discard as burn-in. By default, the first 10% of samples is discarded.
<code>n.thin</code>	the thinning interval for collection of MCMC samples. The thinning occurs after the <code>n.burn</code> samples are discarded. Default value is set to 1.
<code>n.chains</code>	the number of chains to run.
<code>k.fold</code>	specifies the number of k folds for cross-validation. If not specified as an argument, then cross-validation is not performed and <code>k.fold.threads</code> and <code>k.fold.seed</code> are ignored. In k -fold cross-validation, the data specified in <code>data</code> is randomly

	partitioned into k equal sized subsamples. Of the k subsamples, $k - 1$ subsamples are used to fit the model and the remaining k samples are used for prediction. The cross-validation process is repeated k times (the folds). As a scoring rule, we use the model deviance as described in Hooten and Hobbs (2015). Cross-validation is performed after the full model is fit using all the data. Cross-validation results are reported in the <code>k.fold.deviance</code> object in the return list.
<code>k.fold.threads</code>	number of threads to use for cross-validation. If <code>k.fold.threads > 1</code> parallel processing is accomplished using the foreach and doParallel packages. Ignored if <code>k.fold</code> is not specified.
<code>k.fold.seed</code>	seed used to split data set into <code>k.fold</code> parts for k-fold cross-validation. Ignored if <code>k.fold</code> is not specified.
<code>k.fold.data</code>	an integer specifying the specific data set to hold out values from. If not specified, data from all data set locations will be incorporated into the k-fold cross-validation.
<code>k.fold.only</code>	a logical value indicating whether to only perform cross-validation (TRUE) or perform cross-validation after fitting the full model (FALSE). Default value is FALSE.
<code>...</code>	currently no additional arguments

Value

An object of class `intPGOcc` that is a list comprised of:

<code>beta.samples</code>	a coda object of posterior samples for the occupancy regression coefficients.
<code>alpha.samples</code>	a coda object of posterior samples for the detection regression coefficients for all data sources.
<code>z.samples</code>	a coda object of posterior samples for the latent occupancy values
<code>psi.samples</code>	a coda object of posterior samples for the latent occupancy probability values
<code>rhat</code>	a list of Gelman-Rubin diagnostic values for some of the model parameters.
<code>ESS</code>	a list of effective sample sizes for some of the model parameters.
<code>run.time</code>	execution time reported using <code>proc.time()</code> .
<code>k.fold.deviance</code>	scoring rule (deviance) from k-fold cross-validation. A separate deviance value is returned for each data source. Only included if <code>k.fold</code> is specified in function call. Only a single value is returned if <code>k.fold.data</code> is specified.

The return object will include additional objects used for subsequent prediction and/or model fit evaluation. Note that detection probability estimated values are not included in the model object, but can be extracted using `fitted()`.

Note

Some of the underlying code used for generating random numbers from the Polya-Gamma distribution is taken from the **pgdraw** package written by Daniel F. Schmidt and Enes Makalic. Their code implements Algorithm 6 in PhD thesis of Jesse Bennett Windle (2013) <https://repositories.lib.utexas.edu/handle/2152/21842>.

Author(s)

Jeffrey W. Doser <doserjef@msu.edu>,
 Andrew O. Finley <finleya@msu.edu>

References

Polson, N.G., J.G. Scott, and J. Windle. (2013) Bayesian Inference for Logistic Models Using Polya-Gamma Latent Variables. *Journal of the American Statistical Association*, 108:1339-1349.

Hooten, M. B., and Hobbs, N. T. (2015). A guide to Bayesian model selection for ecologists. *Ecological monographs*, 85(1), 3-28.

Finley, A. O., Datta, A., and Banerjee, S. (2020). spNNGP R package for nearest neighbor Gaussian process models. arXiv preprint arXiv:2001.09111.

Examples

```
set.seed(1008)

# Simulate Data -----
J.x <- 15
J.y <- 15
J.all <- J.x * J.y
# Number of data sources.
n.data <- 4
# Sites for each data source.
J.obs <- sample(ceiling(0.2 * J.all):ceiling(0.5 * J.all), n.data, replace = TRUE)
# Replicates for each data source.
n.rep <- list()
for (i in 1:n.data) {
  n.rep[[i]] <- sample(1:4, size = J.obs[i], replace = TRUE)
}
# Occupancy covariates
beta <- c(0.5, 1)
p.occ <- length(beta)
# Detection covariates
alpha <- list()
for (i in 1:n.data) {
  alpha[[i]] <- runif(2, -1, 1)
}
p.det.long <- sapply(alpha, length)
p.det <- sum(p.det.long)

# Simulate occupancy data.
dat <- simIntOcc(n.data = n.data, J.x = J.x, J.y = J.y, J.obs = J.obs,
               n.rep = n.rep, beta = beta, alpha = alpha, sp = FALSE)

y <- dat$y
X <- dat$X.obs
X.p <- dat$X.p
sites <- dat$sites

# Package all data into a list
```

```

occ.covs <- X[, 2, drop = FALSE]
colnames(occ.covs) <- c('occ.cov')
det.covs <- list()
# Add covariates one by one
det.covs[[1]] <- list(det.cov.1.1 = X.p[[1]][, , 2])
det.covs[[2]] <- list(det.cov.2.1 = X.p[[2]][, , 2])
det.covs[[3]] <- list(det.cov.3.1 = X.p[[3]][, , 2])
det.covs[[4]] <- list(det.cov.4.1 = X.p[[4]][, , 2])
data.list <- list(y = y,
                 occ.covs = occ.covs,
                 det.covs = det.covs,
                 sites = sites)

J <- length(dat$z.obs)
# Initial values
inits.list <- list(alpha = list(0, 0, 0, 0),
                 beta = 0,
                 z = rep(1, J))

# Priors
prior.list <- list(beta.normal = list(mean = 0, var = 2.72),
                 alpha.normal = list(mean = list(0, 0, 0, 0),
                 var = list(2.72, 2.72, 2.72, 2.72)))

n.samples <- 5000
# Note that this is just a test case and more iterations/chains may need to
# be run to ensure convergence.
out <- intPGOcc(occ.formula = ~ occ.cov,
              det.formula = list(f.1 = ~ det.cov.1.1,
                                f.2 = ~ det.cov.2.1,
                                f.3 = ~ det.cov.3.1,
                                f.4 = ~ det.cov.4.1),
              data = data.list,
              inits = inits.list,
              n.samples = n.samples,
              priors = prior.list,
              n.omp.threads = 1,
              verbose = TRUE,
              n.report = 1000,
              n.burn = 1000,
              n.thin = 1,
              n.chains = 1)

summary(out)

```

Description

Function for fitting a joint species distribution model with species correlations. This model does not explicitly account for imperfect detection (see `lfMsPGOcc()`). We use Polya-gamma latent variables and a factor modeling approach.

Usage

```
lfJSDM(formula, data, inits, priors, n.factors,
        n.samples, n.omp.threads = 1, verbose = TRUE, n.report = 100,
        n.burn = round(.10 * n.samples), n.thin = 1, n.chains = 1,
        k.fold, k.fold.threads = 1, k.fold.seed, k.fold.only = FALSE, ...)
```

Arguments

- | | |
|---------|---|
| formula | a symbolic description of the model to be fit for the model using R's model syntax. Only right-hand side of formula is specified. See example below. Random intercepts are allowed using lme4 syntax (Bates et al. 2015). |
| data | a list containing data necessary for model fitting. Valid tags are y, covs, and coords. y is a two-dimensional array with first dimension equal to the number of species and second dimension equal to the number of sites. Note how this differs from other spOccupancy functions in that y does not have any replicate surveys. This is because lfJSDM does not account for imperfect detection. covs is a matrix or data frame containing the variables used in the model, with <i>J</i> rows for each column (variable). coords is a matrix with <i>J</i> rows and 2 columns consisting of the spatial coordinates of each site in the data. Note that spOccupancy assumes coordinates are specified in a projected coordinate system. |
| inits | a list with each tag corresponding to a parameter name. Valid tags are beta.comm, beta, tau.sq.beta, sigma.sq.psi, lambda. The value portion of each tag is the parameter's initial value. See priors description for definition of each parameter name. Additionally, the tag fix can be set to TRUE to fix the starting values across all chains. If fix is not specified (the default), starting values are varied randomly across chains. |
| priors | a list with each tag corresponding to a parameter name. Valid tags are beta.comm.normal, tau.sq.beta.ig, and sigma.sq.psi.ig. Community-level (beta.comm) regression coefficients are assumed to follow a normal distribution. The hyperparameters of the normal distribution are passed as a list of length two with the first and second elements corresponding to the mean and variance of the normal distribution, which are each specified as vectors of length equal to the number of coefficients to be estimated or of length one if priors are the same for all coefficients. If not specified, prior means are set to 0 and prior variances set to 2.72. Community-level variance parameters (tau.sq.beta) are assumed to follow an inverse Gamma distribution. The hyperparameters of the inverse gamma distribution are passed as a list of length two with the first and second elements corresponding to the shape and scale parameters, which are each specified as vectors of length equal to the number of coefficients to be estimated or a single value if all parameters are assigned the same prior. If not specified, prior shape and scale parameters are set to 0.1. The factor model fits n.factors independent latent factors. The priors for the factor loadings matrix lambda are fixed following standard approaches to ensure parameter identifiability. The upper triangular elements of the $N \times n.factors$ matrix are fixed at 0 and the diagonal elements are fixed at 1. The lower triangular elements are assigned a standard normal prior (i.e., mean 0 and variance 1). sigma.sq.psi is the random effect variance for any random effects, and is assumed to follow an inverse Gamma |

distribution. The hyperparameters of the inverse-Gamma distribution are passed as a list of length two with first and second elements corresponding to the shape and scale parameters, respectively, which are each specified as vectors of length equal to the number of random intercepts or of length one if priors are the same for all random effect variances.

<code>n.factors</code>	the number of factors to use in the latent factor model approach. Typically, the number of factors is set to be small (e.g., 4-5) relative to the total number of species in the community, which will lead to substantial decreases in computation time. However, the value can be anywhere between 0 and N (the number of species in the community). When set to 0, the model assumes there are no residual species correlations, which is equivalent to the <code>msPGOcc()</code> function but without imperfect detection.
<code>n.samples</code>	the number of posterior samples to collect in each chain.
<code>n.omp.threads</code>	a positive integer indicating the number of threads to use for SMP parallel processing within chains. This will have no impact on model run times for non-spatial models. The package must be compiled for OpenMP support. For most Intel-based machines, we recommend setting <code>n.omp.threads</code> up to the number of hyperthreaded cores. Note, <code>n.omp.threads > 1</code> might not work on some systems.
<code>verbose</code>	if <code>TRUE</code> , messages about data preparation, model specification, and progress of the sampler are printed to the screen. Otherwise, no messages are printed.
<code>n.report</code>	the interval to report MCMC progress.
<code>n.burn</code>	the number of samples out of the total <code>n.samples</code> to discard as burn-in for each chain. By default, the first 10% of samples is discarded.
<code>n.thin</code>	the thinning interval for collection of MCMC samples. The thinning occurs after the <code>n.burn</code> samples are discarded. Default value is set to 1.
<code>n.chains</code>	the number of chains to run in sequence.
<code>k.fold</code>	specifies the number of k folds for cross-validation. If not specified as an argument, then cross-validation is not performed and <code>k.fold.threads</code> and <code>k.fold.seed</code> are ignored. In k -fold cross-validation, the data specified in <code>data</code> is randomly partitioned into k equal sized subsamples. Of the k subsamples, $k - 1$ subsamples are used to fit the model and the remaining k samples are used for prediction. The cross-validation process is repeated k times (the folds). As a scoring rule, we use the model deviance as described in Hooten and Hobbs (2015). Cross-validation is performed after the full model is fit using all the data. Cross-validation results are reported in the <code>k.fold.deviance</code> object in the return list.
<code>k.fold.threads</code>	number of threads to use for cross-validation. If <code>k.fold.threads > 1</code> parallel processing is accomplished using the foreach and doParallel packages. Ignored if <code>k.fold</code> is not specified.
<code>k.fold.seed</code>	seed used to split data set into <code>k.fold</code> parts for k -fold cross-validation. Ignored if <code>k.fold</code> is not specified.
<code>k.fold.only</code>	a logical value indicating whether to only perform cross-validation (<code>TRUE</code>) or perform cross-validation after fitting the full model (<code>FALSE</code>). Default value is <code>FALSE</code> .
<code>...</code>	currently no additional arguments

Value

An object of class `lfJSDM` that is a list comprised of:

<code>beta.comm.samples</code>	a coda object of posterior samples for the community level occurrence regression coefficients.
<code>tau.sq.beta.samples</code>	a coda object of posterior samples for the occurrence community variance parameters.
<code>beta.samples</code>	a coda object of posterior samples for the species level occurrence regression coefficients.
<code>lambda.samples</code>	a coda object of posterior samples for the latent factor loadings.
<code>psi.samples</code>	a three-dimensional array of posterior samples for the latent probability of occurrence/detection values for each species.
<code>sigma.sq.psi.samples</code>	a coda object of posterior samples for variances of random intercepts included in the occurrence portion of the model. Only included if random intercepts are specified in <code>occ.formula</code> .
<code>w.samples</code>	a three-dimensional array of posterior samples for the latent effects for each latent factor.
<code>beta.star.samples</code>	a coda object of posterior samples for the occurrence random effects. Only included if random intercepts are specified in <code>occ.formula</code> .
<code>like.samples</code>	a three-dimensional array of posterior samples for the likelihood value associated with each site and species. Used for calculating WAIC.
<code>rhat</code>	a list of Gelman-Rubin diagnostic values for some of the model parameters.
<code>ESS</code>	a list of effective sample sizes for some of the model parameters.
<code>run.time</code>	MCMC sampler execution time reported using <code>proc.time()</code> .
<code>k.fold.deviance</code>	vector of scoring rules (deviance) from k-fold cross-validation. A separate value is reported for each species. Only included if <code>k.fold</code> is specified in function call.

The return object will include additional objects used for subsequent prediction and/or model fit evaluation. Note that detection probability estimated values are not included in the model object, but can be extracted using `fitted()`.

Note

Some of the underlying code used for generating random numbers from the Polya-Gamma distribution is taken from the **pgdraw** package written by Daniel F. Schmidt and Enes Makalic. Their code implements Algorithm 6 in PhD thesis of Jesse Bennett Windle (2013) <https://repositories.lib.utexas.edu/handle/2152/21842>.

Author(s)

Jeffrey W. Doser <doserjef@msu.edu>,
 Andrew O. Finley <finleya@msu.edu>

References

- Polson, N.G., J.G. Scott, and J. Windle. (2013) Bayesian Inference for Logistic Models Using Poly-Gamma Latent Variables. *Journal of the American Statistical Association*, 108:1339-1349.
- Bates, Douglas, Martin Maechler, Ben Bolker, Steve Walker (2015). Fitting Linear Mixed-Effects Models Using lme4. *Journal of Statistical Software*, 67(1), 1-48. doi:10.18637/jss.v067.i01.
- Hooten, M. B., and Hobbs, N. T. (2015). A guide to Bayesian model selection for ecologists. *Ecological monographs*, 85(1), 3-28.

Examples

```
set.seed(400)
J.x <- 10
J.y <- 10
J <- J.x * J.y
n.rep <- rep(1, J)
N <- 10
# Community-level covariate effects
# Occurrence
beta.mean <- c(0.2, 0.6, 1.5)
p.occ <- length(beta.mean)
tau.sq.beta <- c(0.6, 1.2, 1.7)
# Detection
# Fix this to be constant and really close to 1.
alpha.mean <- c(9)
tau.sq.alpha <- c(0.05)
p.det <- length(alpha.mean)
# Random effects
# Include a single random effect
psi.RE <- list(levels = c(20),
               sigma.sq.psi = c(2))
p.RE <- list()
# Draw species-level effects from community means.
beta <- matrix(NA, nrow = N, ncol = p.occ)
alpha <- matrix(NA, nrow = N, ncol = p.det)
for (i in 1:p.occ) {
  beta[, i] <- rnorm(N, beta.mean[i], sqrt(tau.sq.beta[i]))
}
for (i in 1:p.det) {
  alpha[, i] <- rnorm(N, alpha.mean[i], sqrt(tau.sq.alpha[i]))
}
alpha.true <- alpha
# Factor model
factor.model <- TRUE
n.factors <- 4

dat <- simMsOcc(J.x = J.x, J.y = J.y, n.rep = n.rep, N = N, beta = beta, alpha = alpha,
```

```

psi.RE = psi.RE, p.RE = p.RE, sp = FALSE,
factor.model = TRUE, n.factors = 4)

X <- dat$X
y <- dat$y
X.re <- dat$X.re
coords <- dat$coords
occ.covs <- cbind(X, X.re)
colnames(occ.covs) <- c('int', 'occ.cov.1', 'occ.cov.2', 'occ.re.1')
data.list <- list(y = y[, , 1],
                 covs = occ.covs,
                 coords = coords)

# Priors
prior.list <- list(beta.comm.normal = list(mean = 0, var = 2.72),
                  tau.sq.beta.ig = list(a = 0.1, b = 0.1))
inits.list <- list(beta.comm = 0, beta = 0, tau.sq.beta = 1)
# Note that this is just a test case and more iterations/chains may need to
# be run to ensure convergence.
out <- lfJSDM(formula = ~ occ.cov.1 + occ.cov.2 + (1 | occ.re.1),
              data = data.list,
              inits = inits.list,
              priors = prior.list,
              n.factors = 4,
              n.samples = 1000,
              n.report = 500,
              n.burn = 500,
              n.thin = 2,
              n.chains = 1)

summary(out)

```

lfMsPGOcc

*Function for Fitting Latent Factor Multi-Species Occupancy Models***Description**

Function for fitting multi-species occupancy models with species correlations (i.e., a joint species distribution model with imperfect detection). We use Polya-gamma latent variables and a factor modeling approach for dimension reduction.

Usage

```

lfMsPGOcc(occ.formula, det.formula, data, inits, priors, n.factors,
          n.samples, n.omp.threads = 1, verbose = TRUE, n.report = 100,
          n.burn = round(.10 * n.samples), n.thin = 1, n.chains = 1,
          k.fold, k.fold.threads = 1, k.fold.seed, k.fold.only = FALSE, ...)

```

Arguments

<code>occ.formula</code>	a symbolic description of the model to be fit for the occurrence portion of the model using R's model syntax. Only right-hand side of formula is specified. See example below. Random intercepts are allowed using lme4 syntax (Bates et al. 2015).
<code>det.formula</code>	a symbolic description of the model to be fit for the detection portion of the model using R's model syntax. Only right-hand side of formula is specified. See example below. Random intercepts are allowed using lme4 syntax (Bates et al. 2015).
<code>data</code>	a list containing data necessary for model fitting. Valid tags are <code>y</code> , <code>occ.covs</code> , <code>det.covs</code> , and <code>coords</code> . <code>y</code> is a three-dimensional array with first dimension equal to the number of species, second dimension equal to the number of sites, and third dimension equal to the maximum number of replicates at a given site. <code>occ.covs</code> is a matrix or data frame containing the variables used in the occurrence portion of the model, with J rows for each column (variable). <code>det.covs</code> is a list of variables included in the detection portion of the model. Each list element is a different detection covariate, which can be site-level or observational-level. Site-level covariates are specified as a vector of length J while observation-level covariates are specified as a matrix or data frame with the number of rows equal to J and number of columns equal to the maximum number of replicates at a given site. <code>coords</code> is a matrix or data frame with two columns that contain the spatial coordinates of each site. Note that <code>spOccupancy</code> assumes coordinates are specified in a projected coordinate system.
<code>inits</code>	a list with each tag corresponding to a parameter name. Valid tags are <code>alpha.comm</code> , <code>beta.comm</code> , <code>beta</code> , <code>alpha</code> , <code>tau.sq.beta</code> , <code>tau.sq.alpha</code> , <code>lambda</code> , <code>sigma.sq.psi</code> , <code>sigma.sq.p</code> , <code>z</code> . The value portion of each tag is the parameter's initial value. See priors description for definition of each parameter name. Additionally, the tag <code>fix</code> can be set to <code>TRUE</code> to fix the starting values across all chains. If <code>fix</code> is not specified (the default), starting values are varied randomly across chains.
<code>priors</code>	a list with each tag corresponding to a parameter name. Valid tags are <code>beta.comm.normal</code> , <code>alpha.comm.normal</code> , <code>tau.sq.beta.ig</code> , <code>tau.sq.alpha.ig</code> , <code>sigma.sq.psi.ig</code> , and <code>sigma.sq.p.ig</code> . Community-level occurrence (<code>beta.comm</code>) and detection (<code>alpha.comm</code>) regression coefficients are assumed to follow a normal distribution. The hyperparameters of the normal distribution are passed as a list of length two with the first and second elements corresponding to the mean and variance of the normal distribution, which are each specified as vectors of length equal to the number of coefficients to be estimated or of length one if priors are the same for all coefficients. If not specified, prior means are set to 0 and prior variances set to 2.72. Community-level variance parameters for occurrence (<code>tau.sq.beta</code>) and detection (<code>tau.sq.alpha</code>) are assumed to follow an inverse Gamma distribution. The hyperparameters of the inverse gamma distribution are passed as a list of length two with the first and second elements corresponding to the shape and scale parameters, which are each specified as vectors of length equal to the number of coefficients to be estimated or a single value if all parameters are assigned the same prior. If not specified, prior shape and scale parameters are set to 0.1. The factor model fits <code>n.factors</code> independent latent factors. The priors for the factor loadings matrix <code>lambda</code> are fixed following

standard approaches to ensure parameter identifiability. The upper triangular elements of the $N \times n$.factors matrix are fixed at 0 and the diagonal elements are fixed at 1. The lower triangular elements are assigned a standard normal prior (i.e., mean 0 and variance 1). `sigma.sq.psi` and `sigma.sq.p` are the random effect variances for any occurrence or detection random effects, respectively, and are assumed to follow an inverse Gamma distribution. The hyperparameters of the inverse-Gamma distribution are passed as a list of length two with first and second elements corresponding to the shape and scale parameters, respectively, which are each specified as vectors of length equal to the number of random intercepts or of length one if priors are the same for all random effect variances.

<code>n.factors</code>	the number of factors to use in the latent factor model approach. Typically, the number of factors is set to be small (e.g., 4-5) relative to the total number of species in the community, which will lead to substantial decreases in computation time. However, the value can be anywhere between 1 and N (the number of species in the community).
<code>n.samples</code>	the number of posterior samples to collect in each chain.
<code>n.omp.threads</code>	a positive integer indicating the number of threads to use for SMP parallel processing within chains. This will have no impact on model run times for non-spatial models. The package must be compiled for OpenMP support. For most Intel-based machines, we recommend setting <code>n.omp.threads</code> up to the number of hyperthreaded cores. Note, <code>n.omp.threads > 1</code> might not work on some systems.
<code>verbose</code>	if TRUE, messages about data preparation, model specification, and progress of the sampler are printed to the screen. Otherwise, no messages are printed.
<code>n.report</code>	the interval to report MCMC progress.
<code>n.burn</code>	the number of samples out of the total <code>n.samples</code> to discard as burn-in for each chain. By default, the first 10% of samples is discarded.
<code>n.thin</code>	the thinning interval for collection of MCMC samples. The thinning occurs after the <code>n.burn</code> samples are discarded. Default value is set to 1.
<code>n.chains</code>	the number of chains to run in sequence.
<code>k.fold</code>	specifies the number of k folds for cross-validation. If not specified as an argument, then cross-validation is not performed and <code>k.fold.threads</code> and <code>k.fold.seed</code> are ignored. In k -fold cross-validation, the data specified in <code>data</code> is randomly partitioned into k equal sized subsamples. Of the k subsamples, $k - 1$ subsamples are used to fit the model and the remaining k samples are used for prediction. The cross-validation process is repeated k times (the folds). As a scoring rule, we use the model deviance as described in Hooten and Hobbs (2015). Cross-validation is performed after the full model is fit using all the data. Cross-validation results are reported in the <code>k.fold.deviance</code> object in the return list.
<code>k.fold.threads</code>	number of threads to use for cross-validation. If <code>k.fold.threads > 1</code> parallel processing is accomplished using the foreach and doParallel packages. Ignored if <code>k.fold</code> is not specified.
<code>k.fold.seed</code>	seed used to split data set into k .fold parts for k -fold cross-validation. Ignored if <code>k.fold</code> is not specified.

<code>k.fold.only</code>	a logical value indicating whether to only perform cross-validation (TRUE) or perform cross-validation after fitting the full model (FALSE). Default value is FALSE.
<code>...</code>	currently no additional arguments

Value

An object of class `lfMsPGOcc` that is a list comprised of:

<code>beta.comm.samples</code>	a coda object of posterior samples for the community level occurrence regression coefficients.
<code>alpha.comm.samples</code>	a coda object of posterior samples for the community level detection regression coefficients.
<code>tau.sq.beta.samples</code>	a coda object of posterior samples for the occurrence community variance parameters.
<code>tau.sq.alpha.samples</code>	a coda object of posterior samples for the detection community variance parameters.
<code>beta.samples</code>	a coda object of posterior samples for the species level occurrence regression coefficients.
<code>alpha.samples</code>	a coda object of posterior samples for the species level detection regression coefficients.
<code>lambda.samples</code>	a coda object of posterior samples for the latent factor loadings.
<code>z.samples</code>	a three-dimensional array of posterior samples for the latent occurrence values for each species.
<code>psi.samples</code>	a three-dimensional array of posterior samples for the latent occurrence probability values for each species.
<code>sigma.sq.psi.samples</code>	a coda object of posterior samples for variances of random intercepts included in the occurrence portion of the model. Only included if random intercepts are specified in <code>occ.formula</code> .
<code>sigma.sq.p.samples</code>	a coda object of posterior samples for variances of random intercepts included in the detection portion of the model. Only included if random intercepts are specified in <code>det.formula</code> .
<code>w.samples</code>	a three-dimensional array of posterior samples for the latent effects for each latent factor.
<code>beta.star.samples</code>	a coda object of posterior samples for the occurrence random effects. Only included if random intercepts are specified in <code>occ.formula</code> .
<code>alpha.star.samples</code>	a coda object of posterior samples for the detection random effects. Only included if random intercepts are specified in <code>det.formula</code> .

<code>like.samples</code>	a three-dimensional array of posterior samples for the likelihood value associated with each site and species. Used for calculating WAIC.
<code>rhat</code>	a list of Gelman-Rubin diagnostic values for some of the model parameters.
<code>ESS</code>	a list of effective sample sizes for some of the model parameters.
<code>run.time</code>	MCMC sampler execution time reported using <code>proc.time()</code> .
<code>k.fold.deviance</code>	vector of scoring rules (deviance) from k-fold cross-validation. A separate value is reported for each species. Only included if <code>k.fold</code> is specified in function call.

The return object will include additional objects used for subsequent prediction and/or model fit evaluation. Note that detection probability estimated values are not included in the model object, but can be extracted using `fitted()`.

Note

Some of the underlying code used for generating random numbers from the Polya-Gamma distribution is taken from the **pgdraw** package written by Daniel F. Schmidt and Enes Makalic. Their code implements Algorithm 6 in PhD thesis of Jesse Bennett Windle (2013) <https://repositories.lib.utexas.edu/handle/2152/21842>.

Author(s)

Jeffrey W. Doser <doserjef@msu.edu>,
Andrew O. Finley <finleya@msu.edu>

References

- Polson, N.G., J.G. Scott, and J. Windle. (2013) Bayesian Inference for Logistic Models Using Polya-Gamma Latent Variables. *Journal of the American Statistical Association*, 108:1339-1349.
- Bates, Douglas, Martin Maechler, Ben Bolker, Steve Walker (2015). Fitting Linear Mixed-Effects Models Using lme4. *Journal of Statistical Software*, 67(1), 1-48. doi:10.18637/jss.v067.i01.
- Hooten, M. B., and Hobbs, N. T. (2015). A guide to Bayesian model selection for ecologists. *Ecological monographs*, 85(1), 3-28.
- Dorazio, R. M., and Royle, J. A. (2005). Estimating size and composition of biological communities by modeling the occurrence of species. *Journal of the American Statistical Association*, 100(470), 389-398.

Examples

```
set.seed(400)
J.x <- 8
J.y <- 8
J <- J.x * J.y
n.rep<- sample(2:4, size = J, replace = TRUE)
N <- 8
# Community-level covariate effects
# Occurrence
```

```

beta.mean <- c(0.2, 0.5)
p.occ <- length(beta.mean)
tau.sq.beta <- c(0.6, 0.3)
# Detection
alpha.mean <- c(0.5, 0.2, -0.1)
tau.sq.alpha <- c(0.2, 0.3, 1)
p.det <- length(alpha.mean)
# Draw species-level effects from community means.
beta <- matrix(NA, nrow = N, ncol = p.occ)
alpha <- matrix(NA, nrow = N, ncol = p.det)
p.RE <- list()
# Include a random intercept on detection
p.RE <- list(levels = c(40),
             sigma.sq.p = c(2))
for (i in 1:p.occ) {
  beta[, i] <- rnorm(N, beta.mean[i], sqrt(tau.sq.beta[i]))
}
for (i in 1:p.det) {
  alpha[, i] <- rnorm(N, alpha.mean[i], sqrt(tau.sq.alpha[i]))
}
n.factors <- 4

dat <- simMsOcc(J.x = J.x, J.y = J.y, n.rep = n.rep, N = N, beta = beta, alpha = alpha,
               sp = FALSE, factor.model = TRUE, n.factors = n.factors, p.RE = p.RE)
y <- dat$y
X <- dat$X
X.p <- dat$X.p
X.p.re <- dat$X.p.re
# Package all data into a list
occ.covs <- X[, 2, drop = FALSE]
colnames(occ.covs) <- c('occ.cov')
det.covs <- list(det.cov.1 = X.p[, , 2],
                 det.cov.2 = X.p[, , 3],
                 det.re = X.p.re[, , 1])
data.list <- list(y = y,
                 occ.covs = occ.covs,
                 det.covs = det.covs,
                 coords = dat$coords)

# Occupancy initial values
prior.list <- list(beta.comm.normal = list(mean = 0, var = 2.72),
                  alpha.comm.normal = list(mean = 0, var = 2.72),
                  tau.sq.beta.ig = list(a = 0.1, b = 0.1),
                  tau.sq.alpha.ig = list(a = 0.1, b = 0.1))

# Initial values
lambda.inits <- matrix(0, N, n.factors)
diag(lambda.inits) <- 1
lambda.inits[lower.tri(lambda.inits)] <- rnorm(sum(lower.tri(lambda.inits)))
inits.list <- list(alpha.comm = 0,
                  beta.comm = 0,
                  beta = 0,
                  alpha = 0,
                  tau.sq.beta = 1,

```



```

        tau.sq.alpha = 1,
        lambda = lambda.inits,
        z = apply(y, c(1, 2), max, na.rm = TRUE))

n.samples <- 300
n.burn <- 200
n.thin <- 1

# Note that this is just a test case and more iterations/chains may need to
# be run to ensure convergence.
out <- lfMsPGOcc(occ.formula = ~ occ.cov,
                det.formula = ~ det.cov.1 + det.cov.2 + (1 | det.re),
                data = data.list,
                inits = inits.list,
                n.samples = n.samples,
                priors = prior.list,
                n.factors = n.factors,
                n.omp.threads = 1,
                verbose = TRUE,
                n.report = 100,
                n.burn = n.burn,
                n.thin = n.thin,
                n.chains = 1)

summary(out, level = 'community')
```

msPGOcc

Function for Fitting Multi-Species Occupancy Models Using Polya-Gamma Latent Variables

Description

Function for fitting multi-species occupancy models using Polya-Gamma latent variables.

Usage

```

msPGOcc(occ.formula, det.formula, data, inits, priors, n.samples,
        n.omp.threads = 1, verbose = TRUE, n.report = 100,
        n.burn = round(.10 * n.samples), n.thin = 1, n.chains = 1,
        k.fold, k.fold.threads = 1, k.fold.seed, k.fold.only = FALSE, ...)
```

Arguments

occ.formula	a symbolic description of the model to be fit for the occurrence portion of the model using R's model syntax. Only right-hand side of formula is specified. See example below. Random intercepts are allowed using lme4 syntax (Bates et al. 2015).
-------------	--

<code>det.formula</code>	a symbolic description of the model to be fit for the detection portion of the model using R's model syntax. Only right-hand side of formula is specified. See example below. Random intercepts are allowed using lme4 syntax (Bates et al. 2015).
<code>data</code>	a list containing data necessary for model fitting. Valid tags are <code>y</code> , <code>occ.covs</code> , and <code>det.covs</code> . <code>y</code> is a three-dimensional array with first dimension equal to the number of species, second dimension equal to the number of sites, and third dimension equal to the maximum number of replicates at a given site. <code>occ.covs</code> is a matrix or data frame containing the variables used in the occurrence portion of the model, with J rows for each column (variable). <code>det.covs</code> is a list of variables included in the detection portion of the model. Each list element is a different detection covariate, which can be site-level or observational-level. Site-level covariates are specified as a vector of length J while observation-level covariates are specified as a matrix or data frame with the number of rows equal to J and number of columns equal to the maximum number of replicates at a given site.
<code>inits</code>	a list with each tag corresponding to a parameter name. Valid tags are <code>alpha.comm</code> , <code>beta.comm</code> , <code>beta</code> , <code>alpha</code> , <code>tau.sq.beta</code> , <code>tau.sq.alpha</code> , <code>sigma.sq.psi</code> , <code>sigma.sq.p</code> , and <code>z</code> . The value portion of each tag is the parameter's initial value. See <code>priors</code> description for definition of each parameter name. Additionally, the tag <code>fix</code> can be set to <code>TRUE</code> to fix the starting values across all chains. If <code>fix</code> is not specified (the default), starting values are varied randomly across chains.
<code>priors</code>	a list with each tag corresponding to a parameter name. Valid tags are <code>beta.comm.normal</code> , <code>alpha.comm.normal</code> , <code>tau.sq.beta.ig</code> , <code>tau.sq.alpha.ig</code> , <code>sigma.sq.psi.ig</code> , and <code>sigma.sq.p.ig</code> . Community-level occurrence (<code>beta.comm</code>) and detection (<code>alpha.comm</code>) regression coefficients are assumed to follow a normal distribution. The hyperparameters of the normal distribution are passed as a list of length two with the first and second elements corresponding to the mean and variance of the normal distribution, which are each specified as vectors of length equal to the number of coefficients to be estimated or of length one if priors are the same for all coefficients. If not specified, prior means are set to 0 and prior variances set to 2.72. Community-level variance parameters for occurrence (<code>tau.sq.beta</code>) and detection (<code>tau.sq.alpha</code>) are assumed to follow an inverse Gamma distribution. The hyperparameters of the inverse gamma distribution are passed as a list of length two with the first and second elements corresponding to the shape and scale parameters, which are each specified as vectors of length equal to the number of coefficients to be estimated or a single value if all parameters are assigned the same prior. If not specified, prior shape and scale parameters are set to 0.1. <code>sigma.sq.psi</code> and <code>sigma.sq.p</code> are the random effect variances for any occurrence or detection random effects, respectively, and are assumed to follow an inverse Gamma distribution. The hyperparameters of the inverse-Gamma distribution are passed as a list of length two with first and second elements corresponding to the shape and scale parameters, respectively, which are each specified as vectors of length equal to the number of random intercepts or of length one if priors are the same for all random effect variances.
<code>n.samples</code>	the number of posterior samples to collect in each chain.
<code>n.omp.threads</code>	a positive integer indicating the number of threads to use for SMP parallel processing within chains. This will have no impact on model run times for non-

	spatial models. The package must be compiled for OpenMP support. For most Intel-based machines, we recommend setting <code>n.omp.threads</code> up to the number of hyperthreaded cores. Note, <code>n.omp.threads > 1</code> might not work on some systems. Currently only relevant for spatial models.
<code>verbose</code>	if TRUE, messages about data preparation, model specification, and progress of the sampler are printed to the screen. Otherwise, no messages are printed.
<code>n.report</code>	the interval to report MCMC progress.
<code>n.burn</code>	the number of samples out of the total <code>n.samples</code> to discard as burn-in for each chain. By default, the first 10% of samples is discarded.
<code>n.thin</code>	the thinning interval for collection of MCMC samples. The thinning occurs after the <code>n.burn</code> samples are discarded. Default value is set to 1.
<code>n.chains</code>	the number of chains to run.
<code>k.fold</code>	specifies the number of k folds for cross-validation. If not specified as an argument, then cross-validation is not performed and <code>k.fold.threads</code> and <code>k.fold.seed</code> are ignored. In k -fold cross-validation, the data specified in <code>data</code> is randomly partitioned into k equal sized subsamples. Of the k subsamples, $k - 1$ subsamples are used to fit the model and the remaining k samples are used for prediction. The cross-validation process is repeated k times (the folds). As a scoring rule, we use the model deviance as described in Hooten and Hobbs (2015). Cross-validation is performed after the full model is fit using all the data. Cross-validation results are reported in the <code>k.fold.deviance</code> object in the return list.
<code>k.fold.threads</code>	number of threads to use for cross-validation. If <code>k.fold.threads > 1</code> parallel processing is accomplished using the foreach and doParallel packages. Ignored if <code>k.fold</code> is not specified.
<code>k.fold.seed</code>	seed used to split data set into <code>k.fold</code> parts for k -fold cross-validation. Ignored if <code>k.fold</code> is not specified.
<code>k.fold.only</code>	a logical value indicating whether to only perform cross-validation (TRUE) or perform cross-validation after fitting the full model (FALSE). Default value is FALSE.
<code>...</code>	currently no additional arguments

Value

An object of class `msPGOcc` that is a list comprised of:

<code>beta.comm.samples</code>	a coda object of posterior samples for the community level occurrence regression coefficients.
<code>alpha.comm.samples</code>	a coda object of posterior samples for the community level detection regression coefficients.
<code>tau.sq.beta.samples</code>	a coda object of posterior samples for the occurrence community variance parameters.
<code>tau.sq.alpha.samples</code>	a coda object of posterior samples for the detection community variance parameters.

<code>beta.samples</code>	a coda object of posterior samples for the species level occurrence regression coefficients.
<code>alpha.samples</code>	a coda object of posterior samples for the species level detection regression coefficients.
<code>z.samples</code>	a three-dimensional array of posterior samples for the latent occurrence values for each species.
<code>psi.samples</code>	a three-dimensional array of posterior samples for the latent occurrence probability values for each species.
<code>sigma.sq.psi.samples</code>	a coda object of posterior samples for variances of random intercepts included in the occurrence portion of the model. Only included if random intercepts are specified in <code>occ.formula</code> .
<code>sigma.sq.p.samples</code>	a coda object of posterior samples for variances of random intercepts included in the detection portion of the model. Only included if random intercepts are specified in <code>det.formula</code> .
<code>beta.star.samples</code>	a coda object of posterior samples for the occurrence random effects. Only included if random intercepts are specified in <code>occ.formula</code> .
<code>alpha.star.samples</code>	a coda object of posterior samples for the detection random effects. Only included if random intercepts are specified in <code>det.formula</code> .
<code>like.samples</code>	a three-dimensional array of posterior samples for the likelihood value associated with each site and species. Used for calculating WAIC.
<code>rhat</code>	a list of Gelman-Rubin diagnostic values for some of the model parameters.
<code>ESS</code>	a list of effective sample sizes for some of the model parameters.
<code>run.time</code>	MCMC sampler execution time reported using <code>proc.time()</code> .
<code>k.fold.deviance</code>	vector of scoring rules (deviance) from k-fold cross-validation. A separate value is reported for each species. Only included if <code>k.fold</code> is specified in function call.

The return object will include additional objects used for subsequent prediction and/or model fit evaluation. Note that detection probability estimated values are not included in the model object, but can be extracted using `fitted()`.

Note

Some of the underlying code used for generating random numbers from the Polya-Gamma distribution is taken from the **pgdraw** package written by Daniel F. Schmidt and Enes Makalic. Their code implements Algorithm 6 in PhD thesis of Jesse Bennett Windle (2013) <https://repositories.lib.utexas.edu/handle/2152/21842>.

Author(s)

Jeffrey W. Doser <doserjef@msu.edu>,
Andrew O. Finley <finleya@msu.edu>

References

- Polson, N.G., J.G. Scott, and J. Windle. (2013) Bayesian Inference for Logistic Models Using Polya-Gamma Latent Variables. *Journal of the American Statistical Association*, 108:1339-1349.
- Bates, Douglas, Martin Maechler, Ben Bolker, Steve Walker (2015). Fitting Linear Mixed-Effects Models Using lme4. *Journal of Statistical Software*, 67(1), 1-48. doi:10.18637/jss.v067.i01.
- Hooten, M. B., and Hobbs, N. T. (2015). A guide to Bayesian model selection for ecologists. *Ecological monographs*, 85(1), 3-28.
- Dorazio, R. M., and Royle, J. A. (2005). Estimating size and composition of biological communities by modeling the occurrence of species. *Journal of the American Statistical Association*, 100(470), 389-398.

Examples

```
set.seed(400)
J.x <- 8
J.y <- 8
J <- J.x * J.y
n.rep <- sample(2:4, size = J, replace = TRUE)
N <- 6
# Community-level covariate effects
# Occurrence
beta.mean <- c(0.2, 0.5)
p.occ <- length(beta.mean)
tau.sq.beta <- c(0.6, 0.3)
# Detection
alpha.mean <- c(0.5, 0.2, -0.1)
tau.sq.alpha <- c(0.2, 0.3, 1)
p.det <- length(alpha.mean)
# Draw species-level effects from community means.
beta <- matrix(NA, nrow = N, ncol = p.occ)
alpha <- matrix(NA, nrow = N, ncol = p.det)
for (i in 1:p.occ) {
  beta[, i] <- rnorm(N, beta.mean[i], sqrt(tau.sq.beta[i]))
}
for (i in 1:p.det) {
  alpha[, i] <- rnorm(N, alpha.mean[i], sqrt(tau.sq.alpha[i]))
}

dat <- simMsOcc(J.x = J.x, J.y = J.y, n.rep = n.rep, N = N, beta = beta, alpha = alpha,
               sp = FALSE)

y <- dat$y
X <- dat$X
X.p <- dat$X.p
# Package all data into a list
occ.covs <- X[, 2, drop = FALSE]
colnames(occ.covs) <- c('occ.cov')
det.covs <- list(det.cov.1 = X.p[, , 2],
                 det.cov.2 = X.p[, , 3])
data.list <- list(y = y,
                 occ.covs = occ.covs,
```

```

det.covs = det.covs)

# Occupancy initial values
prior.list <- list(beta.comm.normal = list(mean = 0, var = 2.72),
                  alpha.comm.normal = list(mean = 0, var = 2.72),
                  tau.sq.beta.ig = list(a = 0.1, b = 0.1),
                  tau.sq.alpha.ig = list(a = 0.1, b = 0.1))

# Initial values
inits.list <- list(alpha.comm = 0,
                  beta.comm = 0,
                  beta = 0,
                  alpha = 0,
                  tau.sq.beta = 1,
                  tau.sq.alpha = 1,
                  z = apply(y, c(1, 2), max, na.rm = TRUE))

n.samples <- 3000
n.burn <- 2000
n.thin <- 1

# Note that this is just a test case and more iterations/chains may need to
# be run to ensure convergence.
out <- msPGOcc(occ.formula = ~ occ.cov,
              det.formula = ~ det.cov.1 + det.cov.2,
              data = data.list,
              inits = inits.list,
              n.samples = n.samples,
              priors = prior.list,
              n.omp.threads = 1,
              verbose = TRUE,
              n.report = 1000,
              n.burn = n.burn,
              n.thin = n.thin,
              n.chains = 1)

summary(out, level = 'community')

```

neon2015

Detection-nondetection data of 12 foliage gleaning bird species in 2015 in Bartlett Experimental Forest in New Hampshire, USA

Description

Detection-nondetection data of 12 foliage gleaning bird species in 2015 in the Bartlett Experimental Forest in New Hampshire, USA. These data were collected as part of the National Ecological Observatory Network (NEON). Data were collected at 80 sites where observers recorded the number of all bird species observed during a six minute, 125m radius point count survey once during the breeding season. The six minute survey was split into three two-minute intervals following a removal design where the observer recorded the interval during which a species was first observed (if any) with a 1, intervals prior to observation with a 0, and then mentally removed the species

from subsequent intervals (marked with NA), which enables modeling of data in an occupancy modeling framework. The 12 species included in the data set are as follows: (1) AMRE: American Redstart; (2) BAWW: Black-and-white Warbler; (3) BHVI: Blue-headed Vireo; (4) BLBW: Blackburnian Warbler; (5) BLPW: Blackpoll Warbler; (6) BTBW: Black-throated Blue Warbler; (7) BTNW: Black-throated Green Warbler; (8) CAWA: Canada Warbler; (9) MAWA: Magnolia Warbler; (10) NAWA: Nashville Warbler; (11) OVEN: Ovenbird; (12) REVI: Red-eyed Vireo.

Usage

```
data(neon2015)
```

Format

neon2015 is a list with four elements:

`y`: a three-dimensional array of detection-nondetection data with dimensions of species (12), sites (80) and replicates (3).

`occ.covs`: a numeric matrix with 80 rows and one column consisting of the elevation at each site.

`det.covs`: a list of two numeric vectors with 80 elements. The first element is the day of year when the survey was conducted for a given site. The second element is the time of day when the survey began.

`coords`: a numeric matrix with 80 rows and two columns containing the site coordinates (East-ing and North-ing) in UTM Zone 19. The proj4string is "+proj=utm +zone=19 +units=m +datum=NAD83".

Source

NEON (National Ecological Observatory Network). Breeding landbird point counts, RELEASE-2021 (DP1.10003.001). <https://doi.org/10.48443/s730-dy13>. Dataset accessed from <https://data.neonscience.org> on October 10, 2021

References

- Doser, J. W., Leuenberger, W., Sillett, T. S., Hallworth, M. T. & Zipkin, E. F. (2022). Integrated community occupancy models: A framework to assess occurrence and biodiversity dynamics using multiple data sources. *Methods in Ecology and Evolution*, 00, 1-14. doi:10.1111/2041210X.13811
- Barnett, D. T., Duffy, P. A., Schimel, D. S., Krauss, R. E., Irvine, K. M., Davis, F. W., Gross, J. E., Azuaje, E. I., Thorpe, A. S., Gudex-Cross, D., et al. (2019). The terrestrial organism and biogeochemistry spatial sampling design for the national ecological observatory network. *Ecosphere*, 10(2):e02540.

PGOcc

Function for Fitting Single-Species Occupancy Models Using Polya-Gamma Latent Variables

Description

Function for fitting single-species occupancy models using Polya-Gamma latent variables.

Usage

```
PGOcc(occ.formula, det.formula, data, inits, priors, n.samples,
      n.omp.threads = 1, verbose = TRUE, n.report = 100,
      n.burn = round(.10 * n.samples), n.thin = 1, n.chains = 1,
      k.fold, k.fold.threads = 1, k.fold.seed, k.fold.only = FALSE, ...)
```

Arguments

- | | |
|-------------|---|
| occ.formula | a symbolic description of the model to be fit for the occurrence portion of the model using R's model syntax. Only right-hand side of formula is specified. See example below. Random intercepts are allowed using lme4 syntax (Bates et al. 2015). |
| det.formula | a symbolic description of the model to be fit for the detection portion of the model using R's model syntax. Only right-hand side of formula is specified. See example below. Random intercepts are allowed using lme4 syntax (Bates et al. 2015). |
| data | a list containing data necessary for model fitting. Valid tags are y, occ.covs, and det.covs. y is a matrix or data frame with first dimension equal to the number of sites (J) and second dimension equal to the maximum number of replicates at a given site. occ.covs is a matrix or data frame containing the variables used in the occurrence portion of the model, with J rows for each column (variable). det.covs is a list of variables included in the detection portion of the model. Each list element is a different detection covariate, which can be site-level or observational-level. Site-level covariates are specified as a vector of length J while observation-level covariates are specified as a matrix or data frame with the number of rows equal to J and number of columns equal to the maximum number of replicates at a given site. |
| inits | a list with each tag corresponding to a parameter name. Valid tags are z, beta, alpha, sigma.sq.psi, and sigma.sq.p. The value portion of each tag is the parameter's initial value. sigma.sq.psi and sigma.sq.p are only relevant when including random effects in the occurrence and detection portion of the occupancy model, respectively. See priors description for definition of each parameter name. Additionally, the tag fix can be set to TRUE to fix the starting values across all chains. If fix is not specified (the default), starting values are varied randomly across chains. |
| priors | a list with each tag corresponding to a parameter name. Valid tags are beta.normal, alpha.normal, sigma.sq.psi.ig, and sigma.sq.p.ig. Occupancy (beta) |

and detection (alpha) regression coefficients are assumed to follow a normal distribution. The hyperparameters of the normal distribution are passed as a list of length two with the first and second elements corresponding to the mean and variance of the normal distribution, which are each specified as vectors of length equal to the number of coefficients to be estimated or of length one if priors are the same for all coefficients. If not specified, prior means are set to 0 and prior variances set to 2.72. `sigma.sq.psi` and `sigma.sq.p` are the random effect variances for any occurrence or detection random effects, respectively, and are assumed to follow an inverse Gamma distribution. The hyperparameters of the inverse-Gamma distribution are passed as a list of length two with first and second elements corresponding to the shape and scale parameters, respectively, which are each specified as vectors of length equal to the number of random intercepts or of length one if priors are the same for all random effect variances.

<code>n.samples</code>	the number of posterior samples to collect in each chain.
<code>n.omp.threads</code>	a positive integer indicating the number of threads to use for SMP parallel processing within-chains. This will have no impact on model run time for non-spatial models. The package must be compiled for OpenMP support. For most Intel-based machines, we recommend setting <code>n.omp.threads</code> up to the number of hyperthreaded cores. Note, <code>n.omp.threads > 1</code> might not work on some systems. Currently only relevant for spatial models.
<code>verbose</code>	if TRUE, messages about data preparation, model specification, and progress of the sampler are printed to the screen. Otherwise, no messages are printed.
<code>n.report</code>	the interval to report MCMC progress.
<code>n.burn</code>	the number of samples out of the total <code>n.samples</code> to discard as burn-in for each chain. By default, the first 10% of samples is discarded.
<code>n.thin</code>	the thinning interval for collection of MCMC samples. The thinning occurs after the <code>n.burn</code> samples are discarded. Default value is set to 1.
<code>n.chains</code>	the number of chains to run.
<code>k.fold</code>	specifies the number of k folds for cross-validation. If not specified as an argument, then cross-validation is not performed and <code>k.fold.threads</code> and <code>k.fold.seed</code> are ignored. In k -fold cross-validation, the data specified in <code>data</code> is randomly partitioned into k equal sized subsamples. Of the k subsamples, $k - 1$ subsamples are used to fit the model and the remaining k samples are used for prediction. The cross-validation process is repeated k times (the folds). As a scoring rule, we use the model deviance as described in Hooten and Hobbs (2015). Cross-validation is performed after the full model is fit using all the data. Cross-validation results are reported in the <code>k.fold.deviance</code> object in the return list.
<code>k.fold.threads</code>	number of threads to use for cross-validation. If <code>k.fold.threads > 1</code> parallel processing is accomplished using the foreach and doParallel packages. Ignored if <code>k.fold</code> is not specified.
<code>k.fold.seed</code>	seed used to split data set into <code>k.fold</code> parts for k -fold cross-validation. Ignored if <code>k.fold</code> is not specified.
<code>k.fold.only</code>	a logical value indicating whether to only perform cross-validation (TRUE) or perform cross-validation after fitting the full model (FALSE). Default value is FALSE.
<code>...</code>	currently no additional arguments

Value

An object of class PGOcc that is a list comprised of:

<code>beta.samples</code>	a coda object of posterior samples for the occupancy regression coefficients.
<code>alpha.samples</code>	a coda object of posterior samples for the detection regression coefficients.
<code>z.samples</code>	a coda object of posterior samples for the latent occupancy values
<code>psi.samples</code>	a coda object of posterior samples for the latent occupancy probability values
<code>sigma.sq.psi.samples</code>	a coda object of posterior samples for variances of random intercepts included in the occupancy portion of the model. Only included if random intercepts are specified in <code>occ.formula</code> .
<code>sigma.sq.p.samples</code>	a coda object of posterior samples for variances of random intercepts included in the detection portion of the model. Only included if random intercepts are specified in <code>det.formula</code> .
<code>beta.star.samples</code>	a coda object of posterior samples for the occurrence random effects. Only included if random intercepts are specified in <code>occ.formula</code> .
<code>alpha.star.samples</code>	a coda object of posterior samples for the detection random effects. Only included if random intercepts are specified in <code>det.formula</code> .
<code>like.samples</code>	a coda object of posterior samples for the likelihood value associated with each site. Used for calculating WAIC.
<code>rhat</code>	a list of Gelman-Rubin diagnostic values for some of the model parameters.
<code>ESS</code>	a list of effective sample sizes for some of the model parameters.
<code>run.time</code>	execution time reported using <code>proc.time()</code> .
<code>k.fold.deviance</code>	scoring rule (deviance) from k-fold cross-validation. Only included if <code>k.fold</code> is specified in function call.

The return object will include additional objects used for subsequent prediction and/or model fit evaluation. Note that detection probability estimated values are not included in the model object, but can be extracted using `fitted()`.

Note

Some of the underlying code used for generating random numbers from the Polya-Gamma distribution is taken from the **pgdraw** package written by Daniel F. Schmidt and Enes Makalic. Their code implements Algorithm 6 in PhD thesis of Jesse Bennett Windle (2013) <https://repositories.lib.utexas.edu/handle/2152/21842>.

Author(s)

Jeffrey W. Doser <doserjef@msu.edu>,
Andrew O. Finley <finleya@msu.edu>

References

- Polson, N.G., J.G. Scott, and J. Windle. (2013) Bayesian Inference for Logistic Models Using Polya-Gamma Latent Variables. *Journal of the American Statistical Association*, 108:1339-1349.
- Bates, Douglas, Martin Maechler, Ben Bolker, Steve Walker (2015). Fitting Linear Mixed-Effects Models Using lme4. *Journal of Statistical Software*, 67(1), 1-48. doi:10.18637/jss.v067.i01.
- Hooten, M. B., and Hobbs, N. T. (2015). A guide to Bayesian model selection for ecologists. *Ecological monographs*, 85(1), 3-28.
- MacKenzie, D. I., J. D. Nichols, G. B. Lachman, S. Droege, J. Andrew Royle, and C. A. Langtimm. 2002. Estimating Site Occupancy Rates When Detection Probabilities Are Less Than One. *Ecology* 83: 2248-2255.

Examples

```
set.seed(400)
J.x <- 10
J.y <- 10
J <- J.x * J.y
n.rep <- sample(2:4, J, replace = TRUE)
beta <- c(0.5, -0.15)
p.occ <- length(beta)
alpha <- c(0.7, 0.4)
p.det <- length(alpha)
dat <- simOcc(J.x = J.x, J.y = J.y, n.rep = n.rep, beta = beta, alpha = alpha,
             sp = FALSE)
occ.covs <- dat$X[, 2, drop = FALSE]
colnames(occ.covs) <- c('occ.cov')
det.covs <- list(det.cov = dat$X.p[, , 2])
# Data bundle
data.list <- list(y = dat$y,
                 occ.covs = occ.covs,
                 det.covs = det.covs)

# Priors
prior.list <- list(beta.normal = list(mean = 0, var = 2.72),
                  alpha.normal = list(mean = 0, var = 2.72))

# Initial values
inits.list <- list(alpha = 0, beta = 0,
                  z = apply(data.list$y, 1, max, na.rm = TRUE))

n.samples <- 5000
n.report <- 1000

# Note that this is just a test case and more iterations/chains may need to
# be run to ensure convergence.
out <- PGOcc(occ.formula = ~ occ.cov,
            det.formula = ~ det.cov,
            data = data.list,
            inits = inits.list,
            n.samples = n.samples,
            priors = prior.list,
```

```

      n.omp.threads = 1,
      verbose = TRUE,
      n.report = n.report,
      n.burn = 1000,
      n.thin = 1,
      n.chains = 1)
summary(out)

```

postHocLM

Function for Fitting Linear Mixed Models with Previous Model Estimates

Description

Function for fitting a linear (mixed) model as a second-stage model where the response variable itself comes from a previous model fit and has uncertainty associated with it. The response variable is assumed to be a set of estimates from a previous model fit, where each value in the response variable has a posterior MCMC sample of estimates. This function is useful for doing "posthoc" analyses of model estimates (e.g., exploring how species traits relate to species-specific parameter estimates from a multi-species occupancy model). Such analyses are sometimes referred to as "two-stage" analyses.

Usage

```

postHocLM(formula, data, inits, priors, verbose = FALSE,
           n.report = 100, n.samples, n.chains = 1, ...)

```

Arguments

formula	a symbolic description of the model to be fit for the model using R's model syntax. Only right-hand side of formula is specified. See example below. Random intercepts are allowed using lme4 syntax (Bates et al. 2015).
data	a list containing data necessary for model fitting. Valid tags are y and covs. y is a matrix or data frame with first dimension equal to the number of posterior samples of each value in the response variable and the second dimension is equal to the number of values in the response variable. For example, if the response is species-specific covariate effect estimates from a multi-species occupancy model, the rows correspond to the posterior MCMC samples and the columns correspond to species. covs is a matrix or data frame containing the independent variables used in the model. Note the number of rows of covs should be equal to the number of columns in y.
inits	a list with each tag corresponding to a parameter name. Valid tags are beta, tau.sq, and sigma.sq. The value portion of each tag is the parameter's initial value. sigma.sq is only relevant when including random effects in the model. See priors description for definition of each parameter name. Additionally, the tag fix can be set to TRUE to fix the starting values across all chains. If fix is not specified (the default), starting values are varied randomly across chains.

priors	a list with each tag corresponding to a parameter name. Valid tags are <code>beta.normal</code> , <code>tau.sq.ig</code> , and <code>sigma.sq.ig</code> . Regression coefficients (<code>beta</code>) are assumed to follow a normal distribution. The hyperparameters of the normal distribution are passed as a list of length two with the first and second elements corresponding to the mean and variance of the normal distribution, which are each specified as vectors of length equal to the number of coefficients to be estimated or of length one if priors are the same for all coefficients. If not specified, prior means are set to 0 and prior variances set to 100. <code>tau.sq</code> is the residual variance, and is assumed to follow an inverse-Gamma distribution. The hyperparameters of the inverse-Gamma distribution are passed as a vector of length two with first and second elements corresponding to the shape and scale parameters, respectively. <code>sigma.sq</code> are the variances of any random intercepts included in the model, which similarly to <code>tau.sq</code> follow an inverse-Gamma distribution. The hyperparameters of the inverse-Gamma distribution are passed as a list of length two with first and second elements corresponding to the shape and scale parameters, respectively, which are each specified as vectors of length equal to the number of random intercepts or of length one if priors are the same for all random effect variances.
verbose	if TRUE, messages about data preparation, model specification, and progress of the sampler are printed to the screen. Otherwise, no messages are printed.
n.report	the interval to report MCMC progress.
n.samples	the number of posterior samples to collect in each chain. Note that by default, the same number of MCMC samples fit in the first stage model is assumed to be fit for the second stage model. If <code>n.samples</code> is specified, it must be a multiple of the number of samples fit in the first stage, otherwise an error will be reported.
n.chains	the number of chains to run in sequence.
...	currently no additional arguments

Value

An object of class `postHocLM` that is a list comprised of:

<code>beta.samples</code>	a coda object of posterior samples for the regression coefficients.
<code>tau.sq.samples</code>	a coda object of posterior samples for the residual variances.
<code>y.hat.samples</code>	a coda object of posterior samples of fitted values.
<code>sigma.sq.samples</code>	a coda object of posterior samples for the random effect variances if any random intercepts were included in the model.
<code>beta.star.samples</code>	a coda object of posterior samples for the random effects. Only included if random intercepts are specified in <code>formula</code> .
<code>rhat</code>	a list of Gelman-Rubin diagnostic values for some of the model parameters.
<code>ESS</code>	a list of effective sample sizes for some of the model parameters.
<code>run.time</code>	execution time reported using <code>proc.time()</code> .

bayes.R2 a coda object of posterior samples of the Bayesian R-squared as a measure of model fit. Note that when random intercepts are included in the model, this is the conditional Bayesian R-squared, not the marginal Bayesian R-squared.

The return object will include additional objects used for subsequent summarization.

Author(s)

Jeffrey W. Doser <doser.jef@msu.edu>,

References

Bates, Douglas, Martin Maechler, Ben Bolker, Steve Walker (2015). Fitting Linear Mixed-Effects Models Using lme4. Journal of Statistical Software, 67(1), 1-48. doi:10.18637/jss.v067.i01.

Examples

```
# Simulate Data -----
set.seed(100)
N <- 100
beta <- c(0, 0.5, 1.2)
tau.sq <- 1
p <- length(beta)
X <- matrix(1, nrow = N, ncol = p)
if (p > 1) {
  for (i in 2:p) {
    X[, i] <- rnorm(N)
  } # i
}
mu <- X[, 1] * beta[1] + X[, 2] * beta[2] + X[, 3] * beta[3]
y <- rnorm(N, mu, sqrt(tau.sq))
# Replicate y n.samples times and add a small amount of noise that corresponds
# to uncertainty from a first stage model.
n.samples <- 1000
y <- matrix(y, n.samples, N, byrow = TRUE)
y <- y + rnorm(length(y), 0, 0.25)

# Package data for use with postHocLM -----
colnames(X) <- c('int', 'cov.1', 'cov.2')
data.list <- list(y = y, covs = X)
data <- data.list
inits <- list(beta = 0, tau.sq = 1)
priors <- list(beta.normal = list(mean = 0, var = 10000),
              tau.sq.ig = c(0.001, 0.001))

# Run the model -----
out <- postHocLM(formula = ~ cov.1 + cov.2,
                 inits = inits,
                 data = data.list,
                 priors = priors,
                 verbose = FALSE,
```

```
summary(out)          n.chains = 1)
```

ppcOcc

*Function for performing posterior predictive checks***Description**

Function for performing posterior predictive checks on spOccupancy model objects.

Usage

```
ppcOcc(object, fit.stat, group, ...)
```

Arguments

<code>object</code>	an object of class <code>PGOcc</code> , <code>spPGOcc</code> , <code>msPGOcc</code> , <code>spMsPGOcc</code> , <code>intPGOcc</code> , <code>spIntPGOcc</code> , <code>lfMsPGOcc</code> , <code>sfMsPGOcc</code> , <code>tPGOcc</code> , <code>stPGOcc</code> , <code>svcPGOcc</code> , <code>svcMsPGOcc</code> , <code>tMsPGOcc</code> , <code>stMsPGOcc</code> , <code>svcTMsPGOcc</code> .
<code>fit.stat</code>	a quoted keyword that specifies the fit statistic to use in the posterior predictive check. Supported fit statistics are "freeman-tukey" and "chi-squared".
<code>group</code>	a positive integer indicating the way to group the detection-nondetection data for the posterior predictive check. Value 1 will group values by row (site) and value 2 will group values by column (replicate).
<code>...</code>	currently no additional arguments

Details

Standard GoF assessments are not valid for binary data, and posterior predictive checks must be performed on some sort of binned data.

Value

An object of class `ppcOcc` that is a list comprised of:

<code>fit.y</code>	a numeric vector of posterior samples for the fit statistic calculated on the observed data when <code>object</code> is of class <code>PGOcc</code> , <code>spPGOcc</code> , or <code>svcPGOcc</code> . When <code>object</code> is of class <code>msPGOcc</code> , <code>spMsPGOcc</code> , <code>lfMsPGOcc</code> , <code>sfMsPGOcc</code> , or <code>svcMsPGOcc</code> this is a numeric matrix with rows corresponding to posterior samples and columns corresponding to species. When <code>object</code> is of class <code>intPGOcc</code> or <code>spIntPGOcc</code> , this is a list, with each element of the list being a vector of posterior samples for each data set. When <code>object</code> is of class <code>tPGOcc</code> or <code>stPGOcc</code> , this is a numeric matrix with rows corresponding to posterior samples and columns corresponding to primary sampling periods. When <code>object</code> is of class <code>tMsPGOcc</code> , <code>stMsPGOcc</code> , or <code>svcTMsPGOcc</code> , this is a three-dimensional array with dimensions corresponding to MCMC sample, species, and primary time period.
--------------------	--

- `fit.y.rep` a numeric vector of posterior samples for the fit statistic calculated on a replicate data set generated from the model when object is of class `PGOcc`, `spPGOcc`, or `svcPGOcc`. When object is of class `msPGOcc`, `spMsPGOcc`, `lfMsPGOcc`, `sfMsPGOcc`, or `svcMsPGOcc` this is a numeric matrix with rows corresponding to posterior samples and columns corresponding to species. When object is of class `intPGOcc` or `spIntPGOcc`, this is a list, with each element of the list being a vector of posterior samples for each data set. When object is of class `tpPGOcc` or `stPGOcc`, this is a numeric matrix with rows corresponding to posterior samples and columns corresponding to primary sampling periods. When object is of class `tMsPGOcc`, `stMsPGOcc`, or `svcTMsPGOcc`, this is a three-dimensional array with dimensions corresponding to MCMC sample, species, and primary time period.
- `fit.y.group.quant`s a matrix consisting of posterior quantiles for the fit statistic using the observed data for each unique element the fit statistic is calculated for (i.e., sites when `group = 1`, replicates when `group = 2`) when object is of class `PGOcc`, `spPGOcc`, or `svcPGOcc`. When object is of class `msPGOcc`, `spMsPGOcc`, `lfMsPGOcc`, `sfMsPGOcc`, `svcMsPGOcc`, this is a three-dimensional array with the additional dimension corresponding to species. When object is of class `intPGOcc` or `spIntPGOcc`, this is a list, with each element consisting of the posterior quantile matrix for each data set. When object is of class `tpPGOcc` or `stPGOcc`, this is a three-dimensional array with the additional dimension corresponding to primary sampling periods. When object is of class `tMsPGOcc`, `stMsPGOcc`, `svcTMsPGOcc`, this is a four-dimensional array with dimensions corresponding to quantile, species, grouping element, and primary time period.
- `fit.y.rep.group.quant`s a matrix consisting of posterior quantiles for the fit statistic using the model replicated data for each unique element the fit statistic is calculated for (i.e., sites when `group = 1`, replicates when `group = 2`) when object is of class `PGOcc`, `spPGOcc`, `svcPGOcc`. When object is of class `msPGOcc`, `spMsPGOcc`, `lfMsPGOcc`, `sfMsPGOcc`, or `svcMsPGOcc`, this is a three-dimensional array with the additional dimension corresponding to species. When object is of class `intPGOcc` or `spIntPGOcc`, this is a list, with each element consisting of the posterior quantile matrix for each data set. When object is of class `tpPGOcc` or `stPGOcc`, this is a three-dimensional array with the additional dimension corresponding to primary sampling periods. When object is of class `tMsPGOcc`, `stMsPGOcc`, `svcTMsPGOcc`, this is a four-dimensional array with dimensions corresponding to quantile, species, grouping element, and primary time period.

The return object will include additional objects used for standard extractor functions.

Author(s)

Jeffrey W. Doser <doserjef@msu.edu>,

Examples

```
set.seed(400)
# Simulate Data -----
```



```

J.x <- 8
J.y <- 8
J <- J.x * J.y
n.rep <- sample(2:4, J, replace = TRUE)
beta <- c(0.5, -0.15)
p.occ <- length(beta)
alpha <- c(0.7, 0.4)
p.det <- length(alpha)
dat <- simOcc(J.x = J.x, J.y = J.y, n.rep = n.rep, beta = beta, alpha = alpha,
             sp = FALSE)
occ.covs <- dat$X[, 2, drop = FALSE]
colnames(occ.covs) <- c('occ.cov')
det.covs <- list(det.cov = dat$X.p[, , 2])
# Data bundle
data.list <- list(y = dat$y,
                 occ.covs = occ.covs,
                 det.covs = det.covs)

# Priors
prior.list <- list(beta.normal = list(mean = 0, var = 2.72),
                  alpha.normal = list(mean = 0, var = 2.72))
# Initial values
inits.list <- list(alpha = 0, beta = 0,
                  z = apply(data.list$y, 1, max, na.rm = TRUE))

n.samples <- 5000
n.report <- 1000

out <- PGOcc(occ.formula = ~ occ.cov,
            det.formula = ~ det.cov,
            data = data.list,
            inits = inits.list,
            n.samples = n.samples,
            priors = prior.list,
            n.omp.threads = 1,
            verbose = TRUE,
            n.report = n.report,
            n.burn = 4000,
            n.thin = 1)

# Posterior predictive check
ppc.out <- ppcOcc(out, fit.stat = 'chi-squared', group = 1)
summary(ppc.out)

```

Description

The function `predict` collects posterior predictive samples for a set of new locations given an object of class `'intMsPGOcc'`. Prediction is currently possible only for the latent occupancy state.

Usage

```
## S3 method for class 'intMsPGOcc'
predict(object, X.0, ignore.RE = FALSE, ...)
```

Arguments

<code>object</code>	an object of class <code>intMsPGOcc</code>
<code>X.0</code>	the design matrix of covariates at the prediction locations. This should include a column of 1s for the intercept if an intercept is included in the model. If random effects are included in the occupancy (or detection if <code>type = 'detection'</code>) portion of the model, the levels of the random effects at the new locations should be included as a column in the design matrix. The ordering of the levels should match the ordering used to fit the data in <code>intMsPGOcc</code> . Columns should correspond to the order of how covariates were specified in the corresponding formula argument of <code>intMsPGOcc</code> . Column names of the random effects must match the name of the random effects, if specified in the corresponding formula argument of <code>intMsPGOcc</code> .
<code>ignore.RE</code>	a logical value indicating whether to include unstructured random effects for prediction. If <code>TRUE</code> , random effects will be ignored and prediction will only use the fixed effects. If <code>FALSE</code> , random effects will be included in the prediction for both observed and unobserved levels of the random effect.
<code>...</code>	currently no additional arguments

Value

A list object of class `predict.intMsPGOcc` consisting of:

<code>psi.0.samples</code>	a three-dimensional array of posterior predictive samples for the latent occurrence probability values.
<code>z.0.samples</code>	a three-dimensional array of posterior predictive samples for the latent occurrence values.

The return object will include additional objects used for standard extractor functions.

Note

When `ignore.RE = FALSE`, both sampled levels and non-sampled levels of random effects are supported for prediction. For sampled levels, the posterior distribution for the random intercept corresponding to that level of the random effect will be used in the prediction. For non-sampled levels, random values are drawn from a normal distribution using the posterior samples of the random effect variance, which results in fully propagated uncertainty in predictions with models that incorporate random effects.

Author(s)

Jeffrey W. Doser <doserjef@msu.edu>,
 Andrew O. Finley <finleya@msu.edu>

Examples

```

set.seed(91)
J.x <- 10
J.y <- 10
# Total number of data sources across the study region
J.all <- J.x * J.y
# Number of data sources.
n.data <- 2
# Sites for each data source.
J.obs <- sample(ceiling(0.2 * J.all):ceiling(0.5 * J.all), n.data, replace = TRUE)
n.rep <- list()
n.rep[[1]] <- rep(3, J.obs[1])
n.rep[[2]] <- rep(4, J.obs[2])

# Number of species observed in each data source
N <- c(8, 3)

# Community-level covariate effects
# Occurrence
beta.mean <- c(0.2, 0.5)
p.occ <- length(beta.mean)
tau.sq.beta <- c(0.4, 0.3)
# Detection
# Detection covariates
alpha.mean <- list()
tau.sq.alpha <- list()
# Number of detection parameters in each data source
p.det.long <- c(4, 3)
for (i in 1:n.data) {
  alpha.mean[[i]] <- runif(p.det.long[i], -1, 1)
  tau.sq.alpha[[i]] <- runif(p.det.long[i], 0.1, 1)
}
# Random effects
psi.RE <- list()
p.RE <- list()
beta <- matrix(NA, nrow = max(N), ncol = p.occ)
for (i in 1:p.occ) {
  beta[, i] <- rnorm(max(N), beta.mean[i], sqrt(tau.sq.beta[i]))
}
alpha <- list()
for (i in 1:n.data) {
  alpha[[i]] <- matrix(NA, nrow = N[i], ncol = p.det.long[i])
  for (t in 1:p.det.long[i]) {
    alpha[[i]][, t] <- rnorm(N[i], alpha.mean[[i]][t], sqrt(tau.sq.alpha[[i]])[t])
  }
}
sp <- FALSE

```

```

factor.model <- FALSE
# Simulate occupancy data
dat <- simIntMsOcc(n.data = n.data, J.x = J.x, J.y = J.y,
                  J.obs = J.obs, n.rep = n.rep, N = N, beta = beta, alpha = alpha,
                  psi.RE = psi.RE, p.RE = p.RE, sp = sp, factor.model = factor.model,
                  n.factors = n.factors)

J <- nrow(dat$coords.obs)
y <- dat$y
X <- dat$X.obs
X.p <- dat$X.p
X.re <- dat$X.re.obs
X.p.re <- dat$X.p.re
sites <- dat$sites
species <- dat$species

# Package all data into a list
occ.covs <- cbind(X)
colnames(occ.covs) <- c('int', 'occ.cov.1')
#colnames(occ.covs) <- c('occ.cov')
det.covs <- list()
# Add covariates one by one
det.covs[[1]] <- list(det.cov.1.1 = X.p[[1]][, 2],
                     det.cov.1.2 = X.p[[1]][, 3],
                     det.cov.1.3 = X.p[[1]][, 4])
det.covs[[2]] <- list(det.cov.2.1 = X.p[[2]][, 2],
                     det.cov.2.2 = X.p[[2]][, 3])

data.list <- list(y = y,
                 occ.covs = occ.covs,
                 det.covs = det.covs,
                 sites = sites,
                 species = species)
# Take a look at the data.list structure for integrated multi-species
# occupancy models.
# Priors
prior.list <- list(beta.comm.normal = list(mean = 0, var = 2.73),
                  alpha.comm.normal = list(mean = list(0, 0),
                                              var = list(2.72, 2.72)),
                  tau.sq.beta.ig = list(a = 0.1, b = 0.1),
                  tau.sq.alpha.ig = list(a = list(0.1, 0.1),
                                          b = list(0.1, 0.1)))

inits.list <- list(alpha.comm = list(0, 0),
                  beta.comm = 0,
                  tau.sq.beta = 1,
                  tau.sq.alpha = list(1, 1),
                  alpha = list(a = matrix(rnorm(p.det.long[1] * N[1]), N[1], p.det.long[1]),
                                      b = matrix(rnorm(p.det.long[2] * N[2]), N[2], p.det.long[2])),
                  beta = 0)

# Fit the model.
# Note that this is just a test case and more iterations/chains may need to
# be run to ensure convergence.
out <- intMsPGOcc(occ.formula = ~ occ.cov.1,

```

```

det.formula = list(f.1 = ~ det.cov.1.1 + det.cov.1.2 + det.cov.1.3,
                  f.2 = ~ det.cov.2.1 + det.cov.2.2),
inits = inits.list,
priors = prior.list,
data = data.list,
n.samples = 100,
n.omp.threads = 1,
verbose = TRUE,
n.report = 10,
n.burn = 50,
n.thin = 1,
n.chains = 1)
#Predict at new locations.
X.0 <- dat$X.pred
psi.0 <- dat$psi.pred
out.pred <- predict(out, X.0, ignore.RE = TRUE)

# Create prediction for one species.
curr.sp <- 2
psi.hat.quantiles <- apply(out.pred$psi.0.samples[,curr.sp, ],
                          2, quantile, c(0.025, 0.5, 0.975))
plot(psi.0[curr.sp, ], psi.hat.quantiles[2, ], pch = 19, xlab = 'True',
     ylab = 'Predicted', ylim = c(min(psi.hat.quantiles), max(psi.hat.quantiles)),
     main = paste("Species ", curr.sp, sep = ''))
segments(psi.0[curr.sp, ], psi.hat.quantiles[1, ], psi.0[curr.sp, ], psi.hat.quantiles[3, ])
lines(psi.0[curr.sp, ], psi.0[curr.sp, ])

```

predict.intPGOcc	<i>Function for prediction at new locations for single-species integrated occupancy models</i>
------------------	--

Description

The function `predict` collects posterior predictive samples for a set of new locations given an object of class `'intPGOcc'`.

Usage

```
## S3 method for class 'intPGOcc'
predict(object, X.0, ignore.RE = FALSE, type = 'occupancy', ...)
```

Arguments

<code>object</code>	an object of class <code>intPGOcc</code>
<code>X.0</code>	the design matrix for prediction locations. This should include a column of 1s for the intercept. Covariates should have the same column names as those used when fitting the model with <code>intPGOcc</code> .

<code>ignore.RE</code>	logical value that specifies whether or not to remove random occurrence (or detection if <code>type = 'detection'</code>) effects from the subsequent predictions. If TRUE, random effects will be included. If FALSE, random effects will be set to 0 and predictions will only be generated from the fixed effects.
<code>type</code>	a quoted keyword indicating what type of prediction to produce. Valid keywords are 'occupancy' to predict latent occupancy probability and latent occupancy values (this is the default), or 'detection' to predict detection probability given new values of detection covariates. Note that prediction of detection probability is not currently supported for integrated models.
<code>...</code>	currently no additional arguments

Value

An object of class `predict.intPGOcc` that is a list comprised of:

<code>psi.0.samples</code>	a coda object of posterior predictive samples for the latent occurrence probability values.
<code>z.0.samples</code>	a coda object of posterior predictive samples for the latent occurrence values.

The return object will include additional objects used for standard extractor functions.

Author(s)

Jeffrey W. Doser <doserjef@msu.edu>,
Andrew O. Finley <finleya@msu.edu>

Examples

```
set.seed(1008)

# Simulate Data -----
J.x <- 10
J.y <- 10
J.all <- J.x * J.y
# Number of data sources.
n.data <- 4
# Sites for each data source.
J.obs <- sample(ceiling(0.2 * J.all):ceiling(0.5 * J.all), n.data, replace = TRUE)
# Replicates for each data source.
n.rep <- list()
for (i in 1:n.data) {
  n.rep[[i]] <- sample(1:4, size = J.obs[i], replace = TRUE)
}
# Occupancy covariates
beta <- c(0.5, 1)
p.occ <- length(beta)
# Detection covariates
alpha <- list()
for (i in 1:n.data) {
  alpha[[i]] <- runif(2, -1, 1)
}
```

```

p.det.long <- sapply(alpha, length)
p.det <- sum(p.det.long)

# Simulate occupancy data.
dat <- simIntOcc(n.data = n.data, J.x = J.x, J.y = J.y, J.obs = J.obs,
                n.rep = n.rep, beta = beta, alpha = alpha, sp = FALSE)

y <- dat$y
X <- dat$X.obs
X.p <- dat$X.p
sites <- dat$sites

# Package all data into a list
occ.covs <- X[, 2, drop = FALSE]
colnames(occ.covs) <- c('occ.cov')
det.covs <- list()
# Add covariates one by one
det.covs[[1]] <- list(det.cov.1.1 = X.p[[1]][, , 2])
det.covs[[2]] <- list(det.cov.2.1 = X.p[[2]][, , 2])
det.covs[[3]] <- list(det.cov.3.1 = X.p[[3]][, , 2])
det.covs[[4]] <- list(det.cov.4.1 = X.p[[4]][, , 2])
data.list <- list(y = y,
                 occ.covs = occ.covs,
                 det.covs = det.covs,
                 sites = sites)

J <- length(dat$z.obs)
# Initial values
inits.list <- list(alpha = list(0, 0, 0, 0),
                  beta = 0,
                  z = rep(1, J))

# Priors
prior.list <- list(beta.normal = list(mean = 0, var = 2.72),
                  alpha.normal = list(mean = list(0, 0, 0, 0),
                                                var = list(2.72, 2.72, 2.72, 2.72)))

# Note that this is just a test case and more iterations/chains may need to
# be run to ensure convergence.
n.samples <- 5000
out <- intPGOcc(occ.formula = ~ occ.cov,
               det.formula = list(f.1 = ~ det.cov.1.1,
                                f.2 = ~ det.cov.2.1,
                                f.3 = ~ det.cov.3.1,
                                f.4 = ~ det.cov.4.1),
               data = data.list,
               inits = inits.list,
               n.samples = n.samples,
               priors = prior.list,
               n.omp.threads = 1,
               verbose = TRUE,
               n.report = 1000,
               n.burn = 4000,
               n.thin = 1)

```

```
summary(out)

# Prediction
X.0 <- dat$X.pred
psi.0 <- dat$psi.pred

out.pred <- predict(out, X.0)
psi.hat.quantiles <- apply(out.pred$psi.0.samples, 2, quantile, c(0.025, 0.5, 0.975))
plot(psi.0, psi.hat.quantiles[2, ], pch = 19, xlab = 'True',
     ylab = 'Fitted', ylim = c(min(psi.hat.quantiles), max(psi.hat.quantiles)))
segments(psi.0, psi.hat.quantiles[1, ], psi.0, psi.hat.quantiles[3, ])
lines(psi.0, psi.0)
```

predict.lfJSDM	<i>Function for prediction at new locations for latent factor joint species distribution models</i>
----------------	---

Description

The function `predict` collects posterior predictive samples for a set of new locations given an object of class ‘lfJSDM’.

Usage

```
## S3 method for class 'lfJSDM'
predict(object, X.0, coords.0,
        ignore.RE = FALSE, ...)
```

Arguments

object	an object of class lfJSDM
X.0	the design matrix of covariates at the prediction locations. This should include a column of 1s for the intercept if an intercept is included in the model. If random effects are included in the model, the levels of the random effects at the new locations should be included as a column in the design matrix. The ordering of the levels should match the ordering used to fit the data in lfJSDM. Columns should correspond to the order of how covariates were specified in the formula argument of lfJSDM. Column names of the random effects must match the name of the random effects, if specified in the formula argument of lfJSDM.
coords.0	the spatial coordinates corresponding to X.0. Note that spOccupancy assumes coordinates are specified in a projected coordinate system.
ignore.RE	a logical value indicating whether to include unstructured random effects for prediction. If TRUE, random effects will be ignored and prediction will only use the fixed effects. If FALSE, random effects will be included in the prediction for both observed and unobserved levels of the random effect.
...	currently no additional arguments

Value

A list object of class `predict.lfJSDM` that consists of:

<code>psi.0.samples</code>	a three-dimensional array of posterior predictive samples for the latent occurrence probability values.
<code>z.0.samples</code>	a three-dimensional array of posterior predictive samples for the latent occurrence values.
<code>w.0.samples</code>	a three-dimensional array of posterior predictive samples for the latent factors.

The return object will include additional objects used for standard extractor functions.

Note

When `ignore.RE = FALSE`, both sampled levels and non-sampled levels of random effects are supported for prediction. For sampled levels, the posterior distribution for the random intercept corresponding to that level of the random effect will be used in the prediction. For non-sampled levels, random values are drawn from a normal distribution using the posterior samples of the random effect variance, which results in fully propagated uncertainty in predictions with models that incorporate random effects.

Author(s)

Jeffrey W. Doser <doserjef@msu.edu>
Andrew O. Finley <finleya@msu.edu>

Examples

```
set.seed(400)
J.x <- 8
J.y <- 8
J <- J.x * J.y
n.rep<- sample(2:4, size = J, replace = TRUE)
N <- 6
# Community-level covariate effects
# Occurrence
beta.mean <- c(0.2, 0.5)
p.occ <- length(beta.mean)
tau.sq.beta <- c(0.6, 0.3)
# Detection
alpha.mean <- c(0.5, 0.2, -0.1)
tau.sq.alpha <- c(0.2, 0.3, 1)
p.det <- length(alpha.mean)
# Draw species-level effects from community means.
beta <- matrix(NA, nrow = N, ncol = p.occ)
alpha <- matrix(NA, nrow = N, ncol = p.det)
for (i in 1:p.occ) {
  beta[, i] <- rnorm(N, beta.mean[i], sqrt(tau.sq.beta[i]))
}
for (i in 1:p.det) {
  alpha[, i] <- rnorm(N, alpha.mean[i], sqrt(tau.sq.alpha[i]))
}
```

```

}

n.factors <- 3
dat <- simMsOcc(J.x = J.x, J.y = J.y, n.rep = n.rep, N = N, beta = beta, alpha = alpha,
               sp = FALSE, factor.model = TRUE, n.factors = n.factors)
n.samples <- 5000
# Split into fitting and prediction data set
pred.indx <- sample(1:J, round(J * .25), replace = FALSE)
# Summarize the multiple replicates into a single value for use in a JSDM
y <- apply(dat$y[, -pred.indx, ], c(1, 2), max, na.rm = TRUE)
# Covariates
X <- dat$X[-pred.indx, ]
# Spatial coordinates
coords <- dat$coords[-pred.indx, ]
# Prediction values
X.0 <- dat$X[pred.indx, ]
psi.0 <- dat$psi[, pred.indx]
coords.0 <- dat$coords[pred.indx, ]
# Package all data into a list
covs <- X[, 2, drop = FALSE]
colnames(covs) <- c('occ.cov')
data.list <- list(y = y,
                 covs = covs,
                 coords = coords)

# Occupancy initial values
prior.list <- list(beta.comm.normal = list(mean = 0, var = 2.72),
                  tau.sq.beta.ig = list(a = 0.1, b = 0.1))
# Initial values
lambda.inits <- matrix(0, N, n.factors)
diag(lambda.inits) <- 1
lambda.inits[lower.tri(lambda.inits)] <- rnorm(sum(lower.tri(lambda.inits)))
inits.list <- list(alpha.comm = 0,
                  beta.comm = 0,
                  beta = 0,
                  tau.sq.beta = 1,
                  lambda = lambda.inits)
# Note that this is just a test case and more iterations/chains may need to
# be run to ensure convergence.
out <- lfJSDM(formula = ~ occ.cov,
              data = data.list,
              inits = inits.list,
              n.samples = n.samples,
              n.factors = 3,
              priors = prior.list,
              n.omp.threads = 1,
              verbose = TRUE,
              n.report = 1000,
              n.burn = 4000)

summary(out)

# Predict at new locations -----

```

```
out.pred <- predict(out, X.0, coords.0)
```

predict.lfMsPGOcc	<i>Function for prediction at new locations for latent factor multi-species occupancy models</i>
-------------------	--

Description

The function `predict` collects posterior predictive samples for a set of new locations given an object of class `'lfMsPGOcc'`. Prediction is possible for both the latent occupancy state as well as detection.

Usage

```
## S3 method for class 'lfMsPGOcc'
predict(object, X.0, coords.0,
        ignore.RE = FALSE, type = 'occupancy', include.w = TRUE, ...)
```

Arguments

<code>object</code>	an object of class <code>lfMsPGOcc</code>
<code>X.0</code>	the design matrix of covariates at the prediction locations. This should include a column of 1s for the intercept if an intercept is included in the model. If random effects are included in the occupancy (or detection if <code>type = 'detection'</code>) portion of the model, the levels of the random effects at the new locations should be included as a column in the design matrix. The ordering of the levels should match the ordering used to fit the data in <code>lfMsPGOcc</code> . Columns should correspond to the order of how covariates were specified in the corresponding formula argument of <code>lfMsPGOcc</code> . Column names of the random effects must match the name of the random effects, if specified in the corresponding formula argument of <code>lfMsPGOcc</code> .
<code>coords.0</code>	the spatial coordinates corresponding to <code>X.0</code> . Note that <code>spOccupancy</code> assumes coordinates are specified in a projected coordinate system.
<code>ignore.RE</code>	a logical value indicating whether to include unstructured random effects for prediction. If <code>TRUE</code> , random effects will be ignored and prediction will only use the fixed effects. If <code>FALSE</code> , random effects will be included in the prediction for both observed and unobserved levels of the random effect.
<code>...</code>	currently no additional arguments
<code>type</code>	a quoted keyword indicating what type of prediction to produce. Valid keywords are <code>'occupancy'</code> to predict latent occupancy probability and latent occupancy values (this is the default), or <code>'detection'</code> to predict detection probability given new values of detection covariates.
<code>include.w</code>	a logical value used to indicate whether the latent factors should be included in the predictions. By default, this is set to <code>TRUE</code> . If set to <code>FALSE</code> , predictions are given using the covariates and any unstructured random effects in the model. If <code>FALSE</code> , the <code>coords.0</code> argument is not required.

Value

A list object of class `predict.lfMsPGOcc`. When `type = 'occupancy'`, the list consists of:

- `psi.0.samples` a three-dimensional array of posterior predictive samples for the latent occurrence probability values.
- `z.0.samples` a three-dimensional array of posterior predictive samples for the latent occurrence values.
- `w.0.samples` a three-dimensional array of posterior predictive samples for the latent factors.

When `type = 'detection'`, the list consists of:

- `p.0.samples` a three-dimensional array of posterior predictive samples for the detection probability values.

The return object will include additional objects used for standard extractor functions.

Note

When `ignore.RE = FALSE`, both sampled levels and non-sampled levels of random effects are supported for prediction. For sampled levels, the posterior distribution for the random intercept corresponding to that level of the random effect will be used in the prediction. For non-sampled levels, random values are drawn from a normal distribution using the posterior samples of the random effect variance, which results in fully propagated uncertainty in predictions with models that incorporate random effects.

Author(s)

Jeffrey W. Doser <doserjef@msu.edu>,
Andrew O. Finley <finleya@msu.edu>

Examples

```
set.seed(400)
J.x <- 8
J.y <- 8
J <- J.x * J.y
n.rep<- sample(2:4, size = J, replace = TRUE)
N <- 6
# Community-level covariate effects
# Occurrence
beta.mean <- c(0.2, 0.5)
p.occ <- length(beta.mean)
tau.sq.beta <- c(0.6, 0.3)
# Detection
alpha.mean <- c(0.5, 0.2, -0.1)
tau.sq.alpha <- c(0.2, 0.3, 1)
p.det <- length(alpha.mean)
# Draw species-level effects from community means.
beta <- matrix(NA, nrow = N, ncol = p.occ)
alpha <- matrix(NA, nrow = N, ncol = p.det)
```

```

for (i in 1:p.occ) {
  beta[, i] <- rnorm(N, beta.mean[i], sqrt(tau.sq.beta[i]))
}
for (i in 1:p.det) {
  alpha[, i] <- rnorm(N, alpha.mean[i], sqrt(tau.sq.alpha[i]))
}

n.factors <- 3
dat <- simMsOcc(J.x = J.x, J.y = J.y, n.rep = n.rep, N = N, beta = beta, alpha = alpha,
  sp = FALSE, factor.model = TRUE, n.factors = n.factors)
n.samples <- 5000
# Split into fitting and prediction data set
pred.indx <- sample(1:J, round(J * .25), replace = FALSE)
y <- dat$y[, -pred.indx, ]
# Occupancy covariates
X <- dat$X[-pred.indx, ]
# Spatial coordinates
coords <- dat$coords[-pred.indx, ]
# Detection covariates
X.p <- dat$X.p[-pred.indx, , ]
# Prediction values
X.0 <- dat$X[pred.indx, ]
psi.0 <- dat$psi[, pred.indx]
coords.0 <- dat$coords[pred.indx, ]
# Package all data into a list
occ.covs <- X[, 2, drop = FALSE]
colnames(occ.covs) <- c('occ.cov')
det.covs <- list(det.cov.1 = X.p[, , 2],
  det.cov.2 = X.p[, , 3])
data.list <- list(y = y,
  occ.covs = occ.covs,
  det.covs = det.covs,
  coords = coords)

# Occupancy initial values
prior.list <- list(beta.comm.normal = list(mean = 0, var = 2.72),
  alpha.comm.normal = list(mean = 0, var = 2.72),
  tau.sq.beta.ig = list(a = 0.1, b = 0.1),
  tau.sq.alpha.ig = list(a = 0.1, b = 0.1))

# Initial values
lambda.inits <- matrix(0, N, n.factors)
diag(lambda.inits) <- 1
lambda.inits[lower.tri(lambda.inits)] <- rnorm(sum(lower.tri(lambda.inits)))
inits.list <- list(alpha.comm = 0,
  beta.comm = 0,
  beta = 0,
  alpha = 0,
  tau.sq.beta = 1,
  tau.sq.alpha = 1,
  lambda = lambda.inits,
  z = apply(y, c(1, 2), max, na.rm = TRUE))

# Note that this is just a test case and more iterations/chains may need to
# be run to ensure convergence.

```

```

out <- lfMsPGOcc(occ.formula = ~ occ.cov,
                 det.formula = ~ det.cov.1 + det.cov.2,
                 data = data.list,
                 inits = inits.list,
                 n.samples = n.samples,
                 n.factors = 3,
                 priors = prior.list,
                 n.omp.threads = 1,
                 verbose = TRUE,
                 n.report = 1000,
                 n.burn = 4000)

summary(out, level = 'community')

# Predict at new locations -----
out.pred <- predict(out, X.0, coords.0)

```

predict.msPGOcc	<i>Function for prediction at new locations for multi-species occupancy models</i>
-----------------	--

Description

The function `predict` collects posterior predictive samples for a set of new locations given an object of class `'msPGOcc'`. Prediction is possible for both the latent occupancy state as well as detection.

Usage

```

## S3 method for class 'msPGOcc'
predict(object, X.0, ignore.RE = FALSE, type = 'occupancy', ...)

```

Arguments

<code>object</code>	an object of class <code>msPGOcc</code>
<code>X.0</code>	the design matrix of covariates at the prediction locations. This should include a column of 1s for the intercept if an intercept is included in the model. If random effects are included in the occupancy (or detection if <code>type = 'detection'</code>) portion of the model, the levels of the random effects at the new locations should be included as a column in the design matrix. The ordering of the levels should match the ordering used to fit the data in <code>msPGOcc</code> . Columns should correspond to the order of how covariates were specified in the corresponding formula argument of <code>msPGOcc</code> . Column names of the random effects must match the name of the random effects, if specified in the corresponding formula argument of <code>msPGOcc</code> .
<code>ignore.RE</code>	a logical value indicating whether to include unstructured random effects for prediction. If <code>TRUE</code> , random effects will be ignored and prediction will only use the fixed effects. If <code>FALSE</code> , random effects will be included in the prediction for both observed and unobserved levels of the random effect.

... currently no additional arguments

type a quoted keyword indicating what type of prediction to produce. Valid keywords are 'occupancy' to predict latent occupancy probability and latent occupancy values (this is the default), or 'detection' to predict detection probability given new values of detection covariates.

Value

A list object of class `predict.msPGOcc`. When `type = 'occupancy'`, the list consists of:

`psi.0.samples` a three-dimensional array of posterior predictive samples for the latent occurrence probability values.

`z.0.samples` a three-dimensional array of posterior predictive samples for the latent occurrence values.

When `type = 'detection'`, the list consists of:

`p.0.samples` a three-dimensional array of posterior predictive samples for the detection probability values.

The return object will include additional objects used for standard extractor functions.

Note

When `ignore.RE = FALSE`, both sampled levels and non-sampled levels of random effects are supported for prediction. For sampled levels, the posterior distribution for the random intercept corresponding to that level of the random effect will be used in the prediction. For non-sampled levels, random values are drawn from a normal distribution using the posterior samples of the random effect variance, which results in fully propagated uncertainty in predictions with models that incorporate random effects.

Author(s)

Jeffrey W. Doser <doserjef@msu.edu>,
Andrew O. Finley <finleya@msu.edu>

Examples

```
set.seed(400)
J.x <- 8
J.y <- 8
J <- J.x * J.y
n.rep<- sample(2:4, size = J, replace = TRUE)
N <- 6
# Community-level covariate effects
# Occurrence
beta.mean <- c(0.2, 0.5)
p.occ <- length(beta.mean)
tau.sq.beta <- c(0.6, 0.3)
# Detection
alpha.mean <- c(0.5, 0.2, -0.1)
```

```

tau.sq.alpha <- c(0.2, 0.3, 1)
p.det <- length(alpha.mean)
# Draw species-level effects from community means.
beta <- matrix(NA, nrow = N, ncol = p.occ)
alpha <- matrix(NA, nrow = N, ncol = p.det)
for (i in 1:p.occ) {
  beta[, i] <- rnorm(N, beta.mean[i], sqrt(tau.sq.beta[i]))
}
for (i in 1:p.det) {
  alpha[, i] <- rnorm(N, alpha.mean[i], sqrt(tau.sq.alpha[i]))
}

dat <- simMsOcc(J.x = J.x, J.y = J.y, n.rep = n.rep, N = N, beta = beta, alpha = alpha,
               sp = FALSE)
n.samples <- 5000
# Split into fitting and prediction data set
pred.indx <- sample(1:J, round(J * .25), replace = FALSE)
y <- dat$y[, -pred.indx, ]
# Occupancy covariates
X <- dat$X[-pred.indx, ]
# Detection covariates
X.p <- dat$X.p[-pred.indx, , ]
# Prediction values
X.0 <- dat$X[pred.indx, ]
psi.0 <- dat$psi[, pred.indx]
# Package all data into a list
occ.covs <- X[, 2, drop = FALSE]
colnames(occ.covs) <- c('occ.cov')
det.covs <- list(det.cov.1 = X.p[, , 2],
                 det.cov.2 = X.p[, , 3])
data.list <- list(y = y,
                 occ.covs = occ.covs,
                 det.covs = det.covs)

# Occupancy initial values
prior.list <- list(beta.comm.normal = list(mean = 0, var = 2.72),
                  alpha.comm.normal = list(mean = 0, var = 2.72),
                  tau.sq.beta.ig = list(a = 0.1, b = 0.1),
                  tau.sq.alpha.ig = list(a = 0.1, b = 0.1))

# Initial values
inits.list <- list(alpha.comm = 0,
                  beta.comm = 0,
                  beta = 0,
                  alpha = 0,
                  tau.sq.beta = 1,
                  tau.sq.alpha = 1,
                  z = apply(y, c(1, 2), max, na.rm = TRUE))

# Note that this is just a test case and more iterations/chains may need to
# be run to ensure convergence.
out <- msPGOcc(occ.formula = ~ occ.cov,
              det.formula = ~ det.cov.1 + det.cov.2,
              data = data.list,
              inits = inits.list,

```



```

        n.samples = n.samples,
        priors = prior.list,
        n.omp.threads = 1,
        verbose = TRUE,
        n.report = 1000,
        n.burn = 4000)

summary(out, level = 'community')

# Predict at new locations -----
out.pred <- predict(out, X.0)

```

predict.PGOcc	<i>Function for prediction at new locations for single-species occupancy models</i>
---------------	---

Description

The function predict collects posterior predictive samples for a set of new locations given an object of class 'PGOcc'. Prediction is possible for both the latent occupancy state as well as detection.

Usage

```

## S3 method for class 'PGOcc'
predict(object, X.0, ignore.RE = FALSE, type = 'occupancy', ...)

```

Arguments

object	an object of class PGOcc
X.0	the design matrix of covariates at the prediction locations. This should include a column of 1s for the intercept if an intercept is included in the model. If random effects are included in the occupancy (or detection if type = 'detection') portion of the model, the levels of the random effects at the new locations should be included as a column in the design matrix. The ordering of the levels should match the ordering used to fit the data in PGOcc. Columns should correspond to the order of how covariates were specified in the corresponding formula argument of PGOcc. Column names of the random effects must match the name of the random effects, if specified in the corresponding formula argument of PGOcc.
ignore.RE	logical value that specifies whether or not to remove random occurrence (or detection if type = 'detection') effects from the subsequent predictions. If TRUE, random effects will be included. If FALSE, random effects will be set to 0 and predictions will only be generated from the fixed effects.
type	a quoted keyword indicating what type of prediction to produce. Valid keywords are 'occupancy' to predict latent occupancy probability and latent occupancy values (this is the default), or 'detection' to predict detection probability given new values of detection covariates.
...	currently no additional arguments

Value

A list object of class `predict.PGOcc`. When `type = 'occupancy'`, the list consists of:

`psi.0.samples` a coda object of posterior predictive samples for the latent occupancy probability values.
`z.0.samples` a coda object of posterior predictive samples for the latent occupancy values.

When `type = 'detection'`, the list consists of:

`p.0.samples` a coda object of posterior predictive samples for the detection probability values.

The return object will include additional objects used for standard extractor functions.

Note

When `ignore.RE = FALSE`, both sampled levels and non-sampled levels of random effects are supported for prediction. For sampled levels, the posterior distribution for the random intercept corresponding to that level of the random effect will be used in the prediction. For non-sampled levels, random values are drawn from a normal distribution using the posterior samples of the random effect variance, which results in fully propagated uncertainty in predictions with models that incorporate random effects.

Author(s)

Jeffrey W. Doser <doserjef@msu.edu>,
 Andrew O. Finley <finleya@msu.edu>

Examples

```
set.seed(400)
# Simulate Data -----
J.x <- 10
J.y <- 10
J <- J.x * J.y
n.rep <- sample(2:4, J, replace = TRUE)
beta <- c(0.5, 2)
p.occ <- length(beta)
alpha <- c(0, 1)
p.det <- length(alpha)
dat <- simOcc(J.x = J.x, J.y = J.y, n.rep = n.rep, beta = beta, alpha = alpha,
             sp = FALSE)
# Split into fitting and prediction data set
pred.indx <- sample(1:J, round(J * .25), replace = FALSE)
y <- dat$y[-pred.indx, ]
# Occupancy covariates
X <- dat$X[-pred.indx, ]
# Prediction covariates
X.0 <- dat$X[pred.indx, ]
# Detection covariates
X.p <- dat$X.p[-pred.indx, , ]
```

```

# Package all data into a list
occ.covs <- X[, 2, drop = FALSE]
colnames(occ.covs) <- c('occ.cov')
det.covs <- list(det.cov = X.p[, , 2])
data.list <- list(y = y,
                 occ.covs = occ.covs,
                 det.covs = det.covs)

# Priors
prior.list <- list(beta.normal = list(mean = rep(0, p.occ),
                                       var = rep(2.72, p.occ)),
                  alpha.normal = list(mean = rep(0, p.det),
                                       var = rep(2.72, p.det)))

# Initial values
inits.list <- list(alpha = rep(0, p.det),
                  beta = rep(0, p.occ),
                  z = apply(y, 1, max, na.rm = TRUE))

n.samples <- 5000
n.report <- 1000
# Note that this is just a test case and more iterations/chains may need to
# be run to ensure convergence.
out <- PGOcc(occ.formula = ~ occ.cov,
            det.formula = ~ det.cov,
            data = data.list,
            inits = inits.list,
            n.samples = n.samples,
            priors = prior.list,
            n.omp.threads = 1,
            verbose = TRUE,
            n.report = n.report,
            n.burn = 4000,
            n.thin = 1)

summary(out)

# Predict at new locations -----
colnames(X.0) <- c('intercept', 'occ.cov')
out.pred <- predict(out, X.0)
psi.0.quantiles <- apply(out.pred$psi.0.samples, 2, quantile, c(0.025, 0.5, 0.975))
plot(dat$psi[pred.indx], psi.0.quantiles[2, ], pch = 19, xlab = 'True',
     ylab = 'Fitted', ylim = c(min(psi.0.quantiles), max(psi.0.quantiles)))
segments(dat$psi[pred.indx], psi.0.quantiles[1, ], dat$psi[pred.indx], psi.0.quantiles[3, ])
lines(dat$psi[pred.indx], dat$psi[pred.indx])

```

predict.sfJSDM

Function for prediction at new locations for spatial factor joint species distribution model

Description

The function predict collects posterior predictive samples for a set of new locations given an object of class 'sfJSDM'.

Usage

```
## S3 method for class 'sfJSDM'
predict(object, X.0, coords.0, n.omp.threads = 1, verbose = TRUE,
        n.report = 100, ignore.RE = FALSE, ...)
```

Arguments

<code>object</code>	an object of class <code>sfJSDM</code>
<code>X.0</code>	the design matrix of covariates at the prediction locations. This should include a column of 1s for the intercept if an intercept is included in the model. If random effects are included in the model, the levels of the random effects at the new locations should be included as a column in the design matrix. The ordering of the levels should match the ordering used to fit the data in <code>sfJSDM</code> . Columns should correspond to the order of how covariates were specified in the formula argument of <code>sfJSDM</code> . Column names of the random effects must match the name of the random effects, if specified in the formula argument of <code>sfJSDM</code> .
<code>coords.0</code>	the spatial coordinates corresponding to <code>X.0</code> . Note that <code>spOccupancy</code> assumes coordinates are specified in a projected coordinate system.
<code>n.omp.threads</code>	a positive integer indicating the number of threads to use for SMP parallel processing. The package must be compiled for OpenMP support. For most Intel-based machines, we recommend setting <code>n.omp.threads</code> up to the number of hyperthreaded cores. Note, <code>n.omp.threads > 1</code> might not work on some systems.
<code>verbose</code>	if <code>TRUE</code> , model specification and progress of the sampler is printed to the screen. Otherwise, nothing is printed to the screen.
<code>n.report</code>	the interval to report sampling progress.
<code>ignore.RE</code>	a logical value indicating whether to include unstructured random effects for prediction. If <code>TRUE</code> , unstructured random effects will be ignored and prediction will only use the fixed effects and the spatial random effects. If <code>FALSE</code> , random effects will be included in the prediction for both observed and unobserved levels of the unstructured random effects.
<code>...</code>	currently no additional arguments

Value

An list object of class `predict.sfJSDM` that consists of:

<code>psi.0.samples</code>	a three-dimensional array of posterior predictive samples for the latent occurrence probability values.
<code>z.0.samples</code>	a three-dimensional array of posterior predictive samples for the latent occurrence values.
<code>w.0.samples</code>	a three-dimensional array of posterior predictive samples for the latent spatial factors.
<code>run.time</code>	execution time reported using <code>proc.time()</code> .

The return object will include additional objects used for standard extractor functions.

Note

When `ignore.RE = FALSE`, both sampled levels and non-sampled levels of random effects are supported for prediction. For sampled levels, the posterior distribution for the random intercept corresponding to that level of the random effect will be used in the prediction. For non-sampled levels, random values are drawn from a normal distribution using the posterior samples of the random effect variance, which results in fully propagated uncertainty in predictions with models that incorporate random effects.

Author(s)

Jeffrey W. Doser <doserjef@msu.edu>
Andrew O. Finley <finleya@msu.edu>

Examples

```
set.seed(400)

# Simulate Data -----
J.x <- 7
J.y <- 7
J <- J.x * J.y
n.rep <- sample(2:4, size = J, replace = TRUE)
N <- 5
# Community-level covariate effects
# Occurrence
beta.mean <- c(0.2, -0.15)
p.occ <- length(beta.mean)
tau.sq.beta <- c(0.6, 0.3)
# Detection
alpha.mean <- c(0.5, 0.2, -.2)
tau.sq.alpha <- c(0.2, 0.3, 0.8)
p.det <- length(alpha.mean)
# Draw species-level effects from community means.
beta <- matrix(NA, nrow = N, ncol = p.occ)
alpha <- matrix(NA, nrow = N, ncol = p.det)
for (i in 1:p.occ) {
  beta[, i] <- rnorm(N, beta.mean[i], sqrt(tau.sq.beta[i]))
}
for (i in 1:p.det) {
  alpha[, i] <- rnorm(N, alpha.mean[i], sqrt(tau.sq.alpha[i]))
}
n.factors <- 3
phi <- runif(n.factors, 3/1, 3/.4)
sp <- TRUE

dat <- simMsOcc(J.x = J.x, J.y = J.y, n.rep = n.rep, N = N, beta = beta, alpha = alpha,
  phi = phi, sigma.sq = sigma.sq, sp = TRUE, cov.model = 'exponential',
  factor.model = TRUE, n.factors = n.factors)

# Number of batches
n.batch <- 10
```

```

# Batch length
batch.length <- 25
n.samples <- n.batch * batch.length

# Split into fitting and prediction data set
pred.indx <- sample(1:J, round(J * .25), replace = FALSE)
# Summarize the multiple replicates into a single value for use in a JSDM
y <- apply(dat$y[, -pred.indx, ], c(1, 2), max, na.rm = TRUE)
# Occupancy covariates
X <- dat$X[-pred.indx, ]
# Coordinates
coords <- as.matrix(dat$coords[-pred.indx, ])
# Prediction values
X.0 <- dat$X[pred.indx, ]
coords.0 <- as.matrix(dat$coords[pred.indx, ])
psi.0 <- dat$psi[, pred.indx]

# Package all data into a list
covs <- X[, 2, drop = FALSE]
colnames(covs) <- c('occ.cov')
data.list <- list(y = y,
                 covs = covs,
                 coords = coords)

# Priors
prior.list <- list(beta.comm.normal = list(mean = 0, var = 2.72),
                  tau.sq.beta.ig = list(a = 0.1, b = 0.1),
                  phi.unif = list(a = 3/1, b = 3/.1))

# Starting values
lambda.inits <- matrix(0, N, n.factors)
diag(lambda.inits) <- 1
lambda.inits[lower.tri(lambda.inits)] <- rnorm(sum(lower.tri(lambda.inits)))
inits.list <- list(beta.comm = 0,
                  beta = 0,
                  tau.sq.beta = 1,
                  phi = 3 / .5,
                  sigma.sq = 2,
                  lambda = lambda.inits)

# Tuning
tuning.list <- list(phi = 1)
# Note that this is just a test case and more iterations/chains may need to
# be run to ensure convergence.
out <- sfJSDM(formula = ~ occ.cov,
              data = data.list,
              inits = inits.list,
              n.batch = n.batch,
              batch.length = batch.length,
              accept.rate = 0.43,
              n.factors = 3,
              priors = prior.list,
              cov.model = "exponential",
              tuning = tuning.list,
              n.omp.threads = 1,

```

```

        verbose = TRUE,
        NNGP = TRUE,
        n.neighbors = 5,
        search.type = 'cb',
        n.report = 10,
        n.burn = 100,
        n.thin = 1)

summary(out, level = 'both')

# Predict at new locations -----
out.pred <- predict(out, X.0, coords.0, verbose = FALSE)

```

predict.sfMsPGOcc	<i>Function for prediction at new locations for spatial factor multi-species occupancy models</i>
-------------------	---

Description

The function `predict` collects posterior predictive samples for a set of new locations given an object of class `'sfMsPGOcc'`. Prediction is possible for both the latent occupancy state as well as detection.

Usage

```

## S3 method for class 'sfMsPGOcc'
predict(object, X.0, coords.0, n.omp.threads = 1, verbose = TRUE,
        n.report = 100, ignore.RE = FALSE, type = 'occupancy', grid.index.0, ...)

```

Arguments

<code>object</code>	an object of class <code>sfMsPGOcc</code>
<code>X.0</code>	the design matrix of covariates at the prediction locations. This should include a column of 1s for the intercept if an intercept is included in the model. If random effects are included in the occupancy (or detection if <code>type = 'detection'</code>) portion of the model, the levels of the random effects at the new locations should be included as a column in the design matrix. The ordering of the levels should match the ordering used to fit the data in <code>sfMsPGOcc</code> . Columns should correspond to the order of how covariates were specified in the corresponding formula argument of <code>sfMsPGOcc</code> . Column names of the random effects must match the name of the random effects, if specified in the corresponding formula argument of <code>sfMsPGOcc</code> .
<code>coords.0</code>	the spatial coordinates corresponding to <code>X.0</code> . Note that <code>spOccupancy</code> assumes coordinates are specified in a projected coordinate system.
<code>n.omp.threads</code>	a positive integer indicating the number of threads to use for SMP parallel processing. The package must be compiled for OpenMP support. For most Intel-based machines, we recommend setting <code>n.omp.threads</code> up to the number of

	hyperthreaded cores. Note, <code>n.omp.threads > 1</code> might not work on some systems.
<code>verbose</code>	if TRUE, model specification and progress of the sampler is printed to the screen. Otherwise, nothing is printed to the screen.
<code>n.report</code>	the interval to report sampling progress.
<code>ignore.RE</code>	a logical value indicating whether to include unstructured random effects for prediction. If TRUE, unstructured random effects will be ignored and prediction will only use the fixed effects and the spatial random effects. If FALSE, random effects will be included in the prediction for both observed and unobserved levels of the unstructured random effects.
<code>type</code>	a quoted keyword indicating what type of prediction to produce. Valid keywords are 'occupancy' to predict latent occupancy probability and latent occupancy values (this is the default), or 'detection' to predict detection probability given new values of detection covariates.
<code>grid.index.0</code>	an indexing vector used to specify how each row in <code>X.0</code> corresponds to the coordinates specified in <code>coords.0</code> . Only relevant if the spatial random effect was estimated at a higher spatial resolution (e.g., grid cells) than point locations.
<code>...</code>	currently no additional arguments

Value

An list object of class `predict.sfMsPGOcc`. When `type = 'occupancy'`, the list consists of:

<code>psi.0.samples</code>	a three-dimensional array of posterior predictive samples for the latent occurrence probability values.
<code>z.0.samples</code>	a three-dimensional array of posterior predictive samples for the latent occurrence values.
<code>w.0.samples</code>	a three-dimensional array of posterior predictive samples for the latent spatial factors.
<code>run.time</code>	execution time reported using <code>proc.time()</code> .

When `type = 'detection'`, the list consists of:

<code>p.0.samples</code>	a three-dimensional array of posterior predictive samples for the detection probability values.
<code>run.time</code>	execution time reported using <code>proc.time()</code> .

The return object will include additional objects used for standard extractor functions.

Note

When `ignore.RE = FALSE`, both sampled levels and non-sampled levels of random effects are supported for prediction. For sampled levels, the posterior distribution for the random intercept corresponding to that level of the random effect will be used in the prediction. For non-sampled levels, random values are drawn from a normal distribution using the posterior samples of the random effect variance, which results in fully propagated uncertainty in predictions with models that incorporate random effects.

Author(s)

Jeffrey W. Doser <doserjef@msu.edu>
 Andrew O. Finley <finleya@msu.edu>

Examples

```
set.seed(400)

# Simulate Data -----
J.x <- 7
J.y <- 7
J <- J.x * J.y
n.rep <- sample(2:4, size = J, replace = TRUE)
N <- 5
# Community-level covariate effects
# Occurrence
beta.mean <- c(0.2, -0.15)
p.occ <- length(beta.mean)
tau.sq.beta <- c(0.6, 0.3)
# Detection
alpha.mean <- c(0.5, 0.2, -.2)
tau.sq.alpha <- c(0.2, 0.3, 0.8)
p.det <- length(alpha.mean)
# Draw species-level effects from community means.
beta <- matrix(NA, nrow = N, ncol = p.occ)
alpha <- matrix(NA, nrow = N, ncol = p.det)
for (i in 1:p.occ) {
  beta[, i] <- rnorm(N, beta.mean[i], sqrt(tau.sq.beta[i]))
}
for (i in 1:p.det) {
  alpha[, i] <- rnorm(N, alpha.mean[i], sqrt(tau.sq.alpha[i]))
}
n.factors <- 3
phi <- runif(n.factors, 3/1, 3/.4)
sp <- TRUE

dat <- simMsOcc(J.x = J.x, J.y = J.y, n.rep = n.rep, N = N, beta = beta, alpha = alpha,
               phi = phi, sigma.sq = sigma.sq, sp = TRUE, cov.model = 'exponential',
               factor.model = TRUE, n.factors = n.factors)

# Number of batches
n.batch <- 10
# Batch length
batch.length <- 25
n.samples <- n.batch * batch.length

# Split into fitting and prediction data set
pred.indx <- sample(1:J, round(J * .25), replace = FALSE)
y <- dat$y[, -pred.indx, ]
# Occupancy covariates
X <- dat$X[-pred.indx, ]
# Coordinates
```

```

coords <- as.matrix(dat$coords[-pred.indx, ])
# Detection covariates
X.p <- dat$X.p[-pred.indx, , ]
# Prediction values
X.0 <- dat$X[pred.indx, ]
coords.0 <- as.matrix(dat$coords[pred.indx, ])
psi.0 <- dat$psi[, pred.indx]

# Package all data into a list
occ.covs <- X[, 2, drop = FALSE]
colnames(occ.covs) <- c('occ.cov')
det.covs <- list(det.cov.1 = X.p[, , 2],
                 det.cov.2 = X.p[, , 3])
data.list <- list(y = y,
                 occ.covs = occ.covs,
                 det.covs = det.covs,
                 coords = coords)

# Priors
prior.list <- list(beta.comm.normal = list(mean = 0, var = 2.72),
                  alpha.comm.normal = list(mean = 0, var = 2.72),
                  tau.sq.beta.ig = list(a = 0.1, b = 0.1),
                  tau.sq.alpha.ig = list(a = 0.1, b = 0.1),
                  phi.unif = list(a = 3/1, b = 3/.1),
                  sigma.sq.ig = list(a = 2, b = 2))

# Starting values
lambda.inits <- matrix(0, N, n.factors)
diag(lambda.inits) <- 1
lambda.inits[lower.tri(lambda.inits)] <- rnorm(sum(lower.tri(lambda.inits)))
inits.list <- list(alpha.comm = 0,
                  beta.comm = 0,
                  beta = 0,
                  alpha = 0,
                  tau.sq.beta = 1,
                  tau.sq.alpha = 1,
                  phi = 3 / .5,
                  sigma.sq = 2,
                  lambda = lambda.inits,
                  z = apply(y, c(1, 2), max, na.rm = TRUE))

# Tuning
tuning.list <- list(phi = 1)
# Note that this is just a test case and more iterations/chains may need to
# be run to ensure convergence.
out <- sfMsPGOcc(occ.formula = ~ occ.cov,
                 det.formula = ~ det.cov.1 + det.cov.2,
                 data = data.list,
                 inits = inits.list,
                 n.batch = n.batch,
                 batch.length = batch.length,
                 accept.rate = 0.43,
                 n.factors = 3,
                 priors = prior.list,
                 cov.model = "exponential",

```

```

        tuning = tuning.list,
        n.omp.threads = 1,
        verbose = TRUE,
        NNGP = TRUE,
        n.neighbors = 5,
        search.type = 'cb',
        n.report = 10,
        n.burn = 100,
        n.thin = 1)

summary(out, level = 'both')

# Predict at new locations -----
out.pred <- predict(out, X.0, coords.0, verbose = FALSE)

```

predict.spIntPGOcc	<i>Function for prediction at new locations for single-species integrated spatial occupancy models</i>
--------------------	--

Description

The function `predict` collects posterior predictive samples for a set of new locations given an object of class `'spIntPGOcc'`.

Usage

```

## S3 method for class 'spIntPGOcc'
predict(object, X.0, coords.0, n.omp.threads = 1, verbose = TRUE,
        n.report = 100, ignore.RE = FALSE, type = 'occupancy', ...)

```

Arguments

<code>object</code>	an object of class <code>spIntPGOcc</code> .
<code>X.0</code>	the design matrix for prediction locations. This should include a column of 1s for the intercept. Covariates should have the same column names as those used when fitting the model with <code>spIntPGOcc</code> .
<code>coords.0</code>	the spatial coordinates corresponding to <code>X.0</code> . Note that <code>spOccupancy</code> assumes coordinates are specified in a projected coordinate system.
<code>n.omp.threads</code>	a positive integer indicating the number of threads to use for SMP parallel processing. The package must be compiled for OpenMP support. For most Intel-based machines, we recommend setting <code>n.omp.threads</code> up to the number of hyperthreaded cores. Note, <code>n.omp.threads > 1</code> might not work on some systems.
<code>verbose</code>	if <code>TRUE</code> , model specification and progress of the sampler is printed to the screen. Otherwise, nothing is printed to the screen.
<code>n.report</code>	the interval to report sampling progress.

<code>ignore.RE</code>	logical value that specifies whether or not to remove random occurrence (or detection if <code>type = 'detection'</code>) effects from the subsequent predictions. If TRUE, random effects will be included. If FALSE, random effects will be set to 0 and predictions will only be generated from the fixed effects.
<code>type</code>	a quoted keyword indicating what type of prediction to produce. Valid keywords are 'occupancy' to predict latent occupancy probability and latent occupancy values (this is the default), or 'detection' to predict detection probability given new values of detection covariates. Note that prediction of detection probability is not currently supported for integrated models.
<code>...</code>	currently no additional arguments

Value

An object of class `predict.spIntPGOcc` that is a list comprised of:

<code>psi.0.samples</code>	a coda object of posterior predictive samples for the latent occurrence probability values.
<code>z.0.samples</code>	a coda object of posterior predictive samples for the latent occurrence values.

The return object will include additional objects used for standard extractor functions.

Author(s)

Jeffrey W. Doser <doserjef@msu.edu>
Andrew O. Finley <finleya@msu.edu>

References

Hooten, M. B., and Hefley, T. J. (2019). Bringing Bayesian models to life. CRC Press.

Examples

```
set.seed(400)

# Simulate Data -----
# Number of locations in each direction. This is the total region of interest
# where some sites may or may not have a data source.
J.x <- 8
J.y <- 8
J.all <- J.x * J.y
# Number of data sources.
n.data <- 4
# Sites for each data source.
J.obs <- sample(ceiling(0.2 * J.all):ceiling(0.5 * J.all), n.data, replace = TRUE)
# Replicates for each data source.
n.rep <- list()
for (i in 1:n.data) {
  n.rep[[i]] <- sample(1:4, size = J.obs[i], replace = TRUE)
}
# Occupancy covariates
```

```

beta <- c(0.5, 0.5)
p.occ <- length(beta)
# Detection covariates
alpha <- list()
alpha[[1]] <- runif(2, 0, 1)
alpha[[2]] <- runif(3, 0, 1)
alpha[[3]] <- runif(2, -1, 1)
alpha[[4]] <- runif(4, -1, 1)
p.det.long <- sapply(alpha, length)
p.det <- sum(p.det.long)
sigma.sq <- 2
phi <- 3 / .5
sp <- TRUE

# Simulate occupancy data.
dat <- simIntOcc(n.data = n.data, J.x = J.x, J.y = J.y, J.obs = J.obs,
                n.rep = n.rep, beta = beta, alpha = alpha, sp = sp,
                phi = phi, sigma.sq = sigma.sq, cov.model = 'spherical')

y <- dat$y
X <- dat$X.obs
X.p <- dat$X.p
sites <- dat$sites
X.0 <- dat$X.pred
psi.0 <- dat$psi.pred
coords <- as.matrix(dat$coords.obs)
coords.0 <- as.matrix(dat$coords.pred)

# Package all data into a list
occ.covs <- X[, 2, drop = FALSE]
colnames(occ.covs) <- c('occ.cov')
det.covs <- list()
# Add covariates one by one
det.covs[[1]] <- list(det.cov.1.1 = X.p[[1]][, , 2])
det.covs[[2]] <- list(det.cov.2.1 = X.p[[2]][, , 2],
                     det.cov.2.2 = X.p[[2]][, , 3])
det.covs[[3]] <- list(det.cov.3.1 = X.p[[3]][, , 2])
det.covs[[4]] <- list(det.cov.4.1 = X.p[[4]][, , 2],
                     det.cov.4.2 = X.p[[4]][, , 3],
                     det.cov.4.3 = X.p[[4]][, , 4])
data.list <- list(y = y,
                 occ.covs = occ.covs,
                 det.covs = det.covs,
                 sites = sites,
                 coords = coords)

J <- length(dat$z.obs)

# Initial values
inits.list <- list(alpha = list(0, 0, 0, 0),
                  beta = 0,
                  phi = 3 / .5,
                  sigma.sq = 2,

```

```

      w = rep(0, J),
      z = rep(1, J))
# Priors
prior.list <- list(beta.normal = list(mean = 0, var = 2.72),
                  alpha.normal = list(mean = list(0, 0, 0, 0),
                                                var = list(2.72, 2.72, 2.72, 2.72)),
                  phi.unif = c(3/1, 3/.1),
                  sigma.sq.ig = c(2, 2))
# Tuning
tuning.list <- list(phi = 1)

# Number of batches
n.batch <- 40
# Batch length
batch.length <- 25
# Note that this is just a test case and more iterations/chains may need to
# be run to ensure convergence.
out <- spIntPGOcc(occ.formula = ~ occ.cov,
                 det.formula = list(f.1 = ~ det.cov.1.1,
                                   f.2 = ~ det.cov.2.1 + det.cov.2.2,
                                   f.3 = ~ det.cov.3.1,
                                   f.4 = ~ det.cov.4.1 + det.cov.4.2 + det.cov.4.3),
                 data = data.list,
                 inits = inits.list,
                 n.batch = n.batch,
                 batch.length = batch.length,
                 accept.rate = 0.43,
                 priors = prior.list,
                 cov.model = "spherical",
                 tuning = tuning.list,
                 n.omp.threads = 1,
                 verbose = TRUE,
                 NNGP = TRUE,
                 n.neighbors = 5,
                 search.type = 'cb',
                 n.report = 10,
                 n.burn = 500,
                 n.thin = 1)

summary(out)

# Predict at new locations -----
out.pred <- predict(out, X.0, coords.0, verbose = FALSE)

```

predict.spMsPGOcc

Function for prediction at new locations for multi-species spatial occupancy models

Description

The function `predict` collects posterior predictive samples for a set of new locations given an object of class `'spMsPGOcc'`. Prediction is possible for both the latent occupancy state as well as

detection.

Usage

```
## S3 method for class 'spMsPGOcc'
predict(object, X.0, coords.0, n.omp.threads = 1, verbose = TRUE,
        n.report = 100, ignore.RE = FALSE, type = 'occupancy', ...)
```

Arguments

object	an object of class spMsPGOcc
X.0	the design matrix of covariates at the prediction locations. This should include a column of 1s for the intercept if an intercept is included in the model. If random effects are included in the occupancy (or detection if type = 'detection') portion of the model, the levels of the random effects at the new locations should be included as a column in the design matrix. The ordering of the levels should match the ordering used to fit the data in spMsPGOcc. Columns should correspond to the order of how covariates were specified in the corresponding formula argument of spMsPGOcc. Column names of the random effects must match the name of the random effects, if specified in the corresponding formula argument of spMsPGOcc.
coords.0	the spatial coordinates corresponding to X.0. Note that spOccupancy assumes coordinates are specified in a projected coordinate system.
n.omp.threads	a positive integer indicating the number of threads to use for SMP parallel processing. The package must be compiled for OpenMP support. For most Intel-based machines, we recommend setting n.omp.threads up to the number of hyperthreaded cores. Note, n.omp.threads > 1 might not work on some systems.
verbose	if TRUE, model specification and progress of the sampler is printed to the screen. Otherwise, nothing is printed to the screen.
n.report	the interval to report sampling progress.
ignore.RE	a logical value indicating whether to include unstructured random effects for prediction. If TRUE, unstructured random effects will be ignored and prediction will only use the fixed effects and the spatial random effects. If FALSE, random effects will be included in the prediction for both observed and unobserved levels of the unstructured random effects.
type	a quoted keyword indicating what type of prediction to produce. Valid keywords are 'occupancy' to predict latent occupancy probability and latent occupancy values (this is the default), or 'detection' to predict detection probability given new values of detection covariates.
...	currently no additional arguments

Value

An list object of class predict.spMsPGOcc. When type = 'occupancy', the list consists of:

psi.0.samples	a three-dimensional array of posterior predictive samples for the latent occurrence probability values.
---------------	---

<code>z.0.samples</code>	a three-dimensional array of posterior predictive samples for the latent occurrence values.
<code>w.0.samples</code>	a three-dimensional array of posterior predictive samples for the latent spatial random effects.
<code>run.time</code>	execution time reported using <code>proc.time()</code> .

When `type = 'detection'`, the list consists of:

<code>p.0.samples</code>	a three-dimensional array of posterior predictive samples for the detection probability values.
<code>run.time</code>	execution time reported using <code>proc.time()</code> .

The return object will include additional objects used for standard extractor functions.

Note

When `ignore.RE = FALSE`, both sampled levels and non-sampled levels of random effects are supported for prediction. For sampled levels, the posterior distribution for the random intercept corresponding to that level of the random effect will be used in the prediction. For non-sampled levels, random values are drawn from a normal distribution using the posterior samples of the random effect variance, which results in fully propagated uncertainty in predictions with models that incorporate random effects.

Author(s)

Jeffrey W. Doser <doserjef@msu.edu>
Andrew O. Finley <finleya@msu.edu>

Examples

```
set.seed(400)

# Simulate Data -----
J.x <- 7
J.y <- 7
J <- J.x * J.y
n.rep <- sample(2:4, size = J, replace = TRUE)
N <- 5
# Community-level covariate effects
# Occurrence
beta.mean <- c(0.2, -0.15)
p.occ <- length(beta.mean)
tau.sq.beta <- c(0.6, 0.3)
# Detection
alpha.mean <- c(0.5, 0.2, -.2)
tau.sq.alpha <- c(0.2, 0.3, 0.8)
p.det <- length(alpha.mean)
# Draw species-level effects from community means.
beta <- matrix(NA, nrow = N, ncol = p.occ)
alpha <- matrix(NA, nrow = N, ncol = p.det)
for (i in 1:p.occ) {
```



```

    beta[, i] <- rnorm(N, beta.mean[i], sqrt(tau.sq.beta[i]))
  }
  for (i in 1:p.det) {
    alpha[, i] <- rnorm(N, alpha.mean[i], sqrt(tau.sq.alpha[i]))
  }
  phi <- runif(N, 3/1, 3/.4)
  sigma.sq <- runif(N, 0.3, 3)
  sp <- TRUE

  dat <- simMsOcc(J.x = J.x, J.y = J.y, n.rep = n.rep, N = N, beta = beta, alpha = alpha,
    phi = phi, sigma.sq = sigma.sq, sp = TRUE, cov.model = 'exponential')

  # Number of batches
  n.batch <- 30
  # Batch length
  batch.length <- 25
  n.samples <- n.batch * batch.length

  # Split into fitting and prediction data set
  pred.indx <- sample(1:J, round(J * .25), replace = FALSE)
  y <- dat$y[, -pred.indx, ]
  # Occupancy covariates
  X <- dat$X[-pred.indx, ]
  # Coordinates
  coords <- as.matrix(dat$coords[-pred.indx, ])
  # Detection covariates
  X.p <- dat$X.p[-pred.indx, , ]
  # Prediction values
  X.0 <- dat$X[pred.indx, ]
  coords.0 <- as.matrix(dat$coords[pred.indx, ])
  psi.0 <- dat$psi[, pred.indx]

  # Package all data into a list
  occ.covs <- X[, 2, drop = FALSE]
  colnames(occ.covs) <- c('occ.cov')
  det.covs <- list(det.cov.1 = X.p[, , 2],
    det.cov.2 = X.p[, , 3]
  )
  data.list <- list(y = y,
    occ.covs = occ.covs,
    det.covs = det.covs,
    coords = coords)

  # Priors
  prior.list <- list(beta.comm.normal = list(mean = 0, var = 2.72),
    alpha.comm.normal = list(mean = 0, var = 2.72),
    tau.sq.beta.ig = list(a = 0.1, b = 0.1),
    tau.sq.alpha.ig = list(a = 0.1, b = 0.1),
    phi.unif = list(a = 3/1, b = 3/.1),
    sigma.sq.ig = list(a = 2, b = 2))
  # Starting values
  inits.list <- list(alpha.comm = 0,
    beta.comm = 0,

```

```

    beta = 0,
    alpha = 0,
    tau.sq.beta = 1,
    tau.sq.alpha = 1,
    phi = 3 / .5,
    sigma.sq = 2,
    w = matrix(0, nrow = N, ncol = nrow(X)),
    z = apply(y, c(1, 2), max, na.rm = TRUE))
# Tuning
tuning.list <- list(phi = 1)
# Note that this is just a test case and more iterations/chains may need to
# be run to ensure convergence.
out <- spMsPGOcc(occ.formula = ~ occ.cov,
                 det.formula = ~ det.cov.1 + det.cov.2,
                 data = data.list,
                 inits = inits.list,
                 n.batch = n.batch,
                 batch.length = batch.length,
                 accept.rate = 0.43,
                 priors = prior.list,
                 cov.model = "exponential",
                 tuning = tuning.list,
                 n.omp.threads = 1,
                 verbose = TRUE,
                 NNGP = TRUE,
                 n.neighbors = 5,
                 search.type = 'cb',
                 n.report = 10,
                 n.burn = 500,
                 n.thin = 1)

summary(out, level = 'both')

# Predict at new locations -----
out.pred <- predict(out, X.0, coords.0, verbose = FALSE)

```

predict.spPGOcc	<i>Function for prediction at new locations for single-species spatial occupancy models</i>
-----------------	---

Description

The function `predict` collects posterior predictive samples for a set of new locations given an object of class ‘spPGOcc’. Prediction is possible for both the latent occupancy state as well as detection.

Usage

```

## S3 method for class 'spPGOcc'
predict(object, X.0, coords.0, n.omp.threads = 1, verbose = TRUE,
        n.report = 100, ignore.RE = FALSE, type = 'occupancy', grid.index.0, ...)

```

Arguments

<code>object</code>	an object of class <code>spPGOcc</code>
<code>X.0</code>	the design matrix of covariates at the prediction locations. This should include a column of 1s for the intercept if an intercept is included in the model. If random effects are included in the occupancy (or detection if <code>type = 'detection'</code>) portion of the model, the levels of the random effects at the new locations should be included as a column in the design matrix. The ordering of the levels should match the ordering used to fit the data in <code>spPGOcc</code> . Columns should correspond to the order of how covariates were specified in the corresponding formula argument of <code>spPGOcc</code> . Column names of the random effects must match the name of the random effects, if specified in the corresponding formula argument of <code>spPGOcc</code> .
<code>coords.0</code>	the spatial coordinates corresponding to <code>X.0</code> . Note that <code>spOccupancy</code> assumes coordinates are specified in a projected coordinate system.
<code>n.omp.threads</code>	a positive integer indicating the number of threads to use for SMP parallel processing. The package must be compiled for OpenMP support. For most Intel-based machines, we recommend setting <code>n.omp.threads</code> up to the number of hyperthreaded cores. Note, <code>n.omp.threads > 1</code> might not work on some systems.
<code>verbose</code>	if TRUE, model specification and progress of the sampler is printed to the screen. Otherwise, nothing is printed to the screen.
<code>ignore.RE</code>	a logical value indicating whether to include unstructured random effects for prediction. If TRUE, unstructured random effects will be ignored and prediction will only use the fixed effects and the spatial random effects. If FALSE, random effects will be included in the prediction for both observed and unobserved levels of the unstructured random effects.
<code>n.report</code>	the interval to report sampling progress.
<code>type</code>	a quoted keyword indicating what type of prediction to produce. Valid keywords are 'occupancy' to predict latent occupancy probability and latent occupancy values (this is the default), or 'detection' to predict detection probability given new values of detection covariates.
<code>grid.index.0</code>	an indexing vector used to specify how each row in <code>X.0</code> corresponds to the coordinates specified in <code>coords.0</code> . Only relevant if the spatial random effect was estimated at a higher spatial resolution (e.g., grid cells) than point locations.
<code>...</code>	currently no additional arguments

Value

A list object of class `predict.spPGOcc`. When `type = 'occupancy'`, the list consists of:

<code>psi.0.samples</code>	a coda object of posterior predictive samples for the latent occurrence probability values.
<code>z.0.samples</code>	a coda object of posterior predictive samples for the latent occurrence values.
<code>w.0.samples</code>	a coda object of posterior predictive samples for the latent spatial random effects.

run.time execution time reported using proc.time().

When type = 'detection', the list consists of:

p.0.samples a coda object of posterior predictive samples for the detection probability values.

run.time execution time reported using proc.time().

The return object will include additional objects used for standard extractor functions.

Note

When ignore.RE = FALSE, both sampled levels and non-sampled levels of random effects are supported for prediction. For sampled levels, the posterior distribution for the random intercept corresponding to that level of the random effect will be used in the prediction. For non-sampled levels, random values are drawn from a normal distribution using the posterior samples of the random effect variance, which results in fully propagated uncertainty in predictions with models that incorporate random effects.

Author(s)

Jeffrey W. Doser <doserjef@msu.edu>,
Andrew O. Finley <finleya@msu.edu>

References

Hooten, M. B., and Hefley, T. J. (2019). Bringing Bayesian models to life. CRC Press.

Examples

```
set.seed(400)
# Simulate Data -----
J.x <- 8
J.y <- 8
J <- J.x * J.y
n.rep <- sample(2:4, J, replace = TRUE)
beta <- c(0.5, 2)
p.occ <- length(beta)
alpha <- c(0, 1)
p.det <- length(alpha)
phi <- 3 / .6
sigma.sq <- 2
dat <- simOcc(J.x = J.x, J.y = J.y, n.rep = n.rep, beta = beta, alpha = alpha,
             sigma.sq = sigma.sq, phi = phi, sp = TRUE, cov.model = 'exponential')
# Split into fitting and prediction data set
pred.indx <- sample(1:J, round(J * .5), replace = FALSE)
y <- dat$y[-pred.indx, ]
# Occupancy covariates
X <- dat$X[-pred.indx, ]
# Prediction covariates
X.0 <- dat$X[pred.indx, ]
# Detection covariates
X.p <- dat$X.p[-pred.indx, , ]
```

```

coords <- as.matrix(dat$coords[-pred.indx, ])
coords.0 <- as.matrix(dat$coords[pred.indx, ])
psi.0 <- dat$psi[pred.indx]
w.0 <- dat$w[pred.indx]

# Package all data into a list
occ.covs <- X[, -1, drop = FALSE]
colnames(occ.covs) <- c('occ.cov')
det.covs <- list(det.cov.1 = X.p[, , 2])
data.list <- list(y = y,
                 occ.covs = occ.covs,
                 det.covs = det.covs,
                 coords = coords)

# Number of batches
n.batch <- 10
# Batch length
batch.length <- 25
n.iter <- n.batch * batch.length
# Priors
prior.list <- list(beta.normal = list(mean = 0, var = 2.72),
                  alpha.normal = list(mean = 0, var = 2.72),
                  sigma.sq.ig = c(2, 2),
                  phi.unif = c(3/1, 3/.1))

# Initial values
inits.list <- list(alpha = 0, beta = 0,
                  phi = 3 / .5,
                  sigma.sq = 2,
                  w = rep(0, nrow(X)),
                  z = apply(y, 1, max, na.rm = TRUE))

# Tuning
tuning.list <- list(phi = 1)
# Note that this is just a test case and more iterations/chains may need to
# be run to ensure convergence.
out <- spPGOcc(occ.formula = ~ occ.cov,
              det.formula = ~ det.cov.1,
              data = data.list,
              inits = inits.list,
              n.batch = n.batch,
              batch.length = batch.length,
              accept.rate = 0.43,
              priors = prior.list,
              cov.model = 'exponential',
              tuning = tuning.list,
              n.omp.threads = 1,
              verbose = TRUE,
              NNGP = FALSE,
              n.neighbors = 15,
              search.type = 'cb',
              n.report = 10,
              n.burn = 50,
              n.thin = 1)

```

```
summary(out)

# Predict at new locations -----
out.pred <- predict(out, X.0, coords.0, verbose = FALSE)
```

predict.stIntPGOcc	<i>Function for prediction at new locations for multi-season single-species spatial integrated occupancy models</i>
--------------------	---

Description

The function `predict` collects posterior predictive samples for a set of new locations given an object of class `'stIntPGOcc'`. Prediction is only currently possible for the latent occupancy state. Predictions are currently only possible for sampled primary time periods.

Usage

```
## S3 method for class 'stIntPGOcc'
predict(object, X.0, coords.0, t.cols, n.omp.threads = 1,
        verbose = TRUE, n.report = 100,
        ignore.RE = FALSE, type = 'occupancy',
        forecast = FALSE, ...)
```

Arguments

<code>object</code>	an object of class <code>stIntPGOcc</code>
<code>X.0</code>	the design matrix of covariates at the prediction locations. This should be a three-dimensional array, with dimensions corresponding to site, primary time period, and covariate, respectively. Note that the first covariate should consist of all 1s for the intercept if an intercept is included in the model. If random effects are included in the occupancy (or detection if <code>type = 'detection'</code>) portion of the model, the levels of the random effects at the new locations/time periods should be included as an element of the three-dimensional array. The ordering of the levels should match the ordering used to fit the data in <code>stIntPGOcc</code> . The covariates should be organized in the same order as they were specified in the corresponding formula argument of <code>stIntPGOcc</code> . Names of the third dimension (covariates) of any random effects in <code>X.0</code> must match the name of the random effects used to fit the model, if specified in the corresponding formula argument of <code>stIntPGOcc</code> . See example below.
<code>coords.0</code>	the spatial coordinates corresponding to <code>X.0</code> . Note that <code>spOccupancy</code> assumes coordinates are specified in a projected coordinate system.
<code>t.cols</code>	an indexing vector used to denote which primary time periods are contained in the design matrix of covariates at the prediction locations (<code>X.0</code>). The values should denote the specific primary time periods used to fit the model. The values should indicate the columns in <code>data\$y</code> used to fit the model for which prediction is desired. See example below. Not required when <code>forecast = TRUE</code> .

n.omp.threads	a positive integer indicating the number of threads to use for SMP parallel processing. The package must be compiled for OpenMP support. For most Intel-based machines, we recommend setting n.omp.threads up to the number of hyperthreaded cores. Note, n.omp.threads > 1 might not work on some systems.
verbose	if TRUE, model specification and progress of the sampler is printed to the screen. Otherwise, nothing is printed to the screen.
ignore.RE	logical value that specifies whether or not to remove random unstructured occurrence (or detection if type = 'detection') effects from the subsequent predictions. If TRUE, random effects will be included. If FALSE, unstructured random effects will be set to 0 and predictions will only be generated from the fixed effects, the spatial random effects, and AR(1) random effects if the model was fit with ar1 = TRUE.
n.report	the interval to report sampling progress.
type	a quoted keyword indicating what type of prediction to produce. Valid keywords are 'occupancy' to predict latent occupancy probability and latent occupancy values (this is the default), or 'detection' to predict detection probability given new values of detection covariates. Currently only occupancy prediction is supported for integrated models.
forecast	a logical value indicating whether prediction is occurring at non-sampled primary time periods (e.g., forecasting).
...	currently no additional arguments

Value

A list object of class `predict.stIntPGOcc`. When type = 'occupancy', the list consists of:

psi.0.samples	a three-dimensional object of posterior predictive samples for the latent occupancy probability values with dimensions corresponding to posterior predictive sample, site, and primary time period.
z.0.samples	a three-dimensional object of posterior predictive samples for the latent occupancy values with dimensions corresponding to posterior predictive sample, site, and primary time period.
w.0.samples	a coda object of posterior predictive samples for the latent spatial random effects.

The return object will include additional objects used for standard extractor functions.

Note

When `ignore.RE = FALSE`, both sampled levels and non-sampled levels of unstructured random effects are supported for prediction. For sampled levels, the posterior distribution for the random intercept corresponding to that level of the random effect will be used in the prediction. For non-sampled levels, random values are drawn from a normal distribution using the posterior samples of the random effect variance, which results in fully propagated uncertainty in predictions with models that incorporate random effects.

Occurrence predictions at sites that are only sampled for a subset of the total number of primary time periods are obtained directly when fitting the model. See the `psi.samples` and `z.samples` portions of the output list from the model object of class `stIntPGOcc`.

Author(s)

Jeffrey W. Doser <doserjef@msu.edu>,
Andrew O. Finley <finleya@msu.edu>

Examples

```
set.seed(332)

# Simulate Data -----
# Number of locations in each direction. This is the total region of interest
# where some sites may or may not have a data source.
J.x <- 15
J.y <- 15
J.all <- J.x * J.y
# Number of data sources.
n.data <- 3
# Sites for each data source.
J.obs <- sample(ceiling(0.2 * J.all):ceiling(0.4 * J.all), n.data, replace = TRUE)
# Maximum number of years for each data set
n.time.max <- c(4, 8, 10)
# Number of years each site in each data set is sampled
n.time <- list()
for (i in 1:n.data) {
  n.time[[i]] <- sample(1:n.time.max[i], J.obs[i], replace = TRUE)
}
# Replicates for each data source.
n.rep <- list()
for (i in 1:n.data) {
  n.rep[[i]] <- matrix(NA, J.obs[i], n.time.max[i])
  for (j in 1:J.obs[i]) {
    n.rep[[i]][j, sample(1:n.time.max[i], n.time[[i]][j], replace = FALSE)] <-
      sample(1:4, n.time[[i]][j], replace = TRUE)
  }
}
# Total number of years across all data sets
n.time.total <- 10
# List denoting the specific years each data set was sampled during.
data.seasons <- list()
for (i in 1:n.data) {
  data.seasons[[i]] <- sort(sample(1:n.time.total, n.time.max[i], replace = FALSE))
}

# Occupancy covariates
beta <- c(0, 0.4, 0.3)
trend <- TRUE
# Random occupancy covariates
psi.RE <- list()
```



```

p.occ <- length(beta)
# Detection covariates
alpha <- list()
alpha[[1]] <- c(0, 0.2, -0.5)
alpha[[2]] <- c(-1, 0.5, 0.3, -0.8)
alpha[[3]] <- c(-0.5, 1)

p.RE <- list()
p.det.long <- sapply(alpha, length)
p.det <- sum(p.det.long)

# Spatial parameters
sigma.sq <- 0.9
phi <- 3 / .5

# Simulate occupancy data.
dat <- simTIntOcc(n.data = n.data, J.x = J.x, J.y = J.y, J.obs = J.obs,
                 n.time = n.time, data.seasons = data.seasons, n.rep = n.rep,
                 beta = beta, alpha = alpha, trend = trend,
                 psi.RE = psi.RE, p.RE = p.RE, sp = TRUE,
                 sigma.sq = sigma.sq, phi = phi, cov.model = 'exponential')

y <- dat$y
X <- dat$X.obs
X.p <- dat$X.p
sites <- dat$sites
coords <- dat$coords.obs

# Package all data into a list
occ.covs <- list(trend = X[, , 2],
                 occ.cov.1 = X[, , 3])
det.covs <- list()
# Add covariates one by one
det.covs[[1]] <- list(det.cov.1.1 = X.p[[1]][, , 2],
                     det.cov.1.2 = X.p[[1]][, , 3])
det.covs[[2]] <- list(det.cov.2.1 = X.p[[2]][, , 2],
                     det.cov.2.2 = X.p[[2]][, , 3],
                     det.cov.2.3 = X.p[[2]][, , 4])
det.covs[[3]] <- list(det.cov.3.1 = X.p[[3]][, , 2])
data.list <- list(y = y, occ.covs = occ.covs, det.covs = det.covs,
                 sites = sites, seasons = data.seasons, coords = coords)

# Testing
occ.formula <- ~ trend + occ.cov.1
# Note that the names are not necessary.
det.formula <- list(f.1 = ~ det.cov.1.1 + det.cov.1.2,
                   f.2 = ~ det.cov.2.1 + det.cov.2.2 + det.cov.2.3,
                   f.3 = ~ det.cov.3.1)

# NOTE: this is a short run of the model, in reality we would run the
#       model for much longer.
out <- stIntPGOcc(occ.formula = occ.formula,
                 det.formula = det.formula,

```

```

data = data.list,
NNGP = TRUE,
n.neighbors = 15,
cov.model = 'exponential',
n.batch = 3,
batch.length = 25,
n.report = 1,
n.burn = 25,
n.thin = 1,
n.chains = 1)

t.cols <- 1:n.time.total
out.pred <- predict(out, X.0 = dat$X.pred, coords.0 = dat$coords.pred,
                    t.cols = t.cols, type = 'occupancy')
str(out.pred)

```

predict.stMsPGOcc	<i>Function for prediction at new locations for multi-season multi-species spatial occupancy models</i>
-------------------	---

Description

The function `predict` collects posterior predictive samples for a set of new locations given an object of class `'stMsPGOcc'`. Prediction is possible for both the latent occupancy state as well as detection. Predictions are currently only possible for sampled primary time periods.

Usage

```

## S3 method for class 'stMsPGOcc'
predict(object, X.0, coords.0, t.cols, n.omp.threads = 1,
        verbose = TRUE, n.report = 100,
        ignore.RE = FALSE, type = 'occupancy', grid.index.0, ...)

```

Arguments

<code>object</code>	an object of class <code>stMsPGOcc</code>
<code>X.0</code>	the design matrix of covariates at the prediction locations. This should be a three-dimensional array, with dimensions corresponding to site, primary time period, and covariate, respectively. Note that the first covariate should consist of all 1s for the intercept if an intercept is included in the model. If random effects are included in the occupancy (or detection if <code>type = 'detection'</code>) portion of the model, the levels of the random effects at the new locations/time periods should be included as an element of the three-dimensional array. The ordering of the levels should match the ordering used to fit the data in <code>stMsPGOcc</code> . The covariates should be organized in the same order as they were specified in the corresponding formula argument of <code>stMsPGOcc</code> . Names of the third dimension (covariates) of any random effects in <code>X.0</code> must match the name of the random effects used to fit the model, if specified in the corresponding formula argument of <code>stMsPGOcc</code> . See example below.

<code>coords.0</code>	the spatial coordinates corresponding to <code>X.0</code> . Note that <code>spOccupancy</code> assumes coordinates are specified in a projected coordinate system.
<code>t.cols</code>	an indexing vector used to denote which primary time periods are contained in the design matrix of covariates at the prediction locations (<code>X.0</code>). The values should denote the specific primary time periods used to fit the model. The values should indicate the columns in <code>data\$y</code> used to fit the model for which prediction is desired. See example below.
<code>n.omp.threads</code>	a positive integer indicating the number of threads to use for SMP parallel processing. The package must be compiled for OpenMP support. For most Intel-based machines, we recommend setting <code>n.omp.threads</code> up to the number of hyperthreaded cores. Note, <code>n.omp.threads > 1</code> might not work on some systems.
<code>verbose</code>	if TRUE, model specification and progress of the sampler is printed to the screen. Otherwise, nothing is printed to the screen.
<code>ignore.RE</code>	logical value that specifies whether or not to remove random unstructured occurrence (or detection if <code>type = 'detection'</code>) effects from the subsequent predictions. If TRUE, random effects will be included. If FALSE, unstructured random effects will be set to 0 and predictions will only be generated from the fixed effects, the spatial random effects, and AR(1) random effects if the model was fit with <code>ar1 = TRUE</code> .
<code>n.report</code>	the interval to report sampling progress.
<code>type</code>	a quoted keyword indicating what type of prediction to produce. Valid keywords are 'occupancy' to predict latent occupancy probability and latent occupancy values (this is the default), or 'detection' to predict detection probability given new values of detection covariates.
<code>grid.index.0</code>	an indexing vector used to specify how each row in <code>X.0</code> corresponds to the coordinates specified in <code>coords.0</code> . Only relevant if the spatial random effect was estimated at a higher spatial resolution (e.g., grid cells) than point locations.
<code>...</code>	currently no additional arguments

Value

A list object of class `predict.stMsPGOcc`. When `type = 'occupancy'`, the list consists of:

<code>psi.0.samples</code>	a four-dimensional object of posterior predictive samples for the latent occupancy probability values with dimensions corresponding to posterior predictive sample, species, site, and primary time period.
<code>z.0.samples</code>	a three-dimensional object of posterior predictive samples for the latent occupancy values with dimensions corresponding to posterior predictive sample, species, site, and primary time period.
<code>w.0.samples</code>	a three-dimensional array of posterior predictive samples for the latent spatial factors with dimensions corresponding to MCMC sample, latent factor, and site.

When `type = 'detection'`, the list consists of:

`p.0.samples` a four-dimensional object of posterior predictive samples for the detection probability values with dimensions corresponding to posterior predictive sample, site, and primary time period.

The return object will include additional objects used for standard extractor functions.

Note

When `ignore.RE = FALSE`, both sampled levels and non-sampled levels of unstructured random effects are supported for prediction. For sampled levels, the posterior distribution for the random intercept corresponding to that level of the random effect will be used in the prediction. For non-sampled levels, random values are drawn from a normal distribution using the posterior samples of the random effect variance, which results in fully propagated uncertainty in predictions with models that incorporate random effects.

Occurrence predictions at sites that are only sampled for a subset of the total number of primary time periods are obtained directly when fitting the model. See the `psi.samples` and `z.samples` portions of the output list from the model object of class `stMsPGOcc`.

Author(s)

Jeffrey W. Doser <doserjef@msu.edu>,
Andrew O. Finley <finleya@msu.edu>

Examples

```
# Simulate Data -----
set.seed(500)
J.x <- 8
J.y <- 8
J <- J.x * J.y
# Years sampled
n.time <- sample(3:10, J, replace = TRUE)
# n.time <- rep(10, J)
n.time.max <- max(n.time)
# Replicates
n.rep <- matrix(NA, J, max(n.time))
for (j in 1:J) {
  n.rep[j, 1:n.time[j]] <- sample(2:4, n.time[j], replace = TRUE)
  # n.rep[j, 1:n.time[j]] <- rep(4, n.time[j])
}
N <- 7
# Community-level covariate effects
# Occurrence
beta.mean <- c(-3, -0.2, 0.5)
trend <- FALSE
sp.only <- 0
p.occ <- length(beta.mean)
tau.sq.beta <- c(0.6, 1.5, 1.4)
# Detection
alpha.mean <- c(0, 1.2, -1.5)
tau.sq.alpha <- c(1, 0.5, 2.3)
```

```

p.det <- length(alpha.mean)
# Random effects
psi.RE <- list()
p.RE <- list()
# Draw species-level effects from community means.
beta <- matrix(NA, nrow = N, ncol = p.occ)
alpha <- matrix(NA, nrow = N, ncol = p.det)
for (i in 1:p.occ) {
  beta[, i] <- rnorm(N, beta.mean[i], sqrt(tau.sq.beta[i]))
}
for (i in 1:p.det) {
  alpha[, i] <- rnorm(N, alpha.mean[i], sqrt(tau.sq.alpha[i]))
}
sp <- TRUE
svc.cols <- c(1)
p.svc <- length(svc.cols)
n.factors <- 3
phi <- runif(p.svc * n.factors, 3 / .9, 3 / .3)
factor.model <- TRUE
cov.model <- 'exponential'
ar1 <- TRUE
sigma.sq.t <- runif(N, 0.05, 1)
rho <- runif(N, 0.1, 1)

dat <- simTMsOcc(J.x = J.x, J.y = J.y, n.time = n.time, n.rep = n.rep, N = N,
  beta = beta, alpha = alpha, sp.only = sp.only, trend = trend,
  psi.RE = psi.RE, p.RE = p.RE, factor.model = factor.model,
  svc.cols = svc.cols, n.factors = n.factors, phi = phi, sp = sp,
  cov.model = cov.model, ar1 = ar1, sigma.sq.t = sigma.sq.t, rho = rho)

# Subset data for prediction
pred.indx <- sample(1:J, round(J * .25), replace = FALSE)
y <- dat$y[, -pred.indx, , , drop = FALSE]
# Occupancy covariates
X <- dat$X[-pred.indx, , , drop = FALSE]
# Prediction covariates
X.0 <- dat$X[pred.indx, , , drop = FALSE]
# Detection covariates
X.p <- dat$X.p[-pred.indx, , , drop = FALSE]
# Coordinates
coords <- dat$coords[-pred.indx, ]
coords.0 <- dat$coords[pred.indx, ]

occ.covs <- list(occ.cov.1 = X[, , 2],
  occ.cov.2 = X[, , 3])
det.covs <- list(det.cov.1 = X.p[, , 2],
  det.cov.2 = X.p[, , 3])

data.list <- list(y = y, occ.covs = occ.covs,
  det.covs = det.covs,
  coords = coords)

# Priors
prior.list <- list(beta.comm.normal = list(mean = 0, var = 2.72),

```

```

alpha.comm.normal = list(mean = 0, var = 2.72),
tau.sq.beta.ig = list(a = 0.1, b = 0.1),
tau.sq.alpha.ig = list(a = 0.1, b = 0.1),
rho.unif = list(a = -1, b = 1),
sigma.sq.t.ig = list(a = 0.1, b = 0.1),
      phi.unif = list(a = 3 / .9, b = 3 / .1))
z.init <- apply(y, c(1, 2, 3), function(a) as.numeric(sum(a, na.rm = TRUE) > 0))
inits.list <- list(alpha.comm = 0, beta.comm = 0, beta = 0,
  alpha = 0, tau.sq.beta = 1, tau.sq.alpha = 1,
  rho = 0.5, sigma.sq.t = 0.5,
  phi = 3 / .5, z = z.init)
# Tuning
tuning.list <- list(phi = 1, rho = 0.5)

# Number of batches
n.batch <- 2
# Batch length
batch.length <- 25
n.burn <- 25
n.thin <- 1
n.samples <- n.batch * batch.length
# Note that this is just a test case and more iterations/chains may need to
# be run to ensure convergence.
out <- stMsPGOcc(occ.formula = ~ occ.cov.1 + occ.cov.2,
  det.formula = ~ det.cov.1 + det.cov.2,
  data = data.list,
  inits = inits.list,
  n.batch = n.batch,
  batch.length = batch.length,
  accept.rate = 0.43,
  ar1 = TRUE,
  NNGP = TRUE,
  n.neighbors = 5,
  n.factors = n.factors,
  cov.model = 'exponential',
  priors = prior.list,
  tuning = tuning.list,
  n.omp.threads = 1,
  verbose = TRUE,
  n.report = 1,
  n.burn = n.burn,
  n.thin = n.thin,
  n.chains = 1)

summary(out)

# Predict at new sites across all n.max.years
# Take a look at array of covariates for prediction
str(X.0)
# Subset to only grab time periods 1, 2, and 5
t.cols <- c(1, 2, 5)
X.pred <- X.0[, t.cols, ]
out.pred <- predict(out, X.pred, coords.0, t.cols = t.cols, type = 'occupancy')

```

```
str(out.pred)
```

predict.stPGOcc	<i>Function for prediction at new locations for multi-season single-species spatial occupancy models</i>
-----------------	--

Description

The function `predict` collects posterior predictive samples for a set of new locations given an object of class `'stPGOcc'`. Prediction is possible for both the latent occupancy state as well as detection. Predictions are currently only possible for sampled primary time periods.

Usage

```
## S3 method for class 'stPGOcc'
predict(object, X.0, coords.0, t.cols, n.omp.threads = 1,
        verbose = TRUE, n.report = 100,
        ignore.RE = FALSE, type = 'occupancy',
        forecast = FALSE, grid.index.0, ...)
```

Arguments

<code>object</code>	an object of class <code>stPGOcc</code>
<code>X.0</code>	the design matrix of covariates at the prediction locations. This should be a three-dimensional array, with dimensions corresponding to site, primary time period, and covariate, respectively. Note that the first covariate should consist of all 1s for the intercept if an intercept is included in the model. If random effects are included in the occupancy (or detection if <code>type = 'detection'</code>) portion of the model, the levels of the random effects at the new locations/time periods should be included as an element of the three-dimensional array. The ordering of the levels should match the ordering used to fit the data in <code>stPGOcc</code> . The covariates should be organized in the same order as they were specified in the corresponding formula argument of <code>stPGOcc</code> . Names of the third dimension (covariates) of any random effects in <code>X.0</code> must match the name of the random effects used to fit the model, if specified in the corresponding formula argument of <code>stPGOcc</code> . See example below.
<code>coords.0</code>	the spatial coordinates corresponding to <code>X.0</code> . Note that <code>spOccupancy</code> assumes coordinates are specified in a projected coordinate system.
<code>t.cols</code>	an indexing vector used to denote which primary time periods are contained in the design matrix of covariates at the prediction locations (<code>X.0</code>). The values should denote the specific primary time periods used to fit the model. The values should indicate the columns in <code>data\$y</code> used to fit the model for which prediction is desired. See example below. Not required when <code>forecast = TRUE</code> .
<code>n.omp.threads</code>	a positive integer indicating the number of threads to use for SMP parallel processing. The package must be compiled for OpenMP support. For most Intel-based machines, we recommend setting <code>n.omp.threads</code> up to the number of

	hyperthreaded cores. Note, <code>n.omp.threads > 1</code> might not work on some systems.
<code>verbose</code>	if TRUE, model specification and progress of the sampler is printed to the screen. Otherwise, nothing is printed to the screen.
<code>ignore.RE</code>	logical value that specifies whether or not to remove random unstructured occurrence (or detection if <code>type = 'detection'</code>) effects from the subsequent predictions. If TRUE, random effects will be included. If FALSE, unstructured random effects will be set to 0 and predictions will only be generated from the fixed effects, the spatial random effects, and AR(1) random effects if the model was fit with <code>ar1 = TRUE</code> .
<code>n.report</code>	the interval to report sampling progress.
<code>type</code>	a quoted keyword indicating what type of prediction to produce. Valid keywords are 'occupancy' to predict latent occupancy probability and latent occupancy values (this is the default), or 'detection' to predict detection probability given new values of detection covariates.
<code>forecast</code>	a logical value indicating whether prediction is occurring at non-sampled primary time periods (e.g., forecasting).
<code>grid.index.0</code>	an indexing vector used to specify how each row in <code>X.0</code> corresponds to the coordinates specified in <code>coords.0</code> . Only relevant if the spatial random effect was estimated at a higher spatial resolution (e.g., grid cells) than point locations.
<code>...</code>	currently no additional arguments

Value

A list object of class `predict.stPGOcc`. When `type = 'occupancy'`, the list consists of:

<code>psi.0.samples</code>	a three-dimensional object of posterior predictive samples for the latent occupancy probability values with dimensions corresponding to posterior predictive sample, site, and primary time period.
<code>z.0.samples</code>	a three-dimensional object of posterior predictive samples for the latent occupancy values with dimensions corresponding to posterior predictive sample, site, and primary time period.
<code>w.0.samples</code>	a coda object of posterior predictive samples for the latent spatial random effects.

When `type = 'detection'`, the list consists of:

<code>p.0.samples</code>	a three-dimensional object of posterior predictive samples for the detection probability values with dimensions corresponding to posterior predictive sample, site, and primary time period.
--------------------------	--

The return object will include additional objects used for standard extractor functions.

Note

When `ignore.RE = FALSE`, both sampled levels and non-sampled levels of unstructured random effects are supported for prediction. For sampled levels, the posterior distribution for the random intercept corresponding to that level of the random effect will be used in the prediction. For non-sampled levels, random values are drawn from a normal distribution using the posterior samples of the random effect variance, which results in fully propagated uncertainty in predictions with models that incorporate random effects.

Occurrence predictions at sites that are only sampled for a subset of the total number of primary time periods are obtained directly when fitting the model. See the `psi.samples` and `z.samples` portions of the output list from the model object of class `stPGOcc`.

Author(s)

Jeffrey W. Doser <doserjef@msu.edu>,
Andrew O. Finley <finleya@msu.edu>

Examples

```
set.seed(500)
# Sites
J.x <- 10
J.y <- 10
J <- J.x * J.y
# Primary time periods
n.time <- sample(10, J, replace = TRUE)
n.time.max <- max(n.time)
# Replicates
n.rep <- matrix(NA, J, max(n.time))
for (j in 1:J) {
  n.rep[j, 1:n.time[j]] <- sample(1:4, n.time[j], replace = TRUE)
}
# Occurrence -----
beta <- c(0.4, 0.5, -0.9)
trend <- TRUE
sp.only <- 0
psi.RE <- list()
# Detection -----
alpha <- c(-1, 0.7, -0.5)
p.RE <- list()
# Spatial -----
sp <- TRUE
cov.model <- "exponential"
sigma.sq <- 2
phi <- 3 / .4

# Get all the data
dat <- simTOcc(J.x = J.x, J.y = J.y, n.time = n.time, n.rep = n.rep,
              beta = beta, alpha = alpha, sp.only = sp.only, trend = trend,
              psi.RE = psi.RE, p.RE = p.RE, sp = TRUE, sigma.sq = sigma.sq,
              phi = phi, cov.model = cov.model, ar1 = FALSE)
```

```

# Subset data for prediction
pred.indx <- sample(1:J, round(J * .25), replace = FALSE)
y <- dat$y[-pred.indx, , , drop = FALSE]
# Occupancy covariates
X <- dat$X[-pred.indx, , , drop = FALSE]
# Prediction covariates
X.0 <- dat$X[pred.indx, , , drop = FALSE]
# Detection covariates
X.p <- dat$X.p[-pred.indx, , , drop = FALSE]
psi.0 <- dat$psi[pred.indx, ]
# Coordinates
coords <- dat$coords[-pred.indx, ]
coords.0 <- dat$coords[pred.indx, ]

# Package all data into a list
# Occurrence
occ.covs <- list(int = X[, , 1],
                 trend = X[, , 2],
                 occ.cov.1 = X[, , 3])
# Detection
det.covs <- list(det.cov.1 = X.p[, , 2],
                 det.cov.2 = X.p[, , 3])
# Data list bundle
data.list <- list(y = y,
                 occ.covs = occ.covs,
                 det.covs = det.covs,
                 coords = coords)
# Priors
prior.list <- list(beta.normal = list(mean = 0, var = 2.72),
                  alpha.normal = list(mean = 0, var = 2.72),
                  sigma.sq.ig = c(2, 2),
                  phi.unif = c(3 / 1, 3 / 0.1))

# Initial values
z.init <- apply(y, c(1, 2), function(a) as.numeric(sum(a, na.rm = TRUE) > 0))
inits.list <- list(beta = 0, alpha = 0, z = z.init, phi = 3 / .5, sigma.sq = 2,
                  w = rep(0, J))

# Tuning
tuning.list <- list(phi = 1)
# Number of batches
n.batch <- 10
# Batch length
batch.length <- 25
n.iter <- n.batch * batch.length

# Run the model
# Note that this is just a test case and more iterations/chains may need to
# be run to ensure convergence.
out <- stPGOcc(occ.formula = ~ trend + occ.cov.1,
              det.formula = ~ det.cov.1 + det.cov.2,
              data = data.list,
              inits = inits.list,
              n.batch = n.batch,

```

```

        batch.length = batch.length,
        priors = prior.list,
        cov.model = "exponential",
        tuning = tuning.list,
        NNGP = TRUE,
        ar1 = FALSE,
        n.neighbors = 5,
        search.type = 'cb',
        n.report = 10,
        n.burn = 50,
        n.chains = 1)

summary(out)

# Predict at new sites across all n.max.years
# Take a look at array of covariates for prediction
str(X.0)
# Subset to only grab time periods 1, 2, and 5
t.cols <- c(1, 2, 5)
X.pred <- X.0[, t.cols, ]
out.pred <- predict(out, X.0, coords.0, t.cols = t.cols, type = 'occupancy')
str(out.pred)

```

predict.svcMsPGOcc	<i>Function for prediction at new locations for spatially varying coefficient multi-species occupancy models</i>
--------------------	--

Description

The function `predict` collects posterior predictive samples for a set of new locations given an object of class `'svcMsPGOcc'`. Prediction is possible for both the latent occupancy state as well as detection.

Usage

```

## S3 method for class 'svcMsPGOcc'
predict(object, X.0, coords.0, n.omp.threads = 1, verbose = TRUE,
        n.report = 100, ignore.RE = FALSE, type = 'occupancy', ...)

```

Arguments

<code>object</code>	an object of class <code>svcMsPGOcc</code>
<code>X.0</code>	the design matrix of covariates at the prediction locations. This should include a column of 1s for the intercept if an intercept is included in the model. If random effects are included in the occupancy (or detection if <code>type = 'detection'</code>) portion of the model, the levels of the random effects at the new locations should be included as a column in the design matrix. The ordering of the levels should match the ordering used to fit the data in <code>svcMsPGOcc</code> . Columns should correspond to the order of how covariates were specified in the corresponding formula

	argument of <code>svcMsPGOcc</code> . Column names of the random effects must match the name of the random effects, if specified in the corresponding formula argument of <code>svcMsPGOcc</code> .
<code>coords.0</code>	the spatial coordinates corresponding to <code>X.0</code> . Note that <code>sp0occupancy</code> assumes coordinates are specified in a projected coordinate system.
<code>n.omp.threads</code>	a positive integer indicating the number of threads to use for SMP parallel processing. The package must be compiled for OpenMP support. For most Intel-based machines, we recommend setting <code>n.omp.threads</code> up to the number of hyperthreaded cores. Note, <code>n.omp.threads > 1</code> might not work on some systems.
<code>verbose</code>	if <code>TRUE</code> , model specification and progress of the sampler is printed to the screen. Otherwise, nothing is printed to the screen.
<code>n.report</code>	the interval to report sampling progress.
<code>ignore.RE</code>	a logical value indicating whether to include unstructured random effects for prediction. If <code>TRUE</code> , unstructured random effects will be ignored and prediction will only use the fixed effects and the spatial random effects. If <code>FALSE</code> , random effects will be included in the prediction for both observed and unobserved levels of the unstructured random effects.
<code>type</code>	a quoted keyword indicating what type of prediction to produce. Valid keywords are 'occupancy' to predict latent occupancy probability and latent occupancy values (this is the default), or 'detection' to predict detection probability given new values of detection covariates.
<code>...</code>	currently no additional arguments

Value

An list object of class `predict.svcMsPGOcc`. When `type = 'occupancy'`, the list consists of:

<code>psi.0.samples</code>	a three-dimensional array of posterior predictive samples for the latent occurrence probability values.
<code>z.0.samples</code>	a three-dimensional array of posterior predictive samples for the latent occurrence values.
<code>w.0.samples</code>	a four-dimensional array of posterior predictive samples for the spatially-varying coefficients, with dimensions corresponding to MCMC sample, spatial factor, site, and spatially varying coefficient.
<code>run.time</code>	execution time reported using <code>proc.time()</code> .

When `type = 'detection'`, the list consists of:

<code>p.0.samples</code>	a three-dimensional array of posterior predictive samples for the detection probability values.
<code>run.time</code>	execution time reported using <code>proc.time()</code> .

The return object will include additional objects used for standard extractor functions.

Note

When `ignore.RE = FALSE`, both sampled levels and non-sampled levels of random effects are supported for prediction. For sampled levels, the posterior distribution for the random intercept corresponding to that level of the random effect will be used in the prediction. For non-sampled levels, random values are drawn from a normal distribution using the posterior samples of the random effect variance, which results in fully propagated uncertainty in predictions with models that incorporate random effects.

Author(s)

Jeffrey W. Doser <doserjef@msu.edu>
Andrew O. Finley <finleya@msu.edu>

Examples

```
set.seed(400)

# Simulate Data -----
J.x <- 10
J.y <- 10
J <- J.x * J.y
n.rep <- sample(5, size = J, replace = TRUE)
N <- 6
# Community-level covariate effects
# Occurrence
beta.mean <- c(0.2, -0.2, 0.3, -0.1, 0.4)
p.occ <- length(beta.mean)
tau.sq.beta <- c(0.6, 1.5, 0.4, 0.5, 0.3)
# Detection
alpha.mean <- c(0, 1.2, -0.5)
tau.sq.alpha <- c(1, 0.5, 1.3)
p.det <- length(alpha.mean)
# No random effects
psi.RE <- list()
p.RE <- list()
# Draw species-level effects from community means.
beta <- matrix(NA, nrow = N, ncol = p.occ)
alpha <- matrix(NA, nrow = N, ncol = p.det)
for (i in 1:p.occ) {
  beta[, i] <- rnorm(N, beta.mean[i], sqrt(tau.sq.beta[i]))
}
for (i in 1:p.det) {
  alpha[, i] <- rnorm(N, alpha.mean[i], sqrt(tau.sq.alpha[i]))
}
# Number of spatial factors for each SVC
n.factors <- 2
# The intercept and first two covariates have spatially-varying effects
svc.cols <- c(1, 2, 3)
p.svc <- length(svc.cols)
q.p.svc <- n.factors * p.svc
# Spatial decay parameters
```

```

phi <- runif(q.p.svc, 3 / 0.9, 3 / 0.1)
# A length N vector indicating the proportion of simulated locations
# that are within the range for a given species.
range.probs <- runif(N, 1, 1)
factor.model <- TRUE
cov.model <- 'spherical'
sp <- TRUE

dat <- simMsOcc(J.x = J.x, J.y = J.y, n.rep = n.rep, N = N, beta = beta, alpha = alpha,
psi.RE = psi.RE, p.RE = p.RE, phi = phi, sp = sp, svc.cols = svc.cols,
cov.model = cov.model, n.factors = n.factors,
factor.model = factor.model, range.probs = range.probs)

# Split into fitting and prediction data set
pred.indx <- sample(1:J, round(J * .25), replace = FALSE)
y <- dat$y[, -pred.indx, ]
# Occupancy covariates
X <- dat$X[-pred.indx, ]
# Coordinates
coords <- as.matrix(dat$coords[-pred.indx, ])
# Detection covariates
X.p <- dat$X.p[-pred.indx, , ]
# Prediction values
X.0 <- dat$X[pred.indx, ]
coords.0 <- as.matrix(dat$coords[pred.indx, ])

# Prep data for spOccupancy -----
# Occurrence covariates
occ.covs <- cbind(X)
colnames(occ.covs) <- c('int', 'occ.cov.1', 'occ.cov.2', 'occ.cov.3',
'occ.cov.4')
# Detection covariates
det.covs <- list(det.cov.1 = X.p[, , 2],
det.cov.2 = X.p[, , 3])
# Data list
data.list <- list(y = y, coords = coords, occ.covs = occ.covs,
det.covs = det.covs)

# Priors
prior.list <- list(beta.comm.normal = list(mean = 0, var = 2.72),
alpha.comm.normal = list(mean = 0, var = 2.72),
tau.sq.beta.ig = list(a = 0.1, b = 0.1),
tau.sq.alpha.ig = list(a = 0.1, b = 0.1),
phi.unif = list(a = 3 / 1, b = 3 / .1))
inits.list <- list(alpha.comm = 0,
beta.comm = 0,
beta = 0,
alpha = 0,
tau.sq.beta = 1,
tau.sq.alpha = 1,
z = apply(y, c(1, 2), max, na.rm = TRUE))
# Tuning
tuning.list <- list(phi = 1)

```

```

# Number of batches
n.batch <- 2
# Batch length
batch.length <- 25
n.burn <- 0
n.thin <- 1
n.samples <- n.batch * batch.length

# Note that this is just a test case and more iterations/chains may need to
# be run to ensure convergence.
out <- svcMsPGOcc(occ.formula = ~ occ.cov.1 + occ.cov.2 + occ.cov.3 +
                  occ.cov.4,
                  det.formula = ~ det.cov.1 + det.cov.2,
                  data = data.list,
                  inits = inits.list,
                  n.batch = n.batch,
                  n.factors = n.factors,
                  batch.length = batch.length,
                  std.by.sp = TRUE,
                  accept.rate = 0.43,
                  priors = prior.list,
                  svc.cols = svc.cols,
                  cov.model = "spherical",
                  tuning = tuning.list,
                  n.omp.threads = 1,
                  verbose = TRUE,
                  NNGP = TRUE,
                  n.neighbors = 5,
                  search.type = 'cb',
                  n.report = 10,
                  n.burn = n.burn,
                  n.thin = n.thin,
                  n.chains = 1)

summary(out)
# Predict at new locations -----
out.pred <- predict(out, X.0, coords.0, verbose = FALSE)

# Get SVC samples for each species at prediction locations
svc.samples <- getSVCsamples(out, out.pred)

```

predict.svcPGBinom	<i>Function for prediction at new locations for single-species spatially-varying coefficient Binomial models</i>
--------------------	--

Description

The function `predict` collects posterior predictive samples for a set of new locations given an object of class `'svcPGBinom'`.

Usage

```
## S3 method for class 'svcPGBinom'
predict(object, X.0, coords.0, weights.0, n.omp.threads = 1, verbose = TRUE,
        n.report = 100, ignore.RE = FALSE, ...)
```

Arguments

<code>object</code>	an object of class <code>svcPGBinom</code>
<code>X.0</code>	the design matrix of covariates at the prediction locations. Note that for spatially-varying coefficients models the order of covariates in <code>X.0</code> must be the same as the order of covariates specified in the model formula. This should include a column of 1s for the intercept if an intercept is included in the model. If unstructured random effects are included in the model, the levels of the random effects at the new locations should be included as a column in the design matrix. The ordering of the levels should match the ordering used to fit the data in <code>svcPGBinom</code> . Columns should correspond to the order of how covariates were specified in the corresponding formula argument of <code>svcPGBinom</code> . Column names of the random effects must match the name of the random effects, if specified in the corresponding formula argument of <code>svcPGBinom</code> .
<code>coords.0</code>	the spatial coordinates corresponding to <code>X.0</code> . Note that <code>spOccupancy</code> assumes coordinates are specified in a projected coordinate system.
<code>weights.0</code>	a numeric vector containing the binomial weights (i.e., the total number of Bernoulli trials) at each site. If <code>weights.0</code> is not specified, we assume 1 trial at each site (i.e., presence/absence).
<code>n.omp.threads</code>	a positive integer indicating the number of threads to use for SMP parallel processing. The package must be compiled for OpenMP support. For most Intel-based machines, we recommend setting <code>n.omp.threads</code> up to the number of hyperthreaded cores. Note, <code>n.omp.threads > 1</code> might not work on some systems.
<code>verbose</code>	if <code>TRUE</code> , model specification and progress of the sampler is printed to the screen. Otherwise, nothing is printed to the screen.
<code>ignore.RE</code>	a logical value indicating whether to include unstructured random effects for prediction. If <code>TRUE</code> , unstructured random effects will be ignored and prediction will only use the fixed effects and the spatial random effects. If <code>FALSE</code> , random effects will be included in the prediction for both observed and unobserved levels of the unstructured random effects.
<code>n.report</code>	the interval to report sampling progress.
<code>...</code>	currently no additional arguments

Value

A list object of class `predict.svcPGBinom` consisting of:

<code>psi.0.samples</code>	a coda object of posterior predictive samples for the binomial probability values.
<code>y.0.samples</code>	a coda object of posterior predictive samples for the binomial data.

<code>w.0.samples</code>	a three-dimensional array of posterior predictive samples for the spatial random effects, with dimensions corresponding to MCMC iteration, coefficient, and site.
<code>run.time</code>	execution time reported using <code>proc.time()</code> .

Note

When `ignore.RE = FALSE`, both sampled levels and non-sampled levels of random effects are supported for prediction. For sampled levels, the posterior distribution for the random intercept corresponding to that level of the random effect will be used in the prediction. For non-sampled levels, random values are drawn from a normal distribution using the posterior samples of the random effect variance, which results in fully propagated uncertainty in predictions with models that incorporate random effects.

Author(s)

Jeffrey W. Doser <doserjef@msu.edu>,
Andrew O. Finley <finleya@msu.edu>

Examples

```
set.seed(1000)
# Sites
J.x <- 10
J.y <- 10
J <- J.x * J.y
# Binomial weights
weights <- sample(10, J, replace = TRUE)
beta <- c(0, 0.5, -0.2, 0.75)
p <- length(beta)
# No unstructured random effects
psi.RE <- list()
# Spatial parameters
sp <- TRUE
# Two spatially-varying covariates.
svc.cols <- c(1, 2)
p.svc <- length(svc.cols)
cov.model <- "exponential"
sigma.sq <- runif(p.svc, 0.4, 1.5)
phi <- runif(p.svc, 3/1, 3/0.2)

# Simulate the data
dat <- simBinom(J.x = J.x, J.y = J.y, weights = weights, beta = beta,
               psi.RE = psi.RE, sp = sp, svc.cols = svc.cols,
               cov.model = cov.model, sigma.sq = sigma.sq, phi = phi)

# Binomial data
y <- dat$y
# Covariates
X <- dat$X
# Spatial coordinates
coords <- dat$coords
```

```

# Subset data for prediction if desired
pred.indx <- sample(1:J, round(J * .25), replace = FALSE)
y.0 <- y[pred.indx, drop = FALSE]
X.0 <- X[pred.indx, , drop = FALSE]
coords.0 <- coords[pred.indx, ]
y <- y[-pred.indx, drop = FALSE]
X <- X[-pred.indx, , drop = FALSE]
coords <- coords[-pred.indx, ]
weights.0 <- weights[pred.indx]
weights <- weights[-pred.indx]

# Package all data into a list
# Covariates
covs <- cbind(X)
colnames(covs) <- c('int', 'cov.1', 'cov.2', 'cov.3')

# Data list bundle
data.list <- list(y = y,
                  covs = covs,
                  coords = coords,
                  weights = weights)

# Priors
prior.list <- list(beta.normal = list(mean = 0, var = 2.72),
                  sigma.sq.ig = list(a = 2, b = 1),
                  phi.unif = list(a = 3 / 1, b = 3 / 0.1))

# Starting values
inits.list <- list(beta = 0, alpha = 0,
                  sigma.sq = 1, phi = phi)

# Tuning
tuning.list <- list(phi = 1)

n.batch <- 10
batch.length <- 25
n.burn <- 100
n.thin <- 1

# Note that this is just a test case and more iterations/chains may need to
# be run to ensure convergence.
out <- svcPGBinom(formula = ~ cov.1 + cov.2 + cov.3,
                  svc.cols = c(1, 2),
                  data = data.list,
                  n.batch = n.batch,
                  batch.length = batch.length,
                  inits = inits.list,
                  priors = prior.list,
                  accept.rate = 0.43,
                  cov.model = "exponential",
                  tuning = tuning.list,
                  n.omp.threads = 1,
                  verbose = TRUE,
                  NNGP = TRUE,

```

```

n.neighbors = 5,
n.report = 2,
n.burn = n.burn,
n.thin = n.thin,
n.chains = 1)

summary(out)

# Predict at new locations -----
out.pred <- predict(out, X.0, coords.0, weights.0, verbose = FALSE)
str(out.pred)

```

predict.svcPGOcc	<i>Function for prediction at new locations for single-species spatially-varying coefficient occupancy models</i>
------------------	---

Description

The function `predict` collects posterior predictive samples for a set of new locations given an object of class `'svcPGOcc'`. Prediction is possible for both the latent occupancy state as well as detection.

Usage

```

## S3 method for class 'svcPGOcc'
predict(object, X.0, coords.0, weights.0, n.omp.threads = 1, verbose = TRUE,
        n.report = 100, ignore.RE = FALSE, type = 'occupancy', grid.index.0, ...)

```

Arguments

<code>object</code>	an object of class <code>svcPGOcc</code>
<code>X.0</code>	the design matrix of covariates at the prediction locations. This should include a column of 1s for the intercept if an intercept is included in the model. If random effects are included in the occupancy (or detection if <code>type = 'detection'</code>) portion of the model, the levels of the random effects at the new locations should be included as a column in the design matrix. The ordering of the levels should match the ordering used to fit the data in <code>svcPGOcc</code> . Columns should correspond to the order of how covariates were specified in the corresponding formula argument of <code>svcPGOcc</code> . Column names of the random effects must match the name of the random effects, if specified in the corresponding formula argument of <code>svcPGOcc</code> .
<code>coords.0</code>	the spatial coordinates corresponding to <code>X.0</code> . Note that <code>spOccupancy</code> assumes coordinates are specified in a projected coordinate system.
<code>weights.0</code>	not used for objects of class <code>svcTPGOcc</code> . Used when calling other functions.
<code>n.omp.threads</code>	a positive integer indicating the number of threads to use for SMP parallel processing. The package must be compiled for OpenMP support. For most Intel-based machines, we recommend setting <code>n.omp.threads</code> up to the number of hyperthreaded cores. Note, <code>n.omp.threads > 1</code> might not work on some systems.

<code>verbose</code>	if TRUE, model specification and progress of the sampler is printed to the screen. Otherwise, nothing is printed to the screen.
<code>ignore.RE</code>	a logical value indicating whether to include unstructured random effects for prediction. If TRUE, unstructured random effects will be ignored and prediction will only use the fixed effects and the spatial random effects. If FALSE, random effects will be included in the prediction for both observed and unobserved levels of the unstructured random effects.
<code>n.report</code>	the interval to report sampling progress.
<code>type</code>	a quoted keyword indicating what type of prediction to produce. Valid keywords are 'occupancy' to predict latent occupancy probability and latent occupancy values (this is the default), or 'detection' to predict detection probability given new values of detection covariates.
<code>grid.index.0</code>	an indexing vector used to specify how each row in <code>X.0</code> corresponds to the coordinates specified in <code>coords.0</code> . Only relevant if the SVCs were estimated at a higher spatial resolution (e.g., grid cells) than point locations.
<code>...</code>	currently no additional arguments

Value

A list object of class `predict.svcPGOcc`. When `type = 'occupancy'`, the list consists of:

<code>psi.0.samples</code>	a coda object of posterior predictive samples for the latent occurrence probability values.
<code>z.0.samples</code>	a coda object of posterior predictive samples for the latent occurrence values.
<code>w.0.samples</code>	a three-dimensional array of posterior predictive samples for the spatial random effects, with dimensions corresponding to MCMC iteration, coefficient, and site.
<code>run.time</code>	execution time reported using <code>proc.time()</code> .

When `type = 'detection'`, the list consists of:

<code>p.0.samples</code>	a coda object of posterior predictive samples for the detection probability values.
<code>run.time</code>	execution time reported using <code>proc.time()</code> .

The return object will include additional objects used for standard extractor functions.

Note

When `ignore.RE = FALSE`, both sampled levels and non-sampled levels of random effects are supported for prediction. For sampled levels, the posterior distribution for the random intercept corresponding to that level of the random effect will be used in the prediction. For non-sampled levels, random values are drawn from a normal distribution using the posterior samples of the random effect variance, which results in fully propagated uncertainty in predictions with models that incorporate random effects.

Author(s)

Jeffrey W. Doser <doserjef@msu.edu>,
Andrew O. Finley <finleya@msu.edu>

References

Hooten, M. B., and Hefley, T. J. (2019). Bringing Bayesian models to life. CRC Press.

Examples

```
set.seed(400)
# Simulate Data -----
J.x <- 8
J.y <- 8
J <- J.x * J.y
n.rep <- sample(2:4, J, replace = TRUE)
beta <- c(0.5, 2)
p.occ <- length(beta)
alpha <- c(0, 1)
p.det <- length(alpha)
phi <- c(3 / .6, 3 / .8)
sigma.sq <- c(0.5, 0.9)
svc.cols <- c(1, 2)
dat <- simOcc(J.x = J.x, J.y = J.y, n.rep = n.rep, beta = beta, alpha = alpha,
             sigma.sq = sigma.sq, phi = phi, sp = TRUE, cov.model = 'exponential',
             svc.cols = svc.cols)

# Split into fitting and prediction data set
pred.indx <- sample(1:J, round(J * .5), replace = FALSE)
y <- dat$y[-pred.indx, ]
# Occupancy covariates
X <- dat$X[-pred.indx, ]
# Prediction covariates
X.0 <- dat$X[pred.indx, ]
# Detection covariates
X.p <- dat$X.p[-pred.indx, ]
coords <- as.matrix(dat$coords[-pred.indx, ])
coords.0 <- as.matrix(dat$coords[pred.indx, ])
psi.0 <- dat$psi[pred.indx]
w.0 <- dat$w[pred.indx, , drop = FALSE]

# Package all data into a list
occ.covs <- X[, -1, drop = FALSE]
colnames(occ.covs) <- c('occ.cov')
det.covs <- list(det.cov.1 = X.p[, , 2])
data.list <- list(y = y,
                 occ.covs = occ.covs,
                 det.covs = det.covs,
                 coords = coords)

# Number of batches
n.batch <- 10
# Batch length
batch.length <- 25
n.iter <- n.batch * batch.length
# Priors
prior.list <- list(beta.normal = list(mean = 0, var = 2.72),
                  alpha.normal = list(mean = 0, var = 2.72),
```

```

        sigma.sq.ig = list(a = 2, b = 0.5),
        phi.unif = list(a = 3/1, b = 3/.1))
# Initial values
inits.list <- list(alpha = 0, beta = 0,
                  phi = 3 / .5,
                  sigma.sq = 0.5,
                  z = apply(y, 1, max, na.rm = TRUE))
# Tuning
tuning.list <- list(phi = 1)

# Note that this is just a test case and more iterations/chains may need to
# be run to ensure convergence.
out <- svcPGOcc(occ.formula = ~ occ.cov,
               det.formula = ~ det.cov.1,
               data = data.list,
               inits = inits.list,
               n.batch = n.batch,
               batch.length = batch.length,
               accept.rate = 0.43,
               priors = prior.list,
               cov.model = 'exponential',
               tuning = tuning.list,
               n.omp.threads = 1,
               verbose = TRUE,
               NNGP = TRUE,
               svc.cols = c(1, 2),
               n.neighbors = 15,
               search.type = 'cb',
               n.report = 10,
               n.burn = 50,
               n.thin = 1)

summary(out)

# Predict at new locations -----
out.pred <- predict(out, X.0, coords.0, verbose = FALSE)

```

predict.svcTIntPGOcc *Function for prediction at new locations for multi-season single-species spatially-varying coefficient integrated occupancy models*

Description

The function `predict` collects posterior predictive samples for a set of new locations given an object of class `'svcTIntPGOcc'`. Detection prediction is not currently supported. Predictions are currently only possible for sampled primary time periods.

Usage

```
## S3 method for class 'svcTIntPGOcc'
```

```
predict(object, X.0, coords.0, t.cols, n.omp.threads = 1,
        verbose = TRUE, n.report = 100,
        ignore.RE = FALSE, type = 'occupancy', forecast = FALSE, ...)
```

Arguments

<code>object</code>	an object of class <code>svcTIntPGOcc</code>
<code>X.0</code>	the design matrix of covariates at the prediction locations. This should be a three-dimensional array, with dimensions corresponding to site, primary time period, and covariate, respectively. Note that the first covariate should consist of all 1s for the intercept if an intercept is included in the model. If random effects are included in the occupancy (or detection if <code>type = 'detection'</code>) portion of the model, the levels of the random effects at the new locations/time periods should be included as an element of the three-dimensional array. The ordering of the levels should match the ordering used to fit the data in <code>svcTIntPGOcc</code> . The covariates should be organized in the same order as they were specified in the corresponding formula argument of <code>svcTIntPGOcc</code> . Names of the third dimension (covariates) of any random effects in <code>X.0</code> must match the name of the random effects used to fit the model, if specified in the corresponding formula argument of <code>svcTIntPGOcc</code> . See example below.
<code>coords.0</code>	the spatial coordinates corresponding to <code>X.0</code> . Note that <code>spOccupancy</code> assumes coordinates are specified in a projected coordinate system.
<code>t.cols</code>	an indexing vector used to denote which primary time periods are contained in the design matrix of covariates at the prediction locations (<code>X.0</code>). The values should denote the specific primary time periods used to fit the model. The values should indicate the columns in <code>data\$y</code> used to fit the model for which prediction is desired. See example below. Not required when <code>forecast = TRUE</code> .
<code>n.omp.threads</code>	a positive integer indicating the number of threads to use for SMP parallel processing. The package must be compiled for OpenMP support. For most Intel-based machines, we recommend setting <code>n.omp.threads</code> up to the number of hyperthreaded cores. Note, <code>n.omp.threads > 1</code> might not work on some systems.
<code>verbose</code>	if <code>TRUE</code> , model specification and progress of the sampler is printed to the screen. Otherwise, nothing is printed to the screen.
<code>ignore.RE</code>	logical value that specifies whether or not to remove random unstructured occurrence (or detection if <code>type = 'detection'</code>) effects from the subsequent predictions. If <code>TRUE</code> , random effects will be included. If <code>FALSE</code> , unstructured random effects will be set to 0 and predictions will only be generated from the fixed effects, the spatial random effects, and <code>AR(1)</code> random effects if the model was fit with <code>ar1 = TRUE</code> .
<code>n.report</code>	the interval to report sampling progress.
<code>type</code>	a quoted keyword indicating what type of prediction to produce. Valid keywords are 'occupancy' to predict latent occupancy probability and latent occupancy values (this is the default), or 'detection' to predict detection probability given new values of detection covariates. Detection prediction is not currently supported for integrated models.

forecast	a logical value indicating whether prediction is occurring at non-sampled primary time periods (e.g., forecasting).
...	currently no additional arguments

Value

A list object of class `predict.svcTIntPGOcc`. When `type = 'occupancy'`, the list consists of:

<code>psi.0.samples</code>	a three-dimensional object of posterior predictive samples for the latent occupancy probability values with dimensions corresponding to posterior predictive sample, site, and primary time period.
<code>z.0.samples</code>	a three-dimensional object of posterior predictive samples for the latent occupancy values with dimensions corresponding to posterior predictive sample, site, and primary time period.
<code>w.0.samples</code>	a three-dimensional array of posterior predictive samples for the spatial random effects, with dimensions corresponding to MCMC iteration, coefficient, and site.

When `type = 'detection'`, the list consists of:

<code>p.0.samples</code>	a three-dimensional object of posterior predictive samples for the detection probability values with dimensions corresponding to posterior predictive sample, site, and primary time period.
--------------------------	--

The return object will include additional objects used for standard extractor functions.

Note

When `ignore.RE = FALSE`, both sampled levels and non-sampled levels of unstructured random effects are supported for prediction. For sampled levels, the posterior distribution for the random intercept corresponding to that level of the random effect will be used in the prediction. For non-sampled levels, random values are drawn from a normal distribution using the posterior samples of the random effect variance, which results in fully propagated uncertainty in predictions with models that incorporate random effects.

Occurrence predictions at sites that are only sampled for a subset of the total number of primary time periods are obtained directly when fitting the model. See the `psi.samples` and `z.samples` portions of the output list from the model object of class `svcTIntPGOcc`.

Author(s)

Jeffrey W. Doser <doserjef@msu.edu>,
Andrew O. Finley <finleya@msu.edu>

Examples

```
set.seed(332)

# Simulate Data -----
# Number of locations in each direction. This is the total region of interest
# where some sites may or may not have a data source.
```



```

J.x <- 15
J.y <- 15
J.all <- J.x * J.y
# Number of data sources.
n.data <- 3
# Sites for each data source.
J.obs <- sample(ceiling(0.2 * J.all):ceiling(0.4 * J.all), n.data, replace = TRUE)
# Maximum number of years for each data set
n.time.max <- c(4, 8, 10)
# Number of years each site in each data set is sampled
n.time <- list()
for (i in 1:n.data) {
  n.time[[i]] <- sample(1:n.time.max[i], J.obs[i], replace = TRUE)
}
# Replicates for each data source.
n.rep <- list()
for (i in 1:n.data) {
  n.rep[[i]] <- matrix(NA, J.obs[i], n.time.max[i])
  for (j in 1:J.obs[i]) {
    n.rep[[i]][j, sample(1:n.time.max[i], n.time[[i]][j], replace = FALSE)] <-
      sample(1:4, n.time[[i]][j], replace = TRUE)
  }
}
# Total number of years across all data sets
n.time.total <- 10
# List denoting the specific years each data set was sampled during.
data.seasons <- list()
for (i in 1:n.data) {
  data.seasons[[i]] <- sort(sample(1:n.time.total, n.time.max[i], replace = FALSE))
}

# Occupancy covariates
beta <- c(0, 0.4, 0.3)
trend <- TRUE
# Random occupancy covariates
psi.RE <- list()
p.occ <- length(beta)
# Detection covariates
alpha <- list()
alpha[[1]] <- c(0, 0.2, -0.5)
alpha[[2]] <- c(-1, 0.5, 0.3, -0.8)
alpha[[3]] <- c(-0.5, 1)

p.RE <- list()
p.det.long <- sapply(alpha, length)
p.det <- sum(p.det.long)

# Spatial parameters
svc.cols <- c(1, 2)
sigma.sq <- c(0.9, 0.5)
phi <- c(3 / .5, 3 / .8)

# Simulate occupancy data.

```



```
str(out.pred)
```

predict.svcTMsPGOcc	<i>Function for prediction at new locations for multi-season multi-species spatially-varying coefficient occupancy models</i>
---------------------	---

Description

The function `predict` collects posterior predictive samples for a set of new locations given an object of class `'svcTMsPGOcc'`. Prediction is possible for both the latent occupancy state as well as detection. Predictions are currently only possible for sampled primary time periods.

Usage

```
## S3 method for class 'svcTMsPGOcc'
predict(object, X.0, coords.0, t.cols, n.omp.threads = 1,
        verbose = TRUE, n.report = 100,
        ignore.RE = FALSE, type = 'occupancy', grid.index.0, ...)
```

Arguments

<code>object</code>	an object of class <code>svcTMsPGOcc</code>
<code>X.0</code>	the design matrix of covariates at the prediction locations. This should be a three-dimensional array, with dimensions corresponding to site, primary time period, and covariate, respectively. Note that the first covariate should consist of all 1s for the intercept if an intercept is included in the model. If random effects are included in the occupancy (or detection if <code>type = 'detection'</code>) portion of the model, the levels of the random effects at the new locations/time periods should be included as an element of the three-dimensional array. The ordering of the levels should match the ordering used to fit the data in <code>svcTMsPGOcc</code> . The covariates should be organized in the same order as they were specified in the corresponding formula argument of <code>svcTMsPGOcc</code> . Names of the third dimension (covariates) of any random effects in <code>X.0</code> must match the name of the random effects used to fit the model, if specified in the corresponding formula argument of <code>svcTMsPGOcc</code> . See example below.
<code>coords.0</code>	the spatial coordinates corresponding to <code>X.0</code> . Note that <code>spOccupancy</code> assumes coordinates are specified in a projected coordinate system.
<code>t.cols</code>	an indexing vector used to denote which primary time periods are contained in the design matrix of covariates at the prediction locations (<code>X.0</code>). The values should denote the specific primary time periods used to fit the model. The values should indicate the columns in <code>data\$y</code> used to fit the model for which prediction is desired. See example below.
<code>n.omp.threads</code>	a positive integer indicating the number of threads to use for SMP parallel processing. The package must be compiled for OpenMP support. For most Intel-based machines, we recommend setting <code>n.omp.threads</code> up to the number of hyperthreaded cores. Note, <code>n.omp.threads > 1</code> might not work on some systems.

<code>verbose</code>	if TRUE, model specification and progress of the sampler is printed to the screen. Otherwise, nothing is printed to the screen.
<code>ignore.RE</code>	logical value that specifies whether or not to remove random unstructured occurrence (or detection if <code>type = 'detection'</code>) effects from the subsequent predictions. If TRUE, random effects will be included. If FALSE, unstructured random effects will be set to 0 and predictions will only be generated from the fixed effects, the spatial random effects, and AR(1) random effects if the model was fit with <code>ar1 = TRUE</code> .
<code>n.report</code>	the interval to report sampling progress.
<code>type</code>	a quoted keyword indicating what type of prediction to produce. Valid keywords are 'occupancy' to predict latent occupancy probability and latent occupancy values (this is the default), or 'detection' to predict detection probability given new values of detection covariates.
<code>grid.index.0</code>	an indexing vector used to specify how each row in <code>X.0</code> corresponds to the coordinates specified in <code>coords.0</code> . Only relevant if the spatial random effect was estimated at a higher spatial resolution (e.g., grid cells) than point locations.
<code>...</code>	currently no additional arguments

Value

A list object of class `predict.svcTMsPGOcc`. When `type = 'occupancy'`, the list consists of:

<code>psi.0.samples</code>	a four-dimensional object of posterior predictive samples for the latent occupancy probability values with dimensions corresponding to posterior predictive sample, species, site, and primary time period.
<code>z.0.samples</code>	a three-dimensional object of posterior predictive samples for the latent occupancy values with dimensions corresponding to posterior predictive sample, species, site, and primary time period.
<code>w.0.samples</code>	a four-dimensional array of posterior predictive samples for the latent spatial factors with dimensions corresponding to MCMC sample, latent factor, site, and spatially-varying coefficient.

When `type = 'detection'`, the list consists of:

<code>p.0.samples</code>	a four-dimensional object of posterior predictive samples for the detection probability values with dimensions corresponding to posterior predictive sample, site, and primary time period.
--------------------------	---

The return object will include additional objects used for standard extractor functions.

Note

When `ignore.RE = FALSE`, both sampled levels and non-sampled levels of unstructured random effects are supported for prediction. For sampled levels, the posterior distribution for the random intercept corresponding to that level of the random effect will be used in the prediction. For non-sampled levels, random values are drawn from a normal distribution using the posterior samples of the random effect variance, which results in fully propagated uncertainty in predictions with models that incorporate random effects.

Occurrence predictions at sites that are only sampled for a subset of the total number of primary time periods are obtained directly when fitting the model. See the `psi.samples` and `z.samples` portions of the output list from the model object of class `svcTMsPGOcc`.

Author(s)

Jeffrey W. Doser <doserjef@msu.edu>,
Andrew O. Finley <finleya@msu.edu>

Examples

```
# Simulate Data -----
set.seed(500)
J.x <- 8
J.y <- 8
J <- J.x * J.y
# Years sampled
n.time <- sample(3:10, J, replace = TRUE)
# n.time <- rep(10, J)
n.time.max <- max(n.time)
# Replicates
n.rep <- matrix(NA, J, max(n.time))
for (j in 1:J) {
  n.rep[j, 1:n.time[j]] <- sample(2:4, n.time[j], replace = TRUE)
  # n.rep[j, 1:n.time[j]] <- rep(4, n.time[j])
}
N <- 7
# Community-level covariate effects
# Occurrence
beta.mean <- c(-3, -0.2, 0.5)
trend <- FALSE
sp.only <- 0
p.occ <- length(beta.mean)
tau.sq.beta <- c(0.6, 1.5, 1.4)
# Detection
alpha.mean <- c(0, 1.2, -1.5)
tau.sq.alpha <- c(1, 0.5, 2.3)
p.det <- length(alpha.mean)
# Random effects
psi.RE <- list()
p.RE <- list()
# Draw species-level effects from community means.
beta <- matrix(NA, nrow = N, ncol = p.occ)
alpha <- matrix(NA, nrow = N, ncol = p.det)
for (i in 1:p.occ) {
  beta[, i] <- rnorm(N, beta.mean[i], sqrt(tau.sq.beta[i]))
}
for (i in 1:p.det) {
  alpha[, i] <- rnorm(N, alpha.mean[i], sqrt(tau.sq.alpha[i]))
}
sp <- TRUE
svc.cols <- c(1, 2)
```

```

p.svc <- length(svc.cols)
n.factors <- 2
phi <- runif(p.svc * n.factors, 3 / .9, 3 / .3)
factor.model <- TRUE
cov.model <- 'exponential'
ar1 <- TRUE
sigma.sq.t <- runif(N, 0.05, 1)
rho <- runif(N, 0.1, 1)

dat <- simTMsOcc(J.x = J.x, J.y = J.y, n.time = n.time, n.rep = n.rep, N = N,
  beta = beta, alpha = alpha, sp.only = sp.only, trend = trend,
  psi.RE = psi.RE, p.RE = p.RE, factor.model = factor.model,
  svc.cols = svc.cols, n.factors = n.factors, phi = phi, sp = sp,
  cov.model = cov.model, ar1 = ar1, sigma.sq.t = sigma.sq.t, rho = rho)

# Subset data for prediction
pred.indx <- sample(1:J, round(J * .25), replace = FALSE)
y <- dat$y[, -pred.indx, , , drop = FALSE]
# Occupancy covariates
X <- dat$X[-pred.indx, , , drop = FALSE]
# Prediction covariates
X.0 <- dat$X[pred.indx, , , drop = FALSE]
# Detection covariates
X.p <- dat$X.p[-pred.indx, , , drop = FALSE]
# Coordinates
coords <- dat$coords[-pred.indx, ]
coords.0 <- dat$coords[pred.indx, ]

occ.covs <- list(occ.cov.1 = X[, , 2],
  occ.cov.2 = X[, , 3])
det.covs <- list(det.cov.1 = X.p[, , 2],
  det.cov.2 = X.p[, , 3])

data.list <- list(y = y, occ.covs = occ.covs,
  det.covs = det.covs,
  coords = coords)

# Priors
prior.list <- list(beta.comm.normal = list(mean = 0, var = 2.72),
  alpha.comm.normal = list(mean = 0, var = 2.72),
  tau.sq.beta.ig = list(a = 0.1, b = 0.1),
  tau.sq.alpha.ig = list(a = 0.1, b = 0.1),
  rho.unif = list(a = -1, b = 1),
  sigma.sq.t.ig = list(a = 0.1, b = 0.1),
  phi.unif = list(a = 3 / .9, b = 3 / .1))
z.init <- apply(y, c(1, 2, 3), function(a) as.numeric(sum(a, na.rm = TRUE) > 0))
inits.list <- list(alpha.comm = 0, beta.comm = 0, beta = 0,
  alpha = 0, tau.sq.beta = 1, tau.sq.alpha = 1,
  rho = 0.5, sigma.sq.t = 0.5,
  phi = 3 / .5, z = z.init)

# Tuning
tuning.list <- list(phi = 1, rho = 0.5)

# Number of batches

```

```

n.batch <- 5
# Batch length
batch.length <- 25
n.burn <- 25
n.thin <- 1
n.samples <- n.batch * batch.length

# Note that this is just a test case and more iterations/chains may need to
# be run to ensure convergence.
out <- svcTMsPGOcc(occ.formula = ~ occ.cov.1 + occ.cov.2,
  det.formula = ~ det.cov.1 + det.cov.2,
  data = data.list,
  inits = inits.list,
  n.batch = n.batch,
  batch.length = batch.length,
  accept.rate = 0.43,
  ar1 = TRUE,
  svc.cols = svc.cols,
  NNGP = TRUE,
  n.neighbors = 5,
  n.factors = n.factors,
  cov.model = 'exponential',
  priors = prior.list,
  tuning = tuning.list,
  n.omp.threads = 1,
  verbose = TRUE,
  n.report = 1,
  n.burn = n.burn,
  n.thin = n.thin,
  n.chains = 1)

summary(out)

# Predict at new sites across all n.max.years
# Take a look at array of covariates for prediction
str(X.0)
# Subset to only grab time periods 1, 2, and 5
t.cols <- c(1, 2, 5)
X.pred <- X.0[, t.cols, ]
out.pred <- predict(out, X.pred, coords.0, t.cols = t.cols, type = 'occupancy')
str(out.pred)

# Extract SVC samples for each species at prediction locations
svc.samples <- getSVCsamples(out, out.pred)
str(svc.samples)

```

predict.svcTPGBinom	<i>Function for prediction at new locations for multi-season single-species spatially-varying coefficient binomial models</i>
---------------------	---

Description

The function `predict` collects posterior predictive samples for a set of new locations given an object of class `'svcTPGBinom'`. Prediction is possible for both the latent occupancy state as well as detection. Predictions are currently only possible for sampled primary time periods.

Usage

```
## S3 method for class 'svcTPGBinom'
predict(object, X.0, coords.0, t.cols, weights.0, n.omp.threads = 1,
        verbose = TRUE, n.report = 100, ignore.RE = FALSE, ...)
```

Arguments

<code>object</code>	an object of class <code>svcTPGBinom</code>
<code>X.0</code>	the design matrix of covariates at the prediction locations. This should be a three-dimensional array, with dimensions corresponding to site, primary time period, and covariate, respectively. Note that the first covariate should consist of all 1s for the intercept if an intercept is included in the model. If random effects are included in the occupancy (or detection if <code>type = 'detection'</code>) portion of the model, the levels of the random effects at the new locations/time periods should be included as an element of the three-dimensional array. The ordering of the levels should match the ordering used to fit the data in <code>svcTPGBinom</code> . The covariates should be organized in the same order as they were specified in the corresponding formula argument of <code>svcTPGBinom</code> . Names of the third dimension (covariates) of any random effects in <code>X.0</code> must match the name of the random effects used to fit the model, if specified in the corresponding formula argument of <code>svcTPGBinom</code> . See example below.
<code>coords.0</code>	the spatial coordinates corresponding to <code>X.0</code> . Note that <code>sp0ccupancy</code> assumes coordinates are specified in a projected coordinate system.
<code>weights.0</code>	a numeric site by primary time period matrix containing the binomial weights (i.e., the total number of Bernoulli trials) at each site and primary time period. If <code>weights.0</code> is not specified, we assume 1 trial at each site/primary time period (i.e., presence/absence).
<code>t.cols</code>	an indexing vector used to denote which primary time periods are contained in the design matrix of covariates at the prediction locations (<code>X.0</code>). The values should denote the specific primary time periods used to fit the model. The values should indicate the columns in <code>data\$y</code> used to fit the model for which prediction is desired. See example below.
<code>n.omp.threads</code>	a positive integer indicating the number of threads to use for SMP parallel processing. The package must be compiled for OpenMP support. For most Intel-based machines, we recommend setting <code>n.omp.threads</code> up to the number of hyperthreaded cores. Note, <code>n.omp.threads > 1</code> might not work on some systems.
<code>verbose</code>	if <code>TRUE</code> , model specification and progress of the sampler is printed to the screen. Otherwise, nothing is printed to the screen.

ignore.RE	logical value that specifies whether or not to remove random unstructured occurrence (or detection if type = 'detection') effects from the subsequent predictions. If TRUE, random effects will be included. If FALSE, unstructured random effects will be set to 0 and predictions will only be generated from the fixed effects, the spatial random effects, and AR(1) random effects if the model was fit with ar1 = TRUE.
n.report	the interval to report sampling progress.
...	currently no additional arguments

Value

A list object of class `predict.svcTPGBinom` that consists of:

psi.0.samples	a three-dimensional object of posterior predictive samples for the occurrence probability values with dimensions corresponding to posterior predictive sample, site, and primary time period.
y.0.samples	a three-dimensional object of posterior predictive samples for the predicted binomial data with dimensions corresponding to posterior predictive sample, site, and primary time period.
w.0.samples	a three-dimensional array of posterior predictive samples for the spatial random effects, with dimensions corresponding to MCMC iteration, coefficient, and site.
run.time	execution time reported using <code>proc.time()</code> .

Note

When `ignore.RE = FALSE`, both sampled levels and non-sampled levels of unstructured random effects are supported for prediction. For sampled levels, the posterior distribution for the random intercept corresponding to that level of the random effect will be used in the prediction. For non-sampled levels, random values are drawn from a normal distribution using the posterior samples of the random effect variance, which results in fully propagated uncertainty in predictions with models that incorporate random effects.

Occurrence predictions at sites that are only sampled for a subset of the total number of primary time periods are obtained directly when fitting the model. See the `psi.samples` and `y.rep.samples` portions of the output list from the model object of class `svcTPGBinom`.

Author(s)

Jeffrey W. Doser <doserjef@msu.edu>,
Andrew O. Finley <finleya@msu.edu>

Examples

```
set.seed(1000)
# Sites
J.x <- 15
J.y <- 15
J <- J.x * J.y
# Years sampled
```

```

n.time <- sample(10, J, replace = TRUE)
# Binomial weights
weights <- matrix(NA, J, max(n.time))
for (j in 1:J) {
  weights[j, 1:n.time[j]] <- sample(5, n.time[j], replace = TRUE)
}
# Occurrence -----
beta <- c(-2, -0.5, -0.2, 0.75)
p.occ <- length(beta)
trend <- TRUE
sp.only <- 0
psi.RE <- list()
# Spatial parameters -----
sp <- TRUE
svc.cols <- c(1, 2, 3)
p.svc <- length(svc.cols)
cov.model <- "exponential"
sigma.sq <- runif(p.svc, 0.1, 1)
phi <- runif(p.svc, 3/1, 3/0.2)
# Temporal parameters -----
ar1 <- TRUE
rho <- 0.8
sigma.sq.t <- 1

# Get all the data
dat <- simTBinom(J.x = J.x, J.y = J.y, n.time = n.time, weights = weights, beta = beta,
  psi.RE = psi.RE, sp.only = sp.only, trend = trend,
  sp = sp, svc.cols = svc.cols,
  cov.model = cov.model, sigma.sq = sigma.sq, phi = phi,
  rho = rho, sigma.sq.t = sigma.sq.t, ar1 = TRUE, x.positive = FALSE)

# Prep the data for spOccupancy -----
# Subset data for prediction
pred.indx <- sample(1:J, round(J * .25), replace = FALSE)
y <- dat$y[-pred.indx, , drop = FALSE]
y.0 <- dat$y[pred.indx, , drop = FALSE]
# Occupancy covariates
X <- dat$X[-pred.indx, , , drop = FALSE]
# Prediction covariates
X.0 <- dat$X[pred.indx, , , drop = FALSE]
# Spatial coordinates
coords <- as.matrix(dat$coords[-pred.indx, ])
coords.0 <- as.matrix(dat$coords[pred.indx, ])
psi.0 <- dat$psi[pred.indx, ]
w.0 <- dat$w[pred.indx, ]
weights.0 <- weights[pred.indx, ]
weights <- weights[-pred.indx, ]

# Package all data into a list
covs <- list(int = X[, , 1],
  trend = X[, , 2],
  cov.1 = X[, , 3],
  cov.2 = X[, , 4])

```

```

# Data list bundle
data.list <- list(y = y,
                 covs = covs,
                 weights = weights,
                 coords = coords)

# Priors
prior.list <- list(beta.normal = list(mean = 0, var = 2.72),
                  sigma.sq.ig = list(a = 2, b = 1),
                  phi.unif = list(a = 3/1, b = 3/.1))

# Starting values
inits.list <- list(beta = beta, alpha = 0,
                  sigma.sq = 1, phi = 3 / 0.5, nu = 1)

# Tuning
tuning.list <- list(phi = 0.4, nu = 0.3, rho = 0.2)

# MCMC information
n.batch <- 2
n.burn <- 0
n.thin <- 1

# Note that this is just a test case and more iterations/chains may need to
# be run to ensure convergence.
out <- svcTPGBinom(formula = ~ trend + cov.1 + cov.2,
                  svc.cols = svc.cols,
                  data = data.list,
                  n.batch = n.batch,
                  batch.length = 25,
                  inits = inits.list,
                  priors = prior.list,
                  accept.rate = 0.43,
                  cov.model = "exponential",
                  ar1 = TRUE,
                  tuning = tuning.list,
                  n.omp.threads = 1,
                  verbose = TRUE,
                  NNGP = TRUE,
                  n.neighbors = 5,
                  n.report = 25,
                  n.burn = n.burn,
                  n.thin = n.thin,
                  n.chains = 1)

# Predict at new locations -----
out.pred <- predict(out, X.0, coords.0, t.cols = 1:max(n.time),
                  weights = weights.0, n.report = 10)

str(out.pred)

```

predict.svcTPGOcc

Function for prediction at new locations for multi-season single-species spatially-varying coefficient occupancy models

Description

The function `predict` collects posterior predictive samples for a set of new locations given an object of class `'svcTPGOcc'`. Prediction is possible for both the latent occupancy state as well as detection. Predictions are currently only possible for sampled primary time periods.

Usage

```
## S3 method for class 'svcTPGOcc'
predict(object, X.0, coords.0, t.cols, weights.0, n.omp.threads = 1,
        verbose = TRUE, n.report = 100,
        ignore.RE = FALSE, type = 'occupancy', forecast = FALSE,
        grid.index.0, ...)
```

Arguments

<code>object</code>	an object of class <code>svcTPGOcc</code>
<code>X.0</code>	the design matrix of covariates at the prediction locations. This should be a three-dimensional array, with dimensions corresponding to site, primary time period, and covariate, respectively. Note that the first covariate should consist of all 1s for the intercept if an intercept is included in the model. If random effects are included in the occupancy (or detection if <code>type = 'detection'</code>) portion of the model, the levels of the random effects at the new locations/time periods should be included as an element of the three-dimensional array. The ordering of the levels should match the ordering used to fit the data in <code>svcTPGOcc</code> . The covariates should be organized in the same order as they were specified in the corresponding formula argument of <code>svcTPGOcc</code> . Names of the third dimension (covariates) of any random effects in <code>X.0</code> must match the name of the random effects used to fit the model, if specified in the corresponding formula argument of <code>svcTPGOcc</code> . See example below.
<code>coords.0</code>	the spatial coordinates corresponding to <code>X.0</code> . Note that <code>spOccupancy</code> assumes coordinates are specified in a projected coordinate system.
<code>t.cols</code>	an indexing vector used to denote which primary time periods are contained in the design matrix of covariates at the prediction locations (<code>X.0</code>). The values should denote the specific primary time periods used to fit the model. The values should indicate the columns in <code>data\$y</code> used to fit the model for which prediction is desired. See example below. Not required when <code>forecast = TRUE</code> .
<code>weights.0</code>	not used for objects of class <code>svcTPGOcc</code> . Used when calling other functions.
<code>n.omp.threads</code>	a positive integer indicating the number of threads to use for SMP parallel processing. The package must be compiled for OpenMP support. For most Intel-based machines, we recommend setting <code>n.omp.threads</code> up to the number of hyperthreaded cores. Note, <code>n.omp.threads > 1</code> might not work on some systems.
<code>verbose</code>	if <code>TRUE</code> , model specification and progress of the sampler is printed to the screen. Otherwise, nothing is printed to the screen.
<code>ignore.RE</code>	logical value that specifies whether or not to remove random unstructured occurrence (or detection if <code>type = 'detection'</code>) effects from the subsequent predictions. If <code>TRUE</code> , random effects will be included. If <code>FALSE</code> , unstructured random

	effects will be set to 0 and predictions will only be generated from the fixed effects, the spatial random effects, and AR(1) random effects if the model was fit with <code>ar1 = TRUE</code> .
<code>n.report</code>	the interval to report sampling progress.
<code>type</code>	a quoted keyword indicating what type of prediction to produce. Valid keywords are 'occupancy' to predict latent occupancy probability and latent occupancy values (this is the default), or 'detection' to predict detection probability given new values of detection covariates.
<code>grid.index.0</code>	an indexing vector used to specify how each row in <code>X.0</code> corresponds to the coordinates specified in <code>coords.0</code> . Only relevant if the spatial random effect was estimated at a higher spatial resolution (e.g., grid cells) than point locations.
<code>forecast</code>	a logical value indicating whether prediction is occurring at non-sampled primary time periods (e.g., forecasting).
<code>...</code>	currently no additional arguments

Value

A list object of class `predict.svcTPGOcc`. When `type = 'occupancy'`, the list consists of:

<code>psi.0.samples</code>	a three-dimensional object of posterior predictive samples for the latent occupancy probability values with dimensions corresponding to posterior predictive sample, site, and primary time period.
<code>z.0.samples</code>	a three-dimensional object of posterior predictive samples for the latent occupancy values with dimensions corresponding to posterior predictive sample, site, and primary time period.
<code>w.0.samples</code>	a three-dimensional array of posterior predictive samples for the spatial random effects, with dimensions corresponding to MCMC iteration, coefficient, and site.

When `type = 'detection'`, the list consists of:

<code>p.0.samples</code>	a three-dimensional object of posterior predictive samples for the detection probability values with dimensions corresponding to posterior predictive sample, site, and primary time period.
--------------------------	--

The return object will include additional objects used for standard extractor functions.

Note

When `ignore.RE = FALSE`, both sampled levels and non-sampled levels of unstructured random effects are supported for prediction. For sampled levels, the posterior distribution for the random intercept corresponding to that level of the random effect will be used in the prediction. For non-sampled levels, random values are drawn from a normal distribution using the posterior samples of the random effect variance, which results in fully propagated uncertainty in predictions with models that incorporate random effects.

Occurrence predictions at sites that are only sampled for a subset of the total number of primary time periods are obtained directly when fitting the model. See the `psi.samples` and `z.samples` portions of the output list from the model object of class `svcTPGOcc`.

Author(s)

Jeffrey W. Doser <doserjef@msu.edu>
 Andrew O. Finley <finleya@msu.edu>

Examples

```

set.seed(500)
# Sites
J.x <- 10
J.y <- 10
J <- J.x * J.y
# Primary time periods
n.time <- sample(10, J, replace = TRUE)
n.time.max <- max(n.time)
# Replicates
n.rep <- matrix(NA, J, max(n.time))
for (j in 1:J) {
  n.rep[j, 1:n.time[j]] <- sample(1:4, n.time[j], replace = TRUE)
}
# Occurrence -----
beta <- c(0.4, 0.5, -0.9)
trend <- TRUE
sp.only <- 0
psi.RE <- list()
# Detection -----
alpha <- c(-1, 0.7, -0.5)
p.RE <- list()
# Spatial -----
svc.cols <- c(1, 2)
p.svc <- length(svc.cols)
sp <- TRUE
cov.model <- "exponential"
sigma.sq <- runif(p.svc, 0.1, 1)
phi <- runif(p.svc, 3 / .9, 3 / .1)

# Get all the data
dat <- simTOcc(J.x = J.x, J.y = J.y, n.time = n.time, n.rep = n.rep,
              beta = beta, alpha = alpha, sp.only = sp.only, trend = trend,
              psi.RE = psi.RE, p.RE = p.RE, sp = TRUE, sigma.sq = sigma.sq,
              phi = phi, cov.model = cov.model, ar1 = FALSE, svc.cols = svc.cols)

# Subset data for prediction
pred.indx <- sample(1:J, round(J * .25), replace = FALSE)
y <- dat$y[-pred.indx, , , drop = FALSE]
# Occupancy covariates
X <- dat$X[-pred.indx, , , drop = FALSE]
# Prediction covariates
X.0 <- dat$X[pred.indx, , , drop = FALSE]
# Detection covariates
X.p <- dat$X.p[-pred.indx, , , drop = FALSE]
psi.0 <- dat$psi[pred.indx, ]
# Coordinates

```

```

coords <- dat$coords[-pred.indx, ]
coords.0 <- dat$coords[pred.indx, ]

# Package all data into a list
# Occurrence
occ.covs <- list(int = X[, , 1],
                 trend = X[, , 2],
                 occ.cov.1 = X[, , 3])

# Detection
det.covs <- list(det.cov.1 = X.p[, , 2],
                 det.cov.2 = X.p[, , 3])

# Data list bundle
data.list <- list(y = y,
                 occ.covs = occ.covs,
                 det.covs = det.covs,
                 coords = coords)

# Priors
prior.list <- list(beta.normal = list(mean = 0, var = 2.72),
                  alpha.normal = list(mean = 0, var = 2.72),
                  sigma.sq.ig = list(a = 2, b = 0.5),
                  phi.unif = list(a = 3 / 1, b = 3 / 0.1))

# Initial values
z.init <- apply(y, c(1, 2), function(a) as.numeric(sum(a, na.rm = TRUE) > 0))
inits.list <- list(beta = 0, alpha = 0, z = z.init, phi = 3 / .5, sigma.sq = 2,
                  w = rep(0, J))

# Tuning
tuning.list <- list(phi = 1)

# Number of batches
n.batch <- 10

# Batch length
batch.length <- 25

n.iter <- n.batch * batch.length

# Run the model
# Note that this is just a test case and more iterations/chains may need to
# be run to ensure convergence.
out <- svcTPGOcc(occ.formula = ~ trend + occ.cov.1,
                det.formula = ~ det.cov.1 + det.cov.2,
                data = data.list,
                inits = inits.list,
                n.batch = n.batch,
                batch.length = batch.length,
                priors = prior.list,
                cov.model = "exponential",
                svc.cols = svc.cols,
                tuning = tuning.list,
                NNGP = TRUE,
                ar1 = FALSE,
                n.neighbors = 5,
                search.type = 'cb',
                n.report = 10,
                n.burn = 50,

```

```

n.chains = 1)

summary(out)

# Predict at new sites across all n.max.years
# Take a look at array of covariates for prediction
str(X.0)
# Subset to only grab time periods 1, 2, and 5
t.cols <- c(1, 2, 5)
X.pred <- X.0[, t.cols, ]
out.pred <- predict(out, X.0, coords.0, t.cols = t.cols, type = 'occupancy')
str(out.pred)

```

predict.tIntPGOcc	<i>Function for prediction at new locations for multi-season single-species integrated occupancy models</i>
-------------------	---

Description

The function `predict` collects posterior predictive samples for a set of new locations given an object of class `'tIntPGOcc'`. Prediction is currently only possible for the latent occupancy state. Predictions are currently only possible for sampled primary time periods.

Usage

```

## S3 method for class 'tIntPGOcc'
predict(object, X.0, t.cols, ignore.RE = FALSE, type = 'occupancy', ...)

```

Arguments

<code>object</code>	an object of class <code>tIntPGOcc</code>
<code>X.0</code>	the design matrix of covariates at the prediction locations. This should be a three-dimensional array, with dimensions corresponding to site, primary time period, and covariate, respectively. Note that the first covariate should consist of all 1s for the intercept if an intercept is included in the model. If random effects are included in the occupancy (or detection if <code>type = 'detection'</code>) portion of the model, the levels of the random effects at the new locations/time periods should be included as an element of the three-dimensional array. The ordering of the levels should match the ordering used to fit the data in <code>tIntPGOcc</code> . The covariates should be organized in the same order as they were specified in the corresponding formula argument of <code>tIntPGOcc</code> . Names of the third dimension (covariates) of any random effects in <code>X.0</code> must match the name of the random effects used to fit the model, if specified in the corresponding formula argument of <code>tIntPGOcc</code> . See example below.
<code>t.cols</code>	an indexing vector used to denote which primary time periods are contained in the design matrix of covariates at the prediction locations (<code>X.0</code>). The values should denote the specific primary time periods used to fit the model. The values should indicate the columns in <code>data\$y</code> used to fit the model for which prediction is desired. See example below.

ignore.RE	logical value that specifies whether or not to remove random unstructured occurrence (or detection if type = 'detection') effects from the subsequent predictions. If TRUE, unstructured random effects will be included. If FALSE, unstructured random effects will be set to 0 and predictions will only be generated from the fixed effects and AR(1) random effects if the model was fit with ar1 = TRUE.
type	a quoted keyword indicating what type of prediction to produce. Valid keywords are 'occupancy' to predict latent occupancy probability and latent occupancy values (this is the default), or 'detection' to predict detection probability given new values of detection covariates. Detection prediction is not currently supported for integrated models.
...	currently no additional arguments

Value

A list object of class `predict.tIntPGOcc`. When type = 'occupancy', the list consists of:

psi.0.samples	a three-dimensional object of posterior predictive samples for the latent occupancy probability values with dimensions corresponding to posterior predictive sample, site, and primary time period.
z.0.samples	a three-dimensional object of posterior predictive samples for the latent occupancy values with dimensions corresponding to posterior predictive sample, site, and primary time period.

The return object will include additional objects used for standard extractor functions.

Note

When `ignore.RE = FALSE`, both sampled levels and non-sampled levels of unstructured random effects are supported for prediction. For sampled levels, the posterior distribution for the random intercept corresponding to that level of the random effect will be used in the prediction. For non-sampled levels, random values are drawn from a normal distribution using the posterior samples of the random effect variance, which results in fully propagated uncertainty in predictions with models that incorporate random effects.

Occurrence predictions at sites that are only sampled for a subset of the total number of primary time periods are obtained directly when fitting the model. See the `psi.samples` and `z.samples` portions of the output list from the model object of class `tIntPGOcc`.

Author(s)

Jeffrey W. Doser <doserjef@msu.edu>

Examples

```
set.seed(332)

# Simulate Data -----
# Number of locations in each direction. This is the total region of interest
# where some sites may or may not have a data source.
```

```

J.x <- 15
J.y <- 15
J.all <- J.x * J.y
# Number of data sources.
n.data <- 3
# Sites for each data source.
J.obs <- sample(ceiling(0.2 * J.all):ceiling(0.4 * J.all), n.data, replace = TRUE)
# Maximum number of years for each data set
n.time.max <- c(4, 8, 10)
# Number of years each site in each data set is sampled
n.time <- list()
for (i in 1:n.data) {
  n.time[[i]] <- sample(1:n.time.max[i], J.obs[i], replace = TRUE)
}
# Replicates for each data source.
n.rep <- list()
for (i in 1:n.data) {
  n.rep[[i]] <- matrix(NA, J.obs[i], n.time.max[i])
  for (j in 1:J.obs[i]) {
    n.rep[[i]][j, sample(1:n.time.max[i], n.time[[i]][j], replace = FALSE)] <-
      sample(1:4, n.time[[i]][j], replace = TRUE)
  }
}
# Total number of years across all data sets
n.time.total <- 10
# List denoting the specific years each data set was sampled during.
data.seasons <- list()
for (i in 1:n.data) {
  data.seasons[[i]] <- sort(sample(1:n.time.total, n.time.max[i], replace = FALSE))
}

# Occupancy covariates
beta <- c(0, 0.4, 0.3)
trend <- TRUE
# Random occupancy covariates
psi.RE <- list()
p.occ <- length(beta)
# Detection covariates
alpha <- list()
alpha[[1]] <- c(0, 0.2, -0.5)
alpha[[2]] <- c(-1, 0.5, 0.3, -0.8)
alpha[[3]] <- c(-0.5, 1)

p.RE <- list()
p.det.long <- sapply(alpha, length)
p.det <- sum(p.det.long)

# Simulate occupancy data.
dat <- simTIntOcc(n.data = n.data, J.x = J.x, J.y = J.y, J.obs = J.obs,
  n.time = n.time, data.seasons = data.seasons, n.rep = n.rep,
  beta = beta, alpha = alpha, trend = trend,
  psi.RE = psi.RE, p.RE = p.RE)

```

```

y <- dat$y
X <- dat$X.obs
X.p <- dat$X.p
sites <- dat$sites

# Package all data into a list
occ.covs <- list(trend = X[, , 2],
                 occ.cov.1 = X[, , 3])
det.covs <- list()
# Add covariates one by one
det.covs[[1]] <- list(det.cov.1.1 = X.p[[1]][, , 2],
                     det.cov.1.2 = X.p[[1]][, , 3])
det.covs[[2]] <- list(det.cov.2.1 = X.p[[2]][, , 2],
                     det.cov.2.2 = X.p[[2]][, , 3],
                     det.cov.2.3 = X.p[[2]][, , 4])
det.covs[[3]] <- list(det.cov.3.1 = X.p[[3]][, , 2])
data.list <- list(y = y, occ.covs = occ.covs, det.covs = det.covs,
                 sites = sites, seasons = data.seasons)

# Testing
occ.formula <- ~ trend + occ.cov.1
# Note that the names are not necessary.
det.formula <- list(f.1 = ~ det.cov.1.1 + det.cov.1.2,
                   f.2 = ~ det.cov.2.1 + det.cov.2.2 + det.cov.2.3,
                   f.3 = ~ det.cov.3.1)

# NOTE: this is a short run of the model, in reality we would run the
#       model for much longer.
out <- tIntPGOcc(occ.formula = occ.formula,
                det.formula = det.formula,
                data = data.list,
                n.batch = 3,
                batch.length = 25,
                n.report = 1,
                n.burn = 25,
                n.thin = 1,
                n.chains = 1)

t.cols <- 1:n.time.total
out.pred <- predict(out, X.0 = dat$X.pred, t.cols = t.cols,
                   type = 'occupancy')

str(out.pred)

```

predict.tMsPGOcc

Function for prediction at new locations for multi-season multi-species occupancy models

Description

The function `predict` collects posterior predictive samples for a set of new locations given an object of class `'tMsPGOcc'`. Prediction is possible for both the latent occupancy state as well as detection.

Predictions are currently only possible for sampled primary time periods.

Usage

```
## S3 method for class 'tMsPGOcc'
predict(object, X.0, t.cols, ignore.RE = FALSE, type = 'occupancy', ...)
```

Arguments

<code>object</code>	an object of class <code>tMsPGOcc</code>
<code>X.0</code>	the design matrix of covariates at the prediction locations. This should be a three-dimensional array, with dimensions corresponding to site, primary time period, and covariate, respectively. Note that the first covariate should consist of all 1s for the intercept if an intercept is included in the model. If random effects are included in the occupancy (or detection if <code>type = 'detection'</code>) portion of the model, the levels of the random effects at the new locations/time periods should be included as an element of the three-dimensional array. The ordering of the levels should match the ordering used to fit the data in <code>tMsPGOcc</code> . The covariates should be organized in the same order as they were specified in the corresponding formula argument of <code>tMsPGOcc</code> . Names of the third dimension (covariates) of any random effects in <code>X.0</code> must match the name of the random effects used to fit the model, if specified in the corresponding formula argument of <code>tMsPGOcc</code> . See example below.
<code>t.cols</code>	an indexing vector used to denote which primary time periods are contained in the design matrix of covariates at the prediction locations (<code>X.0</code>). The values should denote the specific primary time periods used to fit the model. The values should indicate the columns in <code>data\$y</code> used to fit the model for which prediction is desired. See example below.
<code>ignore.RE</code>	logical value that specifies whether or not to remove random unstructured occurrence (or detection if <code>type = 'detection'</code>) effects from the subsequent predictions. If <code>TRUE</code> , unstructured random effects will be included. If <code>FALSE</code> , unstructured random effects will be set to 0 and predictions will only be generated from the fixed effects and AR(1) random effects if the model was fit with <code>ar1 = TRUE</code> .
<code>type</code>	a quoted keyword indicating what type of prediction to produce. Valid keywords are <code>'occupancy'</code> to predict latent occupancy probability and latent occupancy values (this is the default), or <code>'detection'</code> to predict detection probability given new values of detection covariates.
<code>...</code>	currently no additional arguments

Value

A list object of class `predict.tMsPGOcc`. When `type = 'occupancy'`, the list consists of:

<code>psi.0.samples</code>	a four-dimensional object of posterior predictive samples for the latent occupancy probability values with dimensions corresponding to posterior predictive sample, species, site, and primary time period.
----------------------------	---

`z.0.samples` a four-dimensional object of posterior predictive samples for the latent occupancy values with dimensions corresponding to posterior predictive sample, species, site, and primary time period.

When `type = 'detection'`, the list consists of:

`p.0.samples` a four-dimensional object of posterior predictive samples for the detection probability values with dimensions corresponding to posterior predictive sample, species, site, and primary time period.

The return object will include additional objects used for standard extractor functions.

Note

When `ignore.RE = FALSE`, both sampled levels and non-sampled levels of unstructured random effects are supported for prediction. For sampled levels, the posterior distribution for the random intercept corresponding to that level of the random effect will be used in the prediction. For non-sampled levels, random values are drawn from a normal distribution using the posterior samples of the random effect variance, which results in fully propagated uncertainty in predictions with models that incorporate random effects.

Occurrence predictions at sites that are only sampled for a subset of the total number of primary time periods are obtained directly when fitting the model. See the `psi.samples` and `z.samples` portions of the output list from the model object of class `tMsPGOcc`.

Author(s)

Jeffrey W. Doser <doserjef@msu.edu>

Examples

```
# Simulate Data -----
set.seed(500)
J.x <- 8
J.y <- 8
J <- J.x * J.y
# Years sampled
n.time <- sample(3:10, J, replace = TRUE)
# n.time <- rep(10, J)
n.time.max <- max(n.time)
# Replicates
n.rep <- matrix(NA, J, max(n.time))
for (j in 1:J) {
  n.rep[j, 1:n.time[j]] <- sample(2:4, n.time[j], replace = TRUE)
  # n.rep[j, 1:n.time[j]] <- rep(4, n.time[j])
}
N <- 7
# Community-level covariate effects
# Occurrence
beta.mean <- c(-3, -0.2, 0.5)
trend <- FALSE
sp.only <- 0
```

```

p.occ <- length(beta.mean)
tau.sq.beta <- c(0.6, 1.5, 1.4)
# Detection
alpha.mean <- c(0, 1.2, -1.5)
tau.sq.alpha <- c(1, 0.5, 2.3)
p.det <- length(alpha.mean)
# Random effects
psi.RE <- list()
p.RE <- list()
# Draw species-level effects from community means.
beta <- matrix(NA, nrow = N, ncol = p.occ)
alpha <- matrix(NA, nrow = N, ncol = p.det)
for (i in 1:p.occ) {
  beta[, i] <- rnorm(N, beta.mean[i], sqrt(tau.sq.beta[i]))
}
for (i in 1:p.det) {
  alpha[, i] <- rnorm(N, alpha.mean[i], sqrt(tau.sq.alpha[i]))
}
sp <- FALSE

dat <- simTMsOcc(J.x = J.x, J.y = J.y, n.time = n.time, n.rep = n.rep, N = N,
  beta = beta, alpha = alpha, sp.only = sp.only, trend = trend,
  psi.RE = psi.RE, p.RE = p.RE, sp = sp)

# Subset data for prediction
pred.indx <- sample(1:J, round(J * .25), replace = FALSE)
y <- dat$y[, -pred.indx, , , drop = FALSE]
# Occupancy covariates
X <- dat$X[-pred.indx, , , drop = FALSE]
# Prediction covariates
X.0 <- dat$X[pred.indx, , , drop = FALSE]
# Detection covariates
X.p <- dat$X.p[-pred.indx, , , drop = FALSE]

occ.covs <- list(occ.cov.1 = X[, , 2],
  occ.cov.2 = X[, , 3])
det.covs <- list(det.cov.1 = X.p[, , 2],
  det.cov.2 = X.p[, , 3])

data.list <- list(y = y, occ.covs = occ.covs,
  det.covs = det.covs)

# Priors
prior.list <- list(beta.comm.normal = list(mean = 0, var = 2.72),
  alpha.comm.normal = list(mean = 0, var = 2.72),
  tau.sq.beta.ig = list(a = 0.1, b = 0.1),
  tau.sq.alpha.ig = list(a = 0.1, b = 0.1))
z.init <- apply(y, c(1, 2, 3), function(a) as.numeric(sum(a, na.rm = TRUE) > 0))
inits.list <- list(alpha.comm = 0, beta.comm = 0, beta = 0,
  alpha = 0, tau.sq.beta = 1, tau.sq.alpha = 1,
  z = z.init)

# Tuning
tuning.list <- list(phi = 1)

```

```

# Number of batches
n.batch <- 5
# Batch length
batch.length <- 25
n.burn <- 25
n.thin <- 1
n.samples <- n.batch * batch.length

# Note that this is just a test case and more iterations/chains may need to
# be run to ensure convergence.
out <- tMsPGOcc(occ.formula = ~ occ.cov.1 + occ.cov.2,
               det.formula = ~ det.cov.1 + det.cov.2,
               data = data.list,
               inits = inits.list,
               n.batch = n.batch,
               batch.length = batch.length,
               accept.rate = 0.43,
               priors = prior.list,
               n.omp.threads = 1,
               verbose = TRUE,
               n.report = 1,
               n.burn = n.burn,
               n.thin = n.thin,
               n.chains = 1)

summary(out)

# Predict at new sites during time periods 1, 2, and 5
# Take a look at array of covariates for prediction
str(X.0)
# Subset to only grab time periods 1, 2, and 5
t.cols <- c(1, 2, 5)
X.pred <- X.0[, t.cols, ]
out.pred <- predict(out, X.pred, t.cols = t.cols, type = 'occupancy')
str(out.pred)

```

predict.tPGOcc	<i>Function for prediction at new locations for multi-season single-species occupancy models</i>
----------------	--

Description

The function `predict` collects posterior predictive samples for a set of new locations given an object of class ‘tPGOcc’. Prediction is possible for both the latent occupancy state as well as detection. Predictions are currently only possible for sampled primary time periods.

Usage

```

## S3 method for class 'tPGOcc'
predict(object, X.0, t.cols, ignore.RE = FALSE, type = 'occupancy', ...)

```

Arguments

<code>object</code>	an object of class <code>tPGOcc</code>
<code>X.0</code>	the design matrix of covariates at the prediction locations. This should be a three-dimensional array, with dimensions corresponding to site, primary time period, and covariate, respectively. Note that the first covariate should consist of all 1s for the intercept if an intercept is included in the model. If random effects are included in the occupancy (or detection if <code>type = 'detection'</code>) portion of the model, the levels of the random effects at the new locations/time periods should be included as an element of the three-dimensional array. The ordering of the levels should match the ordering used to fit the data in <code>tPGOcc</code> . The covariates should be organized in the same order as they were specified in the corresponding formula argument of <code>tPGOcc</code> . Names of the third dimension (covariates) of any random effects in <code>X.0</code> must match the name of the random effects used to fit the model, if specified in the corresponding formula argument of <code>tPGOcc</code> . See example below.
<code>t.cols</code>	an indexing vector used to denote which primary time periods are contained in the design matrix of covariates at the prediction locations (<code>X.0</code>). The values should denote the specific primary time periods used to fit the model. The values should indicate the columns in <code>data\$y</code> used to fit the model for which prediction is desired. See example below.
<code>ignore.RE</code>	logical value that specifies whether or not to remove random unstructured occurrence (or detection if <code>type = 'detection'</code>) effects from the subsequent predictions. If <code>TRUE</code> , unstructured random effects will be included. If <code>FALSE</code> , unstructured random effects will be set to 0 and predictions will only be generated from the fixed effects and <code>AR(1)</code> random effects if the model was fit with <code>ar1 = TRUE</code> .
<code>type</code>	a quoted keyword indicating what type of prediction to produce. Valid keywords are 'occupancy' to predict latent occupancy probability and latent occupancy values (this is the default), or 'detection' to predict detection probability given new values of detection covariates.
<code>...</code>	currently no additional arguments

Value

A list object of class `predict.tPGOcc`. When `type = 'occupancy'`, the list consists of:

<code>psi.0.samples</code>	a three-dimensional object of posterior predictive samples for the latent occupancy probability values with dimensions corresponding to posterior predictive sample, site, and primary time period.
<code>z.0.samples</code>	a three-dimensional object of posterior predictive samples for the latent occupancy values with dimensions corresponding to posterior predictive sample, site, and primary time period.

When `type = 'detection'`, the list consists of:

<code>p.0.samples</code>	a three-dimensional object of posterior predictive samples for the detection probability values with dimensions corresponding to posterior predictive sample, site, and primary time period.
--------------------------	--

The return object will include additional objects used for standard extractor functions.

Note

When `ignore.RE = FALSE`, both sampled levels and non-sampled levels of unstructured random effects are supported for prediction. For sampled levels, the posterior distribution for the random intercept corresponding to that level of the random effect will be used in the prediction. For non-sampled levels, random values are drawn from a normal distribution using the posterior samples of the random effect variance, which results in fully propagated uncertainty in predictions with models that incorporate random effects.

Occurrence predictions at sites that are only sampled for a subset of the total number of primary time periods are obtained directly when fitting the model. See the `psi.samples` and `z.samples` portions of the output list from the model object of class `tPGOcc`.

Author(s)

Jeffrey W. Doser <doserjef@msu.edu>
Andrew O. Finley <finleya@msu.edu>

Examples

```
set.seed(990)
# Sites
J.x <- 10
J.y <- 10
J <- J.x * J.y
# Primary time periods
n.time <- sample(10, J, replace = TRUE)
n.time.max <- max(n.time)
# Replicates
n.rep <- matrix(NA, J, max(n.time))
for (j in 1:J) {
  n.rep[j, 1:n.time[j]] <- sample(1:4, n.time[j], replace = TRUE)
}
# Occurrence -----
beta <- c(0.4, 0.5, -0.9)
trend <- TRUE
sp.only <- 0
psi.RE <- list()
# Detection -----
alpha <- c(-1, 0.7, -0.5)
p.RE <- list()

# Get all the data
dat <- simTOcc(J.x = J.x, J.y = J.y, n.time = n.time, n.rep = n.rep,
              beta = beta, alpha = alpha, sp.only = sp.only, trend = trend,
              psi.RE = psi.RE, p.RE = p.RE, sp = FALSE, ar1 = FALSE)

# Subset data for prediction
pred.indx <- sample(1:J, round(J * .25), replace = FALSE)
y <- dat$y[-pred.indx, , , drop = FALSE]
```

```

# Occupancy covariates
X <- dat$X[-pred.indx, , , drop = FALSE]
# Prediction covariates
X.0 <- dat$X[pred.indx, , , drop = FALSE]
# Detection covariates
X.p <- dat$X.p[-pred.indx, , , drop = FALSE]
psi.0 <- dat$psi[pred.indx, ]

# Package all data into a list
# Occurrence
occ.covs <- list(int = X[, , 1],
                 trend = X[, , 2],
                 occ.cov.1 = X[, , 3])
# Detection
det.covs <- list(det.cov.1 = X.p[, , 2],
                 det.cov.2 = X.p[, , 3])
# Data list bundle
data.list <- list(y = y,
                 occ.covs = occ.covs,
                 det.covs = det.covs)
# Priors
prior.list <- list(beta.normal = list(mean = 0, var = 2.72),
                  alpha.normal = list(mean = 0, var = 2.72))

# Starting values
z.init <- apply(y, c(1, 2), function(a) as.numeric(sum(a, na.rm = TRUE) > 0))
inits.list <- list(beta = 0, alpha = 0, z = z.init)

n.batch <- 100
batch.length <- 25
n.burn <- 2000
n.thin <- 1

# Run the model
# Note that this is just a test case and more iterations/chains may need to
# be run to ensure convergence.
out <- tPGOcc(occ.formula = ~ trend + occ.cov.1,
             det.formula = ~ det.cov.1 + det.cov.2,
             data = data.list,
             inits = inits.list,
             priors = prior.list,
             n.batch = n.batch,
             batch.length = batch.length,
             ar1 = FALSE,
             verbose = TRUE,
             n.report = 500,
             n.burn = n.burn,
             n.thin = n.thin,
             n.chains = 1)

# Predict at new sites across during time periods 1, 2, and 5
# Take a look at array of covariates for prediction
str(X.0)

```

```
# Subset to only grab time periods 1, 2, and 5
t.cols <- c(1, 2, 5)
X.pred <- X.0[, t.cols, ]
out.pred <- predict(out, X.pred, t.cols = t.cols, type = 'occupancy')
str(out.pred)
```

residuals.PGOcc	<i>Occupancy and detection residuals for PGOcc models</i>
-----------------	---

Description

Method for calculating occupancy and detection residuals for single-species occupancy models (PGOcc) following the approach of Wright et al. (2019).

Usage

```
## S3 method for class 'PGOcc'
residuals(object, n.post.samples = 100, ...)
```

Arguments

<code>object</code>	object of class PGOcc.
<code>n.post.samples</code>	the number of posterior MCMC samples to calculate the residuals for. By default this is set to 100. If set to a value less than the total number of MCMC samples saved for the model, residuals will be calculated for a random subset of the total MCMC samples. Maximum value is the total number of MCMC samples saved.
<code>...</code>	currently no additional arguments

Value

A list comprised of:

<code>occ.resids</code>	a matrix of occupancy residuals with first dimension equal to <code>n.post.samples</code> and second dimension equal to the number of sites in the data set.
<code>det.resids</code>	a three-dimensional array of detection residuals with first dimension equal to <code>n.post.samples</code> , second dimension equal to the number of sites in the data set, and third dimension equal to the maximum number of repeat visits. Note detection residuals are only calculated for a given site and MCMC iteration when the species is present.

Author(s)

Jeffrey W. Doser <doserjef@msu.edu>

References

Wright, W. J., Irvine, K. M., & Higgs, M. D. (2019). Identifying occupancy model inadequacies: can residuals separately assess detection and presence?. *Ecology*, 100(6), e02703.

residuals.spPGOcc	<i>Occupancy and detection residuals for spPGOcc models</i>
-------------------	---

Description

Method for calculating occupancy and detection residuals for single-species spatial occupancy models (spPGOcc) following the approach of Wright et al. (2019).

Usage

```
## S3 method for class 'spPGOcc'
residuals(object, n.post.samples = 100, ...)
```

Arguments

object	object of class spPGOcc.
n.post.samples	the number of posterior MCMC samples to calculate the residuals for. By default this is set to 100. If set to a value less than the total number of MCMC samples saved for the model, residuals will be calculated for a random subset of the total MCMC samples. Maximum value is the total number of MCMC samples saved.
...	currently no additional arguments

Value

A list comprised of:

occ.resids	a matrix of occupancy residuals with first dimension equal to n.post.samples and second dimension equal to the number of sites in the data set.
det.resids	a three-dimensional array of detection residuals with first dimension equal to n.post.samples, second dimension equal to the number of sites in the data set, and third dimension equal to the maximum number of repeat visits. Note detection residuals are only calculated for a given site and MCMC iteration when the species is present.

Author(s)

Jeffrey W. Doser <doserjef@msu.edu>

References

Wright, W. J., Irvine, K. M., & Higgs, M. D. (2019). Identifying occupancy model inadequacies: can residuals separately assess detection and presence?. *Ecology*, 100(6), e02703.

residuals.svcPGOcc	<i>Occupancy and detection residuals for svcPGOcc models</i>
--------------------	--

Description

Method for calculating occupancy and detection residuals for single-species spatially varying coefficient occupancy models (svcPGOcc) following the approach of Wright et al. (2019).

Usage

```
## S3 method for class 'svcPGOcc'
residuals(object, n.post.samples = 100, ...)
```

Arguments

object	object of class svcPGOcc.
n.post.samples	the number of posterior MCMC samples to calculate the residuals for. By default this is set to 100. If set to a value less than the total number of MCMC samples saved for the model, residuals will be calculated for a random subset of the total MCMC samples. Maximum value is the total number of MCMC samples saved.
...	currently no additional arguments

Value

A list comprised of:

occ.resids	a matrix of occupancy residuals with first dimension equal to n.post.samples and second dimension equal to the number of sites in the data set.
det.resids	a three-dimensional array of detection residuals with first dimension equal to n.post.samples, second dimension equal to the number of sites in the data set, and third dimension equal to the maximum number of repeat visits. Note detection residuals are only calculated for a given site and MCMC iteration when the species is present.

Author(s)

Jeffrey W. Doser <doserjef@msu.edu>

References

Wright, W. J., Irvine, K. M., & Higgs, M. D. (2019). Identifying occupancy model inadequacies: can residuals separately assess detection and presence?. *Ecology*, 100(6), e02703.

sfJSDM

*Function for Fitting a Spatial Factor Joint Species Distribution Model***Description**

The function `sfJSDM` fits a spatially-explicit joint species distribution model. This model does not explicitly account for imperfect detection (see `sfMsPGOcc()`). We use Polya-Gamma latent variables and a spatial factor modeling approach. Currently, models are implemented using a Nearest Neighbor Gaussian Process.

Usage

```
sfJSDM(formula, data, inits, priors, tuning,
        cov.model = 'exponential', NNGP = TRUE,
        n.neighbors = 15, search.type = 'cb',
        std.by.sp = FALSE, n.factors, n.batch,
        batch.length, accept.rate = 0.43, n.omp.threads = 1,
        verbose = TRUE, n.report = 100,
        n.burn = round(.10 * n.batch * batch.length), n.thin = 1,
        n.chains = 1, k.fold,
        k.fold.threads = 1, k.fold.seed = 100,
        k.fold.only = FALSE, monitors, keep.only.mean.95,
        shared.spatial = FALSE, ...)
```

Arguments

formula	a symbolic description of the model to be fit for the model using R's model syntax. Only right-hand side of formula is specified. See example below. Random intercepts are allowed using lme4 syntax (Bates et al. 2015).
data	a list containing data necessary for model fitting. Valid tags are <code>y</code> , <code>covs</code> , <code>coords</code> , <code>range.ind</code> , and <code>grid.index</code> . <code>y</code> is a two-dimensional array with first dimension equal to the number of species and second dimension equal to the number of sites. Note how this differs from other <code>spOccupancy</code> functions in that <code>y</code> does not have any replicate surveys. This is because <code>sfJSDM</code> does not account for imperfect detection. <code>covs</code> is a matrix or data frame containing the variables used in the model, with J rows for each column (variable). <code>coords</code> is a matrix of the observation coordinates used to estimate the SVCs for each site. <code>coords</code> has two columns for the easting and northing coordinate, respectively. Typically, each site in the data set will have its own coordinate, such that <code>coords</code> is a $J \times 2$ matrix and <code>grid.index</code> should not be specified. If you desire to estimate SVCs at some larger spatial level, e.g., if points fall within grid cells and you want to estimate an SVC for each grid cell instead of each point, <code>coords</code> can be specified as the coordinate for each grid cell. In such a case, <code>grid.index</code> is an indexing vector of length J , where each value of <code>grid.index</code> indicates the corresponding row in <code>coords</code> that the given site corresponds to. Note that <code>spOccupancy</code> assumes coordinates are specified in a projected coordinate system. <code>range.ind</code> is a matrix with rows corresponding to species and columns corresponding to

sites, with each element taking value 1 if that site is within the range of the corresponding species and 0 if it is outside of the range. This matrix is not required, but it can be helpful to restrict the modeled area for each individual species to be within the realistic range of locations for that species when estimating the model parameters.

inits	a list with each tag corresponding to a parameter name. Valid tags are <code>beta.comm</code> , <code>beta</code> , <code>tau.sq.beta</code> , <code>phi</code> , <code>lambda</code> , <code>sigma.sq.psi</code> , and <code>nu</code> . <code>nu</code> is only specified if <code>cov.model = "matern"</code> . <code>sigma.sq.psi</code> is only specified if random intercepts are included in formula. The value portion of each tag is the parameter's initial value. See priors description for definition of each parameter name. Additionally, the tag <code>fix</code> can be set to <code>TRUE</code> to fix the starting values across all chains. If <code>fix</code> is not specified (the default), starting values are varied randomly across chains.
priors	a list with each tag corresponding to a parameter name. Valid tags are <code>beta.comm.normal</code> , <code>tau.sq.beta.ig</code> , <code>phi.unif</code> , <code>nu.unif</code> , and <code>sigma.sq.psi.ig</code> . Community-level occurrence (<code>beta.comm</code>) regression coefficients are assumed to follow a normal distribution. The hyperparameters of the normal distribution are passed as a list of length two with the first and second elements corresponding to the mean and variance of the normal distribution, which are each specified as vectors of length equal to the number of coefficients to be estimated or of length one if priors are the same for all coefficients. If not specified, prior means are set to 0 and prior variances set to 2.73. Community-level variance parameters (<code>tau.sq.beta</code>) are assumed to follow an inverse Gamma distribution. The hyperparameters of the inverse gamma distribution are passed as a list of length two with the first and second elements corresponding to the shape and scale parameters, which are each specified as vectors of length equal to the number of coefficients to be estimated or a single value if priors are the same for all parameters. If not specified, prior shape and scale parameters are set to 0.1. If desired, the species-specific regression coefficients (<code>beta</code>) can also be estimated independently by specifying the tag <code>independent.betas = TRUE</code> . If specified, this will not estimate species-specific coefficients as random effects from a common-community-level distribution, and rather the values of <code>beta.comm</code> and <code>tau.sq.beta</code> will be fixed at the specified initial values. This is equivalent to specifying a Gaussian, independent prior for each of the species-specific effects. The spatial factor model fits <code>n.factors</code> independent spatial processes. The spatial decay <code>phi</code> and smoothness <code>nu</code> parameters for each latent factor are assumed to follow Uniform distributions. The hyperparameters of the Uniform are passed as a list with two elements, with both elements being vectors of length <code>n.factors</code> corresponding to the lower and upper support, respectively, or as a single value if the same value is assigned for all factors. The priors for the factor loadings matrix <code>lambda</code> are fixed following the standard spatial factor model to ensure parameter identifiability (Christensen and Amemlya 2002). The upper triangular elements of the $N \times n.factors$ matrix are fixed at 0 and the diagonal elements are fixed at 1. The lower triangular elements are assigned a standard normal prior (i.e., mean 0 and variance 1). <code>sigma.sq.psi</code> is the random effect variance for any random effects, and is assumed to follow an inverse Gamma distribution. The hyperparameters of the inverse-Gamma distribution are passed as a list of length two with first and second elements corresponding

	to the shape and scale parameters, respectively, which are each specified as vectors of length equal to the number of random intercepts or of length one if priors are the same for all random effect variances.
tuning	a list with each tag corresponding to a parameter name. Valid tags are phi and nu. The value portion of each tag defines the initial variance of the adaptive sampler. We assume the initial variance of the adaptive sampler is the same for each species, although the adaptive sampler will adjust the tuning variances separately for each species. See Roberts and Rosenthal (2009) for details.
cov.model	a quoted keyword that specifies the covariance function used to model the spatial dependence structure among the observations. Supported covariance model key words are: "exponential", "matern", "spherical", and "gaussian".
NNGP	if TRUE, model is fit with an NNGP. If FALSE, a full Gaussian process is used. See Datta et al. (2016) and Finley et al. (2019) for more information. For spatial factor models, only NNGP = TRUE is currently supported.
n.neighbors	number of neighbors used in the NNGP. Only used if NNGP = TRUE. Datta et al. (2016) showed that 15 neighbors is usually sufficient, but that as few as 5 neighbors can be adequate for certain data sets, which can lead to even greater decreases in run time. We recommend starting with 15 neighbors (the default) and if additional gains in computation time are desired, subsequently compare the results with a smaller number of neighbors using WAIC or k-fold cross-validation.
search.type	a quoted keyword that specifies the type of nearest neighbor search algorithm. Supported method key words are: "cb" and "brute". The "cb" should generally be much faster. If locations do not have identical coordinate values on the axis used for the nearest neighbor ordering then "cb" and "brute" should produce identical neighbor sets. However, if there are identical coordinate values on the axis used for nearest neighbor ordering, then "cb" and "brute" might produce different, but equally valid, neighbor sets, e.g., if data are on a grid.
std.by.sp	a logical value indicating whether the covariates are standardized separately for each species within the corresponding range for each species (TRUE) or not (FALSE). Note that if range.ind is specified in data.list, this will result in the covariates being standardized differently for each species based on the sites where range.ind == 1 for that given species. If range.ind is not specified and std.by.sp = TRUE, this will simply be equivalent to standardizing the covariates across all locations prior to fitting the model. Note that the covariates in formula should still be standardized across all locations. This can be done either outside the function, or can be done by specifying scale() in the model formula around the continuous covariates.
n.factors	the number of factors to use in the spatial factor model approach. Typically, the number of factors is set to be small (e.g., 4-5) relative to the total number of species in the community, which will lead to substantial decreases in computation time. However, the value can be anywhere between 1 and N (the number of species in the community).
n.batch	the number of MCMC batches in each chain to run for the Adaptive MCMC sampler. See Roberts and Rosenthal (2009) for details.
batch.length	the length of each MCMC batch to run for the Adaptive MCMC sampler. See Roberts and Rosenthal (2009) for details.

<code>accept.rate</code>	target acceptance rate for Adaptive MCMC. Default is 0.43. See Roberts and Rosenthal (2009) for details.
<code>n.omp.threads</code>	a positive integer indicating the number of threads to use for SMP parallel processing within chains. The package must be compiled for OpenMP support. For most Intel-based machines, we recommend setting <code>n.omp.threads</code> up to the number of hyperthreaded cores. Note, <code>n.omp.threads > 1</code> might not work on some systems.
<code>verbose</code>	if TRUE, messages about data preparation, model specification, and progress of the sampler are printed to the screen. Otherwise, no messages are printed.
<code>n.report</code>	the interval to report Metropolis sampler acceptance and MCMC progress. Note this is specified in terms of batches and not overall samples for spatial models.
<code>n.burn</code>	the number of samples out of the total <code>n.samples</code> to discard as burn-in for each chain. By default, the first 10% of samples is discarded.
<code>n.thin</code>	the thinning interval for collection of MCMC samples. The thinning occurs after the <code>n.burn</code> samples are discarded. Default value is set to 1.
<code>n.chains</code>	the number of chains to run in sequence.
<code>k.fold</code>	specifies the number of k folds for cross-validation. If not specified as an argument, then cross-validation is not performed and <code>k.fold.threads</code> and <code>k.fold.seed</code> are ignored. In k -fold cross-validation, the data specified in <code>data</code> is randomly partitioned into k equal sized subsamples. Of the k subsamples, $k - 1$ subsamples are used to fit the model and the remaining k samples are used for prediction. The cross-validation process is repeated k times (the folds). As a scoring rule, we use the model deviance as described in Hooten and Hobbs (2015). Cross-validation is performed after the full model is fit using all the data. Cross-validation results are reported in the <code>k.fold.deviance</code> object in the return list.
<code>k.fold.threads</code>	number of threads to use for cross-validation. If <code>k.fold.threads > 1</code> parallel processing is accomplished using the foreach and doParallel packages. Ignored if <code>k.fold</code> is not specified.
<code>k.fold.seed</code>	seed used to split data set into <code>k.fold</code> parts for k -fold cross-validation. Ignored if <code>k.fold</code> is not specified.
<code>k.fold.only</code>	a logical value indicating whether to only perform cross-validation (TRUE) or perform cross-validation after fitting the full model (FALSE). Default value is FALSE.
<code>monitors</code>	a character vector used to indicate if only a subset of the model parameters are desired to be monitored. If posterior samples of all parameters are desired, then don't specify the argument (this is the default). When working with a large number of species and/or sites, the full model object can be quite large, and so this argument can be used to only return samples of specific parameters to help reduce the size of this resulting object. Valid tags include <code>beta.comm</code> , <code>tau.sq.beta</code> , <code>beta</code> , <code>z</code> , <code>psi</code> , <code>lambda</code> , <code>theta</code> , <code>w</code> , <code>like</code> (used for WAIC calculation), <code>beta.star</code> , <code>sigma.sq.psi</code> . Note that if all parameters are not returned, subsequent functions that require the model object may not work. We only recommend specifying this option when working with large data sets (e.g., > 100 species and/or > 10,000 sites).
<code>keep.only.mean.95</code>	not currently supported.

`shared.spatial` a logical value used to specify whether a common spatial process should be estimated for all species instead of the factor modeling approach. If true, a spatial variance parameter `sigma.sq` is estimated for the model, which can be specified in the initial values and prior distributions (`sigma.sq.ig`).

... currently no additional arguments

Value

An object of class `sfJSDM` that is a list comprised of:

`beta.comm.samples` a coda object of posterior samples for the community level occurrence regression coefficients.

`tau.sq.beta.samples` a coda object of posterior samples for the occurrence community variance parameters.

`beta.samples` a coda object of posterior samples for the species level occurrence regression coefficients.

`theta.samples` a coda object of posterior samples for the species level correlation parameters.

`lambda.samples` a coda object of posterior samples for the latent spatial factor loadings.

`psi.samples` a three-dimensional array of posterior samples for the latent occurrence probability values for each species.

`w.samples` a three-dimensional array of posterior samples for the latent spatial random effects for each latent factor. Array dimensions correspond to MCMC sample, latent factor, and site. If `shared.spatial = TRUE`, this is still returned as a three-dimensional array where the first dimension is MCMC sample, second dimension is 1, and third dimension is site.

`sigma.sq.psi.samples` a coda object of posterior samples for variances of random intercepts included in the occurrence portion of the model. Only included if random intercepts are specified in formula.

`beta.star.samples` a coda object of posterior samples for the occurrence random effects. Only included if random intercepts are specified in formula.

`like.samples` a three-dimensional array of posterior samples for the likelihood value associated with each site and species. Used for calculating WAIC.

`rhat` a list of Gelman-Rubin diagnostic values for some of the model parameters.

`ESS` a list of effective sample sizes for some of the model parameters.

`run.time` MCMC sampler execution time reported using `proc.time()`.

`k.fold.deviance` vector of scoring rules (deviance) from k-fold cross-validation. A separate value is reported for each species. Only included if `k.fold` is specified in function call.

The return object will include additional objects used for subsequent prediction and/or model fit evaluation. Note that detection probability estimated values are not included in the model object, but can be extracted using `fitted()`.

Note

Some of the underlying code used for generating random numbers from the Polya-Gamma distribution is taken from the **pgdraw** package written by Daniel F. Schmidt and Enes Makalic. Their code implements Algorithm 6 in PhD thesis of Jesse Bennett Windle (2013) <https://repositories.lib.utexas.edu/handle/2152/21842>.

Author(s)

Jeffrey W. Doser <doserjef@msu.edu>,
Andrew O. Finley <finleya@msu.edu>

References

- Datta, A., S. Banerjee, A.O. Finley, and A.E. Gelfand. (2016) Hierarchical Nearest-Neighbor Gaussian process models for large geostatistical datasets. *Journal of the American Statistical Association*, doi:10.1080/01621459.2015.1044091.
- Finley, A.O., A. Datta, B.D. Cook, D.C. Morton, H.E. Andersen, and S. Banerjee. (2019) Efficient algorithms for Bayesian Nearest Neighbor Gaussian Processes. *Journal of Computational and Graphical Statistics*, doi:10.1080/10618600.2018.1537924.
- Finley, A. O., Datta, A., and Banerjee, S. (2020). spNNGP R package for nearest neighbor Gaussian process models. *arXiv preprint arXiv:2001.09111*.
- Polson, N.G., J.G. Scott, and J. Windle. (2013) Bayesian Inference for Logistic Models Using Polya-Gamma Latent Variables. *Journal of the American Statistical Association*, 108:1339-1349.
- Roberts, G.O. and Rosenthal J.S. (2009) Examples of adaptive MCMC. *Journal of Computational and Graphical Statistics*, 18(2):349-367.
- Bates, Douglas, Martin Maechler, Ben Bolker, Steve Walker (2015). Fitting Linear Mixed-Effects Models Using lme4. *Journal of Statistical Software*, 67(1), 1-48. doi:10.18637/jss.v067.i01.
- Hooten, M. B., and Hobbs, N. T. (2015). A guide to Bayesian model selection for ecologists. *Ecological Monographs*, 85(1), 3-28.
- Christensen, W. F., and Amemiya, Y. (2002). Latent variable analysis of multivariate spatial data. *Journal of the American Statistical Association*, 97(457), 302-317.

Examples

```
J.x <- 8
J.y <- 8
J <- J.x * J.y
n.rep<- sample(2:4, size = J, replace = TRUE)
N <- 6
# Community-level covariate effects
# Occurrence
beta.mean <- c(0.2)
p.occ <- length(beta.mean)
tau.sq.beta <- c(0.6)
# Detection
alpha.mean <- c(0)
tau.sq.alpha <- c(1)
```

```

p.det <- length(alpha.mean)
# Random effects
psi.RE <- list()
p.RE <- list()
# Draw species-level effects from community means.
beta <- matrix(NA, nrow = N, ncol = p.occ)
alpha <- matrix(NA, nrow = N, ncol = p.det)
for (i in 1:p.occ) {
  beta[, i] <- rnorm(N, beta.mean[i], sqrt(tau.sq.beta[i]))
}
for (i in 1:p.det) {
  alpha[, i] <- rnorm(N, alpha.mean[i], sqrt(tau.sq.alpha[i]))
}
alpha.true <- alpha
n.factors <- 3
phi <- rep(3 / .7, n.factors)
sigma.sq <- rep(2, n.factors)
nu <- rep(2, n.factors)

dat <- simMsOcc(J.x = J.x, J.y = J.y, n.rep = n.rep, N = N, beta = beta, alpha = alpha,
               psi.RE = psi.RE, p.RE = p.RE, sp = TRUE, sigma.sq = sigma.sq,
               phi = phi, nu = nu, cov.model = 'matern', factor.model = TRUE,
               n.factors = n.factors)

pred.indx <- sample(1:J, round(J * .25), replace = FALSE)
y <- dat$y[, -pred.indx, , drop = FALSE]
# Occupancy covariates
X <- dat$X[-pred.indx, , drop = FALSE]
coords <- as.matrix(dat$coords[-pred.indx, , drop = FALSE])
# Prediction covariates
X.0 <- dat$X[pred.indx, , drop = FALSE]
coords.0 <- as.matrix(dat$coords[pred.indx, , drop = FALSE])
# Detection covariates
X.p <- dat$X.p[-pred.indx, , , drop = FALSE]

y <- apply(y, c(1, 2), max, na.rm = TRUE)
data.list <- list(y = y, coords = coords)
# Priors
prior.list <- list(beta.comm.normal = list(mean = 0, var = 2.72),
                  tau.sq.beta.ig = list(a = 0.1, b = 0.1),
                  nu.unif = list(0.5, 2.5))

# Starting values
inits.list <- list(beta.comm = 0,
                  beta = 0,
                  fix = TRUE,
                  tau.sq.beta = 1)

# Tuning
tuning.list <- list(phi = 1, nu = 0.25)

batch.length <- 25
n.batch <- 5
n.report <- 100
formula <- ~ 1

```

```

# Note that this is just a test case and more iterations/chains may need to
# be run to ensure convergence.
out <- sfJSMD(formula = formula,
              data = data.list,
              inits = inits.list,
              n.batch = n.batch,
              batch.length = batch.length,
              accept.rate = 0.43,
              priors = prior.list,
              cov.model = "matern",
              tuning = tuning.list,
              n.factors = 3,
              n.omp.threads = 1,
              verbose = TRUE,
              NNGP = TRUE,
              n.neighbors = 5,
              search.type = 'cb',
              n.report = 10,
              n.burn = 0,
              n.thin = 1,
              n.chains = 2)

summary(out)

```

sfMsPGOcc

Function for Fitting Spatial Factor Multi-Species Occupancy Models

Description

The function `sfMsPGOcc` fits multi-species spatial occupancy models with species correlations (i.e., a spatially-explicit joint species distribution model with imperfect detection). We use Polya-Gamma latent variables and a spatial factor modeling approach. Currently, models are implemented using a Nearest Neighbor Gaussian Process.

Usage

```

sfMsPGOcc(occ.formula, det.formula, data, inits, priors, tuning,
          cov.model = 'exponential', NNGP = TRUE,
          n.neighbors = 15, search.type = 'cb', n.factors, n.batch,
          batch.length, accept.rate = 0.43, n.omp.threads = 1,
          verbose = TRUE, n.report = 100,
          n.burn = round(.10 * n.batch * batch.length), n.thin = 1,
          n.chains = 1,
          k.fold, k.fold.threads = 1, k.fold.seed,
          k.fold.only = FALSE, ...)

```

Arguments

<code>occ.formula</code>	a symbolic description of the model to be fit for the occurrence portion of the model using R's model syntax. Random intercepts are allowed using lme4 syntax (Bates et al. 2015). Only right-hand side of formula is specified. See example below.
<code>det.formula</code>	a symbolic description of the model to be fit for the detection portion of the model using R's model syntax. Only right-hand side of formula is specified. See example below. Random intercepts are allowed using lme4 syntax (Bates et al. 2015).
<code>data</code>	a list containing data necessary for model fitting. Valid tags are <code>y</code> , <code>occ.covs</code> , <code>det.covs</code> , <code>coords</code> , and <code>grid.index</code> . <code>y</code> is a three-dimensional array with first dimension equal to the number of species, second dimension equal to the number of sites, and third dimension equal to the maximum number of replicates at a given site. <code>occ.covs</code> is a matrix or data frame containing the variables used in the occurrence portion of the model, with J rows for each column (variable). <code>det.covs</code> is a list of variables included in the detection portion of the model. Each list element is a different detection covariate, which can be site-level or observational-level. Site-level covariates are specified as a vector of length J while observation-level covariates are specified as a matrix or data frame with the number of rows equal to J and number of columns equal to the maximum number of replicates at a given site. <code>coords</code> is a matrix of the observation coordinates used to estimate the spatial random effect for each site. <code>coords</code> has two columns for the easting and northing coordinate, respectively. Typically, each site in the data set will have it's own coordinate, such that <code>coords</code> is a $J \times 2$ matrix and <code>grid.index</code> should not be specified. If you desire to estimate spatial random effects at some larger spatial level, e.g., if points fall within grid cells and you want to estimate a spatial random effect for each grid cell instead of each point, <code>coords</code> can be specified as the coordinate for each grid cell. In such a case, <code>grid.index</code> is an indexing vector of length J , where each value of <code>grid.index</code> indicates the corresponding row in <code>coords</code> that the given site corresponds to. Note that <code>spOccupancy</code> assumes coordinates are specified in a projected coordinate system.
<code>inits</code>	a list with each tag corresponding to a parameter name. Valid tags are <code>alpha.comm</code> , <code>beta.comm</code> , <code>beta</code> , <code>alpha</code> , <code>tau.sq.beta</code> , <code>tau.sq.alpha</code> , <code>sigma.sq.psi</code> , <code>sigma.sq.p</code> , <code>z</code> , <code>phi</code> , <code>lambda</code> , and <code>nu</code> . <code>nu</code> is only specified if <code>cov.model = "matern"</code> , and <code>sigma.sq.psi</code> and <code>sigma.sq.p</code> are only specified if random effects are included in <code>occ.formula</code> or <code>det.formula</code> , respectively. The value portion of each tag is the parameter's initial value. See priors description for definition of each parameter name. Additionally, the tag <code>fix</code> can be set to <code>TRUE</code> to fix the starting values across all chains. If <code>fix</code> is not specified (the default), starting values are varied randomly across chains.
<code>priors</code>	a list with each tag corresponding to a parameter name. Valid tags are <code>beta.comm.normal</code> , <code>alpha.comm.normal</code> , <code>tau.sq.beta.ig</code> , <code>tau.sq.alpha.ig</code> , <code>tau.beta.half.t</code> , <code>tau.alpha.half.t</code> , <code>sigma.sq.psi</code> , <code>sigma.sq.p</code> , <code>phi.unif</code> , and <code>nu.unif</code> . Community-level occurrence (<code>beta.comm</code>) and detection (<code>alpha.comm</code>) regression coefficients are assumed to follow a normal distribution. The hyperparameters of the normal distribution are passed as a list of length two with the first and sec-

	<p>ond elements corresponding to the mean and variance of the normal distribution, which are each specified as vectors of length equal to the number of coefficients to be estimated or of length one if priors are the same for all coefficients. If not specified, prior means are set to 0 and prior variances set to 2.73. By default, community-level variance parameters for occupancy (<code>tau.sq.beta</code>) and detection (<code>tau.sq.alpha</code>) are assumed to follow an inverse Gamma distribution. The hyperparameters of the inverse gamma distribution are passed as a list of length two with the first and second elements corresponding to the shape and scale parameters, which are each specified as vectors of length equal to the number of coefficients to be estimated or a single value if priors are the same for all parameters. If not specified, prior shape and scale parameters are set to 0.1. Alternatively, half-t priors can be specified for the community level occurrence/detection standard deviation parameters using the tags <code>tau.beta.half.t</code> and <code>tau.alpha.half.t</code>. The hyperparameters of the half-t distribution are passed as a list of length two with the first and second elements corresponding to the degrees of freedom and scale parameters, which are each specified as vectors of length equal to the number of coefficients to be estimated or a single value if priors are the same for all parameters. The spatial factor model fits <code>n.factors</code> independent spatial processes. The spatial decay <code>phi</code> and smoothness <code>nu</code> parameters for each latent factor are assumed to follow Uniform distributions. The hyperparameters of the Uniform are passed as a list with two elements, with both elements being vectors of length <code>n.factors</code> corresponding to the lower and upper support, respectively, or as a single value if the same value is assigned for all factors. The priors for the factor loadings matrix <code>lambda</code> are fixed following the standard spatial factor model to ensure parameter identifiability (Christensen and Amemlya 2002). The upper triangular elements of the <code>N x n.factors</code> matrix are fixed at 0 and the diagonal elements are fixed at 1. The lower triangular elements are assigned a standard normal prior (i.e., mean 0 and variance 1). <code>sigma.sq.psi</code> and <code>sigma.sq.p</code> are the random effect variances for any occurrence or detection random effects, respectively, and are assumed to follow an inverse Gamma distribution. The hyperparameters of the inverse-Gamma distribution are passed as a list of length two with first and second elements corresponding to the shape and scale parameters, respectively, which are each specified as vectors of length equal to the number of random intercepts or of length one if priors are the same for all random effect variances.</p>
<code>tuning</code>	<p>a list with each tag corresponding to a parameter name. Valid tags are <code>phi</code> and <code>nu</code>. The value portion of each tag defines the initial variance of the adaptive sampler. We assume the initial variance of the adaptive sampler is the same for each species, although the adaptive sampler will adjust the tuning variances separately for each species. See Roberts and Rosenthal (2009) for details.</p>
<code>cov.model</code>	<p>a quoted keyword that specifies the covariance function used to model the spatial dependence structure among the observations. Supported covariance model keywords are: "exponential", "matern", "spherical", and "gaussian".</p>
<code>NNGP</code>	<p>if TRUE, model is fit with an NNGP. If FALSE, a full Gaussian process is used. See Datta et al. (2016) and Finley et al. (2019) for more information. For spatial factor models, only <code>NNGP = TRUE</code> is currently supported.</p>
<code>n.neighbors</code>	<p>number of neighbors used in the NNGP. Only used if <code>NNGP = TRUE</code>. Datta et al. (2016) showed that 15 neighbors is usually sufficient, but that as few as 5</p>

neighbors can be adequate for certain data sets, which can lead to even greater decreases in run time. We recommend starting with 15 neighbors (the default) and if additional gains in computation time are desired, subsequently compare the results with a smaller number of neighbors using WAIC or k-fold cross-validation.

<code>search.type</code>	a quoted keyword that specifies the type of nearest neighbor search algorithm. Supported method key words are: "cb" and "brute". The "cb" should generally be much faster. If locations do not have identical coordinate values on the axis used for the nearest neighbor ordering then "cb" and "brute" should produce identical neighbor sets. However, if there are identical coordinate values on the axis used for nearest neighbor ordering, then "cb" and "brute" might produce different, but equally valid, neighbor sets, e.g., if data are on a grid.
<code>n.factors</code>	the number of factors to use in the spatial factor model approach. Typically, the number of factors is set to be small (e.g., 4-5) relative to the total number of species in the community, which will lead to substantial decreases in computation time. However, the value can be anywhere between 1 and N (the number of species in the community).
<code>n.batch</code>	the number of MCMC batches in each chain to run for the Adaptive MCMC sampler. See Roberts and Rosenthal (2009) for details.
<code>batch.length</code>	the length of each MCMC batch to run for the Adaptive MCMC sampler. See Roberts and Rosenthal (2009) for details.
<code>accept.rate</code>	target acceptance rate for Adaptive MCMC. Default is 0.43. See Roberts and Rosenthal (2009) for details.
<code>n.omp.threads</code>	a positive integer indicating the number of threads to use for SMP parallel processing within chains. The package must be compiled for OpenMP support. For most Intel-based machines, we recommend setting <code>n.omp.threads</code> up to the number of hyperthreaded cores. Note, <code>n.omp.threads > 1</code> might not work on some systems.
<code>verbose</code>	if TRUE, messages about data preparation, model specification, and progress of the sampler are printed to the screen. Otherwise, no messages are printed.
<code>n.report</code>	the interval to report Metropolis sampler acceptance and MCMC progress. Note this is specified in terms of batches and not overall samples for spatial models.
<code>n.burn</code>	the number of samples out of the total <code>n.samples</code> to discard as burn-in for each chain. By default, the first 10% of samples is discarded.
<code>n.thin</code>	the thinning interval for collection of MCMC samples. The thinning occurs after the <code>n.burn</code> samples are discarded. Default value is set to 1.
<code>n.chains</code>	the number of chains to run in sequence.
<code>k.fold</code>	specifies the number of k folds for cross-validation. If not specified as an argument, then cross-validation is not performed and <code>k.fold.threads</code> and <code>k.fold.seed</code> are ignored. In k -fold cross-validation, the data specified in <code>data</code> is randomly partitioned into k equal sized subsamples. Of the k subsamples, $k - 1$ subsamples are used to fit the model and the remaining k samples are used for prediction. The cross-validation process is repeated k times (the folds). As a scoring rule, we use the model deviance as described in Hooten and Hobbs (2015). Cross-validation is performed after the full model is fit using all the data. Cross-validation results are reported in the <code>k.fold.deviance</code> object in the return list.

<code>k.fold.threads</code>	number of threads to use for cross-validation. If <code>k.fold.threads > 1</code> parallel processing is accomplished using the foreach and doParallel packages. Ignored if <code>k.fold</code> is not specified.
<code>k.fold.seed</code>	seed used to split data set into <code>k.fold</code> parts for k-fold cross-validation. Ignored if <code>k.fold</code> is not specified.
<code>k.fold.only</code>	a logical value indicating whether to only perform cross-validation (TRUE) or perform cross-validation after fitting the full model (FALSE). Default value is FALSE.
<code>...</code>	currently no additional arguments

Value

An object of class `sfMsPGOcc` that is a list comprised of:

<code>beta.comm.samples</code>	a coda object of posterior samples for the community level occurrence regression coefficients.
<code>alpha.comm.samples</code>	a coda object of posterior samples for the community level detection regression coefficients.
<code>tau.sq.beta.samples</code>	a coda object of posterior samples for the occurrence community variance parameters.
<code>tau.sq.alpha.samples</code>	a coda object of posterior samples for the detection community variance parameters.
<code>beta.samples</code>	a coda object of posterior samples for the species level occurrence regression coefficients.
<code>alpha.samples</code>	a coda object of posterior samples for the species level detection regression coefficients.
<code>theta.samples</code>	a coda object of posterior samples for the species level correlation parameters.
<code>lambda.samples</code>	a coda object of posterior samples for the latent spatial factor loadings.
<code>z.samples</code>	a three-dimensional array of posterior samples for the latent occurrence values for each species.
<code>psi.samples</code>	a three-dimensional array of posterior samples for the latent occupancy probability values for each species.
<code>w.samples</code>	a three-dimensional array of posterior samples for the latent spatial random effects for each latent factor.
<code>sigma.sq.psi.samples</code>	a coda object of posterior samples for variances of random intercepts included in the occurrence portion of the model. Only included if random intercepts are specified in <code>occ.formula</code> .
<code>sigma.sq.p.samples</code>	a coda object of posterior samples for variances of random intercepts included in the detection portion of the model. Only included if random intercepts are specified in <code>det.formula</code> .

<code>beta.star.samples</code>	a coda object of posterior samples for the occurrence random effects. Only included if random intercepts are specified in <code>occ.formula</code> .
<code>alpha.star.samples</code>	a coda object of posterior samples for the detection random effects. Only included if random intercepts are specified in <code>det.formula</code> .
<code>like.samples</code>	a three-dimensional array of posterior samples for the likelihood value associated with each site and species. Used for calculating WAIC.
<code>rhat</code>	a list of Gelman-Rubin diagnostic values for some of the model parameters.
<code>ESS</code>	a list of effective sample sizes for some of the model parameters.
<code>run.time</code>	MCMC sampler execution time reported using <code>proc.time()</code> .
<code>k.fold.deviance</code>	vector of scoring rules (deviance) from k-fold cross-validation. A separate value is reported for each species. Only included if <code>k.fold</code> is specified in function call.

The return object will include additional objects used for subsequent prediction and/or model fit evaluation. Note that detection probability estimated values are not included in the model object, but can be extracted using `fitted()`.

Note

Some of the underlying code used for generating random numbers from the Polya-Gamma distribution is taken from the **pgdraw** package written by Daniel F. Schmidt and Enes Makalic. Their code implements Algorithm 6 in PhD thesis of Jesse Bennett Windle (2013) <https://repositories.lib.utexas.edu/handle/2152/21842>.

Author(s)

Jeffrey W. Doser <doserjef@msu.edu>
Andrew O. Finley <finleya@msu.edu>

References

- Datta, A., S. Banerjee, A.O. Finley, and A.E. Gelfand. (2016) Hierarchical Nearest-Neighbor Gaussian process models for large geostatistical datasets. *Journal of the American Statistical Association*, doi:[10.1080/01621459.2015.1044091](https://doi.org/10.1080/01621459.2015.1044091).
- Finley, A.O., A. Datta, B.D. Cook, D.C. Morton, H.E. Andersen, and S. Banerjee. (2019) Efficient algorithms for Bayesian Nearest Neighbor Gaussian Processes. *Journal of Computational and Graphical Statistics*, doi:[10.1080/10618600.2018.1537924](https://doi.org/10.1080/10618600.2018.1537924).
- Finley, A. O., Datta, A., and Banerjee, S. (2020). spNNGP R package for nearest neighbor Gaussian process models. *arXiv preprint arXiv:2001.09111*.
- Polson, N.G., J.G. Scott, and J. Windle. (2013) Bayesian Inference for Logistic Models Using Polya-Gamma Latent Variables. *Journal of the American Statistical Association*, 108:1339-1349.
- Roberts, G.O. and Rosenthal J.S. (2009) Examples of adaptive MCMC. *Journal of Computational and Graphical Statistics*, 18(2):349-367.

Bates, Douglas, Martin Maechler, Ben Bolker, Steve Walker (2015). Fitting Linear Mixed-Effects Models Using lme4. *Journal of Statistical Software*, 67(1), 1-48. doi:10.18637/jss.v067.i01.

Hooten, M. B., and Hobbs, N. T. (2015). A guide to Bayesian model selection for ecologists. *Ecological Monographs*, 85(1), 3-28.

Christensen, W. F., and Amemiya, Y. (2002). Latent variable analysis of multivariate spatial data. *Journal of the American Statistical Association*, 97(457), 302-317.

Examples

```
set.seed(400)

# Simulate Data -----
J.x <- 7
J.y <- 7
J <- J.x * J.y
n.rep <- sample(2:4, size = J, replace = TRUE)
N <- 8
# Community-level covariate effects
# Occurrence
beta.mean <- c(0.2, -0.15)
p.occ <- length(beta.mean)
tau.sq.beta <- c(0.6, 0.3)
# Detection
alpha.mean <- c(0.5, 0.2, -.2)
tau.sq.alpha <- c(0.2, 0.3, 0.8)
p.det <- length(alpha.mean)
# Random effects
psi.RE <- list()
# Include a non-spatial random effect on occurrence
psi.RE <- list(levels = c(20),
               sigma.sq.psi = c(0.5))
p.RE <- list()
# Include a random effect on detection
p.RE <- list(levels = c(40),
             sigma.sq.p = c(2))
# Draw species-level effects from community means.
beta <- matrix(NA, nrow = N, ncol = p.occ)
alpha <- matrix(NA, nrow = N, ncol = p.det)
for (i in 1:p.occ) {
  beta[, i] <- rnorm(N, beta.mean[i], sqrt(tau.sq.beta[i]))
}
for (i in 1:p.det) {
  alpha[, i] <- rnorm(N, alpha.mean[i], sqrt(tau.sq.alpha[i]))
}
n.factors <- 4
phi <- runif(n.factors, 3/1, 3/.4)

dat <- simMsOcc(J.x = J.x, J.y = J.y, n.rep = n.rep, N = N, beta = beta, alpha = alpha,
               phi = phi, sp = TRUE, cov.model = 'exponential',
               factor.model = TRUE, n.factors = n.factors, psi.RE = psi.RE,
               p.RE = p.RE)
```

```

# Number of batches
n.batch <- 10
# Batch length
batch.length <- 25
n.samples <- n.batch * batch.length

y <- dat$y
X <- dat$X
X.p <- dat$X.p
X.p.re <- dat$X.p.re
X.re <- dat$X.re
coords <- as.matrix(dat$coords)

# Package all data into a list
occ.covs <- cbind(X, X.re)
colnames(occ.covs) <- c('int', 'occ.cov', 'occ.re')
det.covs <- list(det.cov.1 = X.p[, , 2],
                 det.cov.2 = X.p[, , 3],
                 det.re = X.p.re[, , 1])
data.list <- list(y = y,
                 occ.covs = occ.covs,
                 det.covs = det.covs,
                 coords = coords)

# Priors
prior.list <- list(beta.comm.normal = list(mean = 0, var = 2.72),
                  alpha.comm.normal = list(mean = 0, var = 2.72),
                  tau.sq.beta.ig = list(a = 0.1, b = 0.1),
                  tau.sq.alpha.ig = list(a = 0.1, b = 0.1),
                  phi.unif = list(a = 3/1, b = 3/.1))

# Initial values
lambda.inits <- matrix(0, N, n.factors)
diag(lambda.inits) <- 1
lambda.inits[lower.tri(lambda.inits)] <- rnorm(sum(lower.tri(lambda.inits)))

inits.list <- list(alpha.comm = 0,
                  beta.comm = 0,
                  beta = 0,
                  alpha = 0,
                  tau.sq.beta = 1,
                  tau.sq.alpha = 1,
                  phi = 3 / .5,
                  lambda = lambda.inits,
                  z = apply(y, c(1, 2), max, na.rm = TRUE))

# Tuning
tuning.list <- list(phi = 1)

# Note that this is just a test case and more iterations/chains may need to
# be run to ensure convergence.
out <- sfMsPGOcc(occ.formula = ~ occ.cov + (1 | occ.re),
                 det.formula = ~ det.cov.1 + det.cov.2 + (1 | det.re),
                 data = data.list,
                 inits = inits.list,
                 n.batch = n.batch,

```

```

        batch.length = batch.length,
        accept.rate = 0.43,
        priors = prior.list,
        cov.model = "exponential",
        tuning = tuning.list,
        n.omp.threads = 1,
        verbose = TRUE,
        NNGP = TRUE,
        n.neighbors = 5,
        n.factors = n.factors,
        search.type = 'cb',
        n.report = 10,
        n.burn = 50,
        n.thin = 1,
        n.chains = 1)

summary(out)

```

simBinom

*Simulate Single-Species Binomial Data***Description**

The function `simBinom` simulates single-species binomial data for simulation studies, power assessments, or function testing. Data can be optionally simulated with a spatial Gaussian Process in the model. Non-spatial random intercepts can also be included in the model.

Usage

```

simBinom(J.x, J.y, weights, beta, psi.RE = list(),
         sp = FALSE, svc.cols = 1, cov.model, sigma.sq, phi, nu,
         x.positive = FALSE, ...)

```

Arguments

- | | |
|----------------------|--|
| <code>J.x</code> | a single numeric value indicating the number of sites to simulate data along the horizontal axis. Total number of sites with simulated data is $J.x \times J.y$. |
| <code>J.y</code> | a single numeric value indicating the number of sites to simulate data along the vertical axis. Total number of sites with simulated data is $J.x \times J.y$. |
| <code>weights</code> | a numeric vector of length $J = J.x \times J.y$ indicating the number of Bernoulli trials at each of the J sites. |
| <code>beta</code> | a numeric vector containing the intercept and regression coefficient parameters for the model. |
| <code>psi.RE</code> | a list used to specify the non-spatial random intercepts included in the model. The list must have two tags: <code>levels</code> and <code>sigma.sq.psi</code> . <code>levels</code> is a vector of length equal to the number of distinct random intercepts to include in the model and contains the number of levels there are in each intercept. <code>sigma.sq.psi</code> is |

	a vector of length equal to the number of distinct random intercepts to include in the model and contains the variances for each random effect. If not specified, no random effects are included in the model.
sp	a logical value indicating whether to simulate a spatially-explicit occupancy model with a Gaussian process. By default set to FALSE.
svc.cols	a vector indicating the variables whose effects will be estimated as spatially-varying coefficients. <code>svc.cols</code> is an integer vector with values indicating the order of covariates specified in the model formula (with 1 being the intercept if specified).
cov.model	a quoted keyword that specifies the covariance function used to model the spatial dependence structure among the latent occurrence values. Supported covariance model key words are: "exponential", "matern", "spherical", and "gaussian".
sigma.sq	a numeric value indicating the spatial variance parameter. Ignored when <code>sp = FALSE</code> . If <code>svc.cols</code> has more than one value, there should be a distinct spatial variance parameter for each spatially-varying coefficient.
phi	a numeric value indicating the spatial decay parameter. Ignored when <code>sp = FALSE</code> . If <code>svc.cols</code> has more than one value, there should be a distinct spatial decay parameter for each spatially-varying coefficient.
nu	a numeric value indicating the spatial smoothness parameter. Only used when <code>sp = TRUE</code> and <code>cov.model = "matern"</code> . If <code>svc.cols</code> has more than one value, there should be a distinct spatial smoothness parameter for each spatially-varying coefficient.
x.positive	a logical value indicating whether the simulated covariates should be simulated as random standard normal covariates (<code>x.positive = FALSE</code>) or restricted to positive values using a uniform distribution with lower bound 0 and upper bound 1 (<code>x.positive = TRUE</code>).
...	currently no additional arguments

Value

A list comprised of:

X	a $J \times p.occ$ numeric design matrix for the model.
coords	a $J \times 2$ numeric matrix of coordinates of each occupancy site. Required for spatial models.
w	a matrix of the spatial random effect values for each site. The number of columns is determined by the <code>svc.cols</code> argument (the number of spatially-varying coefficients).
psi	a $J \times 1$ matrix of the binomial probabilities for each site.
y	a length J vector of the binomial data for each site.
X.w	a two dimensional matrix containing the covariate effects (including an intercept) whose effects are assumed to be spatially-varying. Rows correspond to sites and columns correspond to covariate effects.

X.re	a numeric matrix containing the levels of any unstructured random effect included in the model. Only relevant when random effects are specified in psi.RE.
beta.star	a numeric vector that contains the simulated random effects for each given level of the random effects included in the model. Only relevant when random effects are included in the model.

Author(s)

Jeffrey W. Doser <doserjef@msu.edu>
 Andrew O. Finley <finleya@msu.edu>

Examples

```
set.seed(400)
J.x <- 10
J.y <- 10
weights <- rep(4, J.x * J.y)
beta <- c(0.5, -0.15)
svc.cols <- c(1, 2)
phi <- c(3 / .6, 3 / 0.2)
sigma.sq <- c(1.2, 0.9)
psi.RE <- list(levels = 10,
               sigma.sq.psi = 1.2)
dat <- simBinom(J.x = J.x, J.y = J.y, weights = weights, beta = beta,
               psi.RE = psi.RE, sp = TRUE, svc.cols = svc.cols,
               cov.model = 'spherical', sigma.sq = sigma.sq, phi = phi)
```

simIntMsOcc	<i>Simulate Multi-Species Detection-Nondetection Data from Multiple Data Sources</i>
-------------	--

Description

The function `simIntMsOcc` simulates multi-species detection-nondetection data from multiple data sources for simulation studies, power assessments, or function testing of integrated occupancy models. Data can optionally be simulated with a spatial Gaussian Process on the occurrence process.

Usage

```
simIntMsOcc(n.data, J.x, J.y, J.obs, n.rep, n.rep.max, N, beta, alpha, psi.RE = list(),
            p.RE = list(), sp = FALSE, svc.cols = 1, cov.model, sigma.sq, phi, nu,
            factor.model = FALSE, n.factors, range.probs, ...)
```

Arguments

n.data	an integer indicating the number of detection-nondetection data sources to simulate.
--------	--

<code>J.x</code>	a single numeric value indicating the number of sites across the region of interest along the horizontal axis. Total number of sites across the simulated region of interest is $J.x \times J.y$.
<code>J.y</code>	a single numeric value indicating the number of sites across the region of interest along the vertical axis. Total number of sites across the simulated region of interest is $J.x \times J.y$.
<code>J.obs</code>	a numeric vector of length <code>n.data</code> containing the number of sites to simulate each data source at. Data sources can be obtained at completely different sites, the same sites, or anywhere inbetween. Maximum number of sites a given data source is available at is equal to $J = J.x \times J.y$.
<code>n.rep</code>	a list of length <code>n.data</code> . Each element is a numeric vector with length corresponding to the number of sites that given data source is observed at (in <code>J.obs</code>). Each vector indicates the number of repeat visits at each of the sites for a given data source.
<code>n.rep.max</code>	a vector of numeric values indicating the maximum number of replicate surveys for each data set. This is an optional argument, with its default value set to <code>max(n.rep)</code> for each data set. This can be used to generate data sets with different types of missingness (e.g., simulate data across 20 days (replicate surveys) but sites are only sampled a maximum of ten times each).
<code>N</code>	a numeric vector of length <code>N</code> containing the number of species each data source samples. These can be the same if both data sets sample the same species, or can be different.
<code>beta</code>	a numeric matrix with <code>max(N)</code> rows containing the intercept and regression coefficient parameters for the occurrence portion of the multi-species occupancy model. Each row corresponds to the regression coefficients for a given species.
<code>alpha</code>	a list of length <code>n.data</code> . Each element is a numeric matrix with the rows corresponding to the number of species that data source contains and columns corresponding to the regression coefficients for each data source.
<code>psi.RE</code>	a list used to specify the non-spatial random intercepts included in the occurrence portion of the model. The list must have two tags: <code>levels</code> and <code>sigma.sq.psi</code> . <code>levels</code> is a vector of length equal to the number of distinct random intercepts to include in the model and contains the number of levels there are in each intercept. <code>sigma.sq.psi</code> is a vector of length equal to the number of distinct random intercepts to include in the model and contains the variances for each random effect. If not specified, no random effects are included in the occurrence portion of the model.
<code>p.RE</code>	this argument is not currently supported. In a later version, this argument will allow for simulating data with detection random effects in the different data sources.
<code>sp</code>	a logical value indicating whether to simulate a spatially-explicit occupancy model with a Gaussian process. By default set to <code>FALSE</code> .
<code>svc.cols</code>	a vector indicating the variables whose effects will be estimated as spatially-varying coefficients. <code>svc.cols</code> is an integer vector with values indicating the order of covariates specified in the model formula (with 1 being the intercept if specified).

cov.model	a quoted keyword that specifies the covariance function used to model the spatial dependence structure among the latent occurrence values. Supported covariance model key words are: "exponential", "matern", "spherical", and "gaussian".
sigma.sq	a numeric vector of length max(N) containing the spatial variance parameter for each species. Ignored when sp = FALSE or when factor.model = TRUE.
phi	a numeric vector of length max(N) containing the spatial decay parameter for each species. Ignored when sp = FALSE. If factor.model = TRUE, this should be of length n.factors.
nu	a numeric vector of length max(N) containing the spatial smoothness parameter for each species. Only used when sp = TRUE and cov.model = 'matern'. If factor.model = TRUE, this should be of length n.factors.
factor.model	a logical value indicating whether to simulate data following a factor modeling approach that explicitly incorporates species correlations. If sp = TRUE, the latent factors are simulated from independent spatial processes. If sp = FALSE, the latent factors are simulated from standard normal distributions.
n.factors	a single numeric value specifying the number of latent factors to use to simulate the data if factor.model = TRUE.
range.probs	a numeric vector of length N where each value should fall between 0 and 1, and indicates the probability that one of the J spatial locations simulated is within the simulated range of the given species. If set to 1, every species has the potential of being present at each location.
...	currently no additional arguments

Value

A list comprised of:

X.obs	a numeric design matrix for the occurrence portion of the model. This matrix contains the intercept and regression coefficients for only the observed sites.
X.pred	a numeric design matrix for the occurrence portion of the model at sites where there are no observed data sources.
X.p	a list of design matrices for the detection portions of the integrated multi-species occupancy model. Each element in the list is a design matrix of detection covariates for each data source.
coords.obs	a numeric matrix of coordinates of each observed site. Required for spatial models.
coords.pred	a numeric matrix of coordinates of each site in the study region without any data sources. Only used for spatial models.
w	a species (or factor) x site matrix of the spatial random effects for each species. Only used to simulate data when sp = TRUE. If factor.model = TRUE, the first dimension is n.factors.
w.pred	a matrix of the spatial random random effects for each species (or factor) at locations without any observation.

psi.obs	a species x site matrix of the occurrence probabilities for each species at the observed sites. Note that values are provided for all species, even if some species are only monitored at a subset of these points.
psi.pred	a species x site matrix of the occurrence probabilities for sites without any observations.
z.obs	a species x site matrix of the latent occurrence states at each observed site. Note that values are provided for all species, even if some species are only monitored at a subset of these points.
z.pred	a species x site matrix of the latent occurrence states at each site without any observations.
p	a list of detection probability arrays for each of the n.data data sources. Each array has dimensions corresponding to species, site, and replicate, respectively.
y	a list of arrays of the raw detection-nondetection data for each site and replicate combination for each species in the data set. Each array has dimensions corresponding to species, site, and replicate, respectively.

Author(s)

Jeffrey W. Doser <doser.jef@msu.edu>,

References

Doser, J. W., Leuenberger, W., Sillett, T. S., Hallworth, M. T. & Zipkin, E. F. (2022). Integrated community occupancy models: A framework to assess occurrence and biodiversity dynamics using multiple data sources. *Methods in Ecology and Evolution*, 00, 1-14. doi:10.1111/2041210X.13811

Examples

```
set.seed(91)
J.x <- 10
J.y <- 10
# Total number of data sources across the study region
J.all <- J.x * J.y
# Number of data sources.
n.data <- 2
# Sites for each data source.
J.obs <- sample(ceiling(0.2 * J.all):ceiling(0.5 * J.all), n.data, replace = TRUE)
n.rep <- list()
n.rep[[1]] <- rep(3, J.obs[1])
n.rep[[2]] <- rep(4, J.obs[2])

# Number of species observed in each data source
N <- c(8, 3)

# Community-level covariate effects
# Occurrence
beta.mean <- c(0.2, 0.5)
p.occ <- length(beta.mean)
```

```

tau.sq.beta <- c(0.4, 0.3)
# Detection
# Detection covariates
alpha.mean <- list()
tau.sq.alpha <- list()
# Number of detection parameters in each data source
p.det.long <- c(4, 3)
for (i in 1:n.data) {
  alpha.mean[[i]] <- runif(p.det.long[i], -1, 1)
  tau.sq.alpha[[i]] <- runif(p.det.long[i], 0.1, 1)
}
# Random effects
psi.RE <- list()
p.RE <- list()
beta <- matrix(NA, nrow = max(N), ncol = p.occ)
for (i in 1:p.occ) {
  beta[, i] <- rnorm(max(N), beta.mean[i], sqrt(tau.sq.beta[i]))
}
alpha <- list()
for (i in 1:n.data) {
  alpha[[i]] <- matrix(NA, nrow = N[i], ncol = p.det.long[i])
  for (t in 1:p.det.long[i]) {
    alpha[[i]][, t] <- rnorm(N[i], alpha.mean[[i]][t], sqrt(tau.sq.alpha[[i]])[t])
  }
}
sp <- FALSE
factor.model <- FALSE
# Simulate occupancy data
dat <- simIntMsOcc(n.data = n.data, J.x = J.x, J.y = J.y,
  J.obs = J.obs, n.rep = n.rep, N = N, beta = beta, alpha = alpha,
  psi.RE = psi.RE, p.RE = p.RE, sp = sp, factor.model = factor.model,
  n.factors = n.factors)
str(dat)

```

simIntOcc

Simulate Single-Species Detection-Nondetection Data from Multiple Data Sources

Description

The function `simIntOcc` simulates single-species detection-nondetection data from multiple data sources for simulation studies, power assessments, or function testing of integrated occupancy models. Data can optionally be simulated with a spatial Gaussian Process on the occurrence process.

Usage

```

simIntOcc(n.data, J.x, J.y, J.obs, n.rep, n.rep.max, beta, alpha,
  psi.RE = list(), p.RE = list(), sp = FALSE,
  cov.model, sigma.sq, phi, nu, ...)

```

Arguments

<code>n.data</code>	an integer indicating the number of detection-nondetection data sources to simulate.
<code>J.x</code>	a single numeric value indicating the number of sites across the region of interest along the horizontal axis. Total number of sites across the simulated region of interest is $J.x \times J.y$.
<code>J.y</code>	a single numeric value indicating the number of sites across the region of interest along the vertical axis. Total number of sites across the simulated region of interest is $J.x \times J.y$.
<code>J.obs</code>	a numeric vector of length <code>n.data</code> containing the number of sites to simulate each data source at. Data sources can be obtained at completely different sites, the same sites, or anywhere inbetween. Maximum number of sites a given data source is available at is equal to $J = J.x \times J.y$.
<code>n.rep</code>	a list of length <code>n.data</code> . Each element is a numeric vector with length corresponding to the number of sites that given data source is observed at (in <code>J.obs</code>). Each vector indicates the number of repeat visits at each of the sites for a given data source.
<code>n.rep.max</code>	a vector of numeric values indicating the maximum number of replicate surveys for each data set. This is an optional argument, with its default value set to <code>max(n.rep)</code> for each data set. This can be used to generate data sets with different types of missingness (e.g., simulate data across 20 days (replicate surveys) but sites are only sampled a maximum of ten times each).
<code>beta</code>	a numeric vector containing the intercept and regression coefficient parameters for the occurrence portion of the single-species occupancy model.
<code>alpha</code>	a list of length <code>n.data</code> . Each element is a numeric vector containing the intercept and regression coefficient parameters for the detection portion of the single-species occupancy model for each data source.
<code>psi.RE</code>	a list used to specify the non-spatial random intercepts included in the occupancy portion of the model. The list must have two tags: <code>levels</code> and <code>sigma.sq.psi</code> . <code>levels</code> is a vector of length equal to the number of distinct random intercepts to include in the model and contains the number of levels there are in each intercept. <code>sigma.sq.psi</code> is a vector of length equal to the number of distinct random intercepts to include in the model and contains the variances for each random effect. If not specified, no random effects are included in the occupancy portion of the model.
<code>p.RE</code>	a list used to specify the non-spatial random intercepts included in the detection portion of the model. The list must be a list of lists, where the individual lists contain the detection coefficients for each data set in the integrated model. Each of the lists must have two tags: <code>levels</code> and <code>sigma.sq.p</code> . <code>levels</code> is a vector of length equal to the number of distinct random intercepts to include in the model and contains the number of levels there are in each intercept. <code>sigma.sq.p</code> is a vector of length equal to the number of distinct random intercepts to include in the model and contains the variances for each random effect. If not specified, no random effects are included in the detection portion of the model.
<code>sp</code>	a logical value indicating whether to simulate a spatially-explicit occupancy model with a Gaussian process. By default set to <code>FALSE</code> .

cov.model	a quoted keyword that specifies the covariance function used to model the spatial dependence structure among the latent occurrence values. Supported covariance model key words are: "exponential", "matern", "spherical", and "gaussian".
sigma.sq	a numeric value indicating the spatial variance parameter. Ignored when sp = FALSE.
phi	a numeric value indicating the spatial range parameter. Ignored when sp = FALSE.
nu	a numeric value indicating the spatial smoothness parameter. Only used when sp = TRUE and cov.model = "matern".
...	currently no additional arguments

Value

A list comprised of:

X.obs	a numeric design matrix for the occurrence portion of the model. This matrix contains the intercept and regression coefficients for only the observed sites.
X.pred	a numeric design matrix for the occurrence portion of the model at sites where there are no observed data sources.
X.p	a list of design matrices for the detection portions of the integrated occupancy model. Each element in the list is a design matrix of detection covariates for each data source.
coords.obs	a numeric matrix of coordinates of each observed site. Required for spatial models.
coords.pred	a numeric matrix of coordinates of each site in the study region without any data sources. Only used for spatial models.
D.obs	a distance matrix of observed sites. Only used for spatial models.
D.pred	a distance matrix of sites in the study region without any observed data. Only used for spatial models.
w.obs	a matrix of the spatial random effects at observed locations. Only used to simulate data when sp = TRUE
.	
w.pred	a matrix of the spatial random random effects at locations without any observation.
psi.obs	a matrix of the occurrence probabilities for each observed site.
psi.pred	a matrix of the occurrence probabilities for sites without any observations.
z.obs	a vector of the latent occurrence states at each observed site.
z.pred	a vector of the latent occurrence states at each site without any observations.
p	a list of detection probability matrices for each of the n.data data sources.
y	a list of matrices of the raw detection-nondetection data for each site and replicate combination.

Author(s)

Jeffrey W. Doser <doserjef@msu.edu>
 Andrew O. Finley <finleya@msu.edu>

Examples

```
set.seed(400)

# Simulate Data -----
J.x <- 15
J.y <- 15
J.all <- J.x * J.y
# Number of data sources.
n.data <- 4
# Sites for each data source.
J.obs <- sample(ceiling(0.2 * J.all):ceiling(0.5 * J.all), n.data, replace = TRUE)
# Replicates for each data source.
n.rep <- list()
for (i in 1:n.data) {
  n.rep[[i]] <- sample(1:4, size = J.obs[i], replace = TRUE)
}
# Occupancy covariates
beta <- c(0.5, 1, -3)
p.occ <- length(beta)
# Detection covariates
alpha <- list()
for (i in 1:n.data) {
  alpha[[i]] <- runif(sample(1:4, 1), -1, 1)
}
p.det.long <- sapply(alpha, length)
p.det <- sum(p.det.long)
sigma.sq <- 2
phi <- 3 / .5
sp <- TRUE

# Simulate occupancy data.
dat <- simIntOcc(n.data = n.data, J.x = J.x, J.y = J.y, J.obs = J.obs,
               n.rep = n.rep, beta = beta, alpha = alpha, sp = TRUE,
               cov.model = 'gaussian', sigma.sq = sigma.sq, phi = phi)
```

simMsOcc

*Simulate Multi-Species Detection-Nondetection Data***Description**

The function `simMsOcc` simulates multi-species detection-nondetection data for simulation studies, power assessments, or function testing. Data can be optionally simulated with a spatial Gaussian Process in the occurrence portion of the model, as well as an option to allow for species correlations using a factor modeling approach. Non-spatial random intercepts can also be included in the detection or occurrence portions of the occupancy model.

Usage

```
simMsOcc(J.x, J.y, n.rep, n.rep.max, N, beta, alpha, psi.RE = list(),
         p.RE = list(), sp = FALSE, svc.cols = 1, cov.model,
         sigma.sq, phi, nu, factor.model = FALSE, n.factors,
         range.probs, shared.spatial = FALSE, grid, ...)
```

Arguments

<code>J.x</code>	a single numeric value indicating the number of sites to simulate detection-nondetection data along the horizontal axis. Total number of sites with simulated data is $J.x \times J.y$.
<code>J.y</code>	a single numeric value indicating the number of sites to simulate detection-nondetection data along the vertical axis. Total number of sites with simulated data is $J.x \times J.y$.
<code>n.rep</code>	a numeric vector of length $J = J.x \times J.y$ indicating the number of repeat visits at each of the J sites.
<code>n.rep.max</code>	a single numeric value indicating the maximum number of replicate surveys. This is an optional argument, with its default value set to <code>max(n.rep)</code> . This can be used to generate data sets with different types of missingness (e.g., simulate data across 20 days (replicate surveys) but sites are only sampled a maximum of ten times each).
<code>N</code>	a single numeric value indicating the number of species to simulate detection-nondetection data.
<code>beta</code>	a numeric matrix with N rows containing the intercept and regression coefficient parameters for the occurrence portion of the multi-species occupancy model. Each row corresponds to the regression coefficients for a given species.
<code>alpha</code>	a numeric matrix with N rows containing the intercept and regression coefficient parameters for the detection portion of the multi-species occupancy model. Each row corresponds to the regression coefficients for a given species.
<code>psi.RE</code>	a list used to specify the non-spatial random intercepts included in the occurrence portion of the model. The list must have two tags: <code>levels</code> and <code>sigma.sq.psi</code> . <code>levels</code> is a vector of length equal to the number of distinct random intercepts to include in the model and contains the number of levels there are in each intercept. <code>sigma.sq.psi</code> is a vector of length equal to the number of distinct random intercepts to include in the model and contains the variances for each random effect. If not specified, no random effects are included in the occurrence portion of the model.
<code>p.RE</code>	a list used to specify the non-spatial random intercepts included in the detection portion of the model. The list must have two tags: <code>levels</code> and <code>sigma.sq.p</code> . <code>levels</code> is a vector of length equal to the number of distinct random intercepts to include in the model and contains the number of levels there are in each intercept. <code>sigma.sq.p</code> is a vector of length equal to the number of distinct random intercepts to include in the model and contains the variances for each random effect. If not specified, no random effects are included in the detection portion of the model.

<code>sp</code>	a logical value indicating whether to simulate a spatially-explicit occupancy model with a Gaussian process. By default set to FALSE.
<code>svc.cols</code>	a vector indicating the variables whose effects will be estimated as spatially-varying coefficients. <code>svc.cols</code> is an integer vector with values indicating the order of covariates specified in the model formula (with 1 being the intercept if specified).
<code>cov.model</code>	a quoted keyword that specifies the covariance function used to model the spatial dependence structure among the latent occurrence values. Supported covariance model key words are: "exponential", "matern", "spherical", and "gaussian".
<code>sigma.sq</code>	a numeric vector of length N containing the spatial variance parameter for each species. Ignored when <code>sp = FALSE</code> or when <code>factor.model = TRUE</code> .
<code>phi</code>	a numeric vector of length N containing the spatial decay parameter for each species. Ignored when <code>sp = FALSE</code> . If <code>factor.model = TRUE</code> , this should be of length <code>n.factors</code> .
<code>nu</code>	a numeric vector of length N containing the spatial smoothness parameter for each species. Only used when <code>sp = TRUE</code> and <code>cov.model = 'matern'</code> . If <code>factor.model = TRUE</code> , this should be of length <code>n.factors</code> .
<code>factor.model</code>	a logical value indicating whether to simulate data following a factor modeling approach that explicitly incorporates species correlations. If <code>sp = TRUE</code> , the latent factors are simulated from independent spatial processes. If <code>sp = FALSE</code> , the latent factors are simulated from standard normal distributions.
<code>n.factors</code>	a single numeric value specifying the number of latent factors to use to simulate the data if <code>factor.model = TRUE</code> .
<code>range.probs</code>	a numeric vector of length N where each value should fall between 0 and 1, and indicates the probability that one of the J spatial locations simulated is within the simulated range of the given species. If set to 1, every species has the potential of being present at each location.
<code>shared.spatial</code>	a logical value indicating used to specify whether a common spatial process should be estimated for all species instead of the factor modeling approach.
<code>grid</code>	an atomic vector used to specify the grid across which to simulate the latent spatial processes. This argument is used to simulate the underlying spatial processes at a different resolution than the coordinates (e.g., if coordinates are distributed across a grid).
<code>...</code>	currently no additional arguments

Value

A list comprised of:

<code>X</code>	a $J \times p_{occ}$ numeric design matrix for the occurrence portion of the model.
<code>X.p</code>	a three-dimensional numeric array with dimensions corresponding to sites, repeat visits, and number of detection regression coefficients. This is the design matrix used for the detection portion of the occupancy model.

<code>coords</code>	a $J \times 2$ numeric matrix of coordinates of each occupancy site. Required for spatial models.
<code>w</code>	a $N \times J$ matrix of the spatial random effects for each species. Only used to simulate data when <code>sp = TRUE</code> . If <code>factor.model = TRUE</code> , the first dimension is <code>n.factors</code> .
<code>psi</code>	a $N \times J$ matrix of the occurrence probabilities for each species at each site.
<code>z</code>	a $N \times J$ matrix of the latent occurrence states for each species at each site.
<code>p</code>	a $N \times J \times \max(n.rep)$ array of the detection probabilities for each species at each site and replicate combination. Sites with fewer than <code>max(n.rep)</code> replicates will contain NA values.
<code>y</code>	a $N \times J \times \max(n.rep)$ array of the raw detection-nondetection data for each species at each site and replicate combination. Sites with fewer than <code>max(n.rep)</code> replicates will contain NA values.
<code>X.p.re</code>	a three-dimensional numeric array containing the levels of any detection random effect included in the model. Only relevant when detection random effects are specified in <code>p.RE</code> .
<code>X.lambda.re</code>	a numeric matrix containing the levels of any occurrence random effect included in the model. Only relevant when occurrence random effects are specified in <code>psi.RE</code> .
<code>alpha.star</code>	a numeric matrix where each row contains the simulated detection random effects for each given level of the random effects included in the detection model. Only relevant when detection random effects are included in the model.
<code>beta.star</code>	a numeric matrix where each row contains the simulated occurrence random effects for each given level of the random effects included in the occurrence model. Only relevant when occurrence random effects are included in the model.

Author(s)

Jeffrey W. Doser <doserjef@msu.edu>,
Andrew O. Finley <finleya@msu.edu>

Examples

```
J.x <- 8
J.y <- 8
J <- J.x * J.y
n.rep <- sample(2:4, size = J, replace = TRUE)
N <- 10
# Community-level covariate effects
# Occurrence
beta.mean <- c(0.2, -0.15)
p.occ <- length(beta.mean)
tau.sq.beta <- c(0.6, 0.3)
# Detection
alpha.mean <- c(0.5, 0.2)
tau.sq.alpha <- c(0.2, 0.3)
p.det <- length(alpha.mean)
```

```

psi.RE <- list(levels = c(10),
               sigma.sq.psi = c(1.5))
p.RE <- list(levels = c(15),
             sigma.sq.p = 0.8)
# Draw species-level effects from community means.
beta <- matrix(NA, nrow = N, ncol = p.occ)
alpha <- matrix(NA, nrow = N, ncol = p.det)
for (i in 1:p.occ) {
  beta[, i] <- rnorm(N, beta.mean[i], sqrt(tau.sq.beta[i]))
}
for (i in 1:p.det) {
  alpha[, i] <- rnorm(N, alpha.mean[i], sqrt(tau.sq.alpha[i]))
}
# Spatial parameters if desired
phi <- runif(N, 3/1, 3/.1)
sigma.sq <- runif(N, 0.3, 3)
sp <- TRUE

dat <- simMsOcc(J.x = J.x, J.y = J.y, n.rep = n.rep, N = N, beta = beta,
               alpha = alpha, psi.RE = psi.RE, p.RE = p.RE, sp = TRUE,
               cov.model = 'exponential', phi = phi, sigma.sq = sigma.sq)

```

simOcc

Simulate Single-Species Detection-Nondetection Data

Description

The function `simOcc` simulates single-species occurrence data for simulation studies, power assessments, or function testing. Data can be optionally simulated with a spatial Gaussian Process in the occurrence portion of the model. Non-spatial random intercepts can also be included in the detection or occurrence portions of the occupancy model.

Usage

```

simOcc(J.x, J.y, n.rep, n.rep.max, beta, alpha, psi.RE = list(),
       p.RE = list(), sp = FALSE, svc.cols = 1, cov.model,
       sigma.sq, phi, nu, x.positive = FALSE, grid, ...)

```

Arguments

- | | |
|--------------------|--|
| <code>J.x</code> | a single numeric value indicating the number of sites to simulate detection-nondetection data along the horizontal axis. Total number of sites with simulated data is $J.x \times J.y$. |
| <code>J.y</code> | a single numeric value indicating the number of sites to simulate detection-nondetection data along the vertical axis. Total number of sites with simulated data is $J.x \times J.y$. |
| <code>n.rep</code> | a numeric vector of length $J = J.x \times J.y$ indicating the number of repeat visits at each of the J sites. |

n.rep.max	a single numeric value indicating the maximum number of replicate surveys. This is an optional argument, with its default value set to <code>max(n.rep)</code> . This can be used to generate data sets with different types of missingness (e.g., simulate data across 20 days (replicate surveys) but sites are only sampled a maximum of ten times each).
beta	a numeric vector containing the intercept and regression coefficient parameters for the occupancy portion of the single-species occupancy model.
alpha	a numeric vector containing the intercept and regression coefficient parameters for the detection portion of the single-species occupancy model.
psi.RE	a list used to specify the non-spatial random intercepts included in the occupancy portion of the model. The list must have two tags: <code>levels</code> and <code>sigma.sq.psi</code> . <code>levels</code> is a vector of length equal to the number of distinct random intercepts to include in the model and contains the number of levels there are in each intercept. <code>sigma.sq.psi</code> is a vector of length equal to the number of distinct random intercepts to include in the model and contains the variances for each random effect. If not specified, no random effects are included in the occupancy portion of the model.
p.RE	a list used to specify the non-spatial random intercepts included in the detection portion of the model. The list must have two tags: <code>levels</code> and <code>sigma.sq.p</code> . <code>levels</code> is a vector of length equal to the number of distinct random intercepts to include in the model and contains the number of levels there are in each intercept. <code>sigma.sq.p</code> is a vector of length equal to the number of distinct random intercepts to include in the model and contains the variances for each random effect. If not specified, no random effects are included in the detection portion of the model.
sp	a logical value indicating whether to simulate a spatially-explicit occupancy model with a Gaussian process. By default set to <code>FALSE</code> .
svc.cols	a vector indicating the variables whose effects will be estimated as spatially-varying coefficients. <code>svc.cols</code> is an integer vector with values indicating the order of covariates specified in the model formula (with 1 being the intercept if specified).
cov.model	a quoted keyword that specifies the covariance function used to model the spatial dependence structure among the latent occurrence values. Supported covariance model key words are: "exponential", "matern", "spherical", and "gaussian".
sigma.sq	a numeric value indicating the spatial variance parameter. Ignored when <code>sp = FALSE</code> .
phi	a numeric value indicating the spatial decay parameter. Ignored when <code>sp = FALSE</code> .
nu	a numeric value indicating the spatial smoothness parameter. Only used when <code>sp = TRUE</code> and <code>cov.model = "matern"</code> .
x.positive	a logical value indicating whether the simulated covariates should be simulated as random standard normal covariates (<code>x.positive = FALSE</code>) or restricted to positive values using a uniform distribution with lower bound 0 and upper bound 1 (<code>x.positive = TRUE</code>).

grid	an atomic vector used to specify the grid across which to simulate the latent spatial processes. This argument is used to simulate the underlying spatial processes at a different resolution than the coordinates (e.g., if coordinates are distributed across a grid).
...	currently no additional arguments

Value

A list comprised of:

X	a $J \times p.occ$ numeric design matrix for the occupancy portion of the model.
X.p	a three-dimensional numeric array with dimensions corresponding to sites, repeat visits, and number of detection regression coefficients. This is the design matrix used for the detection portion of the occupancy model.
coords	a $J \times 2$ numeric matrix of coordinates of each occupancy site. Required for spatial models.
w	a matrix of the spatial random effect values for each site. The number of columns is determined by the <code>svc.cols</code> argument (the number of spatially-varying coefficients).
psi	a $J \times 1$ matrix of the occupancy probabilities for each site.
z	a length J vector of the latent occupancy states at each site.
p	a $J \times \max(n.rep)$ matrix of the detection probabilities for each site and replicate combination. Sites with fewer than $\max(n.rep)$ replicates will contain NA values.
y	a $J \times \max(n.rep)$ matrix of the raw detection-nondetection data for each site and replicate combination.
X.p.re	a three-dimensional numeric array containing the levels of any detection random effect included in the model. Only relevant when detection random effects are specified in <code>p.RE</code> .
X.re	a numeric matrix containing the levels of any occurrence random effect included in the model. Only relevant when occurrence random effects are specified in <code>psi.RE</code> .
alpha.star	a numeric vector that contains the simulated detection random effects for each given level of the random effects included in the detection model. Only relevant when detection random effects are included in the model.
beta.star	a numeric vector that contains the simulated occurrence random effects for each given level of the random effects included in the occurrence model. Only relevant when occurrence random effects are included in the model.

Author(s)

Jeffrey W. Doser <doserjef@msu.edu>,
Andrew O. Finley <finleya@msu.edu>

Examples

```
set.seed(400)
J.x <- 10
J.y <- 10
n.rep <- rep(4, J.x * J.y)
beta <- c(0.5, -0.15)
alpha <- c(0.7, 0.4)
phi <- 3 / .6
sigma.sq <- 2
psi.RE <- list(levels = 10,
               sigma.sq.psi = 1.2)
p.RE <- list(levels = 15,
             sigma.sq.p = 0.8)
dat <- simOcc(J.x = J.x, J.y = J.y, n.rep = n.rep, beta = beta, alpha = alpha,
             psi.RE = psi.RE, p.RE = p.RE, sp = TRUE, cov.model = 'spherical',
             sigma.sq = sigma.sq, phi = phi)
```

simTBinom

Simulate Multi-Season Single-Species Binomial Data

Description

The function `simTBinom` simulates multi-season single-species binomial data for simulation studies, power assessments, or function testing. Data can be optionally simulated with a spatial Gaussian Process in the model. Non-spatial random intercepts can also be included in the model.

Usage

```
simTBinom(J.x, J.y, n.time, weights, beta, sp.only = 0,
          trend = TRUE, psi.RE = list(), sp = FALSE,
          cov.model, sigma.sq, phi, nu, svc.cols = 1,
          ar1 = FALSE, rho, sigma.sq.t, x.positive = FALSE, ...)
```

Arguments

<code>J.x</code>	a single numeric value indicating the number of sites to simulate data along the horizontal axis. Total number of sites with simulated data is $J.x \times J.y$.
<code>J.y</code>	a single numeric value indicating the number of sites to simulate data along the vertical axis. Total number of sites with simulated data is $J.x \times J.y$.
<code>n.time</code>	a single numeric value indicating the number of primary time periods (denoted T) over which sampling occurs.
<code>weights</code>	a numeric matrix with rows corresponding to sites and columns corresponding to primary time periods that indicates the number of Bernoulli trials at each of the site/time period combinations.
<code>beta</code>	a numeric vector containing the intercept and regression coefficient parameters for the model.

sp.only	a numeric vector specifying which occurrence covariates should only vary over space and not over time. The numbers in the vector correspond to the elements in the vector of regression coefficients (beta). By default, all simulated occurrence covariates are assumed to vary over both space and time.
trend	a logical value. If TRUE, a temporal trend will be used to simulate the detection-nondetection data and the second element of beta is assumed to be the trend parameter. If FALSE no trend is used to simulate the data and all elements of beta (except the first value which is the intercept) correspond to covariate effects.
psi.RE	a list used to specify the non-spatial random intercepts included in the model. The list must have two tags: levels and sigma.sq.psi. levels is a vector of length equal to the number of distinct random intercepts to include in the model and contains the number of levels there are in each intercept. sigma.sq.psi is a vector of length equal to the number of distinct random intercepts to include in the model and contains the variances for each random effect. If not specified, no random effects are included in the model.
sp	a logical value indicating whether to simulate a spatially-explicit occupancy model with a Gaussian process. By default set to FALSE.
svc.cols	a vector indicating the variables whose effects will be estimated as spatially-varying coefficients. svc.cols is an integer vector with values indicating the order of covariates specified in the model formula (with 1 being the intercept if specified).
cov.model	a quoted keyword that specifies the covariance function used to model the spatial dependence structure among the latent occurrence values. Supported covariance model key words are: "exponential", "matern", "spherical", and "gaussian".
sigma.sq	a numeric value indicating the spatial variance parameter. Ignored when sp = FALSE. If svc.cols has more than one value, there should be a distinct spatial variance parameter for each spatially-varying coefficient.
phi	a numeric value indicating the spatial decay parameter. Ignored when sp = FALSE. If svc.cols has more than one value, there should be a distinct spatial decay parameter for each spatially-varying coefficient.
nu	a numeric value indicating the spatial smoothness parameter. Only used when sp = TRUE and cov.model = "matern". If svc.cols has more than one value, there should be a distinct spatial smoothness parameter for each spatially-varying coefficient.
ar1	a logical value indicating whether to simulate a temporal random effect with an AR(1) process. By default, set to FALSE.
rho	a numeric value indicating the AR(1) temporal correlation parameter. Ignored when ar1 = FALSE.
sigma.sq.t	a numeric value indicating the AR(1) temporal variance parameter. Ignored when ar1 = FALSE.
x.positive	a logical value indicating whether the simulated covariates should be simulated as random standard normal covariates (x.positive = FALSE) or restricted to positive values (x.positive = TRUE). If x.positive = TRUE, covariates are simulated from a random normal and then the minimum value is added to each covariate value to ensure non-negative covariate values.

... currently no additional arguments

Value

A list comprised of:

<code>X</code>	a $J \times T \times p.occ$ numeric array containing the design matrix for the model.
<code>coords</code>	a $J \times 2$ numeric matrix of coordinates of each occupancy site. Required for spatial models.
<code>w</code>	a matrix of the spatial random effect values for each site. The number of columns is determined by the <code>svc.cols</code> argument (the number of spatially-varying coefficients).
<code>psi</code>	a $J \times T$ matrix of the occupancy probabilities for each site during each primary time period.
<code>z</code>	a $J \times T$ matrix of the binomial data at each site during each primary time period.
<code>X.w</code>	a three dimensional array containing the covariate effects (including an intercept) whose effects are assumed to be spatially-varying. Dimensions correspond to sites, primary time periods, and covariate.
<code>X.re</code>	a numeric matrix containing the levels of any unstructured random effect included in the model. Only relevant when random effects are specified in <code>psi.RE</code> .
<code>beta.star</code>	a numeric vector that contains the simulated random effects for each given level of the random effects included in the model. Only relevant when random effects are included in the model.

Author(s)

Jeffrey W. Doser <doserjef@msu.edu>
Andrew O. Finley <finleya@msu.edu>

Examples

```
set.seed(1000)
# Sites
J.x <- 15
J.y <- 15
J <- J.x * J.y
# Years sampled
n.time <- sample(10, J, replace = TRUE)
# Binomial weights
weights <- matrix(NA, J, max(n.time))
for (j in 1:J) {
  weights[j, 1:n.time[j]] <- sample(5, n.time[j], replace = TRUE)
}
# Occurrence -----
beta <- c(-2, -0.5, -0.2, 0.75)
p.occ <- length(beta)
trend <- TRUE
sp.only <- 0
psi.RE <- list()
```

```

# Spatial parameters -----
sp <- TRUE
svc.cols <- c(1, 2, 3)
p.svc <- length(svc.cols)
cov.model <- "exponential"
sigma.sq <- runif(p.svc, 0.1, 1)
phi <- runif(p.svc, 3/1, 3/0.2)
# Temporal parameters -----
ar1 <- TRUE
rho <- 0.8
sigma.sq.t <- 1

dat <- simTBinom(J.x = J.x, J.y = J.y, n.time = n.time, weights = weights, beta = beta,
                psi.RE = psi.RE, sp.only = sp.only, trend = trend,
                sp = sp, svc.cols = svc.cols,
                cov.model = cov.model, sigma.sq = sigma.sq, phi = phi,
                rho = rho, sigma.sq.t = sigma.sq.t, ar1 = TRUE, x.positive = FALSE)

```

simTIntOcc	<i>Simulate Single-Species Multi-Season Detection-Nondetection Data from Multiple Data Sources</i>
------------	--

Description

The function `simTIntOcc` simulates single-species detection-nondetection data from multiple data sources over multiple seasons for simulation studies, power assessments, or function testing of integrated multi-season occupancy models. Data can optionally be simulated with a spatial Gaussian Process on the occurrence process. Non-spatial random intercepts can be included in the detection or occurrence portions of the model.

Usage

```

simTIntOcc(n.data, J.x, J.y, J.obs, n.time, data.seasons, n.rep, n.rep.max,
           beta, alpha, sp.only = 0, trend = TRUE, psi.RE = list(),
           p.RE = list(), sp = FALSE, svc.cols = 1, cov.model,
           sigma.sq, phi, nu, ar1 = FALSE, rho, sigma.sq.t,
           x.positive = FALSE, ...)

```

Arguments

<code>n.data</code>	an integer indicating the number of detection-nondetection data sources to simulate.
<code>J.x</code>	a single numeric value indicating the number of sites across the region of interest along the horizontal axis. Total number of sites across the simulated region of interest is $J.x \times J.y$.
<code>J.y</code>	a single numeric value indicating the number of sites across the region of interest along the vertical axis. Total number of sites across the simulated region of interest is $J.x \times J.y$.

<code>J.obs</code>	a numeric vector of length <code>n.data</code> containing the number of sites to simulate each data source at. Data sources can be obtained at completely different sites, the same sites, or anywhere inbetween. Maximum number of sites a given data source is available at is equal to $J = J.x \times J.y$.
<code>n.time</code>	a numeric vector of length <code>n.data</code> indicating the number of primary time periods (denoted <code>T</code>) over which sampling occurs for each site within each data source. Data sources can be simulated over differing numbers of primary time periods, and within a given data source sites can be sampled for a differing number of years.
<code>data.seasons</code>	a list of length <code>n.data</code> where each list element denotes the specific overall years that the given data source is simulated for. The length of vector should be equal to the maximum number of seasons any one given site in a given data source is sampled as specified in <code>n.time</code> .
<code>n.rep</code>	a list of length <code>n.data</code> . Each element is a numeric matrix with rows equal to the number of sites for the given data set and columns equal number of primary time periods over which sampling occurs for the given data set. The value in cell indicates the number of repeat visits (secondary sampling events) for each site within a given primary time period.
<code>n.rep.max</code>	a vector of numeric values indicating the maximum number of replicate surveys for each data set. This is an optional argument, with its default value set to <code>max(n.rep)</code> for each data set. This can be used to generate data sets with different types of missingness (e.g., simulate data across 20 days (replicate surveys) but sites are only sampled a maximum of ten times each).
<code>beta</code>	a numeric vector containing the intercept and regression coefficient parameters for the occupancy portion of the model. Note that if <code>trend = TRUE</code> , the second value in the vector corresponds to the estimated occurrence trend.
<code>alpha</code>	a list of length <code>n.data</code> . Each element is a numeric vector containing the intercept and regression coefficient parameters for the detection portion of the single-species occupancy model for each data source.
<code>sp.only</code>	a numeric vector specifying which occurrence covariates should only vary over space and not over time. The numbers in the vector correspond to the elements in the vector of regression coefficients (<code>beta</code>). By default, all simulated occurrence covariates are assumed to vary over both space and time.
<code>trend</code>	a logical value. If <code>TRUE</code> , a temporal trend will be used to simulate the detection-nondetection data and the second element of <code>beta</code> is assumed to be the trend parameter. If <code>FALSE</code> no trend is used to simulate the data and all elements of <code>beta</code> (except the first value which is the intercept) correspond to covariate effects.
<code>psi.RE</code>	a list used to specify the non-spatial random intercepts included in the occupancy portion of the model. The list must have two tags: <code>levels</code> and <code>sigma.sq.psi</code> . <code>levels</code> is a vector of length equal to the number of distinct random intercepts to include in the model and contains the number of levels there are in each intercept. <code>sigma.sq.psi</code> is a vector of length equal to the number of distinct random intercepts to include in the model and contains the variances for each random effect. If not specified, no random effects are included in the occupancy portion of the model.

p.RE	a list used to specify the non-spatial random intercepts included in the detection portion of the model. The list must be a list of lists, where the individual lists contain the detection coefficients for each data set in the integrated model. Each of the lists must have two tags: <code>levels</code> and <code>sigma.sq.p</code> . <code>levels</code> is a vector of length equal to the number of distinct random intercepts to include in the model and contains the number of levels there are in each intercept. <code>sigma.sq.p</code> is a vector of length equal to the number of distinct random intercepts to include in the model and contains the variances for each random effect. If not specified, no random effects are included in the detection portion of the model.
sp	a logical value indicating whether to simulate a spatially-explicit occupancy model with a Gaussian process. By default set to FALSE.
svc.cols	a vector indicating the variables whose effects will be estimated as spatially-varying coefficients. <code>svc.cols</code> is an integer vector with values indicating the order of covariates specified in the model formula (with 1 being the intercept if specified).
cov.model	a quoted keyword that specifies the covariance function used to model the spatial dependence structure among the latent occurrence values. Supported covariance model key words are: "exponential", "matern", "spherical", and "gaussian".
sigma.sq	a numeric value indicating the spatial variance parameter. Ignored when <code>sp = FALSE</code> . When <code>svc.cols</code> is specified with more than one SVC, <code>sigma.sq</code> must be of length <code>length(svc.cols)</code> .
phi	a numeric value indicating the spatial range parameter. Ignored when <code>sp = FALSE</code> . When <code>svc.cols</code> is specified with more than one SVC, <code>phi</code> must be of length <code>length(svc.cols)</code> .
nu	a numeric value indicating the spatial smoothness parameter. Only used when <code>sp = TRUE</code> and <code>cov.model = "matern"</code> . When <code>svc.cols</code> is specified with more than one SVC, <code>nu</code> must be of length <code>length(svc.cols)</code> .
ar1	a logical value indicating whether to simulate a temporal random effect with an AR(1) process. By default, set to FALSE.
rho	a numeric value indicating the AR(1) temporal correlation parameter. Ignored when <code>ar1 = FALSE</code> .
sigma.sq.t	a numeric value indicating the AR(1) temporal variance parameter. Ignored when <code>ar1 = FALSE</code> .
x.positive	a logical value indicating whether the simulated covariates should be simulated as random standard normal covariates (<code>x.positive = FALSE</code>) or restricted to positive values (<code>x.positive = TRUE</code>). If <code>x.positive = TRUE</code> , covariates are simulated from a random normal and then the minimum value is added to each covariate value to ensure non-negative covariate values.
...	currently no additional arguments

Value

A list comprised of:

X.obs	a three-dimensional numeric array with dimensions corresponding to sites, primary time periods, and occurrence covariate containing the design matrix for the occurrence portion of the occupancy model. This matrix contains the intercept and regression coefficients for only the observed sites.
X.pred	a three-dimensional numeric array with dimensions corresponding to sites, primary time periods, and occurrence covariate containing the design matrix for the occurrence portion of the occupancy model. This matrix contains the intercept and regression coefficients for the sites in the study region where there are no observed data sources.
X.pred	a numeric design matrix for the occurrence portion of the model at sites where there are no observed data sources.
X.p	a list of design matrices for the detection portions of the integrated occupancy model. Each element in the list is a design matrix of detection covariates for each data source. Each design matrix is formatted as a four-dimensional array with dimensions corresponding to sites, primary time period, secondary time period, and covariate.
coords.obs	a numeric matrix of coordinates of each observed site. Required for spatial models.
coords.pred	a numeric matrix of coordinates of each site in the study region without any data sources. Only used for spatial models.
w.obs	a matrix of the spatial random effects at observed locations. Only used to simulate data when <code>sp = TRUE</code>
.	
w.pred	a matrix of the spatial random random effects at locations without any observation.
psi.obs	a matrix of the occurrence probabilities for each observed site and primary time period.
psi.pred	a matrix of the occurrence probabilities for sites without any observations.
z.obs	a matrix of the latent occurrence states at each observed site and primary time period.
z.pred	a matrix of the latent occurrence states at each site without any observations.
p	a list of detection probability arrays for each of the <code>n.data</code> data sources. Each array has three dimensions corresponding to site, primary time period, and secondary time period.
y	a list of arrays of the raw detection-nondetection data for each site, primary time period, and replicate combination.
X.p.re	a list of four-dimensional numeric arrays containing the levels of any detection random effect included in the model for each data source. Only relevant when detection random effects are specified in <code>p.RE</code> . Dimensions of each array correspond to site, primary time period, secondary time period, and random effect.
X.re.obs	a numeric array containing the levels of any occurrence random effect included in the model at the sites where there is at least one data source. Dimensions correspond to site, primary time period, and parameter. Only relevant when occurrence random effects are specified in <code>psi.RE</code> .

X.re.pred	a numeric array containing the levels of any occurrence random effect included in the model at the sites where there are no data sources sampled. Dimensions correspond to site, primary time period, and parameter. Only relevant when occurrence random effects are specified in psi.RE.
alpha.star	a list of numeric vectors that contains the simulated detection random effects for each given level of the random effects included in the detection model for each data set. Only relevant when detection random effects are included in the model.
beta.star	a numeric vector that contains the simulated occurrence random effects for each given level of the random effects included in the occurrence model. Only relevant when occurrence random effects are included in the model.
eta	a $T \times 1$ matrix of the latent AR(1) random effects. Only included when ar1 = TRUE.

Author(s)

Jeffrey W. Doser <doserjef@msu.edu>

Examples

```
# Number of locations in each direction. This is the total region of interest
# where some sites may or may not have a data source.
J.x <- 15
J.y <- 15
J.all <- J.x * J.y
# Number of data sources.
n.data <- 3
# Sites for each data source.
J.obs <- sample(ceiling(0.2 * J.all):ceiling(0.4 * J.all), n.data, replace = TRUE)
# Maximum number of years for each data set
n.time.max <- c(4, 8, 10)
# Number of years each site in each data set is sampled
n.time <- list()
for (i in 1:n.data) {
  n.time[[i]] <- sample(1:n.time.max[i], J.obs[i], replace = TRUE)
}
# Replicates for each data source.
n.rep <- list()
for (i in 1:n.data) {
  n.rep[[i]] <- matrix(NA, J.obs[i], n.time.max[i])
  for (j in 1:J.obs[i]) {
    n.rep[[i]][j, sample(1:n.time.max[i], n.time[[i]][j], replace = FALSE)] <-
      sample(1:4, n.time[[i]][j], replace = TRUE)
  }
}
# Total number of years across all data sets
n.time.total <- 10
# List denoting the specific years each data set was sampled during.
data.seasons <- list()
for (i in 1:n.data) {
  data.seasons[[i]] <- sort(sample(1:n.time.total, n.time.max[i], replace = FALSE))
}
```

```

# Occupancy covariates
beta <- c(0, 0.4, 0.3)
# Random occupancy effects
psi.RE <- list(levels = c(20), sigma.sq.psi = c(0.6))
# Detection covariates
alpha <- list()
for (i in 1:n.data) {
  alpha[[i]] <- runif(3, 0, 1)
}
# Detection random effects
p.RE <- list()
p.RE[[1]] <- list(levels = c(35), sigma.sq.p = c(0.5))
p.RE[[2]] <- list(levels = c(20, 10), sigma.sq.p = c(0.7, 0.3))
p.RE[[3]] <- list(levels = c(20), sigma.sq.p = c(0.6))
p.det.long <- sapply(alpha, length)
p.det <- sum(p.det.long)
# Spatial components
sigma.sq <- 2
phi <- 3 / .5
nu <- 1
sp <- TRUE
# Temporal parameters
ar1 <- TRUE
rho <- 0.9
sigma.sq.t <- 1.5
svc.cols <- c(1)
n.rep.max <- sapply(n.rep, max, na.rm = TRUE)

# Simulate occupancy data.
dat <- simTIntOcc(n.data = n.data, J.x = J.x, J.y = J.y, J.obs = J.obs,
  n.time = n.time, data.seasons = data.seasons,
  n.rep = n.rep, n.rep.max = n.rep.max,
  beta = beta, alpha = alpha, trend = TRUE,
  psi.RE = psi.RE, p.RE = p.RE, sp = sp, svc.cols = svc.cols,
  cov.model = 'exponential', sigma.sq = sigma.sq, phi = phi,
  nu = nu, ar1 = ar1, rho = rho, sigma.sq.t = sigma.sq.t)

```

simTMsOcc

Simulate Multi-Species Multi-Season Detection-Nondetection Data

Description

The function `simTMsOcc` simulates multi-species multi-season detection-nondetection data for simulation studies, power assessments, or function testing. Data can be optionally simulated with a spatial Gaussian Process in the occurrence portion of the model, as well as an option to allow for species correlations using a factor modeling approach. Non-spatial random intercepts can also be included in the detection or occurrence portions of the occupancy model.

Usage

```
simTMsOcc(J.x, J.y, n.time, n.rep, N, beta, alpha, sp.only = 0,
  trend = TRUE, psi.RE = list(), p.RE = list(),
    sp = FALSE, svc.cols = 1, cov.model,
  sigma.sq, phi, nu, ar1 = FALSE, rho, sigma.sq.t,
  factor.model = FALSE, n.factors, range.probs, grid, ...)
```

Arguments

<code>J.x</code>	a single numeric value indicating the number of sites to simulate detection-nondetection data along the horizontal axis. Total number of sites with simulated data is $J.x \times J.y$.
<code>J.y</code>	a single numeric value indicating the number of sites to simulate detection-nondetection data along the vertical axis. Total number of sites with simulated data is $J.x \times J.y$.
<code>n.time</code>	a single numeric value indicating the number of primary time periods (denoted T) over which sampling occurs.
<code>n.rep</code>	a numeric matrix indicating the number of replicates at each site during each primary time period. The matrix must have $J = J.x \times J.y$ rows and T columns, where T is the number of primary time periods (e.g., years or seasons) over which sampling occurs.
<code>N</code>	a single numeric value indicating the number of species to simulate detection-nondetection data.
<code>beta</code>	a numeric matrix with N rows containing the intercept and regression coefficient parameters for the occurrence portion of the multi-species occupancy model. Each row corresponds to the regression coefficients for a given species.
<code>alpha</code>	a numeric matrix with N rows containing the intercept and regression coefficient parameters for the detection portion of the multi-species occupancy model. Each row corresponds to the regression coefficients for a given species.
<code>sp.only</code>	a numeric vector specifying which occurrence covariates should only vary over space and not over time. The numbers in the vector correspond to the elements in the vector of regression coefficients (<code>beta</code>). By default, all simulated occurrence covariates are assumed to vary over both space and time.
<code>trend</code>	a logical value. If TRUE, a temporal trend will be used to simulate the detection-nondetection data and the second element of <code>beta</code> is assumed to be the trend parameter. If FALSE no trend is used to simulate the data and all elements of <code>beta</code> (except the first value which is the intercept) correspond to covariate effects.
<code>psi.RE</code>	a list used to specify the non-spatial random intercepts included in the occurrence portion of the model. The list must have two tags: <code>levels</code> and <code>sigma.sq.psi</code> . <code>levels</code> is a vector of length equal to the number of distinct random intercepts to include in the model and contains the number of levels there are in each intercept. <code>sigma.sq.psi</code> is a vector of length equal to the number of distinct random intercepts to include in the model and contains the variances for each random effect. If not specified, no random effects are included in the occurrence portion of the model.

p.RE	a list used to specify the non-spatial random intercepts included in the detection portion of the model. The list must have two tags: <code>levels</code> and <code>sigma.sq.p</code> . <code>levels</code> is a vector of length equal to the number of distinct random intercepts to include in the model and contains the number of levels there are in each intercept. <code>sigma.sq.p</code> is a vector of length equal to the number of distinct random intercepts to include in the model and contains the variances for each random effect. If not specified, no random effects are included in the detection portion of the model.
sp	a logical value indicating whether to simulate a spatially-explicit occupancy model with a Gaussian process. By default set to FALSE.
svc.cols	a vector indicating the variables whose effects will be estimated as spatially-varying coefficients. <code>svc.cols</code> is an integer vector with values indicating the order of covariates specified in the model formula (with 1 being the intercept if specified).
cov.model	a quoted keyword that specifies the covariance function used to model the spatial dependence structure among the latent occurrence values. Supported covariance model key words are: "exponential", "matern", "spherical", and "gaussian".
sigma.sq	a numeric vector of length N containing the spatial variance parameter for each species. Ignored when <code>sp = FALSE</code> or when <code>factor.model = TRUE</code> .
phi	a numeric vector of length N containing the spatial decay parameter for each species. Ignored when <code>sp = FALSE</code> . If <code>factor.model = TRUE</code> , this should be of length <code>n.factors</code> .
nu	a numeric vector of length N containing the spatial smoothness parameter for each species. Only used when <code>sp = TRUE</code> and <code>cov.model = 'matern'</code> . If <code>factor.model = TRUE</code> , this should be of length <code>n.factors</code> .
ar1	a logical value indicating whether to simulate a temporal random effect with an AR(1) process. By default, set to FALSE.
rho	a vector of N values indicating the AR(1) temporal correlation parameter for each species. Ignored when <code>ar1 = FALSE</code> .
sigma.sq.t	a vector of N values indicating the AR(1) temporal variance parameter for each species. Ignored when <code>ar1 = FALSE</code> .
factor.model	a logical value indicating whether to simulate data following a factor modeling approach that explicitly incorporates species correlations. If <code>sp = TRUE</code> , the latent factors are simulated from independent spatial processes. If <code>sp = FALSE</code> , the latent factors are simulated from standard normal distributions.
n.factors	a single numeric value specifying the number of latent factors to use to simulate the data if <code>factor.model = TRUE</code> .
range.probs	a numeric vector of length N where each value should fall between 0 and 1, and indicates the probability that one of the J spatial locations simulated is within the simulated range of the given species. If set to 1, every species has the potential of being present at each location.
grid	an atomic vector used to specify the grid across which to simulate the latent spatial processes. This argument is used to simulate the underlying spatial processes at a different resolution than the coordinates (e.g., if coordinates are distributed across a grid).

... currently no additional arguments

Value

A list comprised of:

X	a $J \times T \times p.occ$ numeric array containing the design matrix for the occurrence portion of the occupancy model.
X.p	a four-dimensional numeric array with dimensions corresponding to sites, primary time periods, repeat visits, and number of detection regression coefficients. This is the design matrix used for the detection portion of the occupancy model.
coords	a $J \times 2$ numeric matrix of coordinates of each occupancy site. Required for spatial models.
w	a $N \times J$ matrix of the spatial random effects for each species. Only used to simulate data when <code>sp = TRUE</code> . If <code>factor.model = TRUE</code> , the first dimension is <code>n.factors</code> .
psi	a $N \times J \times T$ array of the occurrence probabilities for each species at each site during each primary time period.
z	a $N \times J \times T$ array of the latent occurrence status for each species at each site during each primary time period.
p	a $N \times J \times T \times \max(n.rep)$ array of the detection probabilities for each species at each site, primary time period, and secondary replicate combination. Sites with fewer than <code>max(n.rep)</code> replicates will contain NA values.
y	a $N \times J \times T \times \max(n.rep)$ array of the raw detection-nondetection data for each species at each site, primary time period, and replicate combination. Sites with fewer than <code>max(n.rep)</code> replicates will contain NA values.
X.p.re	a four-dimensional numeric array containing the levels of any detection random effect included in the model. Only relevant when detection random effects are specified in <code>p.RE</code> .
X.re	a numeric matrix containing the levels of any occurrence random effect included in the model. Only relevant when occurrence random effects are specified in <code>psi.RE</code> .
alpha.star	a numeric matrix where each row contains the simulated detection random effects for each given level of the random effects included in the detection model. Only relevant when detection random effects are included in the model.
beta.star	a numeric matrix where each row contains the simulated occurrence random effects for each given level of the random effects included in the occurrence model. Only relevant when occurrence random effects are included in the model.
eta	a numeric matrix with each row corresponding to species and column corresponding to time period of the AR(1) temporal random effects.

Author(s)

Jeffrey W. Doser <doser.jef@msu.edu>,

Examples

```

# Simulate Data -----
set.seed(500)
J.x <- 8
J.y <- 8
J <- J.x * J.y
# Years sampled
n.time <- sample(3:10, J, replace = TRUE)
# n.time <- rep(10, J)
n.time.max <- max(n.time)
# Replicates
n.rep <- matrix(NA, J, max(n.time))
for (j in 1:J) {
  n.rep[j, 1:n.time[j]] <- sample(2:4, n.time[j], replace = TRUE)
  # n.rep[j, 1:n.time[j]] <- rep(4, n.time[j])
}
N <- 7
# Community-level covariate effects
# Occurrence
beta.mean <- c(-3, -0.2, 0.5)
trend <- FALSE
sp.only <- 0
p.occ <- length(beta.mean)
tau.sq.beta <- c(0.6, 1.5, 1.4)
# Detection
alpha.mean <- c(0, 1.2, -1.5)
tau.sq.alpha <- c(1, 0.5, 2.3)
p.det <- length(alpha.mean)
# Random effects
psi.RE <- list()
p.RE <- list()
# Draw species-level effects from community means.
beta <- matrix(NA, nrow = N, ncol = p.occ)
alpha <- matrix(NA, nrow = N, ncol = p.det)
for (i in 1:p.occ) {
  beta[, i] <- rnorm(N, beta.mean[i], sqrt(tau.sq.beta[i]))
}
for (i in 1:p.det) {
  alpha[, i] <- rnorm(N, alpha.mean[i], sqrt(tau.sq.alpha[i]))
}
sp <- TRUE
svc.cols <- c(1, 2)
p.svc <- length(svc.cols)
n.factors <- 3
phi <- runif(p.svc * n.factors, 3 / .9, 3 / .3)
factor.model <- TRUE
cov.model <- 'exponential'

dat <- simTMsOcc(J.x = J.x, J.y = J.y, n.time = n.time, n.rep = n.rep, N = N,
  beta = beta, alpha = alpha, sp.only = sp.only, trend = trend,
  psi.RE = psi.RE, p.RE = p.RE, factor.model = factor.model,
  svc.cols = svc.cols, n.factors = n.factors, phi = phi, sp = sp,

```

```

                                cov.model = cov.model)
str(dat)

```

simTOcc

Simulate Multi-Season Single-Species Detection-Non-detection Data

Description

The function `simTOcc` simulates multi-season single-species occurrence data for simulation studies, power assessments, or function testing. Data can be optionally simulated with a spatial Gaussian Process in the occurrence portion of the model. Non-spatial random intercepts can also be included in the detection or occurrence portions of the occupancy model.

Usage

```

simTOcc(J.x, J.y, n.time, n.rep, n.rep.max, beta, alpha, sp.only = 0, trend = TRUE,
        psi.RE = list(), p.RE = list(), sp = FALSE, svc.cols = 1, cov.model,
        sigma.sq, phi, nu, ar1 = FALSE, rho, sigma.sq.t, x.positive = FALSE,
        mis.spec.type = 'none', scale.param = 1, avail, grid, ...)

```

Arguments

<code>J.x</code>	a single numeric value indicating the number of sites to simulate detection-nondetection data along the horizontal axis. Total number of sites with simulated data is $J.x \times J.y$.
<code>J.y</code>	a single numeric value indicating the number of sites to simulate detection-nondetection data along the vertical axis. Total number of sites with simulated data is $J.x \times J.y$.
<code>n.time</code>	a single numeric value indicating the number of primary time periods (denoted T) over which sampling occurs.
<code>n.rep</code>	a numeric matrix indicating the number of replicates at each site during each primary time period. The matrix must have $J = J.x \times J.y$ rows and T columns, where T is the number of primary time periods (e.g., years or seasons) over which sampling occurs.
<code>n.rep.max</code>	a single numeric value indicating the maximum number of replicate surveys. This is an optional argument, with its default value set to <code>max(n.rep)</code> . This can be used to generate data sets with different types of missingness (e.g., simulate data across 20 days (replicate surveys) but sites are only sampled a maximum of ten times each).
<code>beta</code>	a numeric vector containing the intercept and regression coefficient parameters for the occupancy portion of the single-species occupancy model. Note that if <code>trend = TRUE</code> , the second value in the vector corresponds to the estimated occurrence trend.
<code>alpha</code>	a numeric vector containing the intercept and regression coefficient parameters for the detection portion of the single-species occupancy model.

sp.only	a numeric vector specifying which occurrence covariates should only vary over space and not over time. The numbers in the vector correspond to the elements in the vector of regression coefficients (beta). By default, all simulated occurrence covariates are assumed to vary over both space and time.
trend	a logical value. If TRUE, a temporal trend will be used to simulate the detection-nondetection data and the second element of beta is assumed to be the trend parameter. If FALSE no trend is used to simulate the data and all elements of beta (except the first value which is the intercept) correspond to covariate effects.
psi.RE	a list used to specify the unstructured random intercepts included in the occupancy portion of the model. The list must have two tags: levels and sigma.sq.psi. levels is a vector of length equal to the number of distinct random intercepts to include in the model and contains the number of levels there are in each intercept. sigma.sq.psi is a vector of length equal to the number of distinct random intercepts to include in the model and contains the variances for each random effect. An additional tag site.RE can be set to TRUE to simulate data with a site-specific non-spatial random effect on occurrence. If not specified, no random effects are included in the occupancy portion of the model.
p.RE	a list used to specify the unstructured random intercepts included in the detection portion of the model. The list must have two tags: levels and sigma.sq.p. levels is a vector of length equal to the number of distinct random intercepts to include in the model and contains the number of levels there are in each intercept. sigma.sq.p is a vector of length equal to the number of distinct random intercepts to include in the model and contains the variances for each random effect. If not specified, no random effects are included in the detection portion of the model.
sp	a logical value indicating whether to simulate a spatially-explicit occupancy model with a Gaussian process. By default set to FALSE.
svc.cols	a vector indicating the variables whose effects will be estimated as spatially-varying coefficients. svc.cols is an integer vector with values indicating the order of covariates specified in the model formula (with 1 being the intercept if specified).
cov.model	a quoted keyword that specifies the covariance function used to model the spatial dependence structure among the latent occurrence values. Supported covariance model key words are: "exponential", "matern", "spherical", and "gaussian".
sigma.sq	a numeric value indicating the spatial variance parameter. Ignored when sp = FALSE.
phi	a numeric value indicating the spatial decay parameter. Ignored when sp = FALSE.
nu	a numeric value indicating the spatial smoothness parameter. Only used when sp = TRUE and cov.model = "matern".
ar1	a logical value indicating whether to simulate a temporal random effect with an AR(1) process. By default, set to FALSE.
rho	a numeric value indicating the AR(1) temporal correlation parameter. Ignored when ar1 = FALSE.

<code>sigma.sq.t</code>	a numeric value indicating the AR(1) temporal variance parameter. Ignored when <code>ar1 = FALSE</code> .
<code>x.positive</code>	a logical value indicating whether the simulated covariates should be simulated as random standard normal covariates (<code>x.positive = FALSE</code>) or restricted to positive values (<code>x.positive = TRUE</code>). If <code>x.positive = TRUE</code> , covariates are simulated from a random normal and then the minimum value is added to each covariate value to ensure non-negative covariate values.
<code>mis.spec.type</code>	a quoted keyword indicating the type of model mis-specification to use when simulating the data. These correspond to model mis-specification of the functional relationship between occupancy/detection probability and covariates. Valid keywords are: "none" (no model mis-specification, i.e., logit link), "scale" (scaled logistic link), "line" (linear link), and "probit" (probit link). Defaults to "none".
<code>scale.param</code>	a positive number between 0 and 1 that indicates the scale parameter for the occupancy portion of the model when <code>mis.spec.type = 'scale'</code> . When specified, <code>scale.param</code> corresponds to the scale parameter for the occupancy portion of the model, while the reciprocal of <code>scale.param</code> is used for the detection portion of the model.
<code>avail</code>	a site \times primary time period \times visit array indicating the availability probability of the species during each survey simulated at the given site/primary time period/visit combination. This can be used to assess impacts of non-constant availability across replicate surveys in simulation studies. Values should fall between 0 and 1. When not specified, availability is set to 1 for all surveys.
<code>grid</code>	an atomic vector used to specify the grid across which to simulate the latent spatial processes. This argument is used to simulate the underlying spatial processes at a different resolution than the coordinates (e.g., if coordinates are distributed across a grid).
<code>...</code>	currently no additional arguments

Value

A list comprised of:

<code>X</code>	a $J \times T \times p.occ$ numeric array containing the design matrix for the occurrence portion of the occupancy model.
<code>X.p</code>	a four-dimensional numeric array with dimensions corresponding to sites, primary time periods, repeat visits, and number of detection regression coefficients. This is the design matrix used for the detection portion of the occupancy model.
<code>coords</code>	a $J \times 2$ numeric matrix of coordinates of each occupancy site. Required for spatial models.
<code>w</code>	a $J \times 1$ matrix of the spatial random effects. Only used to simulate data when <code>sp = TRUE</code> .
<code>psi</code>	a $J \times T$ matrix of the occupancy probabilities for each site during each primary time period.
<code>z</code>	a $J \times T$ matrix of the latent occupancy states at each site during each primary time period.

<code>p</code>	a $J \times T \times \max(n.rep)$ array of the detection probabilities for each site, primary time period, and replicate combination. Site/time periods with fewer than $\max(n.rep)$ replicates will contain NA values.
<code>y</code>	a $J \times T \times \max(n.rep)$ array of the raw detection-nondetection data for each sit, primary time period, and replicate combination.
<code>X.p.re</code>	a four-dimensional numeric array containing the levels of any detection random effect included in the model. Only relevant when detection random effects are specified in <code>p.RE</code> .
<code>X.re</code>	a numeric matrix containing the levels of any occurrence random effect included in the model. Only relevant when occurrence random effects are specified in <code>psi.RE</code> .
<code>alpha.star</code>	a numeric vector that contains the simulated detection random effects for each given level of the random effects included in the detection model. Only relevant when detection random effects are included in the model.
<code>beta.star</code>	a numeric vector that contains the simulated occurrence random effects for each given level of the random effects included in the occurrence model. Only relevant when occurrence random effects are included in the model.
<code>eta</code>	a $T \times 1$ matrix of the latent AR(1) random effects. Only included when <code>ar1 = TRUE</code> .

Author(s)

Jeffrey W. Doser <doserjef@msu.edu>,

References

Stoudt, S., P. de Valpine, and W. Fithian. Non-parametric identifiability in species distribution and abundance models: why it matters and how to diagnose a lack of fit using simulation. *Journal of Statistical Theory and Practice* 17, 39 (2023). <https://doi.org/10.1007/s42519-023-00336-5>.

Examples

```
J.x <- 10
J.y <- 10
J <- J.x * J.y
# Number of time periods sampled
n.time <- sample(10, J, replace = TRUE)
n.time.max <- max(n.time)
# Replicates
n.rep <- matrix(NA, J, max(n.time))
for (j in 1:J) {
  n.rep[j, 1:n.time[j]] <- sample(1:4, n.time[j], replace = TRUE)
}
# Occurrence -----
# Fixed
beta <- c(0.4, 0.5, -0.9)
trend <- TRUE
sp.only <- 0
```

```

psi.RE <- list(levels = c(10),
               sigma.sq.psi = c(1))
# Detection -----
alpha <- c(-1, 0.7, -0.5)
p.RE <- list(levels = c(10),
             sigma.sq.p = c(0.5))
# Spatial parameters -----
sp <- TRUE
cov.model <- "exponential"
sigma.sq <- 2
phi <- 3 / .4
nu <- 1
# Temporal parameters -----
ar1 <- TRUE
rho <- 0.5
sigma.sq.t <- 0.8
# Get all the data
dat <- simTOcc(J.x = J.x, J.y = J.y, n.time = n.time, n.rep = n.rep,
              beta = beta, alpha = alpha, sp.only = sp.only, trend = trend,
              psi.RE = psi.RE, p.RE = p.RE,
              sp = sp, cov.model = cov.model, sigma.sq = sigma.sq, phi = phi,
              ar1 = ar1, rho = rho, sigma.sq.t = sigma.sq.t)

str(dat)

```

spIntPGOcc

*Function for Fitting Single-Species Integrated Spatial Occupancy
Models Using Polya-Gamma Latent Variables*

Description

The function `spIntPGOcc` fits single-species integrated spatial occupancy models using Polya-Gamma latent variables. Models can be fit using either a full Gaussian process or a Nearest Neighbor Gaussian Process for large data sets. Data integration is done using a joint likelihood framework, assuming distinct detection models for each data source that are each conditional on a single latent occupancy process.

Usage

```

spIntPGOcc(occ.formula, det.formula, data, inits, priors,
           tuning, cov.model = "exponential", NNGP = TRUE,
           n.neighbors = 15, search.type = 'cb', n.batch,
           batch.length, accept.rate = 0.43, n.omp.threads = 1,
           verbose = TRUE, n.report = 100,
           n.burn = round(.10 * n.batch * batch.length),
           n.thin = 1, n.chains = 1, k.fold,
           k.fold.threads = 1, k.fold.seed, k.fold.data,
           k.fold.only = FALSE, ...)

```

Arguments

<code>occ.formula</code>	a symbolic description of the model to be fit for the occurrence portion of the model using R's model syntax. Only right-hand side of formula is specified. See example below. Random intercepts are allowed using lme4 syntax (Bates et al. 2015).
<code>det.formula</code>	a list of symbolic descriptions of the models to be fit for the detection portion of the model using R's model syntax for each data set. Each element in the list is a formula for the detection model of a given data set. Only right-hand side of formula is specified. See example below. Random intercepts are allowed using lme4 syntax (Bates et al. 2015).
<code>data</code>	a list containing data necessary for model fitting. Valid tags are <code>y</code> , <code>occ.covs</code> , <code>det.covs</code> , <code>sites</code> and <code>coords</code> . <code>y</code> is a list of matrices or data frames for each data set used in the integrated model. Each element of the list has first dimension equal to the number of sites with that data source and second dimension equal to the maximum number of replicates at a given site. <code>occ.covs</code> is a matrix or data frame containing the variables used in the occurrence portion of the model, with the number of rows being the number of sites with at least one data source for each column (variable). <code>det.covs</code> is a list of variables included in the detection portion of the model for each data source. <code>det.covs</code> should have the same number of elements as <code>y</code> , where each element is itself a list. Each element of the list for a given data source is a different detection covariate, which can be site-level or observational-level. Site-level covariates are specified as a vector with length equal to the number of observed sites of that data source, while observation-level covariates are specified as a matrix or data frame with the number of rows equal to the number of observed sites of that data source and number of columns equal to the maximum number of replicates at a given site. <code>coords</code> is a matrix of the observation site coordinates. Note that spOccupancy assumes coordinates are specified in a projected coordinate system. <code>sites</code> is a list of site indices with number of elements equal to the number of data sources being modeled. Each element contains a vector of length equal to the number of sites that specific data source contains. Each value in the vector indicates the row in <code>occ.covs</code> that corresponds with the specific row of the detection-nondetection data for the data source. This is used to properly link sites across data sets.
<code>inits</code>	a list with each tag corresponding to a parameter name. Valid tags are <code>z</code> , <code>beta</code> , <code>alpha</code> , <code>sigma.sq</code> , <code>phi</code> , <code>w</code> , <code>nu</code> , <code>sigma.sq.psi</code> , <code>sigma.sq.p</code> . The value portion of all tags except <code>alpha</code> is the parameter's initial value. <code>sigma.sq.psi</code> and <code>sigma.sq.p</code> are only relevant when including random effects in the occurrence and detection portion of the occupancy model, respectively. The tag <code>alpha</code> is a list comprised of the initial values for the detection parameters for each data source. Each element of the list should be a vector of initial values for all detection parameters in the given data source or a single value for each data source to assign all parameters for a given data source the same initial value. See <code>priors</code> description for definition of each parameter name. Additionally, the tag <code>fix</code> can be set to <code>TRUE</code> to fix the starting values across all chains. If <code>fix</code> is not specified (the default), starting values are varied randomly across chains.
<code>priors</code>	a list with each tag corresponding to a parameter name. Valid tags are <code>beta.normal</code> ,

`alpha.normal`, `phi.unif`, `sigma.sq.ig`, `sigma.sq.unif`, `nu.unif`, `sigma.sq.psi.ig`, and `sigma.sq.p.ig`. Occurrence (beta) and detection (alpha) regression coefficients are assumed to follow a normal distribution. For beta hyperparameters of the normal distribution are passed as a list of length two with the first and second elements corresponding to the mean and variance of the normal distribution, which are each specified as vectors of length equal to the number of coefficients to be estimated or of length one if priors are the same for all coefficients. For the detection coefficients alpha, the mean and variance hyperparameters are themselves passed in as lists, with each element of the list corresponding to the specific hyperparameters for the detection parameters in a given data source. If not specified, prior means are set to 0 and prior variances set to 2.72 for normal priors. The spatial variance parameter, `sigma.sq`, is assumed to follow an inverse-Gamma distribution or a uniform distribution (default is inverse-Gamma). `sigma.sq` can also be fixed at its initial value by setting the prior value to "fixed". The spatial decay `phi` and smoothness `nu` parameters are assumed to follow Uniform distributions. The hyperparameters of the inverse-Gamma are passed as a vector of length two, with the first and second elements corresponding to the *shape* and *scale*, respectively. The hyperparameters of the Uniform are also passed as a vector of length two with the first and second elements corresponding to the lower and upper support, respectively. `sigma.sq.psi` and `sigma.sq.p` are the random effect variances for any occurrence or detection random effects, respectively, and are assumed to follow an inverse Gamma distribution. The hyperparameters of the inverse-Gamma distribution are passed as a list of length two with first and second elements corresponding to the shape and scale parameters, respectively, which are each specified as vectors of length equal to the number of random intercepts or of length one if priors are the same for all random effect variances.

<code>tuning</code>	a list with each tag corresponding to a parameter name. Valid tags are <code>phi</code> and <code>nu</code> . The value portion of each tag defines the initial variance of the Adaptive sampler. See Roberts and Rosenthal (2009) for details.
<code>cov.model</code>	a quoted keyword that specifies the covariance function used to model the spatial dependence structure among the observations. Supported covariance model key words are: "exponential", "matern", "spherical", and "gaussian".
<code>NNGP</code>	if TRUE, model is fit with an NNGP. If FALSE, a full Gaussian process is used. See Datta et al. (2016) and Finley et al. (2019) for more information.
<code>n.neighbors</code>	number of neighbors used in the NNGP. Only used if <code>NNGP = TRUE</code> . Datta et al. (2016) showed that 15 neighbors is usually sufficient, but that as few as 5 neighbors can be adequate for certain data sets, which can lead to even greater decreases in run time. We recommend starting with 15 neighbors (the default) and if additional gains in computation time are desired, subsequently compare the results with a smaller number of neighbors using WAIC or k-fold cross-validation.
<code>search.type</code>	a quoted keyword that specifies the type of nearest neighbor search algorithm. Supported method key words are: "cb" and "brute". The "cb" should generally be much faster. If locations do not have identical coordinate values on the axis used for the nearest neighbor ordering then "cb" and "brute" should produce identical neighbor sets. However, if there are identical coordinate values

	on the axis used for nearest neighbor ordering, then "cb" and "brute" might produce different, but equally valid, neighbor sets, e.g., if data are on a grid.
n.batch	the number of MCMC batches to run for each chain for the Adaptive MCMC sampler. See Roberts and Rosenthal (2009) for details.
batch.length	the length of each MCMC batch to run for the Adaptive MCMC sampler. See Roberts and Rosenthal (2009) for details.
accept.rate	target acceptance rate for Adaptive MCMC. Default is 0.43. See Roberts and Rosenthal (2009) for details.
n.omp.threads	a positive integer indicating the number of threads to use for SMP parallel processing within chains. The package must be compiled for OpenMP support. For most Intel-based machines, we recommend setting n.omp.threads up to the number of hyperthreaded cores. Note, n.omp.threads > 1 might not work on some systems.
verbose	if TRUE, messages about data preparation, model specification, and progress of the sampler are printed to the screen. Otherwise, no messages are printed.
n.report	the interval to report Metropolis sampler acceptance and MCMC progress. Note this is specified in terms of batches and not overall samples for spatial models.
n.burn	the number of samples out of the total n.batch * batch.length samples to discard as burn-in. By default, the first 10% of samples is discarded.
n.thin	the thinning interval for collection of MCMC samples. The thinning occurs after the n.burn samples are discarded. Default value is set to 1.
n.chains	the number of chains to run.
k.fold	specifies the number of k folds for cross-validation. If not specified as an argument, then cross-validation is not performed and k.fold.threads and k.fold.seed are ignored. In k -fold cross-validation, the data specified in data is randomly partitioned into k equal sized subsamples. Of the k subsamples, $k - 1$ subsamples are used to fit the model and the remaining k samples are used for prediction. The cross-validation process is repeated k times (the folds). As a scoring rule, we use the model deviance as described in Hooten and Hobbs (2015). Cross-validation is performed after the full model is fit using all the data. Cross-validation results are reported in the k.fold.deviance object in the return list.
k.fold.threads	number of threads to use for cross-validation. If k.fold.threads > 1 parallel processing is accomplished using the foreach and doParallel packages. Ignored if k.fold is not specified.
k.fold.seed	seed used to split data set into k.fold parts for k-fold cross-validation. Ignored if k.fold is not specified.
k.fold.data	an integer specifying the specific data set to hold out values from. If not specified, data from all data set locations will be incorporated into the k-fold cross-validation.
k.fold.only	a logical value indicating whether to only perform cross-validation (TRUE) or perform cross-validation after fitting the full model (FALSE). Default value is FALSE.
...	currently no additional arguments

Value

An object of class `spIntPGOcc` that is a list comprised of:

<code>beta.samples</code>	a coda object of posterior samples for the occurrence regression coefficients.
<code>alpha.samples</code>	a coda object of posterior samples for the detection regression coefficients for all data sources.
<code>z.samples</code>	a coda object of posterior samples for the latent occurrence values
<code>psi.samples</code>	a coda object of posterior samples for the latent occurrence probability values
<code>theta.samples</code>	a coda object of posterior samples for covariance parameters.
<code>w.samples</code>	a coda object of posterior samples for latent spatial random effects.
<code>rhat</code>	a list of Gelman-Rubin diagnostic values for some of the model parameters.
<code>ESS</code>	a list of effective sample sizes for some of the model parameters.
<code>run.time</code>	execution time reported using <code>proc.time()</code> .
<code>k.fold.deviance</code>	scoring rule (deviance) from k-fold cross-validation. A separate deviance value is returned for each data source. Only included if <code>k.fold</code> is specified in function call. Only a single value is returned if <code>k.fold.data</code> is specified.

The return object will include additional objects used for subsequent prediction and/or model fit evaluation. Note that detection probability estimated values are not included in the model object, but can be extracted using `fitted()`.

Note

Some of the underlying code used for generating random numbers from the Polya-Gamma distribution is taken from the **pgdraw** package written by Daniel F. Schmidt and Enes Makalic. Their code implements Algorithm 6 in PhD thesis of Jesse Bennett Windle (2013) <https://repositories.lib.utexas.edu/handle/2152/21842>.

Author(s)

Jeffrey W. Doser <doserjef@msu.edu>,
Andrew O. Finley <finleya@msu.edu>

References

- Datta, A., S. Banerjee, A.O. Finley, and A.E. Gelfand. (2016) Hierarchical Nearest-Neighbor Gaussian process models for large geostatistical datasets. *Journal of the American Statistical Association*, doi:10.1080/01621459.2015.1044091.
- Finley, A.O., A. Datta, B.D. Cook, D.C. Morton, H.E. Andersen, and S. Banerjee. (2019) Efficient algorithms for Bayesian Nearest Neighbor Gaussian Processes. *Journal of Computational and Graphical Statistics*, doi:10.1080/10618600.2018.1537924.
- Finley, A. O., Datta, A., and Banerjee, S. (2020). spNNGP R package for nearest neighbor Gaussian process models. *arXiv preprint arXiv:2001.09111*.
- Hooten, M. B., and Hobbs, N. T. (2015). A guide to Bayesian model selection for ecologists. *Ecological Monographs*, 85(1), 3-28.

- Hooten, M. B., and Hefley, T. J. (2019). Bringing Bayesian models to life. *CRC Press*.
- Polson, N.G., J.G. Scott, and J. Windle. (2013) Bayesian Inference for Logistic Models Using Polya-Gamma Latent Variables. *Journal of the American Statistical Association*, 108:1339-1349.
- Roberts, G.O. and Rosenthal J.S. (2009) Examples of adaptive MCMC. *Journal of Computational and Graphical Statistics*, 18(2):349-367.

Examples

```
set.seed(400)

# Simulate Data -----
# Number of locations in each direction. This is the total region of interest
# where some sites may or may not have a data source.
J.x <- 8
J.y <- 8
J.all <- J.x * J.y
# Number of data sources.
n.data <- 4
# Sites for each data source.
J.obs <- sample(ceiling(0.2 * J.all):ceiling(0.5 * J.all), n.data, replace = TRUE)
# Replicates for each data source.
n.rep <- list()
for (i in 1:n.data) {
  n.rep[[i]] <- sample(1:4, size = J.obs[i], replace = TRUE)
}
# Occupancy covariates
beta <- c(0.5, 0.5)
p.occ <- length(beta)
# Detection covariates
alpha <- list()
alpha[[1]] <- runif(2, 0, 1)
alpha[[2]] <- runif(3, 0, 1)
alpha[[3]] <- runif(2, -1, 1)
alpha[[4]] <- runif(4, -1, 1)
p.det.long <- sapply(alpha, length)
p.det <- sum(p.det.long)
sigma.sq <- 2
phi <- 3 / .5
sp <- TRUE

# Simulate occupancy data from multiple data sources.
dat <- simInt0cc(n.data = n.data, J.x = J.x, J.y = J.y, J.obs = J.obs,
               n.rep = n.rep, beta = beta, alpha = alpha, sp = sp,
               sigma.sq = sigma.sq, phi = phi, cov.model = 'exponential')

y <- dat$y
X <- dat$X.obs
X.p <- dat$X.p
sites <- dat$sites
X.0 <- dat$X.pred
psi.0 <- dat$psi.pred
coords <- as.matrix(dat$coords.obs)
```

```

coords.0 <- as.matrix(dat$coords.pred)

# Package all data into a list
occ.covs <- X[, 2, drop = FALSE]
colnames(occ.covs) <- c('occ.cov')
det.covs <- list()
# Add covariates one by one
det.covs[[1]] <- list(det.cov.1.1 = X.p[[1]][, , 2])
det.covs[[2]] <- list(det.cov.2.1 = X.p[[2]][, , 2],
                     det.cov.2.2 = X.p[[2]][, , 3])
det.covs[[3]] <- list(det.cov.3.1 = X.p[[3]][, , 2])
det.covs[[4]] <- list(det.cov.4.1 = X.p[[4]][, , 2],
                     det.cov.4.2 = X.p[[4]][, , 3],
                     det.cov.4.3 = X.p[[4]][, , 4])
data.list <- list(y = y,
                 occ.covs = occ.covs,
                 det.covs = det.covs,
                 sites = sites,
                 coords = coords)

J <- length(dat$z.obs)

# Initial values
inits.list <- list(alpha = list(0, 0, 0, 0),
                  beta = 0,
                  phi = 3 / .5,
                  sigma.sq = 2,
                  w = rep(0, J),
                  z = rep(1, J))

# Priors
prior.list <- list(beta.normal = list(mean = 0, var = 2.72),
                  alpha.normal = list(mean = list(0, 0, 0, 0),
                                              var = list(2.72, 2.72, 2.72, 2.72)),
                  phi.unif = c(3/1, 3/.1),
                  sigma.sq.ig = c(2, 2))

# Tuning
tuning.list <- list(phi = 0.3)

# Number of batches
n.batch <- 2
# Batch length
batch.length <- 25

# Note that this is just a test case and more iterations/chains may need to
# be run to ensure convergence.
out <- spIntPGOcc(occ.formula = ~ occ.cov,
                 det.formula = list(f.1 = ~ det.cov.1.1,
                                   f.2 = ~ det.cov.2.1 + det.cov.2.2,
                                   f.3 = ~ det.cov.3.1,
                                   f.4 = ~ det.cov.4.1 + det.cov.4.2 + det.cov.4.3),
                 data = data.list,
                 inits = inits.list,
                 n.batch = n.batch,

```

```

      batch.length = batch.length,
      accept.rate = 0.43,
      priors = prior.list,
      cov.model = "exponential",
      tuning = tuning.list,
      n.omp.threads = 1,
      verbose = TRUE,
      NNGP = FALSE,
      n.report = 10,
      n.burn = 10,
      n.thin = 1)

summary(out)

```

spMsPGOcc

*Function for Fitting Multi-Species Spatial Occupancy Models Using
Polya-Gamma Latent Variables*

Description

The function `spMsPGOcc` fits multi-species spatial occupancy models using Polya-Gamma latent variables. Models can be fit using either a full Gaussian process or a Nearest Neighbor Gaussian Process for large data sets.

Usage

```

spMsPGOcc(occ.formula, det.formula, data, inits, priors, tuning,
  cov.model = 'exponential', NNGP = TRUE,
  n.neighbors = 15, search.type = 'cb', n.batch,
  batch.length, accept.rate = 0.43, n.omp.threads = 1,
  verbose = TRUE, n.report = 100,
  n.burn = round(.10 * n.batch * batch.length), n.thin = 1,
  n.chains = 1, k.fold, k.fold.threads = 1, k.fold.seed,
  k.fold.only = FALSE, ...)

```

Arguments

<code>occ.formula</code>	a symbolic description of the model to be fit for the occurrence portion of the model using R's model syntax. Only right-hand side of formula is specified. See example below. Random intercepts are allowed using lme4 syntax (Bates et al. 2015).
<code>det.formula</code>	a symbolic description of the model to be fit for the detection portion of the model using R's model syntax. Only right-hand side of formula is specified. See example below. Random intercepts are allowed using lme4 syntax (Bates et al. 2015).
<code>data</code>	a list containing data necessary for model fitting. Valid tags are <code>y</code> , <code>occ.covs</code> , <code>det.covs</code> , <code>coords</code> . <code>y</code> is a three-dimensional array with first dimension equal to

the number of species, second dimension equal to the number of sites, and third dimension equal to the maximum number of replicates at a given site. `occ.covs` is a matrix or data frame containing the variables used in the occurrence portion of the model, with J rows for each column (variable). `det.covs` is a list of variables included in the detection portion of the model. Each list element is a different detection covariate, which can be site-level or observational-level. Site-level covariates are specified as a vector of length J while observation-level covariates are specified as a matrix or data frame with the number of rows equal to J and number of columns equal to the maximum number of replicates at a given site. `coords` is a $J \times 2$ matrix of the observation coordinates. Note that `spOccupancy` assumes coordinates are specified in a projected coordinate system.

<code>inits</code>	a list with each tag corresponding to a parameter name. Valid tags are <code>alpha.comm</code> , <code>beta.comm</code> , <code>beta</code> , <code>alpha</code> , <code>tau.sq.beta</code> , <code>tau.sq.alpha</code> , <code>sigma.sq.psi</code> , <code>sigma.sq.p</code> , <code>z</code> , <code>sigma.sq</code> , <code>phi</code> , <code>w</code> , and <code>nu</code> . <code>nu</code> is only specified if <code>cov.model = "matern"</code> , <code>sigma.sq.psi</code> is only specified if there are random intercepts in <code>occ.formula</code> , and <code>sigma.sq.p</code> is only specified if there are random intercepts in <code>det.formula</code> . The value portion of each tag is the parameter's initial value. See <code>priors</code> description for definition of each parameter name. Additionally, the tag <code>fix</code> can be set to <code>TRUE</code> to fix the starting values across all chains. If <code>fix</code> is not specified (the default), starting values are varied randomly across chains.
<code>priors</code>	a list with each tag corresponding to a parameter name. Valid tags are <code>beta.comm.normal</code> , <code>alpha.comm.normal</code> , <code>tau.sq.beta.ig</code> , <code>tau.sq.alpha.ig</code> , <code>phi.unif</code> , <code>sigma.sq.ig</code> , <code>sigma.sq.unif</code> , <code>nu.unif</code> , <code>sigma.sq.psi</code> , <code>sigma.sq.p</code> . Community-level occurrence (<code>beta.comm</code>) and detection (<code>alpha.comm</code>) regression coefficients are assumed to follow a normal distribution. The hyperparameters of the normal distribution are passed as a list of length two with the first and second elements corresponding to the mean and variance of the normal distribution, which are each specified as vectors of length equal to the number of coefficients to be estimated or of length one if priors are the same for all coefficients. If not specified, prior means are set to 0 and prior variances set to 2.73. Community-level variance parameters for occupancy (<code>tau.sq.beta</code>) and detection (<code>tau.sq.alpha</code>) are assumed to follow an inverse Gamma distribution. The hyperparameters of the inverse gamma distribution are passed as a list of length two with the first and second elements corresponding to the shape and scale parameters, which are each specified as vectors of length equal to the number of coefficients to be estimated or a single value if priors are the same for all parameters. If not specified, prior shape and scale parameters are set to 0.1. The species-specific spatial variance parameter, <code>sigma.sq</code> , is assumed to follow an inverse-Gamma distribution or a uniform distribution (default is inverse-Gamma). <code>sigma.sq</code> of all species can also be fixed at its initial value by setting the prior value to <code>"fixed"</code> . The spatial decay <code>phi</code> and smoothness <code>nu</code> parameters are assumed to follow Uniform distributions. The hyperparameters of the inverse-Gamma are passed as a list of length two, with the list elements being vectors of length N corresponding to the species-specific shape and scale parameters, respectively, or a single value if the same value is assigned for all species. The hyperparameters of the Uniform are also passed as a list with two elements, with both elements being vectors of length N corresponding to the lower and upper support, respectively,

or as a single value if the same value is assigned for all species. `sigma.sq.psi` and `sigma.sq.p` are the random effect variances for any occurrence or detection random effects, respectively, and are assumed to follow an inverse Gamma distribution. The hyperparameters of the inverse-Gamma distribution are passed as a list of length two with first and second elements corresponding to the shape and scale parameters, respectively, which are each specified as vectors of length equal to the number of random intercepts or of length one if priors are the same for all random effect variances.

tuning	a list with each tag corresponding to a parameter name. Valid tags are <code>phi</code> and <code>nu</code> . The value portion of each tag defines the initial variance of the adaptive sampler. We assume the initial variance of the adaptive sampler is the same for each species, although the adaptive sampler will adjust the tuning variances separately for each species. See Roberts and Rosenthal (2009) for details.
cov.model	a quoted keyword that specifies the covariance function used to model the spatial dependence structure among the observations. Supported covariance model key words are: "exponential", "matern", "spherical", and "gaussian".
NNGP	if TRUE, model is fit with an NNGP. If FALSE, a full Gaussian process is used. See Datta et al. (2016) and Finley et al. (2019) for more information.
n.neighbors	number of neighbors used in the NNGP. Only used if NNGP = TRUE. Datta et al. (2016) showed that 15 neighbors is usually sufficient, but that as few as 5 neighbors can be adequate for certain data sets, which can lead to even greater decreases in run time. We recommend starting with 15 neighbors (the default) and if additional gains in computation time are desired, subsequently compare the results with a smaller number of neighbors using WAIC or k-fold cross-validation.
search.type	a quoted keyword that specifies the type of nearest neighbor search algorithm. Supported method key words are: "cb" and "brute". The "cb" should generally be much faster. If locations do not have identical coordinate values on the axis used for the nearest neighbor ordering then "cb" and "brute" should produce identical neighbor sets. However, if there are identical coordinate values on the axis used for nearest neighbor ordering, then "cb" and "brute" might produce different, but equally valid, neighbor sets, e.g., if data are on a grid.
n.batch	the number of MCMC batches in each chain to run for the Adaptive MCMC sampler. See Roberts and Rosenthal (2009) for details.
batch.length	the length of each MCMC batch to run for the Adaptive MCMC sampler. See Roberts and Rosenthal (2009) for details.
accept.rate	target acceptance rate for Adaptive MCMC. Default is 0.43. See Roberts and Rosenthal (2009) for details.
n.omp.threads	a positive integer indicating the number of threads to use for SMP parallel processing within chains. The package must be compiled for OpenMP support. For most Intel-based machines, we recommend setting <code>n.omp.threads</code> up to the number of hyperthreaded cores. Note, <code>n.omp.threads > 1</code> might not work on some systems.
verbose	if TRUE, messages about data preparation, model specification, and progress of the sampler are printed to the screen. Otherwise, no messages are printed.

n.report	the interval to report Metropolis sampler acceptance and MCMC progress. Note this is specified in terms of batches and not overall samples for spatial models.
n.burn	the number of samples out of the total n.samples to discard as burn-in for each chain. By default, the first 10% of samples is discarded.
n.thin	the thinning interval for collection of MCMC samples. The thinning occurs after the n.burn samples are discarded. Default value is set to 1.
n.chains	the number of chains to run in sequence.
k.fold	specifies the number of k folds for cross-validation. If not specified as an argument, then cross-validation is not performed and k.fold.threads and k.fold.seed are ignored. In k -fold cross-validation, the data specified in data is randomly partitioned into k equal sized subsamples. Of the k subsamples, $k - 1$ subsamples are used to fit the model and the remaining k samples are used for prediction. The cross-validation process is repeated k times (the folds). As a scoring rule, we use the model deviance as described in Hooten and Hobbs (2015). Cross-validation is performed after the full model is fit using all the data. Cross-validation results are reported in the k.fold.deviance object in the return list.
k.fold.threads	number of threads to use for cross-validation. If k.fold.threads > 1 parallel processing is accomplished using the foreach and doParallel packages. Ignored if k.fold is not specified.
k.fold.seed	seed used to split data set into k.fold parts for k-fold cross-validation. Ignored if k.fold is not specified.
k.fold.only	a logical value indicating whether to only perform cross-validation (TRUE) or perform cross-validation after fitting the full model (FALSE). Default value is FALSE.
...	currently no additional arguments

Value

An object of class spMsPGOcc that is a list comprised of:

beta.comm.samples	a coda object of posterior samples for the community level occurrence regression coefficients.
alpha.comm.samples	a coda object of posterior samples for the community level detection regression coefficients.
tau.sq.beta.samples	a coda object of posterior samples for the occurrence community variance parameters.
tau.sq.alpha.samples	a coda object of posterior samples for the detection community variance parameters.
beta.samples	a coda object of posterior samples for the species level occurrence regression coefficients.
alpha.samples	a coda object of posterior samples for the species level detection regression coefficients.

<code>theta.samples</code>	a coda object of posterior samples for the species level covariance parameters.
<code>z.samples</code>	a three-dimensional array of posterior samples for the latent occurrence values for each species.
<code>psi.samples</code>	a three-dimensional array of posterior samples for the latent occupancy probability values for each species.
<code>w.samples</code>	a three-dimensional array of posterior samples for the latent spatial random effects for each species.
<code>sigma.sq.psi.samples</code>	a coda object of posterior samples for variances of random intercepts included in the occurrence portion of the model. Only included if random intercepts are specified in <code>occ.formula</code> .
<code>sigma.sq.p.samples</code>	a coda object of posterior samples for variances of random intercepts included in the detection portion of the model. Only included if random intercepts are specified in <code>det.formula</code> .
<code>alpha.star.samples</code>	a coda object of posterior samples for the detection random effects. Only included if random intercepts are specified in <code>det.formula</code> .
<code>beta.star.samples</code>	a coda object of posterior samples for the occurrence random effects. Only included if random intercepts are specified in <code>occ.formula</code> .
<code>like.samples</code>	a three-dimensional array of posterior samples for the likelihood value associated with each site and species. Used for calculating WAIC.
<code>rhat</code>	a list of Gelman-Rubin diagnostic values for some of the model parameters.
<code>ESS</code>	a list of effective sample sizes for some of the model parameters.
<code>run.time</code>	MCMC sampler execution time reported using <code>proc.time()</code> .
<code>k.fold.deviance</code>	vector of scoring rules (deviance) from k-fold cross-validation. A separate value is reported for each species. Only included if <code>k.fold</code> is specified in function call.

The return object will include additional objects used for subsequent prediction and/or model fit evaluation. Note that detection probability estimated values are not included in the model object, but can be extracted using `fitted()`.

Note

Some of the underlying code used for generating random numbers from the Polya-Gamma distribution is taken from the **pgdraw** package written by Daniel F. Schmidt and Enes Makalic. Their code implements Algorithm 6 in PhD thesis of Jesse Bennett Windle (2013) <https://repositories.lib.utexas.edu/handle/2152/21842>.

Author(s)

Jeffrey W. Doser <doserjef@msu.edu>,
Andrew O. Finley <finleya@msu.edu>

References

- Datta, A., S. Banerjee, A.O. Finley, and A.E. Gelfand. (2016) Hierarchical Nearest-Neighbor Gaussian process models for large geostatistical datasets. *Journal of the American Statistical Association*, doi:10.1080/01621459.2015.1044091.
- Finley, A.O., A. Datta, B.D. Cook, D.C. Morton, H.E. Andersen, and S. Banerjee. (2019) Efficient algorithms for Bayesian Nearest Neighbor Gaussian Processes. *Journal of Computational and Graphical Statistics*, doi:10.1080/10618600.2018.1537924.
- Finley, A. O., Datta, A., and Banerjee, S. (2020). spNNGP R package for nearest neighbor Gaussian process models. *arXiv preprint arXiv:2001.09111*.
- Polson, N.G., J.G. Scott, and J. Windle. (2013) Bayesian Inference for Logistic Models Using Polya-Gamma Latent Variables. *Journal of the American Statistical Association*, 108:1339-1349.
- Roberts, G.O. and Rosenthal J.S. (2009) Examples of adaptive MCMC. *Journal of Computational and Graphical Statistics*, 18(2):349-367.
- Bates, Douglas, Martin Maechler, Ben Bolker, Steve Walker (2015). Fitting Linear Mixed-Effects Models Using lme4. *Journal of Statistical Software*, 67(1), 1-48. doi:10.18637/jss.v067.i01.
- Hooten, M. B., and Hobbs, N. T. (2015). A guide to Bayesian model selection for ecologists. *Ecological Monographs*, 85(1), 3-28.

Examples

```
set.seed(400)

# Simulate Data -----
J.x <- 7
J.y <- 7
J <- J.x * J.y
n.rep <- sample(2:4, size = J, replace = TRUE)
N <- 5
# Community-level covariate effects
# Occurrence
beta.mean <- c(0.2, -0.15)
p.occ <- length(beta.mean)
tau.sq.beta <- c(0.6, 0.3)
# Detection
alpha.mean <- c(0.5, 0.2, -.2)
tau.sq.alpha <- c(0.2, 0.3, 0.8)
p.det <- length(alpha.mean)
# Draw species-level effects from community means.
beta <- matrix(NA, nrow = N, ncol = p.occ)
alpha <- matrix(NA, nrow = N, ncol = p.det)
for (i in 1:p.occ) {
  beta[, i] <- rnorm(N, beta.mean[i], sqrt(tau.sq.beta[i]))
}
for (i in 1:p.det) {
  alpha[, i] <- rnorm(N, alpha.mean[i], sqrt(tau.sq.alpha[i]))
}
phi <- runif(N, 3/1, 3/.4)
sigma.sq <- runif(N, 0.3, 3)
sp <- TRUE
```

```

dat <- simMsOcc(J.x = J.x, J.y = J.y, n.rep = n.rep, N = N, beta = beta, alpha = alpha,
               phi = phi, sigma.sq = sigma.sq, sp = TRUE, cov.model = 'exponential')

# Number of batches
n.batch <- 30
# Batch length
batch.length <- 25
n.samples <- n.batch * batch.length

y <- dat$y
X <- dat$X
X.p <- dat$X.p
coords <- as.matrix(dat$coords)

# Package all data into a list
occ.covs <- X[, 2, drop = FALSE]
colnames(occ.covs) <- c('occ.cov')
det.covs <- list(det.cov.1 = X.p[, , 2],
                 det.cov.2 = X.p[, , 3])
data.list <- list(y = y,
                 occ.covs = occ.covs,
                 det.covs = det.covs,
                 coords = coords)

# Priors
prior.list <- list(beta.comm.normal = list(mean = 0, var = 2.72),
                  alpha.comm.normal = list(mean = 0, var = 2.72),
                  tau.sq.beta.ig = list(a = 0.1, b = 0.1),
                  tau.sq.alpha.ig = list(a = 0.1, b = 0.1),
                  phi.unif = list(a = 3/1, b = 3/.1),
                  sigma.sq.ig = list(a = 2, b = 2))

# Initial values
inits.list <- list(alpha.comm = 0,
                  beta.comm = 0,
                  beta = 0,
                  alpha = 0,
                  tau.sq.beta = 1,
                  tau.sq.alpha = 1,
                  phi = 3 / .5,
                  sigma.sq = 2,
                  w = matrix(0, nrow = N, ncol = nrow(X)),
                  z = apply(y, c(1, 2), max, na.rm = TRUE))

# Tuning
tuning.list <- list(phi = 1)

# Note that this is just a test case and more iterations/chains may need to
# be run to ensure convergence.
out <- spMsPGOcc(occ.formula = ~ occ.cov,
                det.formula = ~ det.cov.1 + det.cov.2,
                data = data.list,
                inits = inits.list,
                n.batch = n.batch,
                batch.length = batch.length,

```

```

accept.rate = 0.43,
priors = prior.list,
cov.model = "exponential",
tuning = tuning.list,
n.omp.threads = 1,
verbose = TRUE,
NNGP = TRUE,
n.neighbors = 5,
search.type = 'cb',
n.report = 10,
n.burn = 500,
n.thin = 1,
n.chains = 1)

summary(out, level = 'both')

```

spPGOcc

*Function for Fitting Single-Species Spatial Occupancy Models Using
Polya-Gamma Latent Variables*

Description

The function spPGOcc fits single-species spatial occupancy models using Polya-Gamma latent variables. Models can be fit using either a full Gaussian process or a Nearest Neighbor Gaussian Process for large data sets.

Usage

```

spPGOcc(occ.formula, det.formula, data, inits, priors,
        tuning, cov.model = "exponential", NNGP = TRUE,
        n.neighbors = 15, search.type = "cb", n.batch,
        batch.length, accept.rate = 0.43,
        n.omp.threads = 1, verbose = TRUE, n.report = 100,
        n.burn = round(.10 * n.batch * batch.length),
        n.thin = 1, n.chains = 1,
        k.fold, k.fold.threads = 1, k.fold.seed = 100,
        k.fold.only = FALSE, ...)

```

Arguments

occ.formula	a symbolic description of the model to be fit for the occurrence portion of the model using R's model syntax. Only right-hand side of formula is specified. See example below. Random intercepts are allowed using lme4 syntax (Bates et al. 2015).
det.formula	a symbolic description of the model to be fit for the detection portion of the model using R's model syntax. Only right-hand side of formula is specified. See example below. Random intercepts are allowed using lme4 syntax (Bates et al. 2015).

data	<p>a list containing data necessary for model fitting. Valid tags are <code>y</code>, <code>occ.covs</code>, <code>det.covs</code>, <code>coords</code>, and <code>grid.index</code>. <code>y</code> is the detection-nondetection data matrix or data frame with first dimension equal to the number of sites (J) and second dimension equal to the maximum number of replicates at a given site. <code>occ.covs</code> is a matrix or data frame containing the variables used in the occupancy portion of the model, with J rows for each column (variable). <code>det.covs</code> is a list of variables included in the detection portion of the model. Each list element is a different detection covariate, which can be site-level or observational-level. Site-level covariates are specified as a vector of length J while observation-level covariates are specified as a matrix or data frame with the number of rows equal to J and number of columns equal to the maximum number of replicates at a given site. <code>coords</code> is a matrix of the observation coordinates used to estimate the spatial random effect for each site. <code>coords</code> has two columns for the easting and northing coordinate, respectively. Typically, each site in the data set will have its own coordinate, such that <code>coords</code> is a $J \times 2$ matrix and <code>grid.index</code> should not be specified. If you desire to estimate spatial random effects at some larger spatial level, e.g., if points fall within grid cells and you want to estimate a spatial random effect for each grid cell instead of each point, <code>coords</code> can be specified as the coordinate for each grid cell. In such a case, <code>grid.index</code> is an indexing vector of length J, where each value of <code>grid.index</code> indicates the corresponding row in <code>coords</code> that the given site corresponds to. Note that <code>spOccupancy</code> assumes coordinates are specified in a projected coordinate system.</p>
inits	<p>a list with each tag corresponding to a parameter name. Valid tags are <code>z</code>, <code>beta</code>, <code>alpha</code>, <code>sigma.sq</code>, <code>phi</code>, <code>w</code>, <code>nu</code>, <code>sigma.sq.psi</code>, <code>sigma.sq.p</code>. <code>nu</code> is only specified if <code>cov.model = "matern"</code>, <code>sigma.sq.p</code> is only specified if there are random effects in <code>det.formula</code>, and <code>sigma.sq.psi</code> is only specified if there are random effects in <code>occ.formula</code>. The value portion of each tag is the parameter's initial value. See <code>priors</code> description for definition of each parameter name. Additionally, the tag <code>fix</code> can be set to <code>TRUE</code> to fix the starting values across all chains. If <code>fix</code> is not specified (the default), starting values are varied randomly across chains.</p>
priors	<p>a list with each tag corresponding to a parameter name. Valid tags are <code>beta.normal</code>, <code>alpha.normal</code>, <code>phi.unif</code>, <code>sigma.sq.ig</code>, <code>sigma.sq.unif</code>, <code>nu.unif</code>, <code>sigma.sq.psi.ig</code>, and <code>sigma.sq.p.ig</code>. Occurrence (<code>beta</code>) and detection (<code>alpha</code>) regression coefficients are assumed to follow a normal distribution. The hyperparameters of the normal distribution are passed as a list of length two with the first and second elements corresponding to the mean and variance of the normal distribution, which are each specified as vectors of length equal to the number of coefficients to be estimated or of length one if priors are the same for all coefficients. If not specified, prior means are set to 0 and prior variances set to 2.73. The spatial variance parameter, <code>sigma.sq</code>, is assumed to follow an inverse-Gamma distribution or a uniform distribution (default is inverse-Gamma). <code>sigma.sq</code> can also be fixed at its initial value by setting the prior value to <code>"fixed"</code>. The spatial decay <code>phi</code> and smoothness <code>nu</code> parameters are assumed to follow Uniform distributions. The hyperparameters of the inverse-Gamma for <code>sigma.sq</code> are passed as a vector of length two, with the first and second elements corresponding to the <i>shape</i> and <i>scale</i>, respectively. The hyperparameters of the Uniform are also</p>

passed as a vector of length two with the first and second elements corresponding to the lower and upper support, respectively. `sigma.sq.psi` and `sigma.sq.p` are the random effect variances for any occurrence or detection random effects, respectively, and are assumed to follow an inverse-Gamma distribution. The hyperparameters of the inverse-Gamma distribution are passed as a list of length two with the first and second elements corresponding to the shape and scale parameters, respectively, which are each specified as vectors of length equal to the number of random intercepts or of length one if priors are the same for all random effect variances.

<code>cov.model</code>	a quoted keyword that specifies the covariance function used to model the spatial dependence structure among the observations. Supported covariance model key words are: "exponential", "matern", "spherical", and "gaussian".
<code>tuning</code>	a list with each tag corresponding to a parameter name. Valid tags are <code>phi</code> and <code>nu</code> . The value portion of each tag defines the initial variance of the Adaptive sampler. See Roberts and Rosenthal (2009) for details.
<code>NNGP</code>	if TRUE, model is fit with an NNGP. If FALSE, a full Gaussian process is used. See Datta et al. (2016) and Finley et al. (2019) for more information.
<code>n.neighbors</code>	number of neighbors used in the NNGP. Only used if <code>NNGP = TRUE</code> . Datta et al. (2016) showed that 15 neighbors is usually sufficient, but that as few as 5 neighbors can be adequate for certain data sets, which can lead to even greater decreases in run time. We recommend starting with 15 neighbors (the default) and if additional gains in computation time are desired, subsequently compare the results with a smaller number of neighbors using WAIC or k-fold cross-validation.
<code>search.type</code>	a quoted keyword that specifies the type of nearest neighbor search algorithm. Supported method key words are: "cb" and "brute". The "cb" should generally be much faster. If locations do not have identical coordinate values on the axis used for the nearest neighbor ordering then "cb" and "brute" should produce identical neighbor sets. However, if there are identical coordinate values on the axis used for nearest neighbor ordering, then "cb" and "brute" might produce different, but equally valid, neighbor sets, e.g., if data are on a grid.
<code>n.batch</code>	the number of MCMC batches in each chain to run for the Adaptive MCMC sampler. See Roberts and Rosenthal (2009) for details.
<code>batch.length</code>	the length of each MCMC batch in each chain to run for the Adaptive MCMC sampler. See Roberts and Rosenthal (2009) for details.
<code>accept.rate</code>	target acceptance rate for Adaptive MCMC. Default is 0.43. See Roberts and Rosenthal (2009) for details.
<code>n.omp.threads</code>	a positive integer indicating the number of threads to use for SMP parallel processing within-chains. The package must be compiled for OpenMP support. For most Intel-based machines, we recommend setting <code>n.omp.threads</code> up to the number of hyperthreaded cores. Note, <code>n.omp.threads > 1</code> might not work on some systems.
<code>verbose</code>	if TRUE, messages about data preparation, model specification, and progress of the sampler are printed to the screen. Otherwise, no messages are printed.
<code>n.report</code>	the interval to report Metropolis sampler acceptance and MCMC progress.

n.burn	the number of samples out of the total <code>n.batch * batch.length</code> samples in each chain to discard as burn-in. By default, the first 10% of samples is discarded.
n.thin	the thinning interval for collection of MCMC samples. The thinning occurs after the <code>n.burn</code> samples are discarded. Default value is set to 1.
n.chains	the number of MCMC chains to run.
k.fold	specifies the number of k folds for cross-validation. If not specified as an argument, then cross-validation is not performed and <code>k.fold.threads</code> and <code>k.fold.seed</code> are ignored. In k -fold cross-validation, the data specified in <code>data</code> is randomly partitioned into k equal sized subsamples. Of the k subsamples, $k - 1$ subsamples are used to fit the model and the remaining k samples are used for prediction. The cross-validation process is repeated k times (the folds). As a scoring rule, we use the model deviance as described in Hooten and Hobbs (2015). Cross-validation is performed after the full model is fit using all the data. Cross-validation results are reported in the <code>k.fold.deviance</code> object in the return list.
k.fold.threads	number of threads to use for cross-validation. If <code>k.fold.threads</code> > 1 parallel processing is accomplished using the foreach and doParallel packages. Ignored if <code>k.fold</code> is not specified.
k.fold.seed	seed used to split data set into <code>k.fold</code> parts for k -fold cross-validation. Ignored if <code>k.fold</code> is not specified.
k.fold.only	a logical value indicating whether to only perform cross-validation (TRUE) or perform cross-validation after fitting the full model (FALSE). Default value is FALSE.
...	currently no additional arguments

Value

An object of class `spPGOcc` that is a list comprised of:

<code>beta.samples</code>	a coda object of posterior samples for the occurrence regression coefficients.
<code>alpha.samples</code>	a coda object of posterior samples for the detection regression coefficients.
<code>z.samples</code>	a coda object of posterior samples for the latent occurrence values
<code>psi.samples</code>	a coda object of posterior samples for the latent occurrence probability values
<code>theta.samples</code>	a coda object of posterior samples for covariance parameters.
<code>w.samples</code>	a coda object of posterior samples for latent spatial random effects.
<code>sigma.sq.psi.samples</code>	a coda object of posterior samples for variances of random intercepts included in the occupancy portion of the model. Only included if random intercepts are specified in <code>occ.formula</code> .
<code>sigma.sq.p.samples</code>	a coda object of posterior samples for variances of random intercepts included in the detection portion of the model. Only included if random intercepts are specified in <code>det.formula</code> .
<code>beta.star.samples</code>	a coda object of posterior samples for the occurrence random effects. Only included if random intercepts are specified in <code>occ.formula</code> .

<code>alpha.star.samples</code>	a coda object of posterior samples for the detection random effects. Only included if random intercepts are specified in <code>det.formula</code> .
<code>like.samples</code>	a coda object of posterior samples for the likelihood value associated with each site. Used for calculating WAIC.
<code>rhat</code>	a list of Gelman-Rubin diagnostic values for some of the model parameters.
<code>ESS</code>	a list of effective sample sizes for some of the model parameters.
<code>run.time</code>	execution time reported using <code>proc.time()</code> .
<code>k.fold.deviance</code>	scoring rule (deviance) from k-fold cross-validation. Only included if <code>k.fold</code> is specified in function call.

The return object will include additional objects used for subsequent prediction and/or model fit evaluation. Note that detection probability values are not included in the model object, but can be extracted using `fitted()`.

Author(s)

Jeffrey W. Doser <doserjef@msu.edu>,
Andrew O. Finley <finleya@msu.edu>

References

- Bates, Douglas, Martin Maechler, Ben Bolker, Steve Walker (2015). Fitting Linear Mixed-Effects Models Using lme4. *Journal of Statistical Software*, 67(1), 1-48. doi:10.18637/jss.v067.i01.
- Datta, A., S. Banerjee, A.O. Finley, and A.E. Gelfand. (2016) Hierarchical Nearest-Neighbor Gaussian process models for large geostatistical datasets. *Journal of the American Statistical Association*, doi:10.1080/01621459.2015.1044091.
- Finley, A.O., A. Datta, B.D. Cook, D.C. Morton, H.E. Andersen, and S. Banerjee. (2019) Efficient algorithms for Bayesian Nearest Neighbor Gaussian Processes. *Journal of Computational and Graphical Statistics*, doi:10.1080/10618600.2018.1537924.
- Finley, A. O., Datta, A., and Banerjee, S. (2020). spNNGP R package for nearest neighbor Gaussian process models. *arXiv preprint arXiv:2001.09111*.
- Hooten, M. B., and Hobbs, N. T. (2015). A guide to Bayesian model selection for ecologists. *Ecological Monographs*, 85(1), 3-28.
- Hooten, M. B., and Hefley, T. J. (2019). Bringing Bayesian models to life. *CRC Press*.
- Polson, N.G., J.G. Scott, and J. Windle. (2013) Bayesian Inference for Logistic Models Using Polya-Gamma Latent Variables. *Journal of the American Statistical Association*, 108:1339-1349.
- Roberts, G.O. and Rosenthal J.S. (2009) Examples of adaptive MCMC. *Journal of Computational and Graphical Statistics*, 18(2):349-367.

Examples

```
set.seed(350)
# Simulate Data -----
J.x <- 8
```



```

J.y <- 8
J <- J.x * J.y
n.rep <- sample(2:4, J, replace = TRUE)
beta <- c(0.5, -0.15)
p.occ <- length(beta)
alpha <- c(0.7, 0.4, -0.2)
p.det <- length(alpha)
phi <- 3 / .6
sigma.sq <- 2
dat <- simOcc(J.x = J.x, J.y = J.y, n.rep = n.rep, beta = beta, alpha = alpha,
             sigma.sq = sigma.sq, phi = phi, sp = TRUE, cov.model = 'exponential')
y <- dat$y
X <- dat$X
X.p <- dat$X.p
coords <- as.matrix(dat$coords)

# Package all data into a list
occ.covs <- X[, -1, drop = FALSE]
colnames(occ.covs) <- c('occ.cov')
det.covs <- list(det.cov.1 = X.p[, , 2],
                 det.cov.2 = X.p[, , 3])
data.list <- list(y = y,
                 occ.covs = occ.covs,
                 det.covs = det.covs,
                 coords = coords)

# Number of batches
n.batch <- 10
# Batch length
batch.length <- 25
n.iter <- n.batch * batch.length
# Priors
prior.list <- list(beta.normal = list(mean = 0, var = 2.72),
                  alpha.normal = list(mean = 0, var = 2.72),
                  sigma.sq.ig = c(2, 2),
                  phi.unif = c(3/1, 3/.1))

# Initial values
inits.list <- list(alpha = 0, beta = 0,
                  phi = 3 / .5,
                  sigma.sq = 2,
                  w = rep(0, nrow(X)),
                  z = apply(y, 1, max, na.rm = TRUE))

# Tuning
tuning.list <- list(phi = 1)

# Note that this is just a test case and more iterations/chains may need to
# be run to ensure convergence.
out <- spPGOcc(occ.formula = ~ occ.cov,
              det.formula = ~ det.cov.1 + det.cov.2,
              data = data.list,
              inits = inits.list,
              n.batch = n.batch,
              batch.length = batch.length,

```

```

      priors = prior.list,
      cov.model = "exponential",
      tuning = tuning.list,
      NNGP = FALSE,
      n.neighbors = 5,
      search.type = 'cb',
      n.report = 10,
      n.burn = 50,
      n.chains = 1)

summary(out)

```

stIntPGOcc

Function for Fitting Multi-Season Single-Species Spatial Integrated Occupancy Models Using Polya-Gamma Latent Variables

Description

Function for fitting single-species multi-season spatial integrated occupancy models using Polya-Gamma latent variables. Data integration is done using a joint likelihood framework, assuming distinct detection models for each data source that are each conditional on a single latent occurrence process. Models are fit using Nearest Neighbor Gaussian Processes.

Usage

```

stIntPGOcc(occ.formula, det.formula, data, inits, priors, tuning,
  cov.model = 'exponential', NNGP = TRUE, n.neighbors = 15,
  search.type = 'cb', n.batch, batch.length, accept.rate = 0.43,
  n.omp.threads = 1, verbose = TRUE, ar1 = FALSE, n.report = 100,
  n.burn = round(.10 * n.batch * batch.length), n.thin = 1, n.chains = 1, ...)

```

Arguments

occ.formula	a symbolic description of the model to be fit for the occurrence portion of the model using R's model syntax. Only right-hand side of formula is specified. See example below. Random intercepts are allowed using lme4 syntax (Bates et al. 2015).
det.formula	a list of symbolic descriptions of the models to be fit for the detection portion of the model using R's model syntax for each data set. Each element in the list is a formula for the detection model of a given data set. Only right-hand side of formula is specified. See example below. Random intercepts are allowed using lme4 syntax (Bates et al. 2015).
data	a list containing data necessary for model fitting. Valid tags are y, occ.covs, det.covs, sites, seasons, and coords. y is a list of three-dimensional arrays with first dimensional equal to the number of sites surveyed in that data set, second dimension equal to the number of primary time periods (i.e., years or seasons), and third dimension equal to the maximum number of replicate surveys at a site within a given season. occ.covs is a list of variables included in

the occurrence portion of the model. Each list element is a different occurrence covariate, which can be site level or site/primary time period level. Site-level covariates are specified as a vector of length J while site/primary time period level covariates are specified as a matrix with rows corresponding to sites and columns corresponding to primary time periods. `det.covs` is a list of variables included in the detection portion of the model for each data source. `det.covs` should have the same number of elements as `y`, where each element is itself a list. Each element of the list for a given data source is a different detection covariate, which can be site-level, site-season-level, or observation-level. Site-level covariates and site/primary time period level covariates are specified in the same manner as `occ.covs`. Observation-level covariates are specified as a three-dimensional array with first dimension corresponding to sites, second dimension corresponding to primary time period, and third dimension corresponding to replicate. `sites` is a list of site indices with number of elements equal to the number of data sources being modeled. Each element contains a vector of length equal to the number of sites that specific data source contains. Each value in the vector indicates the corresponding site in `occ.covs` covariates that corresponds with the specific row of the detection-nondetection data for the data source. This is used to properly link sites across data sets. Similarly, `seasons` is a list of season indices with number of elements equal to the number of data sources being modeled. Each element contains a vector of length equal to the number of seasons that a specific data source is available for. This is used to properly link seasons across data sets. Each value in the vector indicates the corresponding season in `occ.covs` covariates that correspond with the specific column of the detection-nondetection data for the given data source. This is used to properly link seasons across data sets, which can have a differing number of seasons surveyed. `coords` is a matrix of the observation site coordinates. Note that `spOccupancy` assumes coordinates are specified in a projected coordinate system.

- | | |
|---------------------|--|
| <code>inits</code> | a list with each tag corresponding to a parameter name. Valid tags are <code>z</code> , <code>beta</code> , <code>alpha</code> , <code>sigma.sq.psi</code> , <code>sigma.sq.p</code> , <code>sigma.sq.t</code> , <code>rho</code> , <code>phi</code> , <code>w</code> , <code>nu</code> , <code>sigma.sq</code> . The value portion of each tag is the parameter's initial value. <code>sigma.sq.psi</code> and <code>sigma.sq.p</code> are only relevant when including random effects in the occurrence and detection portion of the occupancy model, respectively. <code>sigma.sq.t</code> and <code>rho</code> are only relevant when <code>ar1 = TRUE</code> . The tag <code>alpha</code> is a list comprised of the initial values for the detection parameters for each data source. Each element of the list should be a vector of initial values for all detection parameters in the given data source or a single value for each data source to assign all parameters for a given data source the same initial value. See <code>priors</code> description for definition of each parameter name. Additionally, the tag <code>fix</code> can be set to <code>TRUE</code> to fix the starting values across all chains. If <code>fix</code> is not specified (the default), starting values are varied randomly across chains. |
| <code>priors</code> | a list with each tag corresponding to a parameter name. Valid tags are <code>beta.normal</code> , <code>alpha.normal</code> , <code>sigma.sq.psi.ig</code> , <code>sigma.sq.p.ig</code> , <code>sigma.sq.t.ig</code> , <code>rho.unif</code> , <code>phi.unif</code> , <code>nu.unif</code> , <code>sigma.sq.ig</code> , and <code>sigma.sq.unif</code> . Occupancy (<code>beta</code>) and detection (<code>alpha</code>) regression coefficients are assumed to follow a normal distribution. For <code>beta</code> hyperparameters of the normal distribution are passed as a list of length two with the first and second elements corresponding to the mean |

and variance of the normal distribution, which are each specified as vectors of length equal to the number of coefficients to be estimated or of length one if priors are the same for all coefficients. For the detection coefficients α , the mean and variance hyperparameters are themselves passed in as lists, with each element of the list corresponding to the specific hyperparameters for the detection parameters in a given data source. If not specified, prior means are set to 0 and prior variances set to 2.72. σ^2_{ψ} and σ^2_p are the random effect variances for any unstructured occurrence or detection random effects, respectively, and are assumed to follow an inverse Gamma distribution. The hyperparameters of the inverse-Gamma distribution are passed as a list of length two with first and second elements corresponding to the shape and scale parameters, respectively, which are each specified as vectors of length equal to the number of random intercepts or of length one if priors are the same for all random effect variances. σ^2_t and ρ are the AR(1) variance and correlation parameters for the AR(1) zero-mean temporal random effects, respectively. σ^2_t is assumed to follow an inverse-Gamma distribution, where the hyperparameters are specified as a vector with elements corresponding to the shape and scale parameters, respectively. ρ is assumed to follow a uniform distribution, where the hyperparameters are specified in a vector of length two with elements corresponding to the lower and upper bounds of the uniform prior. σ^2_{ϕ} is assumed to follow an inverse-Gamma distribution or a uniform distribution (default is inverse-Gamma). The spatial decay ϕ and smoothness ν parameters are assumed to follow Uniform distributions. The hyperparameters of the inverse-Gamma are passed as a vector of length two, with the first and second elements corresponding to the *shape* and *scale*, respectively. The hyperparameters of the Uniform are also passed as a vector of length two with the first and second elements corresponding to the lower and upper support, respectively.

tuning	a list with each tag corresponding to a parameter name. Valid tags are ρ , ϕ , and ν . The value portion of each tag defines the initial tuning variance of the Adaptive sampler. See Roberts and Rosenthal (2009) for details.
cov.model	a quoted keyword that specifies the covariance function used to model the spatial dependence structure among the observations. Supported covariance model key words are: "exponential", "matern", "spherical", and "gaussian".
NNGP	if TRUE, model is fit with an NNGP. If FALSE, a full Gaussian process is used. Currently only NNGP models are supported.
n.neighbors	number of neighbors used in the NNGP. Only used if NNGP = TRUE. Datta et al. (2016) showed that 15 neighbors is usually sufficient, but that as few as 5 neighbors can be adequate for certain data sets, which can lead to even greater decreases in run time. We recommend starting with 15 neighbors (the default) and if additional gains in computation time are desired, subsequently compare the results with a smaller number of neighbors using WAIC.
search.type	a quoted keyword that specifies the type of nearest neighbor search algorithm. Supported method key words are: "cb" and "brute". The "cb" should generally be much faster. If locations do not have identical coordinate values on the axis used for the nearest neighbor ordering then "cb" and "brute" should produce identical neighbor sets. However, if there are identical coordinate values

	on the axis used for nearest neighbor ordering, then "cb" and "brute" might produce different, but equally valid, neighbor sets, e.g., if data are on a grid.
n.batch	the number of MCMC batches in each chain to run for the Adaptive MCMC sampler. See Roberts and Rosenthal (2009) for details.
batch.length	the length of each MCMC batch in each chain to run for the Adaptive MCMC sampler. See Roberts and Rosenthal (2009) for details.
accept.rate	target acceptance rate for Adaptive MCMC. Default is 0.43. See Roberts and Rosenthal (2009) for details.
n.omp.threads	a positive integer indicating the number of threads to use for SMP parallel processing within chains. The package must be compiled for OpenMP support. For most Intel-based machines, we recommend setting n.omp.threads up to the number of hyperthreaded cores. Note, n.omp.threads > 1 might not work on some systems. Currently only relevant for spatial models.
verbose	if TRUE, messages about data preparation, model specification, and progress of the sampler are printed to the screen. Otherwise, no messages are printed.
ar1	logical value indicating whether to include an AR(1) zero-mean temporal random effect in the model. If FALSE, the model is fit without an AR(1) temporal autocovariance structure. If TRUE, an AR(1) random effect is included in the model to account for temporal autocorrelation across the primary time periods.
n.report	the interval to report MCMC progress. Note this is specified in terms of batches, not MCMC samples.
n.burn	the number of samples out of the total n.samples to discard as burn-in for each chain. By default, the first 10% of samples is discarded.
n.thin	the thinning interval for collection of MCMC samples. The thinning occurs after the n.burn samples are discarded. Default value is set to 1.
n.chains	the number of chains to run in sequence.
...	currently no additional arguments

Value

An object of class stIntPGOcc that is a list comprised of:

beta.samples	a coda object of posterior samples for the occupancy regression coefficients.
alpha.samples	a coda object of posterior samples for the detection regression coefficients for all data sources.
z.samples	a three-dimensional array of posterior samples for the latent occupancy values, with dimensions corresponding to posterior sample, site, and primary time period. Note this object will contain predicted occupancy values for sites/primary time periods that were not sampled.
psi.samples	a three-dimensional array of posterior samples for the latent occupancy probability values, with dimensions corresponding to posterior sample, site, and primary time period. Note this object will contain predicted occupancy probabilities for sites/primary time periods that were not sampled.

<code>sigma.sq.psi.samples</code>	a coda object of posterior samples for variances of random intercepts included in the occupancy portion of the model. Only included if random intercepts are specified in <code>occ.formula</code> .
<code>sigma.sq.p.samples</code>	a coda object of posterior samples for variances of random intercepts included in the detection portion of the model. Includes random effect variances for all data sources. Only included if random intercepts are specified in <code>det.formula</code> .
<code>beta.star.samples</code>	a coda object of posterior samples for the occurrence random effects. Only included if random intercepts are specified in <code>occ.formula</code> .
<code>alpha.star.samples</code>	a coda object of posterior samples for the detection random effects in any of the data sources. Only included if random intercepts are specified in at least one of the individual data set detection formulas in <code>det.formula</code> .
<code>theta.samples</code>	a coda object of posterior samples for spatial covariance parameters and temporal covariance parameters if <code>ar1 = TRUE</code> .
<code>w.samples</code>	a coda object of posterior samples for latent spatial random effects.
<code>eta.samples</code>	a coda object of posterior samples for the AR(1) random effects for each primary time period. Only included if <code>ar1 = TRUE</code> .
<code>p.samples</code>	a list of four-dimensional arrays consisting of the posterior samples of detection probability for each data source. For each data source, the dimensions of the four-dimensional array correspond to MCMC sample, site, season, and replicate within season.
<code>like.samples</code>	a two-dimensional array of posterior samples for the likelihood values associated with each site and primary time period, for each individual data source. Used for calculating WAIC.
<code>rhat</code>	a list of Gelman-Rubin diagnostic values for some of the model parameters.
<code>ESS</code>	a list of effective sample sizes for some of the model parameters.
<code>run.time</code>	execution time reported using <code>proc.time()</code> .

The return object will include additional objects used for subsequent prediction and/or model fit evaluation.

Note

Some of the underlying code used for generating random numbers from the Polya-Gamma distribution is taken from the **pgdraw** package written by Daniel F. Schmidt and Enes Makalic. Their code implements Algorithm 6 in PhD thesis of Jesse Bennett Windle (2013) <https://repositories.lib.utexas.edu/handle/2152/21842>.

Author(s)

Jeffrey W. Doser <doserjef@msu.edu>

References

- Polson, N.G., J.G. Scott, and J. Windle. (2013) Bayesian Inference for Logistic Models Using Polya-Gamma Latent Variables. *Journal of the American Statistical Association*, 108:1339-1349.
- Bates, Douglas, Martin Maechler, Ben Bolker, Steve Walker (2015). Fitting Linear Mixed-Effects Models Using lme4. *Journal of Statistical Software*, 67(1), 1-48. doi:10.18637/jss.v067.i01.

Examples

```
set.seed(332)

# Simulate Data -----
# Number of locations in each direction. This is the total region of interest
# where some sites may or may not have a data source.
J.x <- 15
J.y <- 15
J.all <- J.x * J.y
# Number of data sources.
n.data <- 3
# Sites for each data source.
J.obs <- sample(ceiling(0.2 * J.all):ceiling(0.4 * J.all), n.data, replace = TRUE)
# Maximum number of years for each data set
n.time.max <- c(4, 8, 10)
# Number of years each site in each data set is sampled
n.time <- list()
for (i in 1:n.data) {
  n.time[[i]] <- sample(1:n.time.max[i], J.obs[i], replace = TRUE)
}
# Replicates for each data source.
n.rep <- list()
for (i in 1:n.data) {
  n.rep[[i]] <- matrix(NA, J.obs[i], n.time.max[i])
  for (j in 1:J.obs[i]) {
    n.rep[[i]][j, sample(1:n.time.max[i], n.time[[i]][j], replace = FALSE)] <-
      sample(1:4, n.time[[i]][j], replace = TRUE)
  }
}
# Total number of years across all data sets
n.time.total <- 10
# List denoting the specific years each data set was sampled during.
data.seasons <- list()
for (i in 1:n.data) {
  data.seasons[[i]] <- sort(sample(1:n.time.total, n.time.max[i], replace = FALSE))
}

# Occupancy covariates
beta <- c(0, 0.4, 0.3)
trend <- TRUE
# Random occupancy covariates
psi.RE <- list(levels = c(20),
               sigma.sq.psi = c(0.6))
p.occ <- length(beta)
```

```

# Detection covariates
alpha <- list()
alpha[[1]] <- c(0, 0.2, -0.5)
alpha[[2]] <- c(-1, 0.5, 0.3, -0.8)
alpha[[3]] <- c(-0.5, 1)

p.RE <- list()
p.det.long <- sapply(alpha, length)
p.det <- sum(p.det.long)

# Spatial parameters
sigma.sq <- 0.9
phi <- 3 / .5

# Simulate occupancy data.
dat <- simTIntOcc(n.data = n.data, J.x = J.x, J.y = J.y, J.obs = J.obs,
                 n.time = n.time, data.seasons = data.seasons, n.rep = n.rep,
                 beta = beta, alpha = alpha, trend = trend,
                 psi.RE = psi.RE, p.RE = p.RE, sp = TRUE,
                 sigma.sq = sigma.sq, phi = phi, cov.model = 'exponential')

y <- dat$y
X <- dat$X.obs
X.re <- dat$X.re.obs
X.p <- dat$X.p
sites <- dat$sites
coords <- dat$coords.obs

# Package all data into a list
occ.covs <- list(trend = X[, , 2],
                 occ.cov.1 = X[, , 3],
                 occ.factor.1 = X.re[, , 1])
det.covs <- list()
# Add covariates one by one
det.covs[[1]] <- list(det.cov.1.1 = X.p[[1]][, , 2],
                     det.cov.1.2 = X.p[[1]][, , 3])
det.covs[[2]] <- list(det.cov.2.1 = X.p[[2]][, , 2],
                     det.cov.2.2 = X.p[[2]][, , 3],
                     det.cov.2.3 = X.p[[2]][, , 4])
det.covs[[3]] <- list(det.cov.3.1 = X.p[[3]][, , 2])
data.list <- list(y = y, occ.covs = occ.covs, det.covs = det.covs,
                 sites = sites, seasons = data.seasons, coords = coords)

# Testing
occ.formula <- ~ trend + occ.cov.1 + (1 | occ.factor.1)
# Note that the names are not necessary.
det.formula <- list(f.1 = ~ det.cov.1.1 + det.cov.1.2,
                   f.2 = ~ det.cov.2.1 + det.cov.2.2 + det.cov.2.3,
                   f.3 = ~ det.cov.3.1)

# NOTE: this is a short run of the model, in reality we would run the
#       model for much longer.
out <- stIntPGOcc(occ.formula = occ.formula,

```



```

det.formula = det.formula,
data = data.list,
NNGP = TRUE,
n.neighbors = 15,
cov.model = 'exponential',
n.batch = 3,
batch.length = 25,
n.report = 1,
n.burn = 25,
n.thin = 1,
n.chains = 1)

summary(out)

```

stMsPGOcc	<i>Function for Fitting Multi-Species Multi-Season Spatial Occupancy Models</i>
-----------	---

Description

The function `stMsPGOcc` fits multi-species multi-season spatial occupancy models with species correlations (i.e., a spatially-explicit joint species distribution model with imperfect detection). We use Polya-Gamma latent variables and a spatial factor modeling approach. Models are implemented using a Nearest Neighbor Gaussian Process.

Usage

```

stMsPGOcc(occ.formula, det.formula, data, inits, priors, tuning,
  cov.model = 'exponential', NNGP = TRUE,
  n.neighbors = 15, search.type = 'cb',
  n.factors, n.batch, batch.length,
  accept.rate = 0.43, n.omp.threads = 1,
  verbose = TRUE, ar1 = FALSE, n.report = 100,
  n.burn = round(.10 * n.batch * batch.length), n.thin = 1,
  n.chains = 1, ...)

```

Arguments

<code>occ.formula</code>	a symbolic description of the model to be fit for the occurrence portion of the model using R's model syntax. Random intercepts are allowed using lme4 syntax (Bates et al. 2015). Only right-hand side of formula is specified. See example below.
<code>det.formula</code>	a symbolic description of the model to be fit for the detection portion of the model using R's model syntax. Only right-hand side of formula is specified. See example below. Random intercepts are allowed using lme4 syntax (Bates et al. 2015).
<code>data</code>	a list containing data necessary for model fitting. Valid tags are <code>y</code> , <code>occ.covs</code> , <code>det.covs</code> , <code>coords</code> , and <code>grid.index</code> . <code>y</code> is a four-dimensional array with first dimension equal to the number of species, second dimension equal to the number

of sites, third dimension equal to the number of primary time periods, and fourth dimension equal to the maximum number of secondary replicates at a given site. `occ.covs` is a list of variables included in the occurrence portion of the model. Each list element is a different occurrence covariate, which can be site level or site/primary time period level. Site-level covariates are specified as a vector of length J while site/primary time period level covariates are specified as a matrix with rows corresponding to sites and columns correspond to primary time periods. Similarly, `det.covs` is a list of variables included in the detection portion of the model, with each list element corresponding to an individual variable. In addition to site-level and/or site/primary time period-level, detection covariates can also be observational-level. Observation-level covariates are specified as a three-dimensional array with first dimension corresponding to sites, second dimension corresponding to primary time period, and third dimension corresponding to replicate. `coords` is a matrix of the observation coordinates used to estimate the SVCs for each site. `coords` has two columns for the easting and northing coordinate, respectively. Typically, each site in the data set will have its own coordinate, such that `coords` is a $J \times 2$ matrix and `grid.index` should not be specified. If you desire to estimate SVCs at some larger spatial level, e.g., if points fall within grid cells and you want to estimate an SVC for each grid cell instead of each point, `coords` can be specified as the coordinate for each grid cell. In such a case, `grid.index` is an indexing vector of length J , where each value of `grid.index` indicates the corresponding row in `coords` that the given site corresponds to. Note that `spOccupancy` assumes coordinates are specified in a projected coordinate system.

<code>inits</code>	a list with each tag corresponding to a parameter name. Valid tags are <code>alpha.comm</code> , <code>beta.comm</code> , <code>beta</code> , <code>alpha</code> , <code>tau.sq.beta</code> , <code>tau.sq.alpha</code> , <code>sigma.sq.psi</code> , <code>sigma.sq.p</code> , <code>z</code> , <code>phi</code> , <code>lambda</code> , <code>nu</code> , <code>sigma.sq.t</code> , and <code>rho</code> . <code>nu</code> is only specified if <code>cov.model = "matern"</code> , and <code>sigma.sq.psi</code> and <code>sigma.sq.p</code> are only specified if random effects are included in <code>occ.formula</code> or <code>det.formula</code> , respectively. <code>sigma.sq.t</code> and <code>rho</code> are only relevant when <code>ar1 = TRUE</code> . The value portion of each tag is the parameter's initial value. See <code>priors</code> description for definition of each parameter name. Additionally, the tag <code>fix</code> can be set to <code>TRUE</code> to fix the starting values across all chains. If <code>fix</code> is not specified (the default), starting values are varied randomly across chains.
<code>priors</code>	a list with each tag corresponding to a parameter name. Valid tags are <code>beta.comm.normal</code> , <code>alpha.comm.normal</code> , <code>tau.sq.beta.ig</code> , <code>tau.sq.alpha.ig</code> , <code>sigma.sq.psi</code> , <code>sigma.sq.p</code> , <code>phi.unif</code> , <code>nu.unif</code> , <code>sigma.sq.t.ig</code> , and <code>rho.unif</code> . Community-level occurrence (<code>beta.comm</code>) and detection (<code>alpha.comm</code>) regression coefficients are assumed to follow a normal distribution. The hyperparameters of the normal distribution are passed as a list of length two with the first and second elements corresponding to the mean and variance of the normal distribution, which are each specified as vectors of length equal to the number of coefficients to be estimated or of length one if priors are the same for all coefficients. If not specified, prior means are set to 0 and prior variances set to 2.73. By default, community-level variance parameters for occupancy (<code>tau.sq.beta</code>) and detection (<code>tau.sq.alpha</code>) are assumed to follow an inverse Gamma distribution. The hyperparameters of the inverse gamma distribution are passed as a list of length two with the first and second elements corresponding to the shape and scale pa-

rameters, which are each specified as vectors of length equal to the number of coefficients to be estimated or a single value if priors are the same for all parameters. If not specified, prior shape and scale parameters are set to 0.1. The spatial factor model fits $n.factors$ independent spatial processes. The spatial decay ϕ and smoothness ν parameters for each latent factor are assumed to follow Uniform distributions. The hyperparameters of the Uniform are passed as a list with two elements, with both elements being vectors of length $n.factors$ corresponding to the lower and upper support, respectively, or as a single value if the same value is assigned for all factor combinations. The priors for the factor loadings matrix λ are fixed following the standard spatial factor model to ensure parameter identifiability (Christensen and Amemlya 2002). The upper triangular elements of the $N \times n.factors$ matrix are fixed at 0 and the diagonal elements are fixed at 1. The lower triangular elements are assigned a standard normal prior (i.e., mean 0 and variance 1). σ^2_{ψ} and σ^2_p are the random effect variances for any occurrence or detection random effects, respectively, and are assumed to follow an inverse Gamma distribution. The hyperparameters of the inverse-Gamma distribution are passed as a list of length two with first and second elements corresponding to the shape and scale parameters, respectively, which are each specified as vectors of length equal to the number of random intercepts or of length one if priors are the same for all random effect variances. parameters are set to 0.1. σ^2_t and ρ are the AR(1) variance and correlation parameters for the AR(1) zero-mean temporal random effects, respectively. σ^2_t is assumed to follow an inverse-Gamma distribution, where the hyperparameters are specified as a list of length two with the first and second elements corresponding to the shape and scale parameters, respectively, which can each be specified as vector equal to the number of species in the model or a single value if the same prior is used for all species. ρ is assumed to follow a uniform distribution, where the hyperparameters are specified similarly as a list of length two with the first and second elements corresponding to the lower and upper bounds of the uniform prior, which can each be specified as vector equal to the number of species in the model or a single value if the same prior is used for all species.

tuning	a list with each tag corresponding to a parameter name. Valid tags are ϕ , ν , ρ . The value portion of each tag defines the initial variance of the adaptive sampler. We assume the initial variance of the adaptive sampler is the same for each species, although the adaptive sampler will adjust the tuning variances separately for each species. See Roberts and Rosenthal (2009) for details.
cov.model	a quoted keyword that specifies the covariance function used to model the spatial dependence structure among the observations. Supported covariance model key words are: "exponential", "matern", "spherical", and "gaussian".
NNGP	if TRUE, model is fit with an NNGP. If FALSE, a full Gaussian process is used. See Datta et al. (2016) and Finley et al. (2019) for more information. Only NNGP = TRUE is currently supported.
n.neighbors	number of neighbors used in the NNGP. Only used if NNGP = TRUE. Datta et al. (2016) showed that 15 neighbors is usually sufficient, but that as few as 5 neighbors can be adequate for certain data sets, which can lead to even greater decreases in run time. We recommend starting with 15 neighbors (the default)

	and if additional gains in computation time are desired, subsequently compare the results with a smaller number of neighbors using WAIC.
<code>search.type</code>	a quoted keyword that specifies the type of nearest neighbor search algorithm. Supported method key words are: "cb" and "brute". The "cb" should generally be much faster. If locations do not have identical coordinate values on the axis used for the nearest neighbor ordering then "cb" and "brute" should produce identical neighbor sets. However, if there are identical coordinate values on the axis used for nearest neighbor ordering, then "cb" and "brute" might produce different, but equally valid, neighbor sets, e.g., if data are on a grid.
<code>n.factors</code>	the number of factors to use in the spatial factor model approach. Typically, the number of factors is set to be small (e.g., 4-5) relative to the total number of species in the community, which will lead to substantial decreases in computation time. However, the value can be anywhere between 1 and N (the number of species in the community).
<code>n.batch</code>	the number of MCMC batches in each chain to run for the Adaptive MCMC sampler. See Roberts and Rosenthal (2009) for details.
<code>batch.length</code>	the length of each MCMC batch to run for the Adaptive MCMC sampler. See Roberts and Rosenthal (2009) for details.
<code>accept.rate</code>	target acceptance rate for Adaptive MCMC. Default is 0.43. See Roberts and Rosenthal (2009) for details.
<code>n.omp.threads</code>	a positive integer indicating the number of threads to use for SMP parallel processing within chains. The package must be compiled for OpenMP support. For most Intel-based machines, we recommend setting <code>n.omp.threads</code> up to the number of hyperthreaded cores. Note, <code>n.omp.threads > 1</code> might not work on some systems.
<code>verbose</code>	if TRUE, messages about data preparation, model specification, and progress of the sampler are printed to the screen. Otherwise, no messages are printed.
<code>ar1</code>	logical value indicating whether to include an AR(1) zero-mean temporal random effect in the model. If FALSE, the model is fit without an AR(1) temporal autocovariance structure. If TRUE, an AR(1) random effect is included in the model to account for temporal autocorrelation across the primary time periods.
<code>n.report</code>	the interval to report Metropolis sampler acceptance and MCMC progress. Note this is specified in terms of batches and not overall samples for spatial models.
<code>n.burn</code>	the number of samples out of the total <code>n.samples</code> to discard as burn-in for each chain. By default, the first 10% of samples is discarded.
<code>n.thin</code>	the thinning interval for collection of MCMC samples. The thinning occurs after the <code>n.burn</code> samples are discarded. Default value is set to 1.
<code>n.chains</code>	the number of chains to run in sequence.
<code>...</code>	currently no additional arguments

Value

An object of class `stMsPGOcc` that is a list comprised of:

<code>beta.comm.samples</code>	a coda object of posterior samples for the community level occurrence regression coefficients.
<code>alpha.comm.samples</code>	a coda object of posterior samples for the community level detection regression coefficients.
<code>tau.sq.beta.samples</code>	a coda object of posterior samples for the occurrence community variance parameters.
<code>tau.sq.alpha.samples</code>	a coda object of posterior samples for the detection community variance parameters.
<code>beta.samples</code>	a coda object of posterior samples for the species level occurrence regression coefficients.
<code>alpha.samples</code>	a coda object of posterior samples for the species level detection regression coefficients.
<code>theta.samples</code>	a coda object of posterior samples for the species level correlation parameters and the species-level temporal autocorrelation parameters.
<code>lambda.samples</code>	a coda object of posterior samples for the latent spatial factor loadings.
<code>z.samples</code>	a four-dimensional array of posterior samples for the latent occurrence values for each species. Dimensions correspond to MCMC sample, species, site, and primary time period.
<code>psi.samples</code>	a four-dimensional array of posterior samples for the latent occupancy probability values for each species. Dimensions correspond to MCMC sample, species, site, and primary time period.
<code>w.samples</code>	a three-dimensional array of posterior samples for the latent spatial random effects for each spatial factor. Dimensions correspond to MCMC sample, factor, and site.
<code>sigma.sq.psi.samples</code>	a coda object of posterior samples for variances of random intercepts included in the occurrence portion of the model. Only included if random intercepts are specified in <code>occ.formula</code> .
<code>sigma.sq.p.samples</code>	a coda object of posterior samples for variances of random intercepts included in the detection portion of the model. Only included if random intercepts are specified in <code>det.formula</code> .
<code>beta.star.samples</code>	a coda object of posterior samples for the occurrence random effects. Only included if random intercepts are specified in <code>occ.formula</code> .
<code>alpha.star.samples</code>	a coda object of posterior samples for the detection random effects. Only included if random intercepts are specified in <code>det.formula</code> .
<code>like.samples</code>	a four-dimensional array of posterior samples for the likelihood value used for calculating WAIC. Dimensions correspond to MCMC sample, species, site, and time period.

rhat	a list of Gelman-Rubin diagnostic values for some of the model parameters.
ESS	a list of effective sample sizes for some of the model parameters.
run.time	MCMC sampler execution time reported using <code>proc.time()</code> .

The return object will include additional objects used for subsequent prediction and/or model fit evaluation. Note that detection probability estimated values are not included in the model object, but can be extracted using `fitted()`.

Note

Some of the underlying code used for generating random numbers from the Polya-Gamma distribution is taken from the **pgdraw** package written by Daniel F. Schmidt and Enes Makalic. Their code implements Algorithm 6 in PhD thesis of Jesse Bennett Windle (2013) <https://repositories.lib.utexas.edu/handle/2152/21842>.

Author(s)

Jeffrey W. Doser <doserjef@msu.edu>,
Andrew O. Finley <finleya@msu.edu>

References

- Datta, A., S. Banerjee, A.O. Finley, and A.E. Gelfand. (2016) Hierarchical Nearest-Neighbor Gaussian process models for large geostatistical datasets. *Journal of the American Statistical Association*, doi:10.1080/01621459.2015.1044091.
- Finley, A.O., A. Datta, B.D. Cook, D.C. Morton, H.E. Andersen, and S. Banerjee. (2019) Efficient algorithms for Bayesian Nearest Neighbor Gaussian Processes. *Journal of Computational and Graphical Statistics*, doi:10.1080/10618600.2018.1537924.
- Finley, A. O., Datta, A., and Banerjee, S. (2020). spNNGP R package for nearest neighbor Gaussian process models. *arXiv preprint arXiv:2001.09111*.
- Polson, N.G., J.G. Scott, and J. Windle. (2013) Bayesian Inference for Logistic Models Using Polya-Gamma Latent Variables. *Journal of the American Statistical Association*, 108:1339-1349.
- Roberts, G.O. and Rosenthal J.S. (2009) Examples of adaptive MCMC. *Journal of Computational and Graphical Statistics*, 18(2):349-367.
- Bates, Douglas, Martin Maechler, Ben Bolker, Steve Walker (2015). Fitting Linear Mixed-Effects Models Using lme4. *Journal of Statistical Software*, 67(1), 1-48. doi:10.18637/jss.v067.i01.
- Hooten, M. B., and Hobbs, N. T. (2015). A guide to Bayesian model selection for ecologists. *Ecological Monographs*, 85(1), 3-28.
- Christensen, W. F., and Amemiya, Y. (2002). Latent variable analysis of multivariate spatial data. *Journal of the American Statistical Association*, 97(457), 302-317.

Examples

```
# Simulate Data -----
set.seed(500)
J.x <- 8
J.y <- 8
```

```

J <- J.x * J.y
# Years sampled
n.time <- sample(3:10, J, replace = TRUE)
# n.time <- rep(10, J)
n.time.max <- max(n.time)
# Replicates
n.rep <- matrix(NA, J, max(n.time))
for (j in 1:J) {
  n.rep[j, 1:n.time[j]] <- sample(2:4, n.time[j], replace = TRUE)
}
N <- 7
# Community-level covariate effects
# Occurrence
beta.mean <- c(-3, -0.2, 0.5)
trend <- FALSE
sp.only <- 0
p.occ <- length(beta.mean)
tau.sq.beta <- c(0.6, 1.5, 1.4)
# Detection
alpha.mean <- c(0, 1.2, -1.5)
tau.sq.alpha <- c(1, 0.5, 2.3)
p.det <- length(alpha.mean)
# Random effects
psi.RE <- list()
p.RE <- list()
# Draw species-level effects from community means.
beta <- matrix(NA, nrow = N, ncol = p.occ)
alpha <- matrix(NA, nrow = N, ncol = p.det)
for (i in 1:p.occ) {
  beta[, i] <- rnorm(N, beta.mean[i], sqrt(tau.sq.beta[i]))
}
for (i in 1:p.det) {
  alpha[, i] <- rnorm(N, alpha.mean[i], sqrt(tau.sq.alpha[i]))
}
sp <- TRUE
svc.cols <- c(1)
p.svc <- length(svc.cols)
n.factors <- 3
phi <- runif(p.svc * n.factors, 3 / .9, 3 / .3)
factor.model <- TRUE
cov.model <- 'exponential'
ar1 <- TRUE
sigma.sq.t <- runif(N, 0.05, 1)
rho <- runif(N, 0.1, 1)

dat <- simTMsOcc(J.x = J.x, J.y = J.y, n.time = n.time, n.rep = n.rep, N = N,
  beta = beta, alpha = alpha, sp.only = sp.only, trend = trend,
  psi.RE = psi.RE, p.RE = p.RE, factor.model = factor.model,
  svc.cols = svc.cols, n.factors = n.factors, phi = phi, sp = sp,
  cov.model = cov.model, ar1 = ar1, sigma.sq.t = sigma.sq.t, rho = rho)

y <- dat$y
X <- dat$X

```

```

X.p <- dat$X.p
coords <- dat$coords
X.re <- dat$X.re
X.p.re <- dat$X.p.re

occ.covs <- list(occ.cov.1 = X[, , 2],
                 occ.cov.2 = X[, , 3])
det.covs <- list(det.cov.1 = X.p[, , 2],
                 det.cov.2 = X.p[, , 3])

data.list <- list(y = y, occ.covs = occ.covs,
                 det.covs = det.covs,
                 coords = coords)

# Priors
prior.list <- list(beta.comm.normal = list(mean = 0, var = 2.72),
                  alpha.comm.normal = list(mean = 0, var = 2.72),
                  tau.sq.beta.ig = list(a = 0.1, b = 0.1),
                  tau.sq.alpha.ig = list(a = 0.1, b = 0.1),
                  rho.unif = list(a = -1, b = 1),
                  sigma.sq.t.ig = list(a = 0.1, b = 0.1),
                  phi.unif = list(a = 3 / .9, b = 3 / .1))
z.init <- apply(y, c(1, 2, 3), function(a) as.numeric(sum(a, na.rm = TRUE) > 0))
inits.list <- list(alpha.comm = 0, beta.comm = 0, beta = 0,
                  alpha = 0, tau.sq.beta = 1, tau.sq.alpha = 1,
                  rho = 0.5, sigma.sq.t = 0.5,
                  phi = 3 / .5, z = z.init)

# Tuning
tuning.list <- list(phi = 1, rho = 0.5)

# Number of batches
n.batch <- 5
# Batch length
batch.length <- 25
n.burn <- 25
n.thin <- 1
n.samples <- n.batch * batch.length

# Note that this is just a test case and more iterations/chains may need to
# be run to ensure convergence.
out <- stMsPGOcc(occ.formula = ~ occ.cov.1 + occ.cov.2,
                det.formula = ~ det.cov.1 + det.cov.2,
                data = data.list,
                inits = inits.list,
                n.batch = n.batch,
                batch.length = batch.length,
                accept.rate = 0.43,
                ar1 = TRUE,
                NNGP = TRUE,
                n.neighbors = 5,
                n.factors = n.factors,
                cov.model = 'exponential',
                priors = prior.list,
                tuning = tuning.list,

```



```

n.omp.threads = 1,
verbose = TRUE,
n.report = 1,
n.burn = n.burn,
n.thin = n.thin,
n.chains = 1)

summary(out)

```

stPGOcc

Function for Fitting Multi-Season Single-Species Spatial Occupancy Models Using Polya-Gamma Latent Variables

Description

Function for fitting multi-season single-species spatial occupancy models using Polya-Gamma latent variables.

Usage

```

stPGOcc(occ.formula, det.formula, data, inits, priors,
tuning, cov.model = 'exponential', NNGP = TRUE,
n.neighbors = 15, search.type = 'cb', n.batch,
batch.length, accept.rate = 0.43, n.omp.threads = 1,
verbose = TRUE, ar1 = FALSE, n.report = 100,
n.burn = round(.10 * n.batch * batch.length),
n.thin = 1, n.chains = 1, k.fold, k.fold.threads = 1,
k.fold.seed = 100, k.fold.only = FALSE, ...)

```

Arguments

- | | |
|-------------|---|
| occ.formula | a symbolic description of the model to be fit for the occurrence portion of the model using R's model syntax. Only right-hand side of formula is specified. See example below. Random intercepts are allowed using lme4 syntax (Bates et al. 2015). |
| det.formula | a symbolic description of the model to be fit for the detection portion of the model using R's model syntax. Only right-hand side of formula is specified. See example below. Random intercepts are allowed using lme4 syntax (Bates et al. 2015). |
| data | a list containing data necessary for model fitting. Valid tags are y, occ.covs, det.covs, coords, and grid.index. y is a three-dimensional array with first dimension equal to the number of sites (J), second dimension equal to the maximum number of primary time periods (i.e., years or seasons), and third dimension equal to the maximum number of replicates at a given site. occ.covs is a list of variables included in the occurrence portion of the model. Each list element is a different occurrence covariate, which can be site level or site/primary timer period level. Site-level covariates are specified as a vector of length J |

while site/primary time period level covariates are specified as a matrix with rows corresponding to sites and columns correspond to primary time periods. Similarly, `det.covs` is a list of variables included in the detection portion of the model, with each list element corresponding to an individual variable. In addition to site-level and/or site/primary time period-level, detection covariates can also be observational-level. Observation-level covariates are specified as a three-dimensional array with first dimension corresponding to sites, second dimension corresponding to primary time period, and third dimension corresponding to replicate. `coords` is a matrix of the observation coordinates used to estimate the spatial random effect for each site. `coords` has two columns for the easting and northing coordinate, respectively. Typically, each site in the data set will have it's own coordinate, such that `coords` is a $J \times 2$ matrix and `grid.index` should not be specified. If you desire to estimate spatial random effects at some larger spatial level, e.g., if points fall within grid cells and you want to estimate a spatial random effect for each grid cell instead of each point, `coords` can be specified as the coordinate for each grid cell. In such a case, `grid.index` is an indexing vector of length J , where each value of `grid.index` indicates the corresponding row in `coords` that the given site corresponds to. Note that `spOccupancy` assumes coordinates are specified in a projected coordinate system.

<code>inits</code>	a list with each tag corresponding to a parameter name. Valid tags are <code>z</code> , <code>beta</code> , <code>alpha</code> , <code>sigma.sq</code> , <code>phi</code> , <code>w</code> , <code>nu</code> , <code>sigma.sq.psi</code> , <code>sigma.sq.p</code> , <code>sigma.sq.t</code> , <code>rho</code> . The value portion of each tag is the parameter's initial value. <code>sigma.sq.psi</code> and <code>sigma.sq.p</code> are only relevant when including random effects in the occurrence and detection portion of the occupancy model, respectively. <code>nu</code> is only specified if <code>cov.model = "matern"</code> . <code>sigma.sq.t</code> and <code>rho</code> are only relevant when <code>ar1 = TRUE</code> . See <code>priors</code> description for definition of each parameter name. Additionally, the tag <code>fix</code> can be set to <code>TRUE</code> to fix the starting values across all chains. If <code>fix</code> is not specified (the default), starting values are varied randomly across chains.
<code>priors</code>	a list with each tag corresponding to a parameter name. Valid tags are <code>beta.normal</code> , <code>alpha.normal</code> , <code>sigma.sq.psi.ig</code> , <code>sigma.sq.p.ig</code> , <code>phi.unif</code> , <code>sigma.sq.ig</code> , <code>nu.unif</code> , <code>sigma.sq.t.ig</code> , and <code>rho.unif</code> . Occupancy (<code>beta</code>) and detection (<code>alpha</code>) regression coefficients are assumed to follow a normal distribution. The hyperparameters of the normal distribution are passed as a list of length two with the first and second elements corresponding to the mean and variance of the normal distribution, which are each specified as vectors of length equal to the number of coefficients to be estimated or of length one if priors are the same for all coefficients. If not specified, prior means are set to 0 and prior variances set to 2.72. <code>sigma.sq.psi</code> and <code>sigma.sq.p</code> are the random effect variances for any occurrence or detection random effects, respectively, and are assumed to follow an inverse Gamma distribution. The hyperparameters of the inverse-Gamma distribution are passed as a list of length two with first and second elements corresponding to the shape and scale parameters, respectively, which are each specified as vectors of length equal to the number of random intercepts or of length one if priors are the same for all random effect variances. The spatial variance parameter, <code>sigma.sq</code> , is assumed to follow an inverse-Gamma distribution. The spatial decay <code>phi</code> and smoothness <code>nu</code> parameters are assumed to

	<p>follow Uniform distributions. The hyperparameters of the inverse-Gamma for <code>sigma.sq.ig</code> are passed as a vector of length two, with the first and second elements corresponding to the shape and scale parameters, respectively. The hyperparameters of the uniform are also passed as a vector of length two with the first and second elements corresponding to the lower and upper support, respectively. <code>sigma.sq.t</code> and <code>rho</code> are the AR(1) variance and correlation parameters for the AR(1) zero-mean temporal random effects, respectively. <code>sigma.sq.t</code> is assumed to follow an inverse-Gamma distribution, where the hyperparameters are specified as a vector with elements corresponding to the shape and scale parameters, respectively. <code>rho</code> is assumed to follow a uniform distribution, where the hyperparameters are specified in a vector of length two with elements corresponding to the lower and upper bounds of the uniform prior.</p>
<code>cov.model</code>	a quoted keyword that specifies the covariance function used to model the spatial dependence structure among the observations. Supported covariance model key words are: "exponential", "matern", "spherical", and "gaussian".
<code>tuning</code>	a list with each tag corresponding to a parameter name. Valid tags are <code>phi</code> , <code>nu</code> , and <code>rho</code> . The value portion of each tag defines the initial variance of the Adaptive sampler. See Roberts and Rosenthal (2009) for details.
<code>NNGP</code>	if TRUE, model is fit with an NNGP. If FALSE, a full Gaussian process is used. See Datta et al. (2016) and Finley et al. (2019) for more information. Currently only <code>NNGP = TRUE</code> is supported for multi-season single-species trend occupancy models.
<code>n.neighbors</code>	number of neighbors used in the NNGP. Only used if <code>NNGP = TRUE</code> . Datta et al. (2016) showed that 15 neighbors is usually sufficient, but that as few as 5 neighbors can be adequate for certain data sets, which can lead to even greater decreases in run time. We recommend starting with 15 neighbors (the default) and if additional gains in computation time are desired, subsequently compare the results with a smaller number of neighbors using WAIC or k-fold cross-validation.
<code>search.type</code>	a quoted keyword that specifies the type of nearest neighbor search algorithm. Supported method key words are: "cb" and "brute". The "cb" should generally be much faster. If locations do not have identical coordinate values on the axis used for the nearest neighbor ordering then "cb" and "brute" should produce identical neighbor sets. However, if there are identical coordinate values on the axis used for nearest neighbor ordering, then "cb" and "brute" might produce different, but equally valid, neighbor sets, e.g., if data are on a grid.
<code>n.batch</code>	the number of MCMC batches in each chain to run for the Adaptive MCMC sampler. See Roberts and Rosenthal (2009) for details.
<code>batch.length</code>	the length of each MCMC batch in each chain to run for the Adaptive MCMC sampler. See Roberts and Rosenthal (2009) for details.
<code>accept.rate</code>	target acceptance rate for Adaptive MCMC. Default is 0.43. See Roberts and Rosenthal (2009) for details.
<code>n.omp.threads</code>	a positive integer indicating the number of threads to use for SMP parallel processing within chains. The package must be compiled for OpenMP support. For most Intel-based machines, we recommend setting <code>n.omp.threads</code> up to the number of hyperthreaded cores. Note, <code>n.omp.threads > 1</code> might not work on some systems. Currently only relevant for spatial models.

<code>verbose</code>	if TRUE, messages about data preparation, model specification, and progress of the sampler are printed to the screen. Otherwise, no messages are printed.
<code>ar1</code>	logical value indicating whether to include an AR(1) zero-mean temporal random effect in the model. If FALSE, the model is fit without an AR(1) temporal autocovariance structure. If TRUE, an AR(1) random effect is included in the model to account for temporal autocorrelation across the primary time periods.
<code>n.report</code>	the interval to report MCMC progress.
<code>n.burn</code>	the number of samples out of the total <code>n.samples</code> to discard as burn-in for each chain. By default, the first 10% of samples is discarded.
<code>n.thin</code>	the thinning interval for collection of MCMC samples. The thinning occurs after the <code>n.burn</code> samples are discarded. Default value is set to 1.
<code>n.chains</code>	the number of chains to run.
<code>k.fold</code>	specifies the number of k folds for cross-validation. If not specified as an argument, then cross-validation is not performed and <code>k.fold</code> , <code>k.fold.threads</code> and <code>k.fold.seed</code> are ignored. In k -fold cross-validation, the data specified in <code>data</code> is randomly partitioned into k equal sized subsamples. Of the k subsamples, $k - 1$ subsamples are used to fit the model and the remaining k samples are used for prediction. The cross-validation process is repeated k times (the folds). As a scoring rule, we use the model deviance as described in Hooten and Hobbs (2015). For cross-validation in multi-season models, the data are split along the site dimension, such that each hold-out data set consists of a $J / k.fold$ sites sampled over all primary time periods during which data are available at each given site. Cross-validation is performed after the full model is fit using all the data. Cross-validation results are reported in the <code>k.fold.deviance</code> object in the return list.
<code>k.fold.threads</code>	number of threads to use for cross-validation. If <code>k.fold.threads</code> > 1 parallel processing is accomplished using the foreach and doParallel packages. Ignored if <code>k.fold</code> is not specified.
<code>k.fold.seed</code>	seed used to split data set into <code>k.fold</code> parts for k -fold cross-validation. Ignored if <code>k.fold</code> is not specified.
<code>k.fold.only</code>	a logical value indicating whether to only perform cross-validation (TRUE) or perform cross-validation after fitting the full model (FALSE). Default value is FALSE.
<code>...</code>	currently no additional arguments

Value

An object of class `stPGOcc` that is a list comprised of:

<code>beta.samples</code>	a coda object of posterior samples for the occupancy regression coefficients.
<code>alpha.samples</code>	a coda object of posterior samples for the detection regression coefficients.
<code>z.samples</code>	a three-dimensional array of posterior samples for the latent occupancy values, with dimensions corresponding to posterior sample, site, and primary time period.
<code>psi.samples</code>	a three-dimensional array of posterior samples for the latent occupancy probability values, with dimensions corresponding to posterior sample, site, and primary time period.

<code>theta.samples</code>	a coda object of posterior samples for spatial covariance parameters and temporal covariance parameters if <code>ar1 = TRUE</code> .
<code>w.samples</code>	a coda object of posterior samples for latent spatial random effects.
<code>sigma.sq.psi.samples</code>	a coda object of posterior samples for variances of random intercepts included in the occupancy portion of the model. Only included if random intercepts are specified in <code>occ.formula</code> .
<code>sigma.sq.p.samples</code>	a coda object of posterior samples for variances of random intercepts included in the detection portion of the model. Only included if random intercepts are specified in <code>det.formula</code> .
<code>beta.star.samples</code>	a coda object of posterior samples for the occurrence random effects. Only included if random intercepts are specified in <code>occ.formula</code> .
<code>alpha.star.samples</code>	a coda object of posterior samples for the detection random effects. Only included if random intercepts are specified in <code>det.formula</code> .
<code>eta.samples</code>	a coda object of posterior samples for the AR(1) random effects for each primary time period. Only included if <code>ar1 = TRUE</code>
<code>.</code>	
<code>like.samples</code>	a three-dimensional array of posterior samples for the likelihood values associated with each site and primary time period. Used for calculating WAIC.
<code>rhat</code>	a list of Gelman-Rubin diagnostic values for some of the model parameters.
<code>ESS</code>	a list of effective sample sizes for some of the model parameters.
<code>run.time</code>	execution time reported using <code>proc.time()</code> .
<code>k.fold.deviance</code>	scoring rule (deviance) from k-fold cross-validation. Only included if <code>k.fold</code> is specified in function call.

The return object will include additional objects used for subsequent prediction and/or model fit evaluation. Note that detection probability estimated values are not included in the model object, but can be extracted using `fitted()`. Note that if `k.fold.only = TRUE`, the return list object will only contain `run.time` and `k.fold.deviance`.

Note

Some of the underlying code used for generating random numbers from the Polya-Gamma distribution is taken from the **pgdraw** package written by Daniel F. Schmidt and Enes Makalic. Their code implements Algorithm 6 in PhD thesis of Jesse Bennett Windle (2013) <https://repositories.lib.utexas.edu/handle/2152/21842>.

Author(s)

Jeffrey W. Doser <doserjef@msu.edu>,
Andrew O. Finley <finleya@msu.edu>

References

- Polson, N.G., J.G. Scott, and J. Windle. (2013) Bayesian Inference for Logistic Models Using Poly-Gamma Latent Variables. *Journal of the American Statistical Association*, 108:1339-1349.
- Bates, Douglas, Martin Maechler, Ben Bolker, Steve Walker (2015). Fitting Linear Mixed-Effects Models Using lme4. *Journal of Statistical Software*, 67(1), 1-48. doi:10.18637/jss.v067.i01.
- Kery, M., & Royle, J. A. (2021). Applied hierarchical modeling in ecology: Analysis of distribution, abundance and species richness in R and BUGS: Volume 2: Dynamic and advanced models. Academic Press. Section 4.6.
- Hooten, M. B., and Hobbs, N. T. (2015). A guide to Bayesian model selection for ecologists. *Ecological monographs*, 85(1), 3-28.
- MacKenzie, D. I., J. D. Nichols, G. B. Lachman, S. Droege, J. Andrew Royle, and C. A. Langtimm. 2002. Estimating Site Occupancy Rates When Detection Probabilities Are Less Than One. *Ecology* 83: 2248-2255.

Examples

```
set.seed(500)
# Sites
J.x <- 10
J.y <- 10
J <- J.x * J.y
# Primary time periods
n.time <- sample(10, J, replace = TRUE)
n.time.max <- max(n.time)
# Replicates
n.rep <- matrix(NA, J, max(n.time))
for (j in 1:J) {
  n.rep[j, 1:n.time[j]] <- sample(1:4, n.time[j], replace = TRUE)
}
# Occurrence -----
beta <- c(0.4, 0.5, -0.9)
trend <- TRUE
sp.only <- 0
psi.RE <- list()
# Detection -----
alpha <- c(-1, 0.7, -0.5)
p.RE <- list()
# Spatial -----
sp <- TRUE
cov.model <- "exponential"
sigma.sq <- 2
phi <- 3 / .4
# Temporal -----
rho <- 0.5
sigma.sq.t <- 1

# Get all the data
dat <- simT0cc(J.x = J.x, J.y = J.y, n.time = n.time, n.rep = n.rep,
              beta = beta, alpha = alpha, sp.only = sp.only, trend = trend,
              psi.RE = psi.RE, p.RE = p.RE, sp = TRUE, sigma.sq = sigma.sq,
```

```

phi = phi, cov.model = cov.model, ar1 = TRUE,
sigma.sq.t = sigma.sq.t, rho = rho)

# Package all data into a list
# Occurrence
occ.covs <- list(int = dat$X[, , 1],
                trend = dat$X[, , 2],
                occ.cov.1 = dat$X[, , 3])

# Detection
det.covs <- list(det.cov.1 = dat$X.p[, , 2],
                det.cov.2 = dat$X.p[, , 3])

# Data list bundle
data.list <- list(y = dat$y,
                occ.covs = occ.covs,
                det.covs = det.covs,
                coords = dat$coords)

# Priors
prior.list <- list(beta.normal = list(mean = 0, var = 2.72),
                  alpha.normal = list(mean = 0, var = 2.72),
                  sigma.sq.ig = c(2, 2),
                  phi.unif = c(3 / 1, 3 / 0.1),
                  rho.unif = c(-1, 1),
                  sigma.sq.t.ig = c(2, 1))

# Initial values
z.init <- apply(dat$y, c(1, 2), function(a) as.numeric(sum(a, na.rm = TRUE) > 0))
inits.list <- list(beta = 0, alpha = 0, z = z.init, phi = 3 / .5, sigma.sq = 2,
                  w = rep(0, J), rho = 0, sigma.sq.t = 0.5)

# Tuning
tuning.list <- list(phi = 1, rho = 1)

# Number of batches
n.batch <- 10
# Batch length
batch.length <- 25
n.iter <- n.batch * batch.length

# Run the model
# Note that this is just a test case and more iterations/chains may need to
# be run to ensure convergence.
out <- stPGOcc(occ.formula = ~ trend + occ.cov.1,
              det.formula = ~ det.cov.1 + det.cov.2,
              data = data.list,
              inits = inits.list,
              n.batch = n.batch,
              batch.length = batch.length,
              priors = prior.list,
              cov.model = "exponential",
              tuning = tuning.list,
              NNGP = TRUE,
              ar1 = TRUE,
              n.neighbors = 5,
              search.type = 'cb',
              n.report = 10,

```

```

        n.burn = 50,
        n.chains = 1)

summary(out)

```

summary.intMsPGOcc *Methods for intMsPGOcc Object*

Description

Methods for extracting information from fitted integrated multi-species occupancy (intMsPGOcc) models.

Usage

```

## S3 method for class 'intMsPGOcc'
summary(object, level = 'both', quantiles = c(0.025, 0.5, 0.975),
        digits = max(3L, getOption("digits") - 3L), ...)
## S3 method for class 'intMsPGOcc'
print(x, ...)
## S3 method for class 'intMsPGOcc'
plot(x, param, density = TRUE, ...)

```

Arguments

object, x	object of class intMsPGOcc.
level	a quoted keyword that indicates the level to summarize the model results. Valid key words are: "community", "species", or "both".
quantiles	for summary, posterior distribution quantiles to compute.
digits	for summary, number of digits to report.
param	parameter name for which to generate a traceplot. Valid names are "beta", "beta.comm", "tau.sq.beta", "alpha", "tau.sq.alpha".
density	logical value indicating whether to also generate a density plot for each parameter in addition to the MCMC traceplot.
...	currently no additional arguments

Details

A set of standard extractor functions for fitted model objects of class intMsPGOcc, including methods to the generic functions [print](#), [summary](#), and [plot](#).

Value

No return value, called to display summary information of a intMsPGOcc object.

summary.intPGOcc	<i>Methods for intPGOcc Object</i>
------------------	------------------------------------

Description

Methods for extracting information from fitted single species integrated occupancy (intPGOcc) model.

Usage

```
## S3 method for class 'intPGOcc'
summary(object, quantiles = c(0.025, 0.5, 0.975),
        digits = max(3L, getOption("digits") - 3L), ...)
## S3 method for class 'intPGOcc'
print(x, ...)
## S3 method for class 'intPGOcc'
plot(x, param, density = TRUE, ...)
```

Arguments

object, x	object of class intPGOcc.
quantiles	for summary, posterior distribution quantiles to compute.
digits	for summary, number of digits to report.
param	parameter name for which to generate a traceplot. Valid names are "beta", "alpha".
density	logical value indicating whether to also generate a density plot for each parameter in addition to the MCMC traceplot.
...	currently no additional arguments

Details

A set of standard extractor functions for fitted model objects of class intPGOcc, including methods to the generic functions [print](#), [summary](#), and [plot](#).

Value

No return value, called to display summary information of a intPGOcc object.

summary.lfJSDM

*Methods for lfJSDM Object***Description**

Methods for extracting information from a fitted latent factor joint species distribution model (lfJSDM).

Usage

```
## S3 method for class 'lfJSDM'
summary(object, level = 'both', quantiles = c(0.025, 0.5, 0.975),
        digits = max(3L, getOption("digits") - 3L), ...)
## S3 method for class 'lfJSDM'
print(x, ...)
## S3 method for class 'lfJSDM'
plot(x, param, density = TRUE, ...)
```

Arguments

object, x	object of class lfJSDM.
level	a quoted keyword that indicates the level to summarize the model results. Valid key words are: "community", "species", or "both".
quantiles	for summary, posterior distribution quantiles to compute.
digits	for summary, number of digits to report.
param	parameter name for which to generate a traceplot. Valid names are "beta", "beta.star", "sigma.sq.psi", "beta.comm", "tau.sq.beta", "lambda".
density	logical value indicating whether to also generate a density plot for each parameter in addition to the MCMC traceplot.
...	currently no additional arguments

Details

A set of standard extractor functions for fitted model objects of class lfJSDM, including methods to the generic functions [print](#), [summary](#), and [plot](#).

Value

No return value, called to display summary information of a lfJSDM object.

summary.lfMsPGOcc *Methods for lfMsPGOcc Object*

Description

Methods for extracting information from a fitted latent factor multi-species occupancy model (lfMsPGOcc).

Usage

```
## S3 method for class 'lfMsPGOcc'
summary(object, level = 'both', quantiles = c(0.025, 0.5, 0.975),
        digits = max(3L, getOption("digits") - 3L), ...)
## S3 method for class 'lfMsPGOcc'
print(x, ...)
## S3 method for class 'lfMsPGOcc'
plot(x, param, density = TRUE, ...)
```

Arguments

object, x	object of class lfMsPGOcc.
level	a quoted keyword that indicates the level to summarize the model results. Valid key words are: "community", "species", or "both".
quantiles	for summary, posterior distribution quantiles to compute.
digits	for summary, number of digits to report.
param	parameter name for which to generate a traceplot. Valid names are "beta", "beta.star", "sigma.sq.psi", "beta.comm", "tau.sq.beta", "alpha", "alpha.star", "sigma.sq.p", "alpha.comm", "tau.sq.alpha", "lambda".
density	logical value indicating whether to also generate a density plot for each parameter in addition to the MCMC traceplot.
...	currently no additional arguments

Details

A set of standard extractor functions for fitted model objects of class lfMsPGOcc, including methods to the generic functions [print](#), [summary](#), and [plot](#).

Value

No return value, called to display summary information of a lfMsPGOcc object.

summary.msPGOcc

*Methods for msPGOcc Object***Description**

Methods for extracting information from fitted multi-species occupancy (msPGOcc) model.

Usage

```
## S3 method for class 'msPGOcc'
summary(object, level = 'both', quantiles = c(0.025, 0.5, 0.975),
        digits = max(3L, getOption("digits") - 3L), ...)
## S3 method for class 'msPGOcc'
print(x, ...)
## S3 method for class 'msPGOcc'
plot(x, param, density = TRUE, ...)
```

Arguments

object, x	object of class msPGOcc.
level	a quoted keyword that indicates the level to summarize the model results. Valid key words are: "community", "species", or "both".
quantiles	for summary, posterior distribution quantiles to compute.
digits	for summary, number of digits to report.
param	parameter name for which to generate a traceplot. Valid names are "beta", "beta.star", "sigma.sq.psi", "beta.comm", "tau.sq.beta", "alpha", "alpha.star", "sigma.sq.p", "alpha.comm", "tau.sq.alpha".
density	logical value indicating whether to also generate a density plot for each parameter in addition to the MCMC traceplot.
...	currently no additional arguments

Details

A set of standard extractor functions for fitted model objects of class msPGOcc, including methods to the generic functions [print](#), [summary](#), and [plot](#).

Value

No return value, called to display summary information of a msPGOcc object.

summary.PGOcc	<i>Methods for PGOcc Object</i>
---------------	---------------------------------

Description

Methods for extracting information from fitted single-species occupancy (PGOcc) model.

Usage

```
## S3 method for class 'PGOcc'
summary(object, quantiles = c(0.025, 0.5, 0.975),
        digits = max(3L, getOption("digits") - 3L), ...)
## S3 method for class 'PGOcc'
print(x, ...)
## S3 method for class 'PGOcc'
plot(x, param, density = TRUE, ...)
```

Arguments

- object, x object of class PGOcc.
- quantiles for summary, posterior distribution quantiles to compute.
- digits for summary, number of digits to report.
- param parameter name for which to generate a traceplot. Valid names are "beta", "beta.star", "sigma.sq.psi", "alpha", "alpha.star", "sigma.sq.p".
- density logical value indicating whether to also generate a density plot for each parameter in addition to the MCMC traceplot.
- ... currently no additional arguments

Details

A set of standard extractor functions for fitted model objects of class PGOcc, including methods to the generic functions [print](#), [summary](#), and [plot](#).

Value

No return value, called to display summary information of a PGOcc object.

summary.postHocLM	<i>Methods for postHocLM Object</i>
-------------------	-------------------------------------

Description

Methods for extracting information from fitted posthoc linear models (postHocLM).

Usage

```
## S3 method for class 'postHocLM'
summary(object, quantiles = c(0.025, 0.5, 0.975),
        digits = max(3L, getOption("digits") - 3L), ...)
## S3 method for class 'postHocLM'
print(x, ...)
```

Arguments

object, x	object of class postHocLM.
quantiles	for summary, posterior distribution quantiles to compute.
digits	for summary, number of digits to report.
...	currently no additional arguments

Details

A set of standard extractor functions for fitted model objects of class postHocLM, including methods to the generic functions [print](#) and [summary](#).

Value

No return value, called to display summary information of a postHocLM object.

summary.ppcOcc	<i>Methods for ppcOcc Object</i>
----------------	----------------------------------

Description

Methods for extracting information from posterior predictive check objects of class ppcOcc.

Usage

```
## S3 method for class 'ppcOcc'
summary(object, level, digits = max(3L, getOption("digits") - 3L), ...)
```

Arguments

object	object of class ppcOcc.
level	a quoted keyword for multi-species models that indicates the level to summarize the posterior predictive check. Valid key words are: "community", "species", or "both".
digits	number of digits to report.
...	currently no additional arguments

Details

A set of standard extractor functions for fitted posterior predictive check objects of class ppcOcc, including methods to the generic function [summary](#).

Value

No return value, called to display summary information of a ppcOcc object.

summary.sfJSDM	<i>Methods for sfJSDM Object</i>
----------------	----------------------------------

Description

Methods for extracting information from fitted spatial factor joint species distribution models (sfJSDM).

Usage

```
## S3 method for class 'sfJSDM'
summary(object, level, quantiles = c(0.025, 0.5, 0.975),
        digits = max(3L, getOption("digits") - 3L), ...)
## S3 method for class 'sfJSDM'
print(x, ...)
## S3 method for class 'sfJSDM'
plot(x, param, density = TRUE, ...)
```

Arguments

object, x	object of class sfJSDM.
level	a quoted keyword that indicates the level to summarize the model results. Valid key words are: "community", "species", or "both".
quantiles	for summary, posterior distribution quantiles to compute.
digits	for summary, number of digits to report.
param	parameter name for which to generate a traceplot. Valid names are "beta", "beta.star", "sigma.sq.psi", "beta.comm", "tau.sq.beta", "theta", "lambda".
density	logical value indicating whether to also generate a density plot for each parameter in addition to the MCMC traceplot.
...	currently no additional arguments

Details

A set of standard extractor functions for fitted model objects of class sfJSDM, including methods to the generic functions `print`, `summary`, and `plot`.

Value

No return value, called to display summary information of a sfJSDM object.

summary.sfMsPGOcc	<i>Methods for sfMsPGOcc Object</i>
-------------------	-------------------------------------

Description

Methods for extracting information from fitted spatial factor multi-species occupancy model.

Usage

```
## S3 method for class 'sfMsPGOcc'
summary(object, level, quantiles = c(0.025, 0.5, 0.975),
        digits = max(3L, getOption("digits") - 3L), ...)
## S3 method for class 'sfMsPGOcc'
print(x, ...)
## S3 method for class 'sfMsPGOcc'
plot(x, param, density = TRUE, ...)
```

Arguments

object, x	object of class sfMsPGOcc.
level	a quoted keyword that indicates the level to summarize the model results. Valid key words are: "community", "species", or "both".
quantiles	for summary, posterior distribution quantiles to compute.
digits	for summary, number of digits to report.
param	parameter name for which to generate a traceplot. Valid names are "beta", "beta.star", "sigma.sq.psi", "beta.comm", "tau.sq.beta", "alpha", "alpha.star", "sigma.sq.p", "alpha.comm", "tau.sq.alpha", "lambda", "theta".
density	logical value indicating whether to also generate a density plot for each parameter in addition to the MCMC traceplot.
...	currently no additional arguments

Details

A set of standard extractor functions for fitted model objects of class sfMsPGOcc, including methods to the generic functions `print`, `summary`, and `plot`.

Value

No return value, called to display summary information of a sfMsPGOcc object.

summary.spIntPGOcc *Methods for spIntPGOcc Object*

Description

Methods for extracting information from fitted single-species spatial integrated occupancy (spIntPGOcc) model.

Usage

```
## S3 method for class 'spIntPGOcc'
summary(object, quantiles = c(0.025, 0.5, 0.975),
        digits = max(3L, getOption("digits") - 3L), ...)
## S3 method for class 'spIntPGOcc'
print(x, ...)
## S3 method for class 'spIntPGOcc'
plot(x, param, density = TRUE, ...)
```

Arguments

object, x	object of class spIntPGOcc.
quantiles	for summary, posterior distribution quantiles to compute.
digits	for summary, number of digits to report.
param	parameter name for which to generate a traceplot. Valid names are "beta", "alpha", "theta".
density	logical value indicating whether to also generate a density plot for each parameter in addition to the MCMC traceplot.
...	currently no additional arguments

Details

A set of standard extractor functions for fitted model objects of class spIntPGOcc, including methods to the generic functions [print](#), [summary](#), and [plot](#).

Value

No return value, called to display summary information of a spIntPGOcc object.

summary.spMsPGOcc *Methods for spMsPGOcc Object*

Description

Methods for extracting information from fitted multi-species spatial occupancy (spMsPGOcc) model.

Usage

```
## S3 method for class 'spMsPGOcc'
summary(object, level, quantiles = c(0.025, 0.5, 0.975),
        digits = max(3L, getOption("digits") - 3L), ...)
## S3 method for class 'spMsPGOcc'
print(x, ...)
## S3 method for class 'spMsPGOcc'
plot(x, param, density = TRUE, ...)
```

Arguments

object, x	object of class spMsPGOcc.
level	a quoted keyword that indicates the level to summarize the model results. Valid key words are: "community", "species", or "both".
quantiles	for summary, posterior distribution quantiles to compute.
digits	for summary, number of digits to report.
param	parameter name for which to generate a traceplot. Valid names are "beta", "beta.star", "sigma.sq.psi", "beta.comm", "tau.sq.beta", "alpha", "alpha.star", "sigma.sq.p", "alpha.comm", "tau.sq.alpha", "theta".
density	logical value indicating whether to also generate a density plot for each parameter in addition to the MCMC traceplot.
...	currently no additional arguments

Details

A set of standard extractor functions for fitted model objects of class spMsPGOcc, including methods to the generic functions [print](#), [summary](#), and [plot](#).

Value

No return value, called to display summary information of a spMsPGOcc object.

summary.spPGOcc

*Methods for spPGOcc Object***Description**

Methods for extracting information from fitted single-species spatial occupancy (spPGOcc) model.

Usage

```
## S3 method for class 'spPGOcc'
summary(object, quantiles = c(0.025, 0.5, 0.975),
        digits = max(3L, getOption("digits") - 3L), ...)
## S3 method for class 'spPGOcc'
print(x, ...)
## S3 method for class 'spPGOcc'
plot(x, param, density = TRUE, ...)
```

Arguments

object, x	object of class spPGOcc.
quantiles	for summary, posterior distribution quantiles to compute.
digits	for summary, number of digits to report.
param	parameter name for which to generate a traceplot. Valid names are "beta", "beta.star", "sigma.sq.psi", "alpha", "alpha.star", "sigma.sq.p", "theta".
density	logical value indicating whether to also generate a density plot for each parameter in addition to the MCMC traceplot.
...	currently no additional arguments

Details

A set of standard extractor functions for fitted model objects of class spPGOcc, including methods to the generic functions [print](#), [summary](#), and [plot](#).

Value

No return value, called to display summary information of a spPGOcc object.

summary.stIntPGOcc *Methods for stIntPGOcc Object*

Description

Methods for extracting information from fitted multi-season single-species spatial integrated occupancy (stIntPGOcc) model.

Usage

```
## S3 method for class 'stIntPGOcc'
summary(object, quantiles = c(0.025, 0.5, 0.975),
        digits = max(3L, getOption("digits") - 3L), ...)
## S3 method for class 'stIntPGOcc'
print(x, ...)
## S3 method for class 'stIntPGOcc'
plot(x, param, density = TRUE, ...)
```

Arguments

object, x	object of class stIntPGOcc.
quantiles	for summary, posterior distribution quantiles to compute.
digits	for summary, number of digits to report.
param	parameter name for which to generate a traceplot. Valid names are "beta", "beta.star", "sigma.sq.psi", "alpha", "alpha.star", "sigma.sq.p", "theta".
density	logical value indicating whether to also generate a density plot for each parameter in addition to the MCMC traceplot.
...	currently no additional arguments

Details

A set of standard extractor functions for fitted model objects of class stIntPGOcc, including methods to the generic functions [print](#), [summary](#), and [plot](#).

Value

No return value, called to display summary information of a stIntPGOcc object.

summary.stMsPGOcc *Methods for stMsPGOcc Object*

Description

Methods for extracting information from fitted multi-species, multi-season spatial occupancy (stMsPGOcc) model.

Usage

```
## S3 method for class 'stMsPGOcc'
summary(object, level = 'both', quantiles = c(0.025, 0.5, 0.975),
        digits = max(3L, getOption("digits") - 3L), ...)
## S3 method for class 'stMsPGOcc'
print(x, ...)
## S3 method for class 'stMsPGOcc'
plot(x, param, density = TRUE, ...)
```

Arguments

object, x	object of class stMsPGOcc.
level	a quoted keyword that indicates the level to summarize the model results. Valid key words are: "community", "species", or "both".
quantiles	for summary, posterior distribution quantiles to compute.
digits	for summary, number of digits to report.
param	parameter name for which to generate a traceplot. Valid names are "beta", "beta.star", "sigma.sq.psi", "beta.comm", "tau.sq.beta", "alpha", "alpha.star", "sigma.sq.p", "alpha.comm", "tau.sq.alpha", "lambda", "theta".
density	logical value indicating whether to also generate a density plot for each parameter in addition to the MCMC traceplot.
...	currently no additional arguments

Details

A set of standard extractor functions for fitted model objects of class stMsPGOcc, including methods to the generic functions [print](#), [summary](#), and [plot](#).

Value

No return value, called to display summary information of a stMsPGOcc object.

summary.stPGOcc

Methods for stPGOcc Object

Description

Methods for extracting information from fitted multi-season single-species spatial occupancy (stPGOcc) model.

Usage

```
## S3 method for class 'stPGOcc'
summary(object, quantiles = c(0.025, 0.5, 0.975),
        digits = max(3L, getOption("digits") - 3L), ...)
## S3 method for class 'stPGOcc'
print(x, ...)
## S3 method for class 'stPGOcc'
plot(x, param, density = TRUE, ...)
```

Arguments

object, x	object of class stPGOcc.
quantiles	for summary, posterior distribution quantiles to compute.
digits	for summary, number of digits to report.
param	parameter name for which to generate a traceplot. Valid names are "beta", "beta.star", "sigma.sq.psi", "alpha", "alpha.star", "sigma.sq.p", "theta".
density	logical value indicating whether to also generate a density plot for each parameter in addition to the MCMC traceplot.
...	currently no additional arguments

Details

A set of standard extractor functions for fitted model objects of class stPGOcc, including methods to the generic functions [print](#), [summary](#), and [plot](#).

Value

No return value, called to display summary information of a stPGOcc object.

summary.svcMsPGOcc *Methods for svcMsPGOcc Object*

Description

Methods for extracting information from fitted multi-species spatially-varying coefficient occupancy model.

Usage

```
## S3 method for class 'svcMsPGOcc'
summary(object, level, quantiles = c(0.025, 0.5, 0.975),
        digits = max(3L, getOption("digits") - 3L), ...)
## S3 method for class 'svcMsPGOcc'
print(x, ...)
## S3 method for class 'svcMsPGOcc'
plot(x, param, density = TRUE, ...)
```

Arguments

object, x	object of class svcMsPGOcc.
level	a quoted keyword that indicates the level to summarize the model results. Valid key words are: "community", "species", or "both".
quantiles	for summary, posterior distribution quantiles to compute.
digits	for summary, number of digits to report.
param	parameter name for which to generate a traceplot. Valid names are "beta", "beta.star", "sigma.sq.psi", "beta.comm", "tau.sq.beta", "alpha", "alpha.star", "sigma.sq.p", "alpha.comm", "tau.sq.alpha", "lambda", "theta".
density	logical value indicating whether to also generate a density plot for each parameter in addition to the MCMC traceplot.
...	currently no additional arguments

Details

A set of standard extractor functions for fitted model objects of class svcMsPGOcc, including methods to the generic functions [print](#), [summary](#), and [plot](#).

Value

No return value, called to display summary information of a svcMsPGOcc object.

summary.svcPGBinom *Methods for svcPGBinom Object*

Description

Methods for extracting information from fitted single-species spatially-varying coefficient binomial model (svcPGBinom).

Usage

```
## S3 method for class 'svcPGBinom'
summary(object, quantiles = c(0.025, 0.5, 0.975),
        digits = max(3L, getOption("digits") - 3L), ...)
## S3 method for class 'svcPGBinom'
print(x, ...)
## S3 method for class 'svcPGBinom'
plot(x, param, density = TRUE, ...)
```

Arguments

object, x	object of class svcPGBinom.
quantiles	for summary, posterior distribution quantiles to compute.
digits	for summary, number of digits to report.
param	parameter name for which to generate a traceplot. Valid names are "beta", "beta.star", "sigma.sq.psi", "theta".
density	logical value indicating whether to also generate a density plot for each parameter in addition to the MCMC traceplot.
...	currently no additional arguments

Details

A set of standard extractor functions for fitted model objects of class svcPGBinom, including methods to the generic functions [print](#), [summary](#), and [plot](#).

Value

No return value, called to display summary information of a svcPGBinom object.

summary.svcPGOcc	<i>Methods for svcPGOcc Object</i>
------------------	------------------------------------

Description

Methods for extracting information from fitted single-species spatially-varying coefficient occupancy (svcPGOcc) model.

Usage

```
## S3 method for class 'svcPGOcc'
summary(object, quantiles = c(0.025, 0.5, 0.975),
        digits = max(3L, getOption("digits") - 3L), ...)
## S3 method for class 'svcPGOcc'
print(x, ...)
## S3 method for class 'svcPGOcc'
plot(x, param, density = TRUE, ...)
```

Arguments

object, x	object of class svcPGOcc.
quantiles	for summary, posterior distribution quantiles to compute.
digits	for summary, number of digits to report.
param	parameter name for which to generate a traceplot. Valid names are "beta", "beta.star", "sigma.sq.psi", "alpha", "alpha.star", "sigma.sq.p", "theta".
density	logical value indicating whether to also generate a density plot for each parameter in addition to the MCMC traceplot.
...	currently no additional arguments

Details

A set of standard extractor functions for fitted model objects of class svcPGOcc, including methods to the generic functions [print](#), [summary](#), and [plot](#).

Value

No return value, called to display summary information of a svcPGOcc object.

summary.svcTIntPGOcc *Methods for svcTIntPGOcc Object*

Description

Methods for extracting information from fitted multi-season single-species spatially-varying coefficient integrated occupancy (svcTIntPGOcc) model.

Usage

```
## S3 method for class 'svcTIntPGOcc'
summary(object, quantiles = c(0.025, 0.5, 0.975),
        digits = max(3L, getOption("digits") - 3L), ...)
## S3 method for class 'svcTIntPGOcc'
print(x, ...)
## S3 method for class 'svcTIntPGOcc'
plot(x, param, density = TRUE, ...)
```

Arguments

object, x	object of class svcTIntPGOcc.
quantiles	for summary, posterior distribution quantiles to compute.
digits	for summary, number of digits to report.
param	parameter name for which to generate a traceplot. Valid names are "beta", "beta.star", "sigma.sq.psi", "alpha", "alpha.star", "sigma.sq.p", "theta".
density	logical value indicating whether to also generate a density plot for each parameter in addition to the MCMC traceplot.
...	currently no additional arguments

Details

A set of standard extractor functions for fitted model objects of class svcTIntPGOcc, including methods to the generic functions [print](#), [summary](#), and [plot](#).

Value

No return value, called to display summary information of a svcTIntPGOcc object.

summary.svcTMsPGOcc *Methods for svcTMsPGOcc Object*

Description

Methods for extracting information from fitted multi-species, multi-season spatially-varying coefficient occupancy (svcTMsPGOcc) model.

Usage

```
## S3 method for class 'svcTMsPGOcc'
summary(object, level = 'both', quantiles = c(0.025, 0.5, 0.975),
        digits = max(3L, getOption("digits") - 3L), ...)
## S3 method for class 'svcTMsPGOcc'
print(x, ...)
## S3 method for class 'svcTMsPGOcc'
plot(x, param, density = TRUE, ...)
```

Arguments

object, x	object of class svcTMsPGOcc.
level	a quoted keyword that indicates the level to summarize the model results. Valid key words are: "community", "species", or "both".
quantiles	for summary, posterior distribution quantiles to compute.
digits	for summary, number of digits to report.
param	parameter name for which to generate a traceplot. Valid names are "beta", "beta.star", "sigma.sq.psi", "beta.comm", "tau.sq.beta", "alpha", "alpha.star", "sigma.sq.p", "alpha.comm", "tau.sq.alpha", "lambda", "theta".
density	logical value indicating whether to also generate a density plot for each parameter in addition to the MCMC traceplot.
...	currently no additional arguments

Details

A set of standard extractor functions for fitted model objects of class svcTMsPGOcc, including methods to the generic functions [print](#), [summary](#), and [plot](#).

Value

No return value, called to display summary information of a svcTMsPGOcc object.

summary.svcTPGBinom *Methods for svcTPGBinom Object*

Description

Methods for extracting information from fitted multi-season single-species spatially-varying coefficient binomial model (svcTPGBinom).

Usage

```
## S3 method for class 'svcTPGBinom'
summary(object, quantiles = c(0.025, 0.5, 0.975),
        digits = max(3L, getOption("digits") - 3L), ...)
## S3 method for class 'svcTPGBinom'
print(x, ...)
## S3 method for class 'svcTPGBinom'
plot(x, param, density = TRUE, ...)
```

Arguments

object, x	object of class svcTPGBinom.
quantiles	for summary, posterior distribution quantiles to compute.
digits	for summary, number of digits to report.
param	parameter name for which to generate a traceplot. Valid names are "beta", "beta.star", "sigma.sq.psi", "theta".
density	logical value indicating whether to also generate a density plot for each parameter in addition to the MCMC traceplot.
...	currently no additional arguments

Details

A set of standard extractor functions for fitted model objects of class svcTPGBinom, including methods to the generic functions [print](#), [summary](#), [plot](#).

Value

No return value, called to display summary information of a svcTPGBinom object.

summary.svcTPGOcc *Methods for svcTPGOcc Object*

Description

Methods for extracting information from fitted multi-season single-species spatially-varying coefficient occupancy (svcTPGOcc) model.

Usage

```
## S3 method for class 'svcTPGOcc'
summary(object, quantiles = c(0.025, 0.5, 0.975),
        digits = max(3L, getOption("digits") - 3L), ...)
## S3 method for class 'svcTPGOcc'
print(x, ...)
## S3 method for class 'svcTPGOcc'
plot(x, param, density = TRUE, ...)
```

Arguments

object, x	object of class svcTPGOcc.
quantiles	for summary, posterior distribution quantiles to compute.
digits	for summary, number of digits to report.
param	parameter name for which to generate a traceplot. Valid names are "beta", "beta.star", "sigma.sq.psi", "alpha", "alpha.star", "sigma.sq.p", "theta".
density	logical value indicating whether to also generate a density plot for each parameter in addition to the MCMC traceplot.
...	currently no additional arguments

Details

A set of standard extractor functions for fitted model objects of class svcTPGOcc, including methods to the generic functions [print](#), [summary](#), and [plot](#).

Value

No return value, called to display summary information of a svcTPGOcc object.

summary.tIntPGOcc *Methods for tIntPGOcc Object*

Description

Methods for extracting information from fitted multi-season single-species integrated occupancy (tIntPGOcc) model.

Usage

```
## S3 method for class 'tIntPGOcc'
summary(object, quantiles = c(0.025, 0.5, 0.975),
        digits = max(3L, getOption("digits") - 3L), ...)
## S3 method for class 'tIntPGOcc'
print(x, ...)
## S3 method for class 'tIntPGOcc'
plot(x, param, density = TRUE, ...)
```

Arguments

object, x	object of class tIntPGOcc.
quantiles	for summary, posterior distribution quantiles to compute.
digits	for summary, number of digits to report.
param	parameter name for which to generate a traceplot. Valid names are "beta", "beta.star", "sigma.sq.psi", "alpha", "alpha.star", "sigma.sq.p", "theta".
density	logical value indicating whether to also generate a density plot for each parameter in addition to the MCMC traceplot.
...	currently no additional arguments

Details

A set of standard extractor functions for fitted model objects of class tIntPGOcc, including methods to the generic functions [print](#), [summary](#), and [plot](#).

Value

No return value, called to display summary information of a tIntPGOcc object.

summary.tMsPGOcc

*Methods for tMsPGOcc Object***Description**

Methods for extracting information from fitted multi-species, multi-season occupancy (tMsPGOcc) model.

Usage

```
## S3 method for class 'tMsPGOcc'
summary(object, level = 'both', quantiles = c(0.025, 0.5, 0.975),
        digits = max(3L, getOption("digits") - 3L), ...)
## S3 method for class 'tMsPGOcc'
print(x, ...)
## S3 method for class 'tMsPGOcc'
plot(x, param, density = TRUE, ...)
```

Arguments

object, x	object of class tMsPGOcc.
level	a quoted keyword that indicates the level to summarize the model results. Valid key words are: "community", "species", or "both".
quantiles	for summary, posterior distribution quantiles to compute.
digits	for summary, number of digits to report.
param	parameter name for which to generate a traceplot. Valid names are "beta", "beta.star", "sigma.sq.psi", "beta.comm", "tau.sq.beta", "alpha", "alpha.star", "sigma.sq.p", "alpha.comm", "tau.sq.alpha", "theta".
density	logical value indicating whether to also generate a density plot for each parameter in addition to the MCMC traceplot.
...	currently no additional arguments

Details

A set of standard extractor functions for fitted model objects of class tMsPGOcc, including methods to the generic functions [print](#), [summary](#), and [plot](#).

Value

No return value, called to display summary information of a tMsPGOcc object.

summary.tPGOcc

*Methods for tPGOcc Object***Description**

Methods for extracting information from fitted multi-season single-species occupancy (tPGOcc) model.

Usage

```
## S3 method for class 'tPGOcc'
summary(object, quantiles = c(0.025, 0.5, 0.975),
        digits = max(3L, getOption("digits") - 3L), ...)
## S3 method for class 'tPGOcc'
print(x, ...)
## S3 method for class 'tPGOcc'
plot(x, param, density = TRUE, ...)
```

Arguments

object, x	object of class tPGOcc.
quantiles	for summary, posterior distribution quantiles to compute.
digits	for summary, number of digits to report.
param	parameter name for which to generate a traceplot. Valid names are "beta", "beta.star", "sigma.sq.psi", "alpha", "alpha.star", "sigma.sq.p", "theta".
density	logical value indicating whether to also generate a density plot for each parameter in addition to the MCMC traceplot.
...	currently no additional arguments

Details

A set of standard extractor functions for fitted model objects of class tPGOcc, including methods to the generic functions [print](#), [summary](#), and [plot](#).

Value

No return value, called to display summary information of a tPGOcc object.

 svcMsPGOcc

Function for Fitting Multi-Species Spatially-Varying Coefficient Occupancy Models

Description

The function `svcMsPGOcc` fits multi-species spatially-varying coefficient occupancy models with species correlations (i.e., a spatially-explicit joint species distribution model with imperfect detection). We use Polya-Gamma latent variables and a spatial factor modeling approach. Models are implemented using a Nearest Neighbor Gaussian Process.

Usage

```
svcMsPGOcc(occ.formula, det.formula, data, inits, priors, tuning,
            svc.cols = 1, cov.model = 'exponential', NNGP = TRUE,
            n.neighbors = 15, search.type = 'cb', std.by.sp = FALSE,
            n.factors, n.batch, batch.length,
            accept.rate = 0.43, n.omp.threads = 1,
            verbose = TRUE, n.report = 100,
            n.burn = round(.10 * n.batch * batch.length), n.thin = 1,
            n.chains = 1, ...)
```

Arguments

<code>occ.formula</code>	a symbolic description of the model to be fit for the occurrence portion of the model using R's model syntax. Random intercepts are allowed using lme4 syntax (Bates et al. 2015). Only right-hand side of formula is specified. See example below.
<code>det.formula</code>	a symbolic description of the model to be fit for the detection portion of the model using R's model syntax. Only right-hand side of formula is specified. See example below. Random intercepts are allowed using lme4 syntax (Bates et al. 2015).
<code>data</code>	a list containing data necessary for model fitting. Valid tags are <code>y</code> , <code>occ.covs</code> , <code>det.covs</code> , <code>coords</code> , and <code>range.ind</code> . <code>y</code> is a three-dimensional array with first dimension equal to the number of species, second dimension equal to the number of sites, and third dimension equal to the maximum number of replicates at a given site. <code>occ.covs</code> is a matrix or data frame containing the variables used in the occurrence portion of the model, with J rows for each column (variable). <code>det.covs</code> is a list of variables included in the detection portion of the model. Each list element is a different detection covariate, which can be site-level or observational-level. Site-level covariates are specified as a vector of length J while observational-level covariates are specified as a matrix or data frame with the number of rows equal to J and number of columns equal to the maximum number of replicates at a given site. <code>coords</code> is a $J \times 2$ matrix of the observation coordinates. Note that <code>spOccupancy</code> assumes coordinates are specified in a projected coordinate system. <code>range.ind</code> is a matrix with rows corresponding to

species and columns corresponding to sites, with each element taking value 1 if that site is within the range of the corresponding species and 0 if it is outside of the range. This matrix is not required, but it can be helpful to restrict the modeled area for each individual species to be within the realistic range of locations for that species when estimating the model parameters. This is applicable when auxiliary data sources are available on the realistic range of the species.

inits	a list with each tag corresponding to a parameter name. Valid tags are <code>alpha.comm</code> , <code>beta.comm</code> , <code>beta</code> , <code>alpha</code> , <code>tau.sq.beta</code> , <code>tau.sq.alpha</code> , <code>sigma.sq.psi</code> , <code>sigma.sq.p</code> , <code>z</code> , <code>phi</code> , <code>lambda</code> , and <code>nu</code> . <code>nu</code> is only specified if <code>cov.model = "matern"</code> , and <code>sigma.sq.psi</code> and <code>sigma.sq.p</code> are only specified if random effects are included in <code>occ.formula</code> or <code>det.formula</code> , respectively. The value portion of each tag is the parameter's initial value. See <code>priors</code> description for definition of each parameter name. Additionally, the tag <code>fix</code> can be set to <code>TRUE</code> to fix the starting values across all chains. If <code>fix</code> is not specified (the default), starting values are varied randomly across chains.
priors	a list with each tag corresponding to a parameter name. Valid tags are <code>beta.comm.normal</code> , <code>alpha.comm.normal</code> , <code>tau.sq.beta.ig</code> , <code>tau.sq.alpha.ig</code> , <code>sigma.sq.psi</code> , <code>sigma.sq.p</code> , <code>phi.unif</code> , and <code>nu.unif</code> . Community-level occurrence (<code>beta.comm</code>) and detection (<code>alpha.comm</code>) regression coefficients are assumed to follow a normal distribution. The hyperparameters of the normal distribution are passed as a list of length two with the first and second elements corresponding to the mean and variance of the normal distribution, which are each specified as vectors of length equal to the number of coefficients to be estimated or of length one if priors are the same for all coefficients. If not specified, prior means are set to 0 and prior variances set to 2.72. By default, community-level variance parameters for occupancy (<code>tau.sq.beta</code>) and detection (<code>tau.sq.alpha</code>) are assumed to follow an inverse Gamma distribution. The hyperparameters of the inverse gamma distribution are passed as a list of length two with the first and second elements corresponding to the shape and scale parameters, which are each specified as vectors of length equal to the number of coefficients to be estimated or a single value if priors are the same for all parameters. If not specified, prior shape and scale parameters are set to 0.1. The spatial factor model fits <code>n.factors</code> independent spatial processes for each spatially-varying coefficient specified in <code>svc.cols</code> . The spatial decay <code>phi</code> and smoothness <code>nu</code> parameters for each latent factor are assumed to follow Uniform distributions. The hyperparameters of the Uniform are passed as a list with two elements, with both elements being vectors of length <code>n.factors * length(svc.cols)</code> corresponding to the lower and upper support, respectively, or as a single value if the same value is assigned for all factor/SVC combinations. The priors for the factor loadings matrix <code>lambda</code> for each SVC are fixed following the standard spatial factor model to ensure parameter identifiability (Christensen and Amemlya 2002). The upper triangular elements of the $N \times n.factors$ matrix are fixed at 0 and the diagonal elements are fixed at 1 for each SVC. The lower triangular elements are assigned a standard normal prior (i.e., mean 0 and variance 1). <code>sigma.sq.psi</code> and <code>sigma.sq.p</code> are the random effect variances for any occurrence or detection random effects, respectively, and are assumed to follow an inverse Gamma distribution. The hyperparameters of the inverse-Gamma distribution are passed as a list of length two with first and second elements corresponding to the shape and scale pa-

rameters, respectively, which are each specified as vectors of length equal to the number of random intercepts or of length one if priors are the same for all random effect variances.

tuning	a list with each tag corresponding to a parameter name. Valid tags are phi and nu. The value portion of each tag defines the initial variance of the adaptive sampler. We assume the initial variance of the adaptive sampler is the same for each species, although the adaptive sampler will adjust the tuning variances separately for each species. See Roberts and Rosenthal (2009) for details.
svc.cols	a vector indicating the variables whose effects will be estimated as spatially-varying coefficients. <code>svc.cols</code> can be an integer vector with values indicating the order of covariates specified in the model formula (with 1 being the intercept if specified), or it can be specified as a character vector with names corresponding to variable names in <code>occ.covs</code> (for the intercept, use '(Intercept)'). <code>svc.cols</code> default argument of 1 results in a spatial occupancy model analogous to <code>sfMsPGOcc</code> (assuming an intercept is included in the model).
cov.model	a quoted keyword that specifies the covariance function used to model the spatial dependence structure among the observations. Supported covariance model key words are: "exponential", "matern", "spherical", and "gaussian".
NNGP	if TRUE, model is fit with an NNGP. If FALSE, a full Gaussian process is used. See Datta et al. (2016) and Finley et al. (2019) for more information. Only NNGP = TRUE is currently supported.
n.neighbors	number of neighbors used in the NNGP. Only used if NNGP = TRUE. Datta et al. (2016) showed that 15 neighbors is usually sufficient, but that as few as 5 neighbors can be adequate for certain data sets, which can lead to even greater decreases in run time. We recommend starting with 15 neighbors (the default) and if additional gains in computation time are desired, subsequently compare the results with a smaller number of neighbors using WAIC.
search.type	a quoted keyword that specifies the type of nearest neighbor search algorithm. Supported method key words are: "cb" and "brute". The "cb" should generally be much faster. If locations do not have identical coordinate values on the axis used for the nearest neighbor ordering then "cb" and "brute" should produce identical neighbor sets. However, if there are identical coordinate values on the axis used for nearest neighbor ordering, then "cb" and "brute" might produce different, but equally valid, neighbor sets, e.g., if data are on a grid.
std.by.sp	a logical value indicating whether the covariates are standardized separately for each species within the corresponding range for each species (TRUE) or not (FALSE). Note that if <code>range.ind</code> is specified in <code>data.list</code> , this will result in the covariates being standardized differently for each species based on the sites where <code>range.ind == 1</code> for that given species. If <code>range.ind</code> is not specified and <code>std.by.sp = TRUE</code> , this will simply be equivalent to standardizing the covariates across all locations prior to fitting the model. Note that the covariates in <code>occ.formula</code> should still be standardized across all locations. This can be done either outside the function, or can be done by specifying <code>scale()</code> in the model formula around the continuous covariates.
n.factors	the number of factors to use in the spatial factor model approach. Note this corresponds to the number of factors used for each spatially-varying coefficient

	that is estimated in the model. Typically, the number of factors is set to be small (e.g., 4-5) relative to the total number of species in the community, which will lead to substantial decreases in computation time. However, the value can be anywhere between 1 and N (the number of species in the community).
<code>n.batch</code>	the number of MCMC batches in each chain to run for the Adaptive MCMC sampler. See Roberts and Rosenthal (2009) for details.
<code>batch.length</code>	the length of each MCMC batch to run for the Adaptive MCMC sampler. See Roberts and Rosenthal (2009) for details.
<code>accept.rate</code>	target acceptance rate for Adaptive MCMC. Default is 0.43. See Roberts and Rosenthal (2009) for details.
<code>n.omp.threads</code>	a positive integer indicating the number of threads to use for SMP parallel processing within chains. The package must be compiled for OpenMP support. For most Intel-based machines, we recommend setting <code>n.omp.threads</code> up to the number of hyperthreaded cores. Note, <code>n.omp.threads > 1</code> might not work on some systems.
<code>verbose</code>	if TRUE, messages about data preparation, model specification, and progress of the sampler are printed to the screen. Otherwise, no messages are printed.
<code>n.report</code>	the interval to report Metropolis sampler acceptance and MCMC progress. Note this is specified in terms of batches and not overall samples for spatial models.
<code>n.burn</code>	the number of samples out of the total <code>n.samples</code> to discard as burn-in for each chain. By default, the first 10% of samples is discarded.
<code>n.thin</code>	the thinning interval for collection of MCMC samples. The thinning occurs after the <code>n.burn</code> samples are discarded. Default value is set to 1.
<code>n.chains</code>	the number of chains to run in sequence.
<code>...</code>	currently no additional arguments

Value

An object of class `svcMsPGOcc` that is a list comprised of:

<code>beta.comm.samples</code>	a coda object of posterior samples for the community level occurrence regression coefficients.
<code>alpha.comm.samples</code>	a coda object of posterior samples for the community level detection regression coefficients.
<code>tau.sq.beta.samples</code>	a coda object of posterior samples for the occurrence community variance parameters.
<code>tau.sq.alpha.samples</code>	a coda object of posterior samples for the detection community variance parameters.
<code>beta.samples</code>	a coda object of posterior samples for the species level occurrence regression coefficients.
<code>alpha.samples</code>	a coda object of posterior samples for the species level detection regression coefficients.

<code>theta.samples</code>	a coda object of posterior samples for the species level correlation parameters for each spatially-varying coefficient.
<code>lambda.samples</code>	a coda object of posterior samples for the latent spatial factor loadings for each spatially-varying coefficient.
<code>z.samples</code>	a three-dimensional array of posterior samples for the latent occurrence values for each species.
<code>psi.samples</code>	a three-dimensional array of posterior samples for the latent occupancy probability values for each species.
<code>w.samples</code>	a four-dimensional array of posterior samples for the latent spatial random effects for each spatial factor within each spatially-varying coefficient. Dimensions correspond to MCMC sample, factor, site, and spatially-varying coefficient.
<code>sigma.sq.psi.samples</code>	a coda object of posterior samples for variances of random intercepts included in the occurrence portion of the model. Only included if random intercepts are specified in <code>occ.formula</code> .
<code>sigma.sq.p.samples</code>	a coda object of posterior samples for variances of random intercepts included in the detection portion of the model. Only included if random intercepts are specified in <code>det.formula</code> .
<code>beta.star.samples</code>	a coda object of posterior samples for the occurrence random effects. Only included if random intercepts are specified in <code>occ.formula</code> .
<code>alpha.star.samples</code>	a coda object of posterior samples for the detection random effects. Only included if random intercepts are specified in <code>det.formula</code> .
<code>like.samples</code>	a three-dimensional array of posterior samples for the likelihood value associated with each site and species. Used for calculating WAIC.
<code>rhat</code>	a list of Gelman-Rubin diagnostic values for some of the model parameters.
<code>ESS</code>	a list of effective sample sizes for some of the model parameters.
<code>run.time</code>	MCMC sampler execution time reported using <code>proc.time()</code> .

The return object will include additional objects used for subsequent prediction and/or model fit evaluation. Note that detection probability estimated values are not included in the model object, but can be extracted using `fitted()`.

Note

Some of the underlying code used for generating random numbers from the Polya-Gamma distribution is taken from the **pgdraw** package written by Daniel F. Schmidt and Enes Makalic. Their code implements Algorithm 6 in PhD thesis of Jesse Bennett Windle (2013) <https://repositories.lib.utexas.edu/handle/2152/21842>.

Author(s)

Jeffrey W. Doser <doserjef@msu.edu>,
Andrew O. Finley <finleya@msu.edu>

References

- Doser, J. W., Finley, A. O., Saunders, S. P., Kery, M., Weed, A. S., & Zipkin, E. F. (2024A). Modeling complex species-environment relationships through spatially-varying coefficient occupancy models. *Journal of Agricultural, Biological and Environmental Statistics*. doi:10.1007/s13253023-005956.
- Doser, J. W., Kery, M., Saunders, S. P., Finley, A. O., Bateman, B. L., Grand, J., Reault, S., Weed, A. S., & Zipkin, E. F. (2024B). Guidelines for the use of spatially varying coefficients in species distribution models. *Global Ecology and Biogeography*, 33(4), e13814. doi:10.1111/geb.13814.
- Datta, A., S. Banerjee, A.O. Finley, and A.E. Gelfand. (2016) Hierarchical Nearest-Neighbor Gaussian process models for large geostatistical datasets. *Journal of the American Statistical Association*, doi:10.1080/01621459.2015.1044091.
- Finley, A.O., A. Datta, B.D. Cook, D.C. Morton, H.E. Andersen, and S. Banerjee. (2019) Efficient algorithms for Bayesian Nearest Neighbor Gaussian Processes. *Journal of Computational and Graphical Statistics*, doi:10.1080/10618600.2018.1537924.
- Polson, N.G., J.G. Scott, and J. Windle. (2013) Bayesian Inference for Logistic Models Using Polya-Gamma Latent Variables. *Journal of the American Statistical Association*, 108:1339-1349.
- Roberts, G.O. and Rosenthal J.S. (2009) Examples of adaptive MCMC. *Journal of Computational and Graphical Statistics*, 18(2):349-367.
- Bates, Douglas, Martin Maechler, Ben Bolker, Steve Walker (2015). Fitting Linear Mixed-Effects Models Using lme4. *Journal of Statistical Software*, 67(1), 1-48. doi:10.18637/jss.v067.i01.

Examples

```
set.seed(400)

# Simulate Data -----
J.x <- 10
J.y <- 10
J <- J.x * J.y
n.rep <- sample(5, size = J, replace = TRUE)
N <- 6
# Community-level covariate effects
# Occurrence
beta.mean <- c(0.2, -0.2, 0.3, -0.1, 0.4)
p.occ <- length(beta.mean)
tau.sq.beta <- c(0.6, 1.5, 0.4, 0.5, 0.3)
# Detection
alpha.mean <- c(0, 1.2, -0.5)
tau.sq.alpha <- c(1, 0.5, 1.3)
p.det <- length(alpha.mean)
# Random effects
psi.RE <- list(levels = 15,
               sigma.sq.psi = 0.7)
p.RE <- list(levels = 20,
             sigma.sq.p = 0.5)
# Draw species-level effects from community means.
beta <- matrix(NA, nrow = N, ncol = p.occ)
alpha <- matrix(NA, nrow = N, ncol = p.det)
```

```

for (i in 1:p.occ) {
  beta[, i] <- rnorm(N, beta.mean[i], sqrt(tau.sq.beta[i]))
}
for (i in 1:p.det) {
  alpha[, i] <- rnorm(N, alpha.mean[i], sqrt(tau.sq.alpha[i]))
}
# Number of spatial factors for each SVC
n.factors <- 2
# The intercept and first two covariates have spatially-varying effects
svc.cols <- c(1, 2, 3)
p.svc <- length(svc.cols)
q.p.svc <- n.factors * p.svc
# Spatial decay parameters
phi <- runif(q.p.svc, 3 / 0.9, 3 / 0.1)
# A length N vector indicating the proportion of simulated locations
# that are within the range for a given species.
range.probs <- runif(N, 0.4, 1)
factor.model <- TRUE
cov.model <- 'spherical'
sp <- TRUE

dat <- simMsOcc(J.x = J.x, J.y = J.y, n.rep = n.rep, N = N, beta = beta, alpha = alpha,
               psi.RE = psi.RE, p.RE = p.RE, phi = phi, sp = sp, svc.cols = svc.cols,
               cov.model = cov.model, n.factors = n.factors,
               factor.model = factor.model, range.probs = range.probs)

y <- dat$y
X <- dat$X
X.re <- dat$X.re
X.p <- dat$X.p
X.p.re <- dat$X.p.re
coords <- dat$coords
range.ind <- dat$range.ind

# Prep data for spOccupancy -----
# Occurrence covariates
occ.covs <- cbind(X, X.re)
colnames(occ.covs) <- c('int', 'occ.cov.1', 'occ.cov.2', 'occ.cov.3',
                       'occ.cov.4', 'occ.factor.1')
# Detection covariates
det.covs <- list(det.cov.1 = X.p[, , 2],
                 det.cov.2 = X.p[, , 3],
                 det.factor.1 = X.p.re[, , 1])
# Data list
data.list <- list(y = y, coords = coords, occ.covs = occ.covs,
                 det.covs = det.covs, range.ind = range.ind)
# Priors
prior.list <- list(beta.comm.normal = list(mean = 0, var = 2.72),
                  alpha.comm.normal = list(mean = 0, var = 2.72),
                  tau.sq.beta.ig = list(a = 0.1, b = 0.1),
                  tau.sq.alpha.ig = list(a = 0.1, b = 0.1),
                  phi.unif = list(a = 3 / 1, b = 3 / .1))
inits.list <- list(alpha.comm = 0,

```

```

        beta.comm = 0,
        beta = 0,
        alpha = 0,
        tau.sq.beta = 1,
        tau.sq.alpha = 1,
        z = apply(y, c(1, 2), max, na.rm = TRUE))

# Tuning
tuning.list <- list(phi = 1)

# Number of batches
n.batch <- 2
# Batch length
batch.length <- 25
n.burn <- 0
n.thin <- 1
n.samples <- n.batch * batch.length

# Note that this is just a test case and more iterations/chains may need to
# be run to ensure convergence.
out <- svcMsPGOcc(occ.formula = ~ occ.cov.1 + occ.cov.2 + occ.cov.3 +
                  occ.cov.4 + (1 | occ.factor.1),
                  det.formula = ~ det.cov.1 + det.cov.2 + (1 | det.factor.1),
                  data = data.list,
                  inits = inits.list,
                  n.batch = n.batch,
                  n.factors = n.factors,
                  batch.length = batch.length,
                  std.by.sp = TRUE,
                  accept.rate = 0.43,
                  priors = prior.list,
                  svc.cols = svc.cols,
                  cov.model = "spherical",
                  tuning = tuning.list,
                  n.omp.threads = 1,
                  verbose = TRUE,
                  NNGP = TRUE,
                  n.neighbors = 5,
                  search.type = 'cb',
                  n.report = 10,
                  n.burn = n.burn,
                  n.thin = n.thin,
                  n.chains = 1)

summary(out)

```


Description

The function `svcPGBinom` fits single-species spatially-varying coefficient binomial models using Polya-Gamma latent variables. Models are fit using Nearest Neighbor Gaussian Processes.

Usage

```
svcPGBinom(formula, data, inits, priors, tuning, svc.cols = 1,
            cov.model = "exponential", NNGP = TRUE,
            n.neighbors = 15, search.type = "cb", n.batch,
            batch.length, accept.rate = 0.43,
            n.omp.threads = 1, verbose = TRUE, n.report = 100,
            n.burn = round(.10 * n.batch * batch.length),
            n.thin = 1, n.chains = 1,
            k.fold, k.fold.threads = 1, k.fold.seed = 100,
            k.fold.only = FALSE, ...)
```

Arguments

formula	a symbolic description of the model to be fit using R's model syntax. Only right-hand side of formula is specified. See example below. Random intercepts are allowed using lme4 syntax (Bates et al. 2015).
data	a list containing data necessary for model fitting. Valid tags are <code>y</code> , <code>covs</code> , <code>weights</code> , and <code>coords</code> . <code>y</code> is a numeric vector containing the binomial data with length equal to the total number of sites (J). <code>covs</code> is a matrix or data frame containing the covariates used in the model, with J rows for each column (variable). <code>weights</code> is a numeric vector containing the binomial weights (i.e., the total number of Bernoulli trials) at each site. If <code>weights</code> is not specified, <code>svcPGBinom</code> assumes 1 trial at each site (i.e., presence/absence). <code>coords</code> is a $J \times 2$ matrix of the observation coordinates. Note that <code>spOccupancy</code> assumes coordinates are specified in a projected coordinate system.
inits	a list with each tag corresponding to a parameter name. Valid tags are <code>beta</code> , <code>sigma.sq</code> , <code>phi</code> , <code>w</code> , <code>nu</code> , and <code>sigma.sq.psi</code> . <code>nu</code> is only specified if <code>cov.model = "matern"</code> , and <code>sigma.sq.psi</code> is only specified if there are random effects in formula. The value portion of each tag is the parameter's initial value. See <code>priors</code> description for definition of each parameter name. Additionally, the tag <code>fix</code> can be set to <code>TRUE</code> to fix the starting values across all chains. If <code>fix</code> is not specified (the default), starting values are varied randomly across chains.
priors	a list with each tag corresponding to a parameter name. Valid tags are <code>beta.normal</code> , <code>phi.unif</code> , <code>sigma.sq.ig</code> , <code>sigma.sq.unif</code> , <code>nu.unif</code> , and <code>sigma.sq.psi.ig</code> . Regression coefficients (<code>beta</code>) are assumed to follow a normal distribution. The hyperparameters of the normal distribution are passed as a list of length two with the first and second elements corresponding to the mean and variance of the normal distribution, which are each specified as vectors of length equal to the number of coefficients to be estimated or of length one if priors are the same for all coefficients. If not specified, prior means are set to 0 and prior variances set to 2.73. The spatial variance parameter, <code>sigma.sq</code> , for each spatially-varying coefficient is assumed to follow an inverse-Gamma distribution or a uniform distribution (default is inverse-Gamma). The spatial decay <code>phi</code> and smoothness <code>nu</code>

parameters are assumed to follow Uniform distributions. The hyperparameters of the inverse-Gamma for `sigma.sq` are passed as a list with two elements corresponding to the shape and scale parameters, respectively, with each element comprised of a vector equal to the number of spatially-varying coefficients to be estimated or of length one if priors are the same for all coefficients. The hyperparameters of any uniform priors are also passed as a list of length two with the first and second elements corresponding to the lower and upper support, respectively, which can be passed as a vector equal to the total number of spatially-varying coefficients to be estimated or of length one if priors are the same for all coefficients. `sigma.sq.psi` are the random effect variances for any random effects, respectively, and are assumed to follow an inverse-Gamma distribution. The hyperparameters of the inverse-Gamma distribution are passed as a list of length two with the first and second elements corresponding to the shape and scale parameters, respectively, which are each specified as vectors of length equal to the number of random intercepts or of length one if priors are the same for all random effect variances.

<code>svc.cols</code>	a vector indicating the variables whose effects will be estimated as spatially-varying coefficients. <code>svc.cols</code> can be an integer vector with values indicating the order of covariates specified in the model formula (with 1 being the intercept if specified), or it can be specified as a character vector with names corresponding to variable names in <code>covs</code> (for the intercept, use <code>'(Intercept)'</code>).
<code>cov.model</code>	a quoted keyword that specifies the covariance function used to model the spatial dependence structure among the observations. Supported covariance model key words are: "exponential", "matern", "spherical", and "gaussian".
<code>tuning</code>	a list with each tag corresponding to a parameter name. Valid tags are <code>phi</code> , <code>sigma.sq</code> , and <code>nu</code> . The value portion of each tag defines the initial variance of the Adaptive sampler. See Roberts and Rosenthal (2009) for details.
<code>NNGP</code>	if TRUE, model is fit with an NNGP. If FALSE, a full Gaussian process is used. See Datta et al. (2016) and Finley et al. (2019) for more information.
<code>n.neighbors</code>	number of neighbors used in the NNGP. Only used if <code>NNGP = TRUE</code> . Datta et al. (2016) showed that 15 neighbors is usually sufficient, but that as few as 5 neighbors can be adequate for certain data sets, which can lead to even greater decreases in run time. We recommend starting with 15 neighbors (the default) and if additional gains in computation time are desired, subsequently compare the results with a smaller number of neighbors using WAIC or k-fold cross-validation.
<code>search.type</code>	a quoted keyword that specifies the type of nearest neighbor search algorithm. Supported method key words are: "cb" and "brute". The "cb" should generally be much faster. If locations do not have identical coordinate values on the axis used for the nearest neighbor ordering then "cb" and "brute" should produce identical neighbor sets. However, if there are identical coordinate values on the axis used for nearest neighbor ordering, then "cb" and "brute" might produce different, but equally valid, neighbor sets, e.g., if data are on a grid.
<code>n.batch</code>	the number of MCMC batches in each chain to run for the Adaptive MCMC sampler. See Roberts and Rosenthal (2009) for details.
<code>batch.length</code>	the length of each MCMC batch in each chain to run for the Adaptive MCMC sampler. See Roberts and Rosenthal (2009) for details.

accept.rate	target acceptance rate for Adaptive MCMC. Default is 0.43. See Roberts and Rosenthal (2009) for details.
n.omp.threads	a positive integer indicating the number of threads to use for SMP parallel processing within chains. The package must be compiled for OpenMP support. For most Intel-based machines, we recommend setting n.omp.threads up to the number of hyperthreaded cores. Note, n.omp.threads > 1 might not work on some systems.
verbose	if TRUE, messages about data preparation, model specification, and progress of the sampler are printed to the screen. Otherwise, no messages are printed.
n.report	the interval to report Metropolis sampler acceptance and MCMC progress.
n.burn	the number of samples out of the total n.batch * batch.length samples in each chain to discard as burn-in. By default, the first 10% of samples is discarded.
n.thin	the thinning interval for collection of MCMC samples. The thinning occurs after the n.burn samples are discarded. Default value is set to 1.
n.chains	the number of MCMC chains to run.
k.fold	specifies the number of k folds for cross-validation. If not specified as an argument, then cross-validation is not performed and k.fold.threads and k.fold.seed are ignored. In k -fold cross-validation, the data specified in data is randomly partitioned into k equal sized subsamples. Of the k subsamples, $k - 1$ subsamples are used to fit the model and the remaining k samples are used for prediction. The cross-validation process is repeated k times (the folds). As a scoring rule, we use the model deviance as described in Hooten and Hobbs (2015). Cross-validation is performed after the full model is fit using all the data. Cross-validation results are reported in the k.fold.deviance object in the return list.
k.fold.threads	number of threads to use for cross-validation. If k.fold.threads > 1 parallel processing is accomplished using the foreach and doParallel packages. Ignored if k.fold is not specified.
k.fold.seed	seed used to split data set into k.fold parts for k-fold cross-validation. Ignored if k.fold is not specified.
k.fold.only	a logical value indicating whether to only perform cross-validation (TRUE) or perform cross-validation after fitting the full model (FALSE). Default value is FALSE.
...	currently no additional arguments

Value

An object of class svcPGBinom that is a list comprised of:

beta.samples	a coda object of posterior samples for the regression coefficients.
y.rep.samples	a coda object of posterior samples for the fitted data values
psi.samples	a coda object of posterior samples for the occurrence probability values
theta.samples	a coda object of posterior samples for spatial covariance parameters.

<code>w.samples</code>	a three-dimensional array of posterior samples for the latent spatial random effects for all spatially-varying coefficients. Dimensions correspond to MCMC sample, coefficient, and sites.
<code>sigma.sq.psi.samples</code>	a coda object of posterior samples for variances of unstructured random intercepts included in the model. Only included if random intercepts are specified in formula.
<code>beta.star.samples</code>	a coda object of posterior samples for the unstructured random effects. Only included if random intercepts are specified in formula.
<code>like.samples</code>	a coda object of posterior samples for the likelihood value associated with each site. Used for calculating WAIC.
<code>rhat</code>	a list of Gelman-Rubin diagnostic values for some of the model parameters.
<code>ESS</code>	a list of effective sample sizes for some of the model parameters.
<code>run.time</code>	execution time reported using <code>proc.time()</code> .
<code>k.fold.deviance</code>	soring rule (deviance) from k-fold cross-validation. Only included if <code>k.fold</code> is specified in function call.

The return object will include additional objects used for subsequent prediction and/or model fit evaluation.

Author(s)

Jeffrey W. Doser <doserjef@msu.edu>,
Andrew O. Finley <finleya@msu.edu>

References

- Doser, J. W., Finley, A. O., Saunders, S. P., Kery, M., Weed, A. S., & Zipkin, E. F. (2024A). Modeling complex species-environment relationships through spatially-varying coefficient occupancy models. *Journal of Agricultural, Biological and Environmental Statistics*. doi:10.1007/s13253023-005956.
- Doser, J. W., Kery, M., Saunders, S. P., Finley, A. O., Bateman, B. L., Grand, J., Reault, S., Weed, A. S., & Zipkin, E. F. (2024B). Guidelines for the use of spatially varying coefficients in species distribution models. *Global Ecology and Biogeography*, 33(4), e13814. doi:10.1111/geb.13814.
- Bates, Douglas, Martin Maechler, Ben Bolker, Steve Walker (2015). Fitting Linear Mixed-Effects Models Using lme4. *Journal of Statistical Software*, 67(1), 1-48. doi:10.18637/jss.v067.i01.
- Datta, A., S. Banerjee, A.O. Finley, and A.E. Gelfand. (2016) Hierarchical Nearest-Neighbor Gaussian process models for large geostatistical datasets. *Journal of the American Statistical Association*, doi:10.1080/01621459.2015.1044091.
- Finley, A.O., A. Datta, B.D. Cook, D.C. Morton, H.E. Andersen, and S. Banerjee. (2019) Efficient algorithms for Bayesian Nearest Neighbor Gaussian Processes. *Journal of Computational and Graphical Statistics*, doi:10.1080/10618600.2018.1537924.
- Polson, N.G., J.G. Scott, and J. Windle. (2013) Bayesian Inference for Logistic Models Using Polya-Gamma Latent Variables. *Journal of the American Statistical Association*, 108:1339-1349.

Roberts, G.O. and Rosenthal J.S. (2009) Examples of adaptive MCMC. *Journal of Computational and Graphical Statistics*, 18(2):349-367.

Examples

```

set.seed(1000)
# Sites
J.x <- 10
J.y <- 10
J <- J.x * J.y
# Binomial weights
weights <- sample(10, J, replace = TRUE)
beta <- c(0, 0.5, -0.2, 0.75)
p <- length(beta)
# No unstructured random effects
psi.RE <- list()
# Spatial parameters
sp <- TRUE
# Two spatially-varying covariates.
svc.cols <- c(1, 2)
p.svc <- length(svc.cols)
cov.model <- "exponential"
sigma.sq <- runif(p.svc, 0.4, 1.5)
phi <- runif(p.svc, 3/1, 3/0.2)

# Simulate the data
dat <- simBinom(J.x = J.x, J.y = J.y, weights = weights, beta = beta,
               psi.RE = psi.RE, sp = sp, svc.cols = svc.cols,
               cov.model = cov.model, sigma.sq = sigma.sq, phi = phi)

# Binomial data
y <- dat$y
# Covariates
X <- dat$X
# Spatial coordinates
coords <- dat$coords

# Package all data into a list
# Covariates
covs <- cbind(X)
colnames(covs) <- c('int', 'cov.1', 'cov.2', 'cov.3')

# Data list bundle
data.list <- list(y = y,
                 covs = covs,
                 coords = coords,
                 weights = weights)

# Priors
prior.list <- list(beta.normal = list(mean = 0, var = 2.72),
                  sigma.sq.ig = list(a = 2, b = 1),
                  phi.unif = list(a = 3 / 1, b = 3 / 0.1))

# Starting values

```

```

inits.list <- list(beta = 0, alpha = 0,
                  sigma.sq = 1, phi = phi)
# Tuning
tuning.list <- list(phi = 1)

n.batch <- 10
batch.length <- 25
n.burn <- 100
n.thin <- 1

# Note that this is just a test case and more iterations/chains may need to
# be run to ensure convergence.
out <- svcPGBinom(formula = ~ cov.1 + cov.2 + cov.3,
                  svc.cols = c(1, 2),
                  data = data.list,
                  n.batch = n.batch,
                  batch.length = batch.length,
                  inits = inits.list,
                  priors = prior.list,
                  accept.rate = 0.43,
                  cov.model = "exponential",
                  tuning = tuning.list,
                  n.omp.threads = 1,
                  verbose = TRUE,
                  NNGP = TRUE,
                  n.neighbors = 5,
                  n.report = 2,
                  n.burn = n.burn,
                  n.thin = n.thin,
                  n.chains = 1)

summary(out)

```

svcPGOcc

Function for Fitting Single-Species Spatially-Varying Coefficient Occupancy Models Using Polya-Gamma Latent Variables

Description

The function `svcPGOcc` fits single-species spatially-varying coefficient occupancy models using Polya-Gamma latent variables. Models are fit using Nearest Neighbor Gaussian Processes.

Usage

```

svcPGOcc(occ.formula, det.formula, data, inits, priors,
         tuning, svc.cols = 1, cov.model = "exponential", NNGP = TRUE,
         n.neighbors = 15, search.type = "cb", n.batch,
         batch.length, accept.rate = 0.43,
         n.omp.threads = 1, verbose = TRUE, n.report = 100,
         n.burn = round(.10 * n.batch * batch.length),

```

```
n.thin = 1, n.chains = 1,
k.fold, k.fold.threads = 1, k.fold.seed = 100,
k.fold.only = FALSE, ...)
```

Arguments

<code>occ.formula</code>	a symbolic description of the model to be fit for the occurrence portion of the model using R's model syntax. Only right-hand side of formula is specified. See example below. Random intercepts are allowed using lme4 syntax (Bates et al. 2015).
<code>det.formula</code>	a symbolic description of the model to be fit for the detection portion of the model using R's model syntax. Only right-hand side of formula is specified. See example below. Random intercepts are allowed using lme4 syntax (Bates et al. 2015).
<code>data</code>	a list containing data necessary for model fitting. Valid tags are <code>y</code> , <code>occ.covs</code> , <code>det.covs</code> , <code>coords</code> , and <code>grid.index</code> . <code>y</code> is the detection-nondetection data matrix or data frame with first dimension equal to the number of sites (J) and second dimension equal to the maximum number of replicates at a given site. <code>occ.covs</code> is a matrix or data frame containing the variables used in the occupancy portion of the model, with J rows for each column (variable). <code>det.covs</code> is a list of variables included in the detection portion of the model. Each list element is a different detection covariate, which can be site-level or observational-level. Site-level covariates are specified as a vector of length J while observation-level covariates are specified as a matrix or data frame with the number of rows equal to J and number of columns equal to the maximum number of replicates at a given site. <code>coords</code> is a matrix of the observation coordinates used to estimate the spatial random effect for each site. <code>coords</code> has two columns for the easting and northing coordinate, respectively. Typically, each site in the data set will have its own coordinate, such that <code>coords</code> is a $J \times 2$ matrix and <code>grid.index</code> should not be specified. If you desire to estimate the SVCs at some larger spatial level, e.g., if points fall within grid cells and you want to estimate SVCs for each grid cell instead of each point, <code>coords</code> can be specified as the coordinate for each grid cell. In such a case, <code>grid.index</code> is an indexing vector of length J , where each value of <code>grid.index</code> indicates the corresponding row in <code>coords</code> that the given site corresponds to. Note that <code>spOccupancy</code> assumes coordinates are specified in a projected coordinate system.
<code>inits</code>	a list with each tag corresponding to a parameter name. Valid tags are <code>z</code> , <code>beta</code> , <code>alpha</code> , <code>sigma.sq</code> , <code>phi</code> , <code>w</code> , <code>nu</code> , <code>sigma.sq.psi</code> , <code>sigma.sq.p</code> . <code>nu</code> is only specified if <code>cov.model = "matern"</code> , <code>sigma.sq.p</code> is only specified if there are random effects in <code>det.formula</code> , and <code>sigma.sq.psi</code> is only specified if there are random effects in <code>occ.formula</code> . The value portion of each tag is the parameter's initial value. See priors description for definition of each parameter name. Additionally, the tag <code>fix</code> can be set to <code>TRUE</code> to fix the starting values across all chains. If <code>fix</code> is not specified (the default), starting values are varied randomly across chains.
<code>priors</code>	a list with each tag corresponding to a parameter name. Valid tags are <code>beta.normal</code> , <code>alpha.normal</code> , <code>phi.unif</code> , <code>sigma.sq.ig</code> , <code>sigma.sq.unif</code> , <code>nu.unif</code> , <code>sigma.sq.psi.ig</code> ,

	<p>and <code>sigma.sq.p.ig</code>. Occurrence (<code>beta</code>) and detection (<code>alpha</code>) regression coefficients are assumed to follow a normal distribution. The hyperparameters of the normal distribution are passed as a list of length two with the first and second elements corresponding to the mean and variance of the normal distribution, which are each specified as vectors of length equal to the number of coefficients to be estimated or of length one if priors are the same for all coefficients. If not specified, prior means are set to 0 and prior variances set to 2.73. The spatial variance parameter, <code>sigma.sq</code>, is assumed to follow an inverse-Gamma distribution or a uniform distribution (default is inverse-Gamma). The spatial decay <code>phi</code> and smoothness <code>nu</code> parameters are assumed to follow Uniform distributions. The hyperparameters of the inverse-Gamma for <code>sigma.sq</code> are passed as a list with two elements corresponding to the shape and scale parameters, respectively, with each element comprised of a vector equal to the number of spatially-varying coefficients to be estimated or of length one if priors are the same for all coefficients. The hyperparameters of any uniform priors are also passed as a list of length two with the first and second elements corresponding to the lower and upper support, respectively, which can be passed as a vector equal to the total number of spatially-varying coefficients to be estimated or of length one if priors are the same for all coefficients. <code>sigma.sq.psi</code> and <code>sigma.sq.p</code> are the random effect variances for any occurrence or detection random effects, respectively, and are assumed to follow an inverse-Gamma distribution. The hyperparameters of the inverse-Gamma distribution are passed as a list of length two with the first and second elements corresponding to the shape and scale parameters, respectively, which are each specified as vectors of length equal to the number of random intercepts or of length one if priors are the same for all random effect variances.</p>
<code>svc.cols</code>	<p>a vector indicating the variables whose effects will be estimated as spatially-varying coefficients. <code>svc.cols</code> can be an integer vector with values indicating the order of covariates specified in the model formula (with 1 being the intercept if specified), or it can be specified as a character vector with names corresponding to variable names in <code>occ.covs</code> (for the intercept, use <code>'(Intercept)'</code>). <code>svc.cols</code> default argument of 1 results in a spatial occupancy model analogous to <code>spPGOcc</code> (assuming an intercept is included in the model).</p>
<code>cov.model</code>	<p>a quoted keyword that specifies the covariance function used to model the spatial dependence structure among the observations. Supported covariance model keywords are: "exponential", "matern", "spherical", and "gaussian".</p>
<code>tuning</code>	<p>a list with each tag corresponding to a parameter name. Valid tags are <code>phi</code>, <code>nu</code>, and <code>sigma.sq</code>. The value portion of each tag defines the initial variance of the Adaptive sampler. See Roberts and Rosenthal (2009) for details.</p>
<code>NNGP</code>	<p>if <code>TRUE</code>, model is fit with an NNGP. If <code>FALSE</code>, a full Gaussian process is used. See Datta et al. (2016) and Finley et al. (2019) for more information. Only <code>NNGP = TRUE</code> is currently supported for spatially-varying coefficient models.</p>
<code>n.neighbors</code>	<p>number of neighbors used in the NNGP. Only used if <code>NNGP = TRUE</code>. Datta et al. (2016) showed that 15 neighbors is usually sufficient, but that as few as 5 neighbors can be adequate for certain data sets, which can lead to even greater decreases in run time. We recommend starting with 15 neighbors (the default) and if additional gains in computation time are desired, subsequently compare the results with a smaller number of neighbors using WAIC or k-fold cross-validation.</p>

<code>search.type</code>	a quoted keyword that specifies the type of nearest neighbor search algorithm. Supported method key words are: "cb" and "brute". The "cb" should generally be much faster. If locations do not have identical coordinate values on the axis used for the nearest neighbor ordering then "cb" and "brute" should produce identical neighbor sets. However, if there are identical coordinate values on the axis used for nearest neighbor ordering, then "cb" and "brute" might produce different, but equally valid, neighbor sets, e.g., if data are on a grid.
<code>n.batch</code>	the number of MCMC batches in each chain to run for the Adaptive MCMC sampler. See Roberts and Rosenthal (2009) for details.
<code>batch.length</code>	the length of each MCMC batch in each chain to run for the Adaptive MCMC sampler. See Roberts and Rosenthal (2009) for details.
<code>accept.rate</code>	target acceptance rate for Adaptive MCMC. Default is 0.43. See Roberts and Rosenthal (2009) for details.
<code>n.omp.threads</code>	a positive integer indicating the number of threads to use for SMP parallel processing within chains. The package must be compiled for OpenMP support. For most Intel-based machines, we recommend setting <code>n.omp.threads</code> up to the number of hyperthreaded cores. Note, <code>n.omp.threads > 1</code> might not work on some systems.
<code>verbose</code>	if TRUE, messages about data preparation, model specification, and progress of the sampler are printed to the screen. Otherwise, no messages are printed.
<code>n.report</code>	the interval to report Metropolis sampler acceptance and MCMC progress.
<code>n.burn</code>	the number of samples out of the total <code>n.batch * batch.length</code> samples in each chain to discard as burn-in. By default, the first 10% of samples is discarded.
<code>n.thin</code>	the thinning interval for collection of MCMC samples. The thinning occurs after the <code>n.burn</code> samples are discarded. Default value is set to 1.
<code>n.chains</code>	the number of MCMC chains to run.
<code>k.fold</code>	specifies the number of k folds for cross-validation. If not specified as an argument, then cross-validation is not performed and <code>k.fold.threads</code> and <code>k.fold.seed</code> are ignored. In k -fold cross-validation, the data specified in <code>data</code> is randomly partitioned into k equal sized subsamples. Of the k subsamples, $k - 1$ subsamples are used to fit the model and the remaining k samples are used for prediction. The cross-validation process is repeated k times (the folds). As a scoring rule, we use the model deviance as described in Hooten and Hobbs (2015). Cross-validation is performed after the full model is fit using all the data. Cross-validation results are reported in the <code>k.fold.deviance</code> object in the return list.
<code>k.fold.threads</code>	number of threads to use for cross-validation. If <code>k.fold.threads > 1</code> parallel processing is accomplished using the foreach and doParallel packages. Ignored if <code>k.fold</code> is not specified.
<code>k.fold.seed</code>	seed used to split data set into <code>k.fold</code> parts for k -fold cross-validation. Ignored if <code>k.fold</code> is not specified.
<code>k.fold.only</code>	a logical value indicating whether to only perform cross-validation (TRUE) or perform cross-validation after fitting the full model (FALSE). Default value is FALSE.
<code>...</code>	currently no additional arguments

Value

An object of class `svcPGOcc` that is a list comprised of:

<code>beta.samples</code>	a coda object of posterior samples for the occurrence regression coefficients.
<code>alpha.samples</code>	a coda object of posterior samples for the detection regression coefficients.
<code>z.samples</code>	a coda object of posterior samples for the latent occurrence values
<code>psi.samples</code>	a coda object of posterior samples for the latent occurrence probability values
<code>theta.samples</code>	a coda object of posterior samples for spatial covariance parameters.
<code>w.samples</code>	a three-dimensional array of posterior samples for the latent spatial random effects for all spatially-varying coefficients. Dimensions correspond to MCMC sample, coefficient, and sites.
<code>sigma.sq.psi.samples</code>	a coda object of posterior samples for variances of random intercepts included in the occupancy portion of the model. Only included if random intercepts are specified in <code>occ.formula</code> .
<code>sigma.sq.p.samples</code>	a coda object of posterior samples for variances of random intercepts included in the detection portion of the model. Only included if random intercepts are specified in <code>det.formula</code> .
<code>beta.star.samples</code>	a coda object of posterior samples for the occurrence random effects. Only included if random intercepts are specified in <code>occ.formula</code> .
<code>alpha.star.samples</code>	a coda object of posterior samples for the detection random effects. Only included if random intercepts are specified in <code>det.formula</code> .
<code>like.samples</code>	a coda object of posterior samples for the likelihood value associated with each site. Used for calculating WAIC.
<code>rhat</code>	a list of Gelman-Rubin diagnostic values for some of the model parameters.
<code>ESS</code>	a list of effective sample sizes for some of the model parameters.
<code>run.time</code>	execution time reported using <code>proc.time()</code> .
<code>k.fold.deviance</code>	scoring rule (deviance) from k-fold cross-validation. Only included if <code>k.fold</code> is specified in function call.

The return object will include additional objects used for subsequent prediction and/or model fit evaluation. Note that detection probability values are not included in the model object, but can be extracted using `fitted()`.

Author(s)

Jeffrey W. Doser <doserjef@msu.edu>,
Andrew O. Finley <finleya@msu.edu>

References

- Doser, J. W., Finley, A. O., Saunders, S. P., Kery, M., Weed, A. S., & Zipkin, E. F. (2024A). Modeling complex species-environment relationships through spatially-varying coefficient occupancy models. *Journal of Agricultural, Biological and Environmental Statistics*. doi:10.1007/s13253023-005956.
- Doser, J. W., Kery, M., Saunders, S. P., Finley, A. O., Bateman, B. L., Grand, J., Reault, S., Weed, A. S., & Zipkin, E. F. (2024B). Guidelines for the use of spatially varying coefficients in species distribution models. *Global Ecology and Biogeography*, 33(4), e13814. doi:10.1111/geb.13814.
- Bates, Douglas, Martin Maechler, Ben Bolker, Steve Walker (2015). Fitting Linear Mixed-Effects Models Using lme4. *Journal of Statistical Software*, 67(1), 1-48. doi:10.18637/jss.v067.i01.
- Datta, A., S. Banerjee, A.O. Finley, and A.E. Gelfand. (2016) Hierarchical Nearest-Neighbor Gaussian process models for large geostatistical datasets. *Journal of the American Statistical Association*, doi:10.1080/01621459.2015.1044091.
- Finley, A.O., A. Datta, B.D. Cook, D.C. Morton, H.E. Andersen, and S. Banerjee. (2019) Efficient algorithms for Bayesian Nearest Neighbor Gaussian Processes. *Journal of Computational and Graphical Statistics*, doi:10.1080/10618600.2018.1537924.
- Polson, N.G., J.G. Scott, and J. Windle. (2013) Bayesian Inference for Logistic Models Using Polya-Gamma Latent Variables. *Journal of the American Statistical Association*, 108:1339-1349.
- Roberts, G.O. and Rosenthal J.S. (2009) Examples of adaptive MCMC. *Journal of Computational and Graphical Statistics*, 18(2):349-367.

Examples

```
set.seed(400)
# Simulate Data -----
J.x <- 8
J.y <- 8
J <- J.x * J.y
n.rep <- sample(2:4, J, replace = TRUE)
beta <- c(0.5, 2)
p.occ <- length(beta)
alpha <- c(0, 1)
p.det <- length(alpha)
phi <- c(3 / .6, 3 / .8)
sigma.sq <- c(1.2, 0.7)
svc.cols <- c(1, 2)
dat <- simOcc(J.x = J.x, J.y = J.y, n.rep = n.rep, beta = beta, alpha = alpha,
             sigma.sq = sigma.sq, phi = phi, sp = TRUE, cov.model = 'exponential',
             svc.cols = svc.cols)
# Detection-nondetection data
y <- dat$y
# Occupancy covariates
X <- dat$X
# Detection covarites
X.p <- dat$X.p
# Spatial coordinates
coords <- dat$coords
```

```

# Package all data into a list
occ.covs <- X[, -1, drop = FALSE]
colnames(occ.covs) <- c('occ.cov')
det.covs <- list(det.cov.1 = X.p[, , 2])
data.list <- list(y = y,
                  occ.covs = occ.covs,
                  det.covs = det.covs,
                  coords = coords)

# Number of batches
n.batch <- 10
# Batch length
batch.length <- 25
n.iter <- n.batch * batch.length
# Priors
prior.list <- list(beta.normal = list(mean = 0, var = 2.72),
                  alpha.normal = list(mean = 0, var = 2.72),
                  sigma.sq.ig = list(a = 2, b = 1),
                  phi.unif = list(a = 3/1, b = 3/.1))

# Initial values
inits.list <- list(alpha = 0, beta = 0,
                  phi = 3 / .5,
                  sigma.sq = 2,
                  w = matrix(0, nrow = length(svc.cols), ncol = nrow(X)),
                  z = apply(y, 1, max, na.rm = TRUE))

# Tuning
tuning.list <- list(phi = 1)

# Note that this is just a test case and more iterations/chains may need to
# be run to ensure convergence.
out <- svcPGOcc(occ.formula = ~ occ.cov,
               det.formula = ~ det.cov.1,
               data = data.list,
               inits = inits.list,
               n.batch = n.batch,
               batch.length = batch.length,
               accept.rate = 0.43,
               priors = prior.list,
               cov.model = 'exponential',
               svc.cols = c(1, 2),
               tuning = tuning.list,
               n.omp.threads = 1,
               verbose = TRUE,
               NNGP = TRUE,
               n.neighbors = 5,
               search.type = 'cb',
               n.report = 10,
               n.burn = 50,
               n.thin = 1)

summary(out)

```

 svcTIntPGOcc

Function for Fitting Multi-Season Single-Species Spatially-varying Coefficient Integrated Occupancy Models Using Polya-Gamma Latent Variables

Description

Function for fitting single-species multi-season spatially-varying coefficient integrated occupancy models using Polya-Gamma latent variables. Data integration is done using a joint likelihood framework, assuming distinct detection models for each data source that are each conditional on a single latent occurrence process. Models are fit using Nearest Neighbor Gaussian Processes.

Usage

```
svcTIntPGOcc(occ.formula, det.formula, data, inits, priors, tuning, svc.cols = 1,
  cov.model = 'exponential', NNGP = TRUE, n.neighbors = 15,
  search.type = 'cb', n.batch, batch.length, accept.rate = 0.43,
  n.omp.threads = 1, verbose = TRUE, ar1 = FALSE, n.report = 100,
  n.burn = round(.10 * n.batch * batch.length), n.thin = 1, n.chains = 1,
  ...)
```

Arguments

- | | |
|-------------|---|
| occ.formula | a symbolic description of the model to be fit for the occurrence portion of the model using R's model syntax. Only right-hand side of formula is specified. See example below. Random intercepts are allowed using lme4 syntax (Bates et al. 2015). |
| det.formula | a list of symbolic descriptions of the models to be fit for the detection portion of the model using R's model syntax for each data set. Each element in the list is a formula for the detection model of a given data set. Only right-hand side of formula is specified. See example below. Random intercepts are allowed using lme4 syntax (Bates et al. 2015). |
| data | a list containing data necessary for model fitting. Valid tags are y, occ.covs, det.covs, sites, seasons, and coords. y is a list of three-dimensional arrays with first dimensional equal to the number of sites surveyed in that data set, second dimension equal to the number of primary time periods (i.e., years or seasons), and third dimension equal to the maximum number of replicate surveys at a site within a given season. occ.covs is a list of variables included in the occurrence portion of the model. Each list element is a different occurrence covariate, which can be site level or site/primary time period level. Site-level covariates are specified as a vector of length J while site/primary time period level covariates are specified as a matrix with rows corresponding to sites and columns corresponding to primary time periods. det.covs is a list of variables included in the detection portion of the model for each data source. det.covs should have the same number of elements as y, where each element is itself a list. Each element of the list for a given data source is a different detection |

covariate, which can be site-level, site-season-level, or observation-level. Site-level covariates and site/primary time period level covariates are specified in the same manner as `occ.covs`. Observation-level covariates are specified as a three-dimensional array with first dimension corresponding to sites, second dimension corresponding to primary time period, and third dimension corresponding to replicate. `sites` is a list of site indices with number of elements equal to the number of data sources being modeled. Each element contains a vector of length equal to the number of sites that specific data source contains. Each value in the vector indicates the corresponding site in `occ.covs` covariates that corresponds with the specific row of the detection-nondetection data for the data source. This is used to properly link sites across data sets. Similarly, `seasons` is a list of season indices with number of elements equal to the number of data sources being modeled. Each element contains a vector of length equal to the number of seasons that a specific data source is available for. This is used to properly link seasons across data sets. Each value in the vector indicates the corresponding season in `occ.covs` covariates that correspond with the specific column of the detection-nondetection data for the given data source. This is used to properly link seasons across data sets, which can have a differing number of seasons surveyed. `coords` is a matrix of the observation site coordinates. Note that `spOccupancy` assumes coordinates are specified in a projected coordinate system.

<code>inits</code>	a list with each tag corresponding to a parameter name. Valid tags are <code>z</code> , <code>beta</code> , <code>alpha</code> , <code>sigma.sq.psi</code> , <code>sigma.sq.p</code> , <code>sigma.sq.t</code> , <code>rho</code> , <code>phi</code> , <code>w</code> , <code>nu</code> , <code>sigma.sq</code> . The value portion of each tag is the parameter's initial value. <code>sigma.sq.psi</code> and <code>sigma.sq.p</code> are only relevant when including random effects in the occurrence and detection portion of the occupancy model, respectively. <code>sigma.sq.t</code> and <code>rho</code> are only relevant when <code>ar1 = TRUE</code> . The tag <code>alpha</code> is a list comprised of the initial values for the detection parameters for each data source. Each element of the list should be a vector of initial values for all detection parameters in the given data source or a single value for each data source to assign all parameters for a given data source the same initial value. See <code>priors</code> description for definition of each parameter name. Additionally, the tag <code>fix</code> can be set to <code>TRUE</code> to fix the starting values across all chains. If <code>fix</code> is not specified (the default), starting values are varied randomly across chains.
<code>priors</code>	a list with each tag corresponding to a parameter name. Valid tags are <code>beta.normal</code> , <code>alpha.normal</code> , <code>sigma.sq.psi.ig</code> , <code>sigma.sq.p.ig</code> , <code>sigma.sq.t.ig</code> , <code>rho.unif</code> , <code>phi.unif</code> , <code>nu.unif</code> , <code>sigma.sq.ig</code> , and <code>sigma.sq.unif</code> . Occupancy (<code>beta</code>) and detection (<code>alpha</code>) regression coefficients are assumed to follow a normal distribution. For <code>beta</code> hyperparameters of the normal distribution are passed as a list of length two with the first and second elements corresponding to the mean and variance of the normal distribution, which are each specified as vectors of length equal to the number of coefficients to be estimated or of length one if priors are the same for all coefficients. For the detection coefficients <code>alpha</code> , the mean and variance hyperparameters are themselves passed in as lists, with each element of the list corresponding to the specific hyperparameters for the detection parameters in a given data source. If not specified, prior means are set to 0 and prior variances set to 2.72. <code>sigma.sq.psi</code> and <code>sigma.sq.p</code> are the random effect variances for any unstructured occurrence or detection random

effects, respectively, and are assumed to follow an inverse Gamma distribution. The hyperparameters of the inverse-Gamma distribution are passed as a list of length two with first and second elements corresponding to the shape and scale parameters, respectively, which are each specified as vectors of length equal to the number of random intercepts or of length one if priors are the same for all random effect variances. `sigma.sq.t` and `rho` are the AR(1) variance and correlation parameters for the AR(1) zero-mean temporal random effects, respectively. `sigma.sq.t` is assumed to follow an inverse-Gamma distribution, where the hyperparameters are specified as a vector with elements corresponding to the shape and scale parameters, respectively. `rho` is assumed to follow a uniform distribution, where the hyperparameters are specified in a vector of length two with elements corresponding to the lower and upper bounds of the uniform prior. `sigma.sq` is assumed to follow an inverse-Gamma distribution or a uniform distribution (default is inverse-Gamma). The spatial decay `phi` and smoothness `nu` parameters are assumed to follow Uniform distributions. The hyperparameters of the inverse-Gamma are passed as a list of length two, with the first and second elements corresponding to the shape and scale parameters, respectively, with each element comprised of a vector equal to the number of spatially-varying coefficients to be estimated or of length one if priors are the same for all coefficients. The hyperparameters of the uniform are also passed as a list of length two with the first and second elements corresponding to the lower and upper support, respectively, which can be passed as a vector equal to the number of spatially-varying coefficients to be estimated or of length one if priors are the same for all coefficients.

<code>tuning</code>	a list with each tag corresponding to a parameter name. Valid tags are <code>rho</code> , <code>phi</code> , and <code>nu</code> . The value portion of each tag defines the initial tuning variance of the Adaptive sampler. See Roberts and Rosenthal (2009) for details.
<code>svc.cols</code>	a vector indicating the variables whose effects will be estimated as spatially-varying coefficients. <code>svc.cols</code> can be an integer vector with values indicating the order of covariates specified in the model formula (with 1 being the intercept if specified), or it can be specified as a character vector with names corresponding to variable names in <code>occ.covs</code> (for the intercept, use <code>'(Intercept)'</code>). <code>svc.cols</code> default argument of 1 results in a spatial occupancy model analogous to <code>stPGOcc</code> (assuming an intercept is included in the model).
<code>cov.model</code>	a quoted keyword that specifies the covariance function used to model the spatial dependence structure among the observations. Supported covariance model key words are: <code>"exponential"</code> , <code>"matern"</code> , <code>"spherical"</code> , and <code>"gaussian"</code> .
<code>NNGP</code>	if <code>TRUE</code> , model is fit with an NNGP. If <code>FALSE</code> , a full Gaussian process is used. Currently only NNGP models are supported.
<code>n.neighbors</code>	number of neighbors used in the NNGP. Only used if <code>NNGP = TRUE</code> . Datta et al. (2016) showed that 15 neighbors is usually sufficient, but that as few as 5 neighbors can be adequate for certain data sets, which can lead to even greater decreases in run time. We recommend starting with 15 neighbors (the default) and if additional gains in computation time are desired, subsequently compare the results with a smaller number of neighbors using WAIC.
<code>search.type</code>	a quoted keyword that specifies the type of nearest neighbor search algorithm. Supported method key words are: <code>"cb"</code> and <code>"brute"</code> . The <code>"cb"</code> should gener-

	ally be much faster. If locations do not have identical coordinate values on the axis used for the nearest neighbor ordering then "cb" and "brute" should produce identical neighbor sets. However, if there are identical coordinate values on the axis used for nearest neighbor ordering, then "cb" and "brute" might produce different, but equally valid, neighbor sets, e.g., if data are on a grid.
n.batch	the number of MCMC batches in each chain to run for the Adaptive MCMC sampler. See Roberts and Rosenthal (2009) for details.
batch.length	the length of each MCMC batch in each chain to run for the Adaptive MCMC sampler. See Roberts and Rosenthal (2009) for details.
accept.rate	target acceptance rate for Adaptive MCMC. Default is 0.43. See Roberts and Rosenthal (2009) for details.
n.omp.threads	a positive integer indicating the number of threads to use for SMP parallel processing within chains. The package must be compiled for OpenMP support. For most Intel-based machines, we recommend setting n.omp.threads up to the number of hyperthreaded cores. Note, n.omp.threads > 1 might not work on some systems. Currently only relevant for spatial models.
verbose	if TRUE, messages about data preparation, model specification, and progress of the sampler are printed to the screen. Otherwise, no messages are printed.
ar1	logical value indicating whether to include an AR(1) zero-mean temporal random effect in the model. If FALSE, the model is fit without an AR(1) temporal autocovariance structure. If TRUE, an AR(1) random effect is included in the model to account for temporal autocorrelation across the primary time periods.
n.report	the interval to report MCMC progress. Note this is specified in terms of batches, not MCMC samples.
n.burn	the number of samples out of the total n.samples to discard as burn-in for each chain. By default, the first 10% of samples is discarded.
n.thin	the thinning interval for collection of MCMC samples. The thinning occurs after the n.burn samples are discarded. Default value is set to 1.
n.chains	the number of chains to run.
...	currently no additional arguments

Value

An object of class `svcTIntPGOcc` that is a list comprised of:

beta.samples	a coda object of posterior samples for the occupancy regression coefficients.
alpha.samples	a coda object of posterior samples for the detection regression coefficients for all data sources.
z.samples	a three-dimensional array of posterior samples for the latent occupancy values, with dimensions corresponding to posterior sample, site, and primary time period. Note this object will contain predicted occupancy values for sites/primary time periods that were not sampled.
psi.samples	a three-dimensional array of posterior samples for the latent occupancy probability values, with dimensions corresponding to posterior sample, site, and primary time period. Note this object will contain predicted occupancy probabilities for sites/primary time periods that were not sampled.

<code>sigma.sq.psi.samples</code>	a coda object of posterior samples for variances of random intercepts included in the occupancy portion of the model. Only included if random intercepts are specified in <code>occ.formula</code> .
<code>sigma.sq.p.samples</code>	a coda object of posterior samples for variances of random intercepts included in the detection portion of the model. Includes random effect variances for all data sources. Only included if random intercepts are specified in <code>det.formula</code> .
<code>beta.star.samples</code>	a coda object of posterior samples for the occurrence random effects. Only included if random intercepts are specified in <code>occ.formula</code> .
<code>alpha.star.samples</code>	a coda object of posterior samples for the detection random effects in any of the data sources. Only included if random intercepts are specified in at least one of the individual data set detection formulas in <code>det.formula</code> .
<code>theta.samples</code>	a coda object of posterior samples for spatial covariance parameters and temporal covariance parameters if <code>ar1 = TRUE</code> .
<code>w.samples</code>	a three-dimensional array of posterior samples for the latent spatial random effects for all spatially-varying coefficients. Dimensions correspond to MCMC sample, coefficient, and sites.
<code>eta.samples</code>	a coda object of posterior samples for the AR(1) random effects for each primary time period. Only included if <code>ar1 = TRUE</code> .
<code>p.samples</code>	a list of four-dimensional arrays consisting of the posterior samples of detection probability for each data source. For each data source, the dimensions of the four-dimensional array correspond to MCMC sample, site, season, and replicate within season.
<code>like.samples</code>	a two-dimensional array of posterior samples for the likelihood values associated with each site and primary time period, for each individual data source. Used for calculating WAIC.
<code>rhat</code>	a list of Gelman-Rubin diagnostic values for some of the model parameters.
<code>ESS</code>	a list of effective sample sizes for some of the model parameters.
<code>run.time</code>	execution time reported using <code>proc.time()</code> .

The return object will include additional objects used for subsequent prediction and/or model fit evaluation.

Note

Some of the underlying code used for generating random numbers from the Polya-Gamma distribution is taken from the **pgdraw** package written by Daniel F. Schmidt and Enes Makalic. Their code implements Algorithm 6 in PhD thesis of Jesse Bennett Windle (2013) <https://repositories.lib.utexas.edu/handle/2152/21842>.

Author(s)

Jeffrey W. Doser <doserjef@msu.edu>

References

- Polson, N.G., J.G. Scott, and J. Windle. (2013) Bayesian Inference for Logistic Models Using Polya-Gamma Latent Variables. *Journal of the American Statistical Association*, 108:1339-1349.
- Bates, Douglas, Martin Maechler, Ben Bolker, Steve Walker (2015). Fitting Linear Mixed-Effects Models Using lme4. *Journal of Statistical Software*, 67(1), 1-48. doi:10.18637/jss.v067.i01.
- Doser, J. W., Finley, A. O., Saunders, S. P., Kery, M., Weed, A. S., & Zipkin, E. F. (2024). Modeling complex species-environment relationships through spatially-varying coefficient occupancy models. *Journal of Agricultural, Biological and Environmental Statistics*. doi:10.1007/s13253023-005956.
- Doser, J. W., Kery, M., Saunders, S. P., Finley, A. O., Bateman, B. L., Grand, J., Reault, S., Weed, A. S., & Zipkin, E. F. (2024). Guidelines for the use of spatially varying coefficients in species distribution models. *Global Ecology and Biogeography*, 33(4), e13814. doi:10.1111/geb.13814.

Examples

```
set.seed(332)

# Simulate Data -----
# Number of locations in each direction. This is the total region of interest
# where some sites may or may not have a data source.
J.x <- 15
J.y <- 15
J.all <- J.x * J.y
# Number of data sources.
n.data <- 3
# Sites for each data source.
J.obs <- sample(ceiling(0.2 * J.all):ceiling(0.4 * J.all), n.data, replace = TRUE)
# Maximum number of years for each data set
n.time.max <- c(4, 8, 10)
# Number of years each site in each data set is sampled
n.time <- list()
for (i in 1:n.data) {
  n.time[[i]] <- sample(1:n.time.max[i], J.obs[i], replace = TRUE)
}
# Replicates for each data source.
n.rep <- list()
for (i in 1:n.data) {
  n.rep[[i]] <- matrix(NA, J.obs[i], n.time.max[i])
  for (j in 1:J.obs[i]) {
    n.rep[[i]][j, sample(1:n.time.max[i], n.time[[i]][j], replace = FALSE)] <-
      sample(1:4, n.time[[i]][j], replace = TRUE)
  }
}
# Total number of years across all data sets
n.time.total <- 10
# List denoting the specific years each data set was sampled during.
data.seasons <- list()
for (i in 1:n.data) {
  data.seasons[[i]] <- sort(sample(1:n.time.total, n.time.max[i], replace = FALSE))
}
```

```

# Occupancy covariates
beta <- c(0, 0.4, 0.3)
trend <- TRUE
# Random occupancy covariates
psi.RE <- list(levels = c(20),
               sigma.sq.psi = c(0.6))
p.occ <- length(beta)
# Detection covariates
alpha <- list()
alpha[[1]] <- c(0, 0.2, -0.5)
alpha[[2]] <- c(-1, 0.5, 0.3, -0.8)
alpha[[3]] <- c(-0.5, 1)

p.RE <- list()
p.det.long <- sapply(alpha, length)
p.det <- sum(p.det.long)

# Spatial parameters
svc.cols <- c(1, 2)
sigma.sq <- c(0.9, 0.5)
phi <- c(3 / .5, 3 / .8)

# Simulate occupancy data.
dat <- simTIntOcc(n.data = n.data, J.x = J.x, J.y = J.y, J.obs = J.obs,
                 n.time = n.time, data.seasons = data.seasons, n.rep = n.rep,
                 beta = beta, alpha = alpha, trend = trend,
                 psi.RE = psi.RE, p.RE = p.RE, sp = TRUE,
                 sigma.sq = sigma.sq, phi = phi, cov.model = 'exponential',
                 svc.cols = svc.cols)

y <- dat$y
X <- dat$X.obs
X.re <- dat$X.re.obs
X.p <- dat$X.p
sites <- dat$sites
coords <- dat$coords.obs

# Package all data into a list
occ.covs <- list(trend = X[, , 2],
                 occ.cov.1 = X[, , 3],
                 occ.factor.1 = X.re[, , 1])
det.covs <- list()
# Add covariates one by one
det.covs[[1]] <- list(det.cov.1.1 = X.p[[1]][, , 2],
                     det.cov.1.2 = X.p[[1]][, , 3])
det.covs[[2]] <- list(det.cov.2.1 = X.p[[2]][, , 2],
                     det.cov.2.2 = X.p[[2]][, , 3],
                     det.cov.2.3 = X.p[[2]][, , 4])
det.covs[[3]] <- list(det.cov.3.1 = X.p[[3]][, , 2])
data.list <- list(y = y, occ.covs = occ.covs, det.covs = det.covs,
                 sites = sites, seasons = data.seasons, coords = coords)

```

```

# Testing
occ.formula <- ~ trend + occ.cov.1 + (1 | occ.factor.1)
# Note that the names are not necessary.
det.formula <- list(f.1 = ~ det.cov.1.1 + det.cov.1.2,
                   f.2 = ~ det.cov.2.1 + det.cov.2.2 + det.cov.2.3,
                   f.3 = ~ det.cov.3.1)

# NOTE: this is a short run of the model, in reality we would run the
#       model for much longer.
out <- svcTIntPGOcc(occ.formula = occ.formula,
                   det.formula = det.formula,
                   data = data.list,
                   NNGP = TRUE,
                   n.neighbors = 15,
                   cov.model = 'exponential',
                   n.batch = 3,
                   svc.cols = c(1, 2),
                   batch.length = 25,
                   n.report = 1,
                   n.burn = 25,
                   n.thin = 1,
                   n.chains = 1)

summary(out)

```

svcTMsPGOcc

*Function for Fitting Multi-Species Multi-Season Spatially-Varying
Coefficient Occupancy Models*

Description

The function `svcTMsPGOcc` fits multi-species multi-season spatially-varying coefficient occupancy models with species correlations (i.e., a spatially-explicit joint species distribution model with imperfect detection). We use Polya-Gamma latent variables and a spatial factor modeling approach. Models are implemented using a Nearest Neighbor Gaussian Process.

Usage

```

svcTMsPGOcc(occ.formula, det.formula, data, inits, priors, tuning,
            svc.cols = 1, cov.model = 'exponential', NNGP = TRUE,
            n.neighbors = 15, search.type = 'cb', std.by.sp = FALSE,
            n.factors, svc.by.sp, n.batch, batch.length,
            accept.rate = 0.43, n.omp.threads = 1,
            verbose = TRUE, ar1 = FALSE, n.report = 100,
            n.burn = round(.10 * n.batch * batch.length), n.thin = 1,
            n.chains = 1, ...)

```

Arguments

<code>occ.formula</code>	a symbolic description of the model to be fit for the occurrence portion of the model using R's model syntax. Random intercepts are allowed using lme4 syntax (Bates et al. 2015). Only right-hand side of formula is specified. See example below.
<code>det.formula</code>	a symbolic description of the model to be fit for the detection portion of the model using R's model syntax. Only right-hand side of formula is specified. See example below. Random intercepts are allowed using lme4 syntax (Bates et al. 2015).
<code>data</code>	a list containing data necessary for model fitting. Valid tags are <code>y</code> , <code>occ.covs</code> , <code>det.covs</code> , <code>coords</code> , <code>range.ind</code> , and <code>grid.index</code> . <code>y</code> is a four-dimensional array with first dimension equal to the number of species, second dimension equal to the number of sites, third dimension equal to the number of primary time periods, and fourth dimension equal to the maximum number of secondary replicates at a given site. <code>occ.covs</code> is a list of variables included in the occurrence portion of the model. Each list element is a different occurrence covariate, which can be site level or site/primary time period level. Site-level covariates are specified as a vector of length J while site/primary time period level covariates are specified as a matrix with rows corresponding to sites and columns correspond to primary time periods. Similarly, <code>det.covs</code> is a list of variables included in the detection portion of the model, with each list element corresponding to an individual variable. In addition to site-level and/or site/primary time period-level, detection covariates can also be observational-level. Observation-level covariates are specified as a three-dimensional array with first dimension corresponding to sites, second dimension corresponding to primary time period, and third dimension corresponding to replicate. <code>coords</code> is a matrix of the observation coordinates used to estimate the SVCs for each site. <code>coords</code> has two columns for the easting and northing coordinate, respectively. Typically, each site in the data set will have it's own coordinate, such that <code>coords</code> is a $J \times 2$ matrix and <code>grid.index</code> should not be specified. If you desire to estimate SVCs at some larger spatial level, e.g., if points fall within grid cells and you want to estimate an SVC for each grid cell instead of each point, <code>coords</code> can be specified as the coordinate for each grid cell. In such a case, <code>grid.index</code> is an indexing vector of length J , where each value of <code>grid.index</code> indicates the corresponding row in <code>coords</code> that the given site corresponds to. Note that <code>spOccupancy</code> assumes coordinates are specified in a projected coordinate system. <code>range.ind</code> is a matrix with rows corresponding to species and columns corresponding to sites, with each element taking value 1 if that site is within the range of the corresponding species and 0 if it is outside of the range. This matrix is not required, but it can be helpful to restrict the modeled area for each individual species to be within the realistic range of locations for that species when estimating the model parameters. This is applicable when auxiliary data sources are available on the realistic range of the species.
<code>inits</code>	a list with each tag corresponding to a parameter name. Valid tags are <code>alpha.comm</code> , <code>beta.comm</code> , <code>beta</code> , <code>alpha</code> , <code>tau.sq.beta</code> , <code>tau.sq.alpha</code> , <code>sigma.sq.psi</code> , <code>sigma.sq.p</code> , <code>z</code> , <code>phi</code> , <code>lambda</code> , <code>nu</code> , <code>sigma.sq.t</code> , and <code>rho</code> . <code>nu</code> is only specified if <code>cov.model = "matern"</code> , <code>sigma.sq.t</code> and <code>rho</code> are only specified if <code>ar1 = TRUE</code> , and <code>sigma.sq.psi</code>

and `sigma.sq.p` are only specified if random effects are included in `occ.formula` or `det.formula`, respectively. The value portion of each tag is the parameter's initial value. See `priors` description for definition of each parameter name. Additionally, the tag `fix` can be set to `TRUE` to fix the starting values across all chains. If `fix` is not specified (the default), starting values are varied randomly across chains.

`priors`

a list with each tag corresponding to a parameter name. Valid tags are `beta.comm.normal`, `alpha.comm.normal`, `tau.sq.beta.ig`, `tau.sq.alpha.ig`, `sigma.sq.psi`, `sigma.sq.p`, `phi.unif`, `nu.unif`, `sigma.sq.t.ig`, and `rho.unif`. Community-level occurrence (`beta.comm`) and detection (`alpha.comm`) regression coefficients are assumed to follow a normal distribution. The hyperparameters of the normal distribution are passed as a list of length two with the first and second elements corresponding to the mean and variance of the normal distribution, which are each specified as vectors of length equal to the number of coefficients to be estimated or of length one if priors are the same for all coefficients. If not specified, prior means are set to 0 and prior variances set to 2.73. By default, community-level variance parameters for occupancy (`tau.sq.beta`) and detection (`tau.sq.alpha`) are assumed to follow an inverse Gamma distribution. The hyperparameters of the inverse gamma distribution are passed as a list of length two with the first and second elements corresponding to the shape and scale parameters, which are each specified as vectors of length equal to the number of coefficients to be estimated or a single value if priors are the same for all parameters. If not specified, prior shape and scale parameters are set to 0.1. If desired, the species-specific occupancy coefficients (`beta`) and/or detection coefficients (`alpha`) can also be estimated independently by specifying the tag `independent.betas = TRUE` and/or `independent.alphas = TRUE`, respectively. If specified, this will not estimate species-specific coefficients as random effects from a common-community-level distribution, and rather the values of `beta.comm/alpha.comm` and `tau.sq.beta/tau.sq.alpha` will be fixed at the specified initial values. This is equivalent to specifying a Gaussian, independent prior for each of the species-specific effects. The spatial factor model fits `n.factors` independent spatial processes for each spatially-varying coefficient specified in `svc.cols`. The spatial decay `phi` and smoothness `nu` parameters for each latent factor are assumed to follow Uniform distributions. The hyperparameters of the Uniform are passed as a list with two elements, with both elements being vectors of length `n.factors * length(svc.cols)` corresponding to the lower and upper support, respectively, or as a single value if the same value is assigned for all factor/SVC combinations. The priors for the factor loadings matrix `lambda` for each SVC are fixed following the standard spatial factor model to ensure parameter identifiability (Christensen and Amemlya 2002). The upper triangular elements of the $N \times n.factors$ matrix are fixed at 0 and the diagonal elements are fixed at 1 for each SVC. The lower triangular elements are assigned a standard normal prior (i.e., mean 0 and variance 1). `sigma.sq.psi` and `sigma.sq.p` are the random effect variances for any occurrence or detection random effects, respectively, and are assumed to follow an inverse Gamma distribution. The hyperparameters of the inverse-Gamma distribution are passed as a list of length two with first and second elements corresponding to the shape and scale parameters, respectively, which are each specified as vectors of length

equal to the number of random intercepts or of length one if priors are the same for all random effect variances. `sigma.sq.t` and `rho` are the AR(1) variance and correlation parameters for the AR(1) zero-mean temporal random effects, respectively. `sigma.sq.t` is assumed to follow an inverse-Gamma distribution, where the hyperparameters are specified as a list of length two with the first and second elements corresponding to the shape and scale parameters, respectively, which can each be specified as vector equal to the number of species in the model or a single value if the same prior is used for all species. `rho` is assumed to follow a uniform distribution, where the hyperparameters are specified similarly as a list of length two with the first and second elements corresponding to the lower and upper bounds of the uniform prior, which can each be specified as vector equal to the number of species in the model or a single value if the same prior is used for all species.

<code>tuning</code>	a list with each tag corresponding to a parameter name. Valid tags are <code>phi</code> , <code>nu</code> , and <code>rho</code> . The value portion of each tag defines the initial variance of the adaptive sampler. We assume the initial variance of the adaptive sampler is the same for each species, although the adaptive sampler will adjust the tuning variances separately for each species. See Roberts and Rosenthal (2009) for details.
<code>svc.cols</code>	a vector indicating the variables whose effects will be estimated as spatially-varying coefficients. <code>svc.cols</code> can be an integer vector with values indicating the order of covariates specified in the model formula (with 1 being the intercept if specified), or it can be specified as a character vector with names corresponding to variable names in <code>occ.covs</code> (for the intercept, use <code>'(Intercept)'</code>). <code>svc.cols</code> default argument of 1 results in a spatial occupancy model analogous to <code>sfMsPGOcc</code> (assuming an intercept is included in the model).
<code>cov.model</code>	a quoted keyword that specifies the covariance function used to model the spatial dependence structure among the observations. Supported covariance model key words are: <code>"exponential"</code> , <code>"matern"</code> , <code>"spherical"</code> , and <code>"gaussian"</code> .
<code>NNGP</code>	if TRUE, model is fit with an NNGP. If FALSE, a full Gaussian process is used. See Datta et al. (2016) and Finley et al. (2019) for more information. Only <code>NNGP = TRUE</code> is currently supported.
<code>n.neighbors</code>	number of neighbors used in the NNGP. Only used if <code>NNGP = TRUE</code> . Datta et al. (2016) showed that 15 neighbors is usually sufficient, but that as few as 5 neighbors can be adequate for certain data sets, which can lead to even greater decreases in run time. We recommend starting with 15 neighbors (the default) and if additional gains in computation time are desired, subsequently compare the results with a smaller number of neighbors using WAIC.
<code>search.type</code>	a quoted keyword that specifies the type of nearest neighbor search algorithm. Supported method key words are: <code>"cb"</code> and <code>"brute"</code> . The <code>"cb"</code> should generally be much faster. If locations do not have identical coordinate values on the axis used for the nearest neighbor ordering then <code>"cb"</code> and <code>"brute"</code> should produce identical neighbor sets. However, if there are identical coordinate values on the axis used for nearest neighbor ordering, then <code>"cb"</code> and <code>"brute"</code> might produce different, but equally valid, neighbor sets, e.g., if data are on a grid.
<code>std.by.sp</code>	a logical value indicating whether the covariates are standardized separately for each species within the corresponding range for each species (TRUE) or not (FALSE). Note that if <code>range.ind</code> is specified in <code>data.list</code> , this will result in

the covariates being standardized differently for each species based on the sites where `range.ind == 1` for that given species. If `range.ind` is not specified and `std.by.sp = TRUE`, this will simply be equivalent to standardizing the covariates across all locations prior to fitting the model. Note that the covariates in `occ.formula` should still be standardized across all locations. This can be done either outside the function, or can be done by specifying `scale()` in the model formula around the continuous covariates.

<code>n.factors</code>	the number of factors to use in the spatial factor model approach. Note this corresponds to the number of factors used for each spatially-varying coefficient that is estimated in the model. Typically, the number of factors is set to be small (e.g., 4-5) relative to the total number of species in the community, which will lead to substantial decreases in computation time. However, the value can be anywhere between 1 and N (the number of species in the community).
<code>svc.by.sp</code>	an optional list with length equal to <code>length(svc.cols)</code> . Each element of the list should be a logical vector of length N (number of species) where each element is TRUE, which indicates the SVC should be estimated for that species, or 0, which indicates the SVC should be set to 0 and no SVC for that parameter will be estimated. Note the first <code>n.factors</code> SVCs for all spatially-varying coefficients must be set to TRUE. By default, SVCs are modeled for all species.
<code>n.batch</code>	the number of MCMC batches in each chain to run for the Adaptive MCMC sampler. See Roberts and Rosenthal (2009) for details.
<code>batch.length</code>	the length of each MCMC batch to run for the Adaptive MCMC sampler. See Roberts and Rosenthal (2009) for details.
<code>accept.rate</code>	target acceptance rate for Adaptive MCMC. Default is 0.43. See Roberts and Rosenthal (2009) for details.
<code>n.omp.threads</code>	a positive integer indicating the number of threads to use for SMP parallel processing within chains. The package must be compiled for OpenMP support. For most Intel-based machines, we recommend setting <code>n.omp.threads</code> up to the number of hyperthreaded cores. Note, <code>n.omp.threads > 1</code> might not work on some systems.
<code>verbose</code>	if TRUE, messages about data preparation, model specification, and progress of the sampler are printed to the screen. Otherwise, no messages are printed.
<code>ar1</code>	logical value indicating whether to include an AR(1) zero-mean temporal random effect in the model. If FALSE, the model is fit without an AR(1) temporal autocovariance structure. If TRUE, an AR(1) random effect is included in the model to account for temporal autocorrelation across the primary time periods.
<code>n.report</code>	the interval to report Metropolis sampler acceptance and MCMC progress. Note this is specified in terms of batches and not overall samples for spatial models.
<code>n.burn</code>	the number of samples out of the total <code>n.samples</code> to discard as burn-in for each chain. By default, the first 10% of samples is discarded.
<code>n.thin</code>	the thinning interval for collection of MCMC samples. The thinning occurs after the <code>n.burn</code> samples are discarded. Default value is set to 1.
<code>n.chains</code>	the number of chains to run in sequence.
<code>...</code>	currently no additional arguments

Value

An object of class `svcTMsPGOcc` that is a list comprised of:

<code>beta.comm.samples</code>	a coda object of posterior samples for the community level occurrence regression coefficients.
<code>alpha.comm.samples</code>	a coda object of posterior samples for the community level detection regression coefficients.
<code>tau.sq.beta.samples</code>	a coda object of posterior samples for the occurrence community variance parameters.
<code>tau.sq.alpha.samples</code>	a coda object of posterior samples for the detection community variance parameters.
<code>beta.samples</code>	a coda object of posterior samples for the species level occurrence regression coefficients.
<code>alpha.samples</code>	a coda object of posterior samples for the species level detection regression coefficients.
<code>theta.samples</code>	a coda object of posterior samples for the species level correlation parameters for each spatially-varying coefficient and the temporal autocorrelation parameters for each species when <code>ar1 = TRUE</code> .
<code>lambda.samples</code>	a coda object of posterior samples for the latent spatial factor loadings for each spatially-varying coefficient.
<code>z.samples</code>	a four-dimensional array of posterior samples for the latent occurrence values for each species. Dimensions correspond to MCMC sample, species, site, and primary time period.
<code>psi.samples</code>	a four-dimensional array of posterior samples for the latent occupancy probability values for each species. Dimensions correspond to MCMC sample, species, site, and primary time period.
<code>w.samples</code>	a four-dimensional array of posterior samples for the latent spatial random effects for each spatial factor within each spatially-varying coefficient. Dimensions correspond to MCMC sample, factor, site, and spatially-varying coefficient.
<code>sigma.sq.psi.samples</code>	a coda object of posterior samples for variances of random intercepts included in the occurrence portion of the model. Only included if random intercepts are specified in <code>occ.formula</code> .
<code>sigma.sq.p.samples</code>	a coda object of posterior samples for variances of random intercepts included in the detection portion of the model. Only included if random intercepts are specified in <code>det.formula</code> .
<code>beta.star.samples</code>	a coda object of posterior samples for the occurrence random effects. Only included if random intercepts are specified in <code>occ.formula</code> .

<code>alpha.star.samples</code>	a coda object of posterior samples for the detection random effects. Only included if random intercepts are specified in <code>det.formula</code> .
<code>like.samples</code>	a four-dimensional array of posterior samples for the likelihood value used for calculating WAIC. Dimensions correspond to MCMC sample, species, site, and time period.
<code>rhat</code>	a list of Gelman-Rubin diagnostic values for some of the model parameters.
<code>ESS</code>	a list of effective sample sizes for some of the model parameters.
<code>run.time</code>	MCMC sampler execution time reported using <code>proc.time()</code> .

The return object will include additional objects used for subsequent prediction and/or model fit evaluation. Note that detection probability estimated values are not included in the model object, but can be extracted using `fitted()`.

Note

Some of the underlying code used for generating random numbers from the Polya-Gamma distribution is taken from the **pgdraw** package written by Daniel F. Schmidt and Enes Makalic. Their code implements Algorithm 6 in PhD thesis of Jesse Bennett Windle (2013) <https://repositories.lib.utexas.edu/handle/2152/21842>.

Author(s)

Jeffrey W. Doser <doserjef@msu.edu>,
Andrew O. Finley <finleya@msu.edu>

References

- Doser, J. W., Finley, A. O., Saunders, S. P., Kery, M., Weed, A. S., & Zipkin, E. F. (2024A). Modeling complex species-environment relationships through spatially-varying coefficient occupancy models. *Journal of Agricultural, Biological and Environmental Statistics*. doi:10.1007/s13253023-005956.
- Doser, J. W., Kery, M., Saunders, S. P., Finley, A. O., Bateman, B. L., Grand, J., Reault, S., Weed, A. S., & Zipkin, E. F. (2024B). Guidelines for the use of spatially varying coefficients in species distribution models. *Global Ecology and Biogeography*, 33(4), e13814. doi:10.1111/geb.13814.
- Datta, A., S. Banerjee, A.O. Finley, and A.E. Gelfand. (2016) Hierarchical Nearest-Neighbor Gaussian process models for large geostatistical datasets. *Journal of the American Statistical Association*, doi:10.1080/01621459.2015.1044091.
- Finley, A.O., A. Datta, B.D. Cook, D.C. Morton, H.E. Andersen, and S. Banerjee. (2019) Efficient algorithms for Bayesian Nearest Neighbor Gaussian Processes. *Journal of Computational and Graphical Statistics*, doi:10.1080/10618600.2018.1537924.
- Polson, N.G., J.G. Scott, and J. Windle. (2013) Bayesian Inference for Logistic Models Using Polya-Gamma Latent Variables. *Journal of the American Statistical Association*, 108:1339-1349.
- Roberts, G.O. and Rosenthal J.S. (2009) Examples of adaptive MCMC. *Journal of Computational and Graphical Statistics*, 18(2):349-367.
- Bates, Douglas, Martin Maechler, Ben Bolker, Steve Walker (2015). Fitting Linear Mixed-Effects Models Using lme4. *Journal of Statistical Software*, 67(1), 1-48. doi:10.18637/jss.v067.i01.

Examples

```

# Simulate Data -----
set.seed(500)
J.x <- 8
J.y <- 8
J <- J.x * J.y
# Years sampled
n.time <- sample(3:10, J, replace = TRUE)
# n.time <- rep(10, J)
n.time.max <- max(n.time)
# Replicates
n.rep <- matrix(NA, J, max(n.time))
for (j in 1:J) {
  n.rep[j, 1:n.time[j]] <- sample(2:4, n.time[j], replace = TRUE)
}
N <- 7
# Community-level covariate effects
# Occurrence
beta.mean <- c(-3, -0.2, 0.5)
trend <- FALSE
sp.only <- 0
p.occ <- length(beta.mean)
tau.sq.beta <- c(0.6, 1.5, 1.4)
# Detection
alpha.mean <- c(0, 1.2, -1.5)
tau.sq.alpha <- c(1, 0.5, 2.3)
p.det <- length(alpha.mean)
# Random effects
psi.RE <- list()
p.RE <- list()
# Draw species-level effects from community means.
beta <- matrix(NA, nrow = N, ncol = p.occ)
alpha <- matrix(NA, nrow = N, ncol = p.det)
for (i in 1:p.occ) {
  beta[, i] <- rnorm(N, beta.mean[i], sqrt(tau.sq.beta[i]))
}
for (i in 1:p.det) {
  alpha[, i] <- rnorm(N, alpha.mean[i], sqrt(tau.sq.alpha[i]))
}
sp <- TRUE
svc.cols <- c(1, 2)
p.svc <- length(svc.cols)
n.factors <- 3
phi <- runif(p.svc * n.factors, 3 / .9, 3 / .3)
factor.model <- TRUE
cov.model <- 'exponential'

dat <- simTMsOcc(J.x = J.x, J.y = J.y, n.time = n.time, n.rep = n.rep, N = N,
  beta = beta, alpha = alpha, sp.only = sp.only, trend = trend,
  psi.RE = psi.RE, p.RE = p.RE, factor.model = factor.model,
  svc.cols = svc.cols, n.factors = n.factors, phi = phi, sp = sp,
  cov.model = cov.model)

```

```

y <- dat$y
X <- dat$X
X.p <- dat$X.p
coords <- dat$coords
X.re <- dat$X.re
X.p.re <- dat$X.p.re

occ.covs <- list(occ.cov.1 = X[, , 2],
                 occ.cov.2 = X[, , 3])
det.covs <- list(det.cov.1 = X.p[, , 2],
                 det.cov.2 = X.p[, , 3])

data.list <- list(y = y, occ.covs = occ.covs,
                 det.covs = det.covs,
                 coords = coords)

# Priors
prior.list <- list(beta.comm.normal = list(mean = 0, var = 2.72),
                  alpha.comm.normal = list(mean = 0, var = 2.72),
                  tau.sq.beta.ig = list(a = 0.1, b = 0.1),
                  tau.sq.alpha.ig = list(a = 0.1, b = 0.1),
                  phi.unif = list(a = 3 / .9, b = 3 / .1))
z.init <- apply(y, c(1, 2, 3), function(a) as.numeric(sum(a, na.rm = TRUE) > 0))
inits.list <- list(alpha.comm = 0, beta.comm = 0, beta = 0,
                  alpha = 0, tau.sq.beta = 1, tau.sq.alpha = 1,
                  phi = 3 / .5, z = z.init)

# Tuning
tuning.list <- list(phi = 1)

# Number of batches
n.batch <- 5
# Batch length
batch.length <- 25
n.burn <- 25
n.thin <- 1
n.samples <- n.batch * batch.length

# Note that this is just a test case and more iterations/chains may need to
# be run to ensure convergence.
out <- svcTMsPGOcc(occ.formula = ~ occ.cov.1 + occ.cov.2,
                  det.formula = ~ det.cov.1 + det.cov.2,
                  data = data.list,
                  inits = inits.list,
                  n.batch = n.batch,
                  batch.length = batch.length,
                  accept.rate = 0.43,
                  NNGP = TRUE,
                  n.neighbors = 5,
                  n.factors = n.factors,
                  svc.cols = svc.cols,
                  cov.model = 'exponential',
                  priors = prior.list,
                  tuning = tuning.list,

```

```
      n.omp.threads = 1,
      verbose = TRUE,
      n.report = 1,
      n.burn = n.burn,
      n.thin = n.thin,
      n.chains = 1)

summary(out)
```

svcTPGBinom	<i>Function for Fitting Multi-Season Single-Species Spatially-Varying Coefficient Binomial Models Using Polya-Gamma Latent Variables</i>
-------------	--

Description

The function `svcTPGBinom` fits multi-season single-species spatially-varying coefficient binomial models using Polya-Gamma latent variables. Models are fit using Nearest Neighbor Gaussian Processes.

Usage

```
svcTPGBinom(formula, data, inits, priors,
             tuning, svc.cols = 1, cov.model = 'exponential', NNGP = TRUE,
             n.neighbors = 15, search.type = 'cb', n.batch,
             batch.length, accept.rate = 0.43, n.omp.threads = 1,
             verbose = TRUE, ar1 = FALSE, n.report = 100,
             n.burn = round(.10 * n.batch * batch.length),
             n.thin = 1, n.chains = 1,
             k.fold, k.fold.threads = 1, k.fold.seed = 100,
             k.fold.only = FALSE, ...)
```

Arguments

formula	a symbolic description of the model to be fit using R’s model syntax. Only right-hand side of formula is specified. See example below. Random intercepts are allowed using lme4 syntax (Bates et al. 2015).
data	a list containing data necessary for model fitting. Valid tags are <code>y</code> , <code>covs</code> , <code>weights</code> , and <code>coords</code> . <code>y</code> is a two-dimensional array with the rows corresponding to the number of sites (J) and columns corresponding to the maximum number of primary time periods (i.e., years or seasons). <code>covs</code> is a list of variables included in the occurrence portion of the model. Each list element is a different occurrence covariate, which can be site level or site/primary time period level. Site-level covariates are specified as a vector of length J while site/primary time period level covariates are specified as a matrix with rows corresponding to sites and columns correspond to primary time periods. <code>weights</code> is a site by time period matrix containing the binomial weights (i.e., the total number of Bernoulli trials) at each site/time period combination. Note that missing values are allowed and

should be specified as NA. `coords` is a $J \times 2$ matrix of the observation coordinates. Note that `spOccupancy` assumes coordinates are specified in a projected coordinate system.

<code>inits</code>	a list with each tag corresponding to a parameter name. Valid tags are <code>beta</code> , <code>sigma.sq</code> , <code>phi</code> , <code>w</code> , <code>nu</code> , <code>sigma.sq.psi</code> , <code>sigma.sq.t</code> , and <code>rho</code> . <code>nu</code> is only specified if <code>cov.model = "matern"</code> , and <code>sigma.sq.psi</code> is only specified if there are random effects in formula. <code>sigma.sq.t</code> and <code>rho</code> are only relevant when <code>ar1 = TRUE</code> . The value portion of each tag is the parameter's initial value. See <code>priors</code> description for definition of each parameter name. Additionally, the tag <code>fix</code> can be set to <code>TRUE</code> to fix the starting values across all chains. If <code>fix</code> is not specified (the default), starting values are varied randomly across chains.
<code>priors</code>	a list with each tag corresponding to a parameter name. Valid tags are <code>beta.normal</code> , <code>phi.unif</code> , <code>sigma.sq.ig</code> , <code>sigma.sq.unif</code> , <code>nu.unif</code> , <code>sigma.sq.psi.ig</code> , <code>sigma.sq.t.ig</code> , and <code>rho.unif</code> . Regression coefficients (<code>beta</code>) are assumed to follow a normal distribution. The hyperparameters of the normal distribution are passed as a list of length two with the first and second elements corresponding to the mean and variance of the normal distribution, which are each specified as vectors of length equal to the number of coefficients to be estimated or of length one if priors are the same for all coefficients. If not specified, prior means are set to 0 and prior variances set to 2.73. The spatial variance parameter, <code>sigma.sq</code> , for each spatially-varying coefficient is assumed to follow an inverse-Gamma distribution or a uniform distribution (default is inverse-Gamma). The spatial decay <code>phi</code> and smoothness <code>nu</code> parameters are assumed to follow Uniform distributions. The hyperparameters of the inverse-Gamma for <code>sigma.sq</code> are passed as a list with two elements corresponding to the shape and scale parameters, respectively, with each element comprised of a vector equal to the number of spatially-varying coefficients to be estimated or of length one if priors are the same for all coefficients. The hyperparameters of any uniform priors are also passed as a list of length two with the first and second elements corresponding to the lower and upper support, respectively, which can be passed as a vector equal to the total number of spatially-varying coefficients to be estimated or of length one if priors are the same for all coefficients. <code>sigma.sq.psi</code> are the random effect variances for any random effects, respectively, and are assumed to follow an inverse-Gamma distribution. The hyperparameters of the inverse-Gamma distribution are passed as a list of length two with the first and second elements corresponding to the shape and scale parameters, respectively, which are each specified as vectors of length equal to the number of random intercepts or of length one if priors are the same for all random effect variances. <code>sigma.sq.t</code> and <code>rho</code> are the AR(1) variance and correlation parameters for the AR(1) zero-mean temporal random effects, respectively. <code>sigma.sq.t</code> is assumed to follow an inverse-Gamma distribution, where the hyperparameters are specified as a vector with elements corresponding to the shape and scale parameters, respectively. <code>rho</code> is assumed to follow a uniform distribution, where the hyperparameters are specified in a vector of length two with elements corresponding to the lower and upper bounds of the uniform prior.
<code>svc.cols</code>	a vector indicating the variables whose effects will be estimated as spatially-varying coefficients. <code>svc.cols</code> can be an integer vector with values indicating the order of covariates specified in the model formula (with 1 being the intercept

	if specified), or it can be specified as a character vector with names corresponding to variable names in covs (for the intercept, use '(Intercept)').
cov.model	a quoted keyword that specifies the covariance function used to model the spatial dependence structure among the observations. Supported covariance model key words are: "exponential", "matern", "spherical", and "gaussian".
tuning	a list with each tag corresponding to a parameter name. Valid tags are phi, sigma.sq, nu, and rho. The value portion of each tag defines the initial variance of the Adaptive sampler. See Roberts and Rosenthal (2009) for details.
NNGP	if TRUE, model is fit with an NNGP. If FALSE, a full Gaussian process is used. See Datta et al. (2016) and Finley et al. (2019) for more information. Currently, only NNGP = TRUE is supported for multi-season occupancy models.
n.neighbors	number of neighbors used in the NNGP. Only used if NNGP = TRUE. Datta et al. (2016) showed that 15 neighbors is usually sufficient, but that as few as 5 neighbors can be adequate for certain data sets, which can lead to even greater decreases in run time. We recommend starting with 15 neighbors (the default) and if additional gains in computation time are desired, subsequently compare the results with a smaller number of neighbors using WAIC or k-fold cross-validation.
search.type	a quoted keyword that specifies the type of nearest neighbor search algorithm. Supported method key words are: "cb" and "brute". The "cb" should generally be much faster. If locations do not have identical coordinate values on the axis used for the nearest neighbor ordering then "cb" and "brute" should produce identical neighbor sets. However, if there are identical coordinate values on the axis used for nearest neighbor ordering, then "cb" and "brute" might produce different, but equally valid, neighbor sets, e.g., if data are on a grid.
n.batch	the number of MCMC batches in each chain to run for the Adaptive MCMC sampler. See Roberts and Rosenthal (2009) for details.
batch.length	the length of each MCMC batch in each chain to run for the Adaptive MCMC sampler. See Roberts and Rosenthal (2009) for details.
accept.rate	target acceptance rate for Adaptive MCMC. Default is 0.43. See Roberts and Rosenthal (2009) for details.
n.omp.threads	a positive integer indicating the number of threads to use for SMP parallel processing within chains. The package must be compiled for OpenMP support. For most Intel-based machines, we recommend setting n.omp.threads up to the number of hyperthreaded cores. Note, n.omp.threads > 1 might not work on some systems.
verbose	if TRUE, messages about data preparation, model specification, and progress of the sampler are printed to the screen. Otherwise, no messages are printed.
ar1	logical value indicating whether to include an AR(1) zero-mean temporal random effect in the model. If FALSE, the model is fit without an AR(1) temporal autocovariance structure. If TRUE, an AR(1) random effect is included in the model to account for temporal autocorrelation across the primary time periods.
n.report	the interval to report Metropolis sampler acceptance and MCMC progress.
n.burn	the number of samples out of the total n.batch * batch.length samples in each chain to discard as burn-in. By default, the first 10% of samples is discarded.

<code>n.thin</code>	the thinning interval for collection of MCMC samples. The thinning occurs after the <code>n.burn</code> samples are discarded. Default value is set to 1.
<code>n.chains</code>	the number of MCMC chains to run.
<code>k.fold</code>	specifies the number of k folds for cross-validation. If not specified as an argument, then cross-validation is not performed and <code>k.fold.threads</code> and <code>k.fold.seed</code> are ignored. In k -fold cross-validation, the data specified in <code>data</code> is randomly partitioned into k equal sized subsamples. Of the k subsamples, $k - 1$ subsamples are used to fit the model and the remaining k samples are used for prediction. The cross-validation process is repeated k times (the folds). As a scoring rule, we use the model deviance as described in Hooten and Hobbs (2015). For cross-validation in multi-season models, the data are split along the site dimension, such that each hold-out data set consists of a $J / k.fold$ sites sampled over all primary time periods during which data are available at each given site. Cross-validation is performed after the full model is fit using all the data. Cross-validation results are reported in the <code>k.fold.deviance</code> object in the return list.
<code>k.fold.threads</code>	number of threads to use for cross-validation. If <code>k.fold.threads</code> > 1 parallel processing is accomplished using the foreach and doParallel packages. Ignored if <code>k.fold</code> is not specified.
<code>k.fold.seed</code>	seed used to split data set into <code>k.fold</code> parts for k -fold cross-validation. Ignored if <code>k.fold</code> is not specified.
<code>k.fold.only</code>	a logical value indicating whether to only perform cross-validation (TRUE) or perform cross-validation after fitting the full model (FALSE). Default value is FALSE.
<code>...</code>	currently no additional arguments

Value

An object of class `svcTPGBinom` that is a list comprised of:

<code>beta.samples</code>	a coda object of posterior samples for the regression coefficients.
<code>y.rep.samples</code>	a three-dimensional array of posterior samples for the fitted data values, with dimensions corresponding to posterior sample, site, and primary time period.
<code>psi.samples</code>	a three-dimensional array of posterior samples for the occurrence probability values, with dimensions corresponding to posterior sample, site, and primary time period.
<code>theta.samples</code>	a coda object of posterior samples for spatial covariance parameters and temporal covariance parameters if <code>ar1</code> = TRUE.
<code>w.samples</code>	a three-dimensional array of posterior samples for the latent spatial random effects for all spatially-varying coefficients. Dimensions correspond to MCMC sample, coefficient, and sites.
<code>sigma.sq.psi.samples</code>	a coda object of posterior samples for variances of unstructured random intercepts included in the model. Only included if random intercepts are specified in formula.

<code>beta.star.samples</code>	a coda object of posterior samples for the unstructured random effects. Only included if random intercepts are specified in formula.
<code>eta.samples</code>	a coda object of posterior samples for the AR(1) random effects for each primary time period. Only included if <code>ar1 = TRUE</code> .
<code>like.samples</code>	a three-dimensional array of posterior samples for the likelihood values associated with each site and primary time period. Used for calculating WAIC.
<code>rhat</code>	a list of Gelman-Rubin diagnostic values for some of the model parameters.
<code>ESS</code>	a list of effective sample sizes for some of the model parameters.
<code>run.time</code>	execution time reported using <code>proc.time()</code> .
<code>k.fold.deviance</code>	scoring rule (deviance) from k-fold cross-validation. Only included if <code>k.fold</code> is specified in function call.

The return object will include additional objects used for subsequent prediction and/or model fit evaluation. Note that if `k.fold.only = TRUE`, the return list object will only contain `run.time` and `k.fold.deviance`

Author(s)

Jeffrey W. Doser <doserjef@msu.edu>,
Andrew O. Finley <finleya@msu.edu>

References

- Doser, J. W., Finley, A. O., Saunders, S. P., Kery, M., Weed, A. S., & Zipkin, E. F. (2024A). Modeling complex species-environment relationships through spatially-varying coefficient occupancy models. *Journal of Agricultural, Biological and Environmental Statistics*. doi:10.1007/s13253023-005956.
- Doser, J. W., Kery, M., Saunders, S. P., Finley, A. O., Bateman, B. L., Grand, J., Reault, S., Weed, A. S., & Zipkin, E. F. (2024B). Guidelines for the use of spatially varying coefficients in species distribution models. *Global Ecology and Biogeography*, 33(4), e13814. doi:10.1111/geb.13814.
- Bates, Douglas, Martin Maechler, Ben Bolker, Steve Walker (2015). Fitting Linear Mixed-Effects Models Using lme4. *Journal of Statistical Software*, 67(1), 1-48. doi:10.18637/jss.v067.i01.
- Datta, A., S. Banerjee, A.O. Finley, and A.E. Gelfand. (2016) Hierarchical Nearest-Neighbor Gaussian process models for large geostatistical datasets. *Journal of the American Statistical Association*, doi:10.1080/01621459.2015.1044091.
- Finley, A.O., A. Datta, B.D. Cook, D.C. Morton, H.E. Andersen, and S. Banerjee. (2019) Efficient algorithms for Bayesian Nearest Neighbor Gaussian Processes. *Journal of Computational and Graphical Statistics*, doi:10.1080/10618600.2018.1537924.
- Polson, N.G., J.G. Scott, and J. Windle. (2013) Bayesian Inference for Logistic Models Using Polya-Gamma Latent Variables. *Journal of the American Statistical Association*, 108:1339-1349.
- Roberts, G.O. and Rosenthal J.S. (2009) Examples of adaptive MCMC. *Journal of Computational and Graphical Statistics*, 18(2):349-367.

Examples

```

set.seed(1000)
# Sites
J.x <- 15
J.y <- 15
J <- J.x * J.y
# Years sampled
n.time <- sample(10, J, replace = TRUE)
# Binomial weights
weights <- matrix(NA, J, max(n.time))
for (j in 1:J) {
  weights[j, 1:n.time[j]] <- sample(5, n.time[j], replace = TRUE)
}
# Occurrence -----
beta <- c(-2, -0.5, -0.2, 0.75)
p.occ <- length(beta)
trend <- TRUE
sp.only <- 0
psi.RE <- list()
# Spatial parameters -----
sp <- TRUE
svc.cols <- c(1, 2, 3)
p.svc <- length(svc.cols)
cov.model <- "exponential"
sigma.sq <- runif(p.svc, 0.1, 1)
phi <- runif(p.svc, 3/1, 3/0.2)
# Temporal parameters -----
ar1 <- TRUE
rho <- 0.8
sigma.sq.t <- 1

# Get all the data
dat <- simTBinom(J.x = J.x, J.y = J.y, n.time = n.time, weights = weights, beta = beta,
               psi.RE = psi.RE, sp.only = sp.only, trend = trend,
               sp = sp, svc.cols = svc.cols,
               cov.model = cov.model, sigma.sq = sigma.sq, phi = phi,
               rho = rho, sigma.sq.t = sigma.sq.t, ar1 = TRUE, x.positive = FALSE)

# Prep the data for spOccupancy -----
y <- dat$y
X <- dat$X
X.re <- dat$X.re
coords <- dat$coords

# Package all data into a list
covs <- list(int = X[, , 1],
            trend = X[, , 2],
            cov.1 = X[, , 3],
            cov.2 = X[, , 4])
# Data list bundle
data.list <- list(y = y,
                covs = covs,

```

```

        weights = weights,
        coords = coords)

# Priors
prior.list <- list(beta.normal = list(mean = 0, var = 2.72),
                  sigma.sq.ig = list(a = 2, b = 1),
                  phi.unif = list(a = 3/1, b = 3/.1),
                  sigma.sq.t.ig = c(2, 0.5),
                  rho.unif = c(-1, 1))

# Starting values
inits.list <- list(beta = beta, alpha = 0,
                  sigma.sq = 1, phi = 3 / 0.5,
                  sigma.sq.t = 0.5, rho = 0)

# Tuning
tuning.list <- list(phi = 0.4, nu = 0.3, rho = 0.2)

# MCMC settings
n.batch <- 2
n.burn <- 0
n.thin <- 1

# Note that this is just a test case and more iterations/chains may need to
# be run to ensure convergence.
out <- svcTPGBinom(formula = ~ trend + cov.1 + cov.2,
                  svc.cols = svc.cols,
                  data = data.list,
                  n.batch = n.batch,
                  batch.length = 25,
                  inits = inits.list,
                  priors = prior.list,
                  accept.rate = 0.43,
                  cov.model = "exponential",
                  ar1 = TRUE,
                  tuning = tuning.list,
                  n.omp.threads = 1,
                  verbose = TRUE,
                  NNGP = TRUE,
                  n.neighbors = 5,
                  n.report = 1,
                  n.burn = n.burn,
                  n.thin = n.thin,
                  n.chains = 1)

```

svcTPGOcc

*Function for Fitting Multi-Season Single-Species Spatially-Varying
Coefficient Occupancy Models Using Polya-Gamma Latent Variables*

Description

Function for fitting multi-season single-species spatially-varying coefficient occupancy models using Polya-Gamma latent variables. Models are fit using Nearest Neighbor Gaussian Processes.

Usage

```
svcTPGOcc(occ.formula, det.formula, data, inits, priors,
          tuning, svc.cols = 1, cov.model = 'exponential', NNGP = TRUE,
          n.neighbors = 15, search.type = 'cb', n.batch,
          batch.length, accept.rate = 0.43, n.omp.threads = 1,
          verbose = TRUE, ar1 = FALSE, n.report = 100,
          n.burn = round(.10 * n.batch * batch.length),
          n.thin = 1, n.chains = 1,
          k.fold, k.fold.threads = 1, k.fold.seed = 100,
          k.fold.only = FALSE, ...)
```

Arguments

- | | |
|-------------|--|
| occ.formula | a symbolic description of the model to be fit for the occurrence portion of the model using R's model syntax. Only right-hand side of formula is specified. See example below. Random intercepts are allowed using lme4 syntax (Bates et al. 2015). |
| det.formula | a symbolic description of the model to be fit for the detection portion of the model using R's model syntax. Only right-hand side of formula is specified. See example below. Random intercepts are allowed using lme4 syntax (Bates et al. 2015). |
| data | a list containing data necessary for model fitting. Valid tags are y, occ.covs, det.covs, coords, and grid.index. y is a three-dimensional array with first dimension equal to the number of sites (J), second dimension equal to the maximum number of primary time periods (i.e., years or seasons), and third dimension equal to the maximum number of replicates at a given site. occ.covs is a list of variables included in the occurrence portion of the model. Each list element is a different occurrence covariate, which can be site level or site/primary time period level. Site-level covariates are specified as a vector of length J while site/primary time period level covariates are specified as a matrix with rows corresponding to sites and columns correspond to primary time periods. Similarly, det.covs is a list of variables included in the detection portion of the model, with each list element corresponding to an individual variable. In addition to site-level and/or site/primary time period-level, detection covariates can also be observational-level. Observation-level covariates are specified as a three-dimensional array with first dimension corresponding to sites, second dimension corresponding to primary time period, and third dimension corresponding to replicate. coords is a matrix of the observation coordinates used to estimate the SVCs for each site. coords has two columns for the easting and northing coordinate, respectively. Typically, each site in the data set will have it's own coordinate, such that coords is a $J \times 2$ matrix and grid.index should not be specified. If you desire to estimate SVCs at some larger spatial level, e.g., if points fall within grid cells and you want to estimate an SVC for each grid cell instead of each point, coords can be specified as the coordinate for each grid cell. In such a case, grid.index is an indexing vector of length J , where each value of grid.index indicates the corresponding row in coords that the given site corresponds to. Note that spOccupancy assumes coordinates are specified in a projected coordinate system. |

inits	a list with each tag corresponding to a parameter name. Valid tags are z, beta, alpha, sigma.sq, phi, w, nu, sigma.sq.psi, sigma.sq.p, sigma.sq.t, rho. The value portion of each tag is the parameter's initial value. sigma.sq.psi and sigma.sq.p are only relevant when including random effects in the occurrence and detection portion of the occupancy model, respectively. nu is only specified if cov.model = "matern". sigma.sq.t and rho are only relevant when ar1 = TRUE. See priors description for definition of each parameter name. Additionally, the tag fix can be set to TRUE to fix the starting values across all chains. If fix is not specified (the default), starting values are varied randomly across chains.
priors	a list with each tag corresponding to a parameter name. Valid tags are beta.normal, alpha.normal, sigma.sq.psi.ig, sigma.sq.p.ig, phi.unif, sigma.sq.ig, nu.unif, sigma.sq.t.ig, and rho.unif. Occupancy (beta) and detection (alpha) regression coefficients are assumed to follow a normal distribution. The hyperparameters of the normal distribution are passed as a list of length two with the first and second elements corresponding to the mean and variance of the normal distribution, which are each specified as vectors of length equal to the number of coefficients to be estimated or of length one if priors are the same for all coefficients. If not specified, prior means are set to 0 and prior variances set to 2.72. sigma.sq.psi and sigma.sq.p are the random effect variances for any occurrence or detection random effects, respectively, and are assumed to follow an inverse Gamma distribution. The hyperparameters of the inverse-Gamma distribution are passed as a list of length two with first and second elements corresponding to the shape and scale parameters, respectively, which are each specified as vectors of length equal to the number of random intercepts or of length one if priors are the same for all random effect variances. The spatial variance parameter, sigma.sq, is assumed to follow an inverse-Gamma distribution. The spatial decay phi and smoothness nu parameters are assumed to follow Uniform distributions. The hyperparameters of the inverse-Gamma for sigma.sq.ig are passed as a list of length two, with the first and second elements corresponding to the shape and scale parameters, respectively, with each element comprised of a vector equal to the number of spatially-varying coefficients to be estimated or of length one if priors are the same for all coefficients. The hyperparameters of the uniform are also passed as a list of length two with the first and second elements corresponding to the lower and upper support, respectively, which can be passed as a vector equal to the number of spatially-varying coefficients to be estimated or of length one if priors are the same for all coefficients. sigma.sq.t and rho are the AR(1) variance and correlation parameters for the AR(1) zero-mean temporal random effects, respectively. sigma.sq.t is assumed to follow an inverse-Gamma distribution, where the hyperparameters are specified as a vector with elements corresponding to the shape and scale parameters, respectively. rho is assumed to follow a uniform distribution, where the hyperparameters are specified in a vector of length two with elements corresponding to the lower and upper bounds of the uniform prior.
tuning	a list with each tag corresponding to a parameter name. Valid tags are phi, sigma.sq, nu, and rho. The value portion of each tag defines the initial variance of the Adaptive sampler. See Roberts and Rosenthal (2009) for details.
svc.cols	a vector indicating the variables whose effects will be estimated as spatially-

	<p>varying coefficients. <code>svc.cols</code> can be an integer vector with values indicating the order of covariates specified in the model formula (with 1 being the intercept if specified), or it can be specified as a character vector with names corresponding to variable names in <code>occ.covs</code> (for the intercept, use <code>'(Intercept)'</code>). <code>svc.cols</code> default argument of 1 results in a spatial occupancy model analogous to <code>stPGOcc</code> (assuming an intercept is included in the model).</p>
<code>cov.model</code>	a quoted keyword that specifies the covariance function used to model the spatial dependence structure among the observations. Supported covariance model key words are: "exponential", "matern", "spherical", and "gaussian".
<code>NNGP</code>	if TRUE, model is fit with an NNGP. If FALSE, a full Gaussian process is used. See Datta et al. (2016) and Finley et al. (2019) for more information. Currently only <code>NNGP = TRUE</code> is supported for multi-season single-species occupancy models.
<code>n.neighbors</code>	number of neighbors used in the NNGP. Only used if <code>NNGP = TRUE</code> . Datta et al. (2016) showed that 15 neighbors is usually sufficient, but that as few as 5 neighbors can be adequate for certain data sets, which can lead to even greater decreases in run time. We recommend starting with 15 neighbors (the default) and if additional gains in computation time are desired, subsequently compare the results with a smaller number of neighbors using WAIC or k-fold cross-validation.
<code>search.type</code>	a quoted keyword that specifies the type of nearest neighbor search algorithm. Supported method key words are: "cb" and "brute". The "cb" should generally be much faster. If locations do not have identical coordinate values on the axis used for the nearest neighbor ordering then "cb" and "brute" should produce identical neighbor sets. However, if there are identical coordinate values on the axis used for nearest neighbor ordering, then "cb" and "brute" might produce different, but equally valid, neighbor sets, e.g., if data are on a grid.
<code>n.batch</code>	the number of MCMC batches in each chain to run for the Adaptive MCMC sampler. See Roberts and Rosenthal (2009) for details.
<code>batch.length</code>	the length of each MCMC batch in each chain to run for the Adaptive MCMC sampler. See Roberts and Rosenthal (2009) for details.
<code>accept.rate</code>	target acceptance rate for Adaptive MCMC. Default is 0.43. See Roberts and Rosenthal (2009) for details.
<code>n.omp.threads</code>	a positive integer indicating the number of threads to use for SMP parallel processing within chains. The package must be compiled for OpenMP support. For most Intel-based machines, we recommend setting <code>n.omp.threads</code> up to the number of hyperthreaded cores. Note, <code>n.omp.threads > 1</code> might not work on some systems. Currently only relevant for spatial models.
<code>verbose</code>	if TRUE, messages about data preparation, model specification, and progress of the sampler are printed to the screen. Otherwise, no messages are printed.
<code>ar1</code>	logical value indicating whether to include an AR(1) zero-mean temporal random effect in the model. If FALSE, the model is fit without an AR(1) temporal autocovariance structure. If TRUE, an AR(1) random effect is included in the model to account for temporal autocorrelation across the primary time periods.
<code>n.report</code>	the interval to report MCMC progress.
<code>n.burn</code>	the number of samples out of the total <code>n.samples</code> to discard as burn-in for each chain. By default, the first 10% of samples is discarded.

n.thin	the thinning interval for collection of MCMC samples. The thinning occurs after the n.burn samples are discarded. Default value is set to 1.
n.chains	the number of chains to run.
k.fold	specifies the number of k folds for cross-validation. If not specified as an argument, then cross-validation is not performed and k.fold.threads and k.fold.seed are ignored. In k -fold cross-validation, the data specified in data is randomly partitioned into k equal sized subsamples. Of the k subsamples, $k - 1$ subsamples are used to fit the model and the remaining k samples are used for prediction. The cross-validation process is repeated k times (the folds). As a scoring rule, we use the model deviance as described in Hooten and Hobbs (2015). For cross-validation in multi-season models, the data are split along the site dimension, such that each hold-out data set consists of a $J / k.fold$ sites sampled over all primary time periods during which data are available at each given site. Cross-validation is performed after the full model is fit using all the data. Cross-validation results are reported in the k.fold.deviance object in the return list.
k.fold.threads	number of threads to use for cross-validation. If k.fold.threads > 1 parallel processing is accomplished using the foreach and doParallel packages. Ignored if k.fold is not specified.
k.fold.seed	seed used to split data set into k.fold parts for k-fold cross-validation. Ignored if k.fold is not specified.
k.fold.only	a logical value indicating whether to only perform cross-validation (TRUE) or perform cross-validation after fitting the full model (FALSE). Default value is FALSE.
...	currently no additional arguments

Value

An object of class svcTPGOcc that is a list comprised of:

beta.samples	a coda object of posterior samples for the occupancy regression coefficients.
alpha.samples	a coda object of posterior samples for the detection regression coefficients.
z.samples	a three-dimensional array of posterior samples for the latent occupancy values, with dimensions corresponding to posterior sample, site, and primary time period.
psi.samples	a three-dimensional array of posterior samples for the latent occupancy probability values, with dimensions corresponding to posterior sample, site, and primary time period.
theta.samples	a coda object of posterior samples for spatial covariance parameters and temporal covariance parameters if ar1 = TRUE.
w.samples	a three-dimensional array of posterior samples for the latent spatial random effects for all spatially-varying coefficients. Dimensions correspond to MCMC sample, coefficient, and sites.
sigma.sq.psi.samples	a coda object of posterior samples for variances of random intercepts included in the occupancy portion of the model. Only included if random intercepts are specified in occ.formula.

<code>sigma.sq.p.samples</code>	a coda object of posterior samples for variances of random intercepts included in the detection portion of the model. Only included if random intercepts are specified in <code>det.formula</code> .
<code>beta.star.samples</code>	a coda object of posterior samples for the occurrence random effects. Only included if random intercepts are specified in <code>occ.formula</code> .
<code>alpha.star.samples</code>	a coda object of posterior samples for the detection random effects. Only included if random intercepts are specified in <code>det.formula</code> .
<code>eta.samples</code>	a coda object of posterior samples for the AR(1) random effects for each primary time period. Only included if <code>ar1 = TRUE</code> .
<code>like.samples</code>	a three-dimensional array of posterior samples for the likelihood values associated with each site and primary time period. Used for calculating WAIC.
<code>rhat</code>	a list of Gelman-Rubin diagnostic values for some of the model parameters.
<code>ESS</code>	a list of effective sample sizes for some of the model parameters.
<code>run.time</code>	execution time reported using <code>proc.time()</code> .
<code>k.fold.deviance</code>	scoring rule (deviance) from k-fold cross-validation. Only included if <code>k.fold</code> is specified in function call.

The return object will include additional objects used for subsequent prediction and/or model fit evaluation. Note that detection probability estimated values are not included in the model object, but can be extracted using `fitted()`. Note that if `k.fold.only = TRUE`, the return list object will only contain `run.time` and `k.fold.deviance`.

Note

Some of the underlying code used for generating random numbers from the Polya-Gamma distribution is taken from the **pgdraw** package written by Daniel F. Schmidt and Enes Makalic. Their code implements Algorithm 6 in PhD thesis of Jesse Bennett Windle (2013) <https://repositories.lib.utexas.edu/handle/2152/21842>.

Author(s)

Jeffrey W. Doser <doserjef@msu.edu>,
Andrew O. Finley <finleya@msu.edu>

References

- Polson, N.G., J.G. Scott, and J. Windle. (2013) Bayesian Inference for Logistic Models Using Polya-Gamma Latent Variables. *Journal of the American Statistical Association*, 108:1339-1349.
- Bates, Douglas, Martin Maechler, Ben Bolker, Steve Walker (2015). Fitting Linear Mixed-Effects Models Using lme4. *Journal of Statistical Software*, 67(1), 1-48. doi:10.18637/jss.v067.i01.
- Doser, J. W., Finley, A. O., Saunders, S. P., Kery, M., Weed, A. S., & Zipkin, E. F. (2024). Modeling complex species-environment relationships through spatially-varying coefficient occupancy

models. Journal of Agricultural, Biological and Environmental Statistics. doi:10.1007/s13253023-005956.

Doser, J. W., Kery, M., Saunders, S. P., Finley, A. O., Bateman, B. L., Grand, J., Reault, S., Weed, A. S., & Zipkin, E. F. (2024). Guidelines for the use of spatially varying coefficients in species distribution models. Global Ecology and Biogeography, 33(4), e13814. doi:10.1111/geb.13814.

Examples

```
set.seed(1000)
# Sites
J.x <- 15
J.y <- 15
J <- J.x * J.y
# Years sampled
n.time <- sample(10, J, replace = TRUE)
n.time.max <- max(n.time)
# Replicates
n.rep <- matrix(NA, J, max(n.time))
for (j in 1:J) {
  n.rep[j, 1:n.time[j]] <- sample(4, n.time[j], replace = TRUE)
}
# Occurrence -----
beta <- c(-2, -0.5, -0.2, 0.75)
trend <- TRUE
sp.only <- 0
psi.RE <- list()
# Detection -----
alpha <- c(1, 0.7, -0.5)
p.RE <- list()
# Spatial parameters -----
sp <- TRUE
svc.cols <- c(1, 2, 3)
p.svc <- length(svc.cols)
cov.model <- "exponential"
sigma.sq <- runif(p.svc, 0.1, 1)
phi <- runif(p.svc, 3 / 1, 3 / 0.2)
rho <- 0.8
sigma.sq.t <- 1
ar1 <- TRUE
x.positive <- FALSE

# Get all the data
dat <- simTOcc(J.x = J.x, J.y = J.y, n.time = n.time, n.rep = n.rep,
  beta = beta, alpha = alpha, sp.only = sp.only, trend = trend,
  psi.RE = psi.RE, p.RE = p.RE,
  sp = sp, cov.model = cov.model, sigma.sq = sigma.sq, phi = phi,
  svc.cols = svc.cols, ar1 = ar1, rho = rho, sigma.sq.t = sigma.sq.t,
  x.positive = x.positive)

# Prep the data for svcTPGOcc -----
# Full data set
y <- dat$y
```

```

X <- dat$X
X.re <- dat$X.re
X.p <- dat$X.p
X.p.re <- dat$X.p.re
coords <- dat$coords

# Package all data into a list
occ.covs <- list(int = X[, , 1],
                trend = X[, , 2],
                occ.cov.1 = X[, , 3],
                occ.cov.2 = X[, , 4])

# Detection
det.covs <- list(det.cov.1 = X.p[, , 2],
                det.cov.2 = X.p[, , 3])

# Data list bundle
data.list <- list(y = y,
                occ.covs = occ.covs,
                det.covs = det.covs,
                coords = coords)

# Priors
prior.list <- list(beta.normal = list(mean = 0, var = 2.72),
                alpha.normal = list(mean = 0, var = 2.72),
                phi.unif = list(a = 3/1, b = 3/.1))

# Starting values
z.init <- apply(y, c(1, 2), function(a) as.numeric(sum(a, na.rm = TRUE) > 0))
inits.list <- list(beta = 0, alpha = 0,
                sigma.sq = 1, phi = 3 / 0.5,
                z = z.init, nu = 1)

# Tuning
tuning.list <- list(phi = 0.4, nu = 0.3, rho = 0.5, sigma.sq = 0.5)

# MCMC settings
n.batch <- 2
n.burn <- 0
n.thin <- 1

# Run the model
# Note that this is just a test case and more iterations/chains may need to
# be run to ensure convergence.
out <- svcTPGOcc(occ.formula = ~ trend + occ.cov.1 + occ.cov.2,
                det.formula = ~ det.cov.1 + det.cov.2,
                data = data.list,
                inits = inits.list,
                tuning = tuning.list,
                priors = prior.list,
                cov.model = "exponential",
                svc.cols = svc.cols,
                NNGP = TRUE,
                ar1 = TRUE,
                n.neighbors = 5,
                n.batch = n.batch,
                batch.length = 25,

```

```

verbose = TRUE,
n.report = 25,
n.burn = n.burn,
n.thin = n.thin,
n.chains = 1)

```

tIntPGOcc

Function for Fitting Multi-Season Single-Species Integrated Occupancy Models Using Polya-Gamma Latent Variables

Description

Function for fitting single-species multi-season integrated occupancy models using Polya-Gamma latent variables. Data integration is done using a joint likelihood framework, assuming distinct detection models for each data source that are each conditional on a single latent occurrence process.

Usage

```

tIntPGOcc(occ.formula, det.formula, data, inits, priors, tuning,
          n.batch, batch.length, accept.rate = 0.43, n.omp.threads = 1,
          verbose = TRUE, ar1 = FALSE, n.report = 100,
          n.burn = round(.10 * n.batch * batch.length), n.thin = 1, n.chains = 1,
          ...)

```

Arguments

occ.formula	a symbolic description of the model to be fit for the occurrence portion of the model using R's model syntax. Only right-hand side of formula is specified. See example below. Random intercepts are allowed using lme4 syntax (Bates et al. 2015).
det.formula	a list of symbolic descriptions of the models to be fit for the detection portion of the model using R's model syntax for each data set. Each element in the list is a formula for the detection model of a given data set. Only right-hand side of formula is specified. See example below. Random intercepts are allowed using lme4 syntax (Bates et al. 2015).
data	a list containing data necessary for model fitting. Valid tags are y, occ.covs, det.covs, sites, and seasons. y is a list of three-dimensional arrays with first dimensional equal to the number of sites surveyed in that data set, second dimension equal to the number of primary time periods (i.e., years or seasons), and third dimension equal to the maximum number of replicate surveys at a site within a given season. occ.covs is a list of variables included in the occurrence portion of the model. Each list element is a different occurrence covariate, which can be site level or site/primary time period level. Site-level covariates are specified as a vector of length J while site/primary time period level covariates are specified as a matrix with rows corresponding to sites and columns corresponding to primary time periods. det.covs is a list of variables included in the detection portion of the model for each data source. det.covs should have the

same number of elements as `y`, where each element is itself a list. Each element of the list for a given data source is a different detection covariate, which can be site-level, site-season-level, or observation-level. Site-level covariates and site/primary time period level covariates are specified in the same manner as `occ.covs`. Observation-level covariates are specified as a three-dimensional array with first dimension corresponding to sites, second dimension corresponding to primary time period, and third dimension corresponding to replicate. `sites` is a list of site indices with number of elements equal to the number of data sources being modeled. Each element contains a vector of length equal to the number of sites that specific data source contains. Each value in the vector indicates the corresponding site in `occ.covs` covariates that corresponds with the specific row of the detection-nondetection data for the data source. This is used to properly link sites across data sets. Similarly, `seasons` is a list of season indices with number of elements equal to the number of data sources being modeled. Each element contains a vector of length equal to the number of seasons that a specific data source is available for. This is used to properly link seasons across data sets. Each value in the vector indicates the corresponding season in `occ.covs` covariates that correspond with the specific column of the detection-nondetection data for the given data source. This is used to properly link seasons across data sets, which can have a differing number of seasons surveyed.

<code>inits</code>	a list with each tag corresponding to a parameter name. Valid tags are <code>z</code> , <code>beta</code> , <code>alpha</code> , <code>sigma.sq.psi</code> , <code>sigma.sq.p</code> , <code>sigma.sq.t</code> , and <code>rho</code> . The value portion of each tag is the parameter's initial value. <code>sigma.sq.psi</code> and <code>sigma.sq.p</code> are only relevant when including random effects in the occurrence and detection portion of the occupancy model, respectively. <code>sigma.sq.t</code> and <code>rho</code> are only relevant when <code>ar1 = TRUE</code> . The tag <code>alpha</code> is a list comprised of the initial values for the detection parameters for each data source. Each element of the list should be a vector of initial values for all detection parameters in the given data source or a single value for each data source to assign all parameters for a given data source the same initial value. See <code>priors</code> description for definition of each parameter name. Additionally, the tag <code>fix</code> can be set to <code>TRUE</code> to fix the starting values across all chains. If <code>fix</code> is not specified (the default), starting values are varied randomly across chains.
<code>priors</code>	a list with each tag corresponding to a parameter name. Valid tags are <code>beta.normal</code> , <code>alpha.normal</code> , <code>sigma.sq.psi.ig</code> , <code>sigma.sq.p.ig</code> , <code>sigma.sq.t.ig</code> , and <code>rho.unif</code> . Occupancy (<code>beta</code>) and detection (<code>alpha</code>) regression coefficients are assumed to follow a normal distribution. For <code>beta</code> hyperparameters of the normal distribution are passed as a list of length two with the first and second elements corresponding to the mean and variance of the normal distribution, which are each specified as vectors of length equal to the number of coefficients to be estimated or of length one if priors are the same for all coefficients. For the detection coefficients <code>alpha</code> , the mean and variance hyperparameters are themselves passed in as lists, with each element of the list corresponding to the specific hyperparameters for the detection parameters in a given data source. If not specified, prior means are set to 0 and prior variances set to 2.72. <code>sigma.sq.psi</code> and <code>sigma.sq.p</code> are the random effect variances for any unstructured occurrence or detection random effects, respectively, and are assumed to follow an inverse Gamma distribution. The hyperparameters of the inverse-Gamma distribution

are passed as a list of length two with first and second elements corresponding to the shape and scale parameters, respectively, which are each specified as vectors of length equal to the number of random intercepts or of length one if priors are the same for all random effect variances. `sigma.sq.t` and `rho` are the AR(1) variance and correlation parameters for the AR(1) zero-mean temporal random effects, respectively. `sigma.sq.t` is assumed to follow an inverse-Gamma distribution, where the hyperparameters are specified as a vector with elements corresponding to the shape and scale parameters, respectively. `rho` is assumed to follow a uniform distribution, where the hyperparameters are specified in a vector of length two with elements corresponding to the lower and upper bounds of the uniform prior.

<code>tuning</code>	a list with each tag corresponding to a parameter name. Valid tags are <code>rho</code> . The value portion of each tag defines the initial tuning variance of the Adaptive sampler. See Roberts and Rosenthal (2009) for details.
<code>n.batch</code>	the number of MCMC batches in each chain to run for the Adaptive MCMC sampler. See Roberts and Rosenthal (2009) for details.
<code>batch.length</code>	the length of each MCMC batch in each chain to run for the Adaptive MCMC sampler. See Roberts and Rosenthal (2009) for details.
<code>accept.rate</code>	target acceptance rate for Adaptive MCMC. Default is 0.43. See Roberts and Rosenthal (2009) for details.
<code>n.omp.threads</code>	a positive integer indicating the number of threads to use for SMP parallel processing within chains. This will have no impact on model run times for non-spatial models. The package must be compiled for OpenMP support. For most Intel-based machines, we recommend setting <code>n.omp.threads</code> up to the number of hyperthreaded cores. Note, <code>n.omp.threads > 1</code> might not work on some systems. Currently only relevant for spatial models.
<code>verbose</code>	if TRUE, messages about data preparation, model specification, and progress of the sampler are printed to the screen. Otherwise, no messages are printed.
<code>ar1</code>	logical value indicating whether to include an AR(1) zero-mean temporal random effect in the model. If FALSE, the model is fit without an AR(1) temporal autocovariance structure. If TRUE, an AR(1) random effect is included in the model to account for temporal autocorrelation across the primary time periods.
<code>n.report</code>	the interval to report MCMC progress. Note this is specified in terms of batches, not MCMC samples.
<code>n.burn</code>	the number of samples out of the total <code>n.samples</code> to discard as burn-in for each chain. By default, the first 10% of samples is discarded.
<code>n.thin</code>	the thinning interval for collection of MCMC samples. The thinning occurs after the <code>n.burn</code> samples are discarded. Default value is set to 1.
<code>n.chains</code>	the number of chains to run.
<code>...</code>	currently no additional arguments

Value

An object of class `tIntPGOcc` that is a list comprised of:

`beta.samples` a coda object of posterior samples for the occupancy regression coefficients.

<code>alpha.samples</code>	a coda object of posterior samples for the detection regression coefficients for all data sources.
<code>z.samples</code>	a three-dimensional array of posterior samples for the latent occupancy values, with dimensions corresponding to posterior sample, site, and primary time period. Note this object will contain predicted occupancy values for sites/primary time periods that were not sampled.
<code>psi.samples</code>	a three-dimensional array of posterior samples for the latent occupancy probability values, with dimensions corresponding to posterior sample, site, and primary time period. Note this object will contain predicted occupancy probabilities for sites/primary time periods that were not sampled.
<code>sigma.sq.psi.samples</code>	a coda object of posterior samples for variances of random intercepts included in the occupancy portion of the model. Only included if random intercepts are specified in <code>occ.formula</code> .
<code>sigma.sq.p.samples</code>	a coda object of posterior samples for variances of random intercepts included in the detection portion of the model. Includes random effect variances for all data sources. Only included if random intercepts are specified in <code>det.formula</code> .
<code>beta.star.samples</code>	a coda object of posterior samples for the occurrence random effects. Only included if random intercepts are specified in <code>occ.formula</code> .
<code>alpha.star.samples</code>	a coda object of posterior samples for the detection random effects in any of the data sources. Only included if random intercepts are specified in at least one of the individual data set detection formulas in <code>det.formula</code> .
<code>theta.samples</code>	a coda object of posterior samples for the AR(1) variance (<code>sigma.sq.t</code>) and correlation (<code>rho</code>) parameters. Only included if <code>ar1 = TRUE</code> .
<code>eta.samples</code>	a coda object of posterior samples for the AR(1) random effects for each primary time period. Only included if <code>ar1 = TRUE</code> .
<code>p.samples</code>	a list of four-dimensional arrays consisting of the posterior samples of detection probability for each data source. For each data source, the dimensions of the four-dimensional array correspond to MCMC sample, site, season, and replicate within season.
<code>like.samples</code>	a two-dimensional array of posterior samples for the likelihood values associated with each site and primary time period, for each individual data source. Used for calculating WAIC.
<code>rhat</code>	a list of Gelman-Rubin diagnostic values for some of the model parameters.
<code>ESS</code>	a list of effective sample sizes for some of the model parameters.
<code>run.time</code>	execution time reported using <code>proc.time()</code> .

The return object will include additional objects used for subsequent prediction and/or model fit evaluation.

Note

Some of the underlying code used for generating random numbers from the Polya-Gamma distribution is taken from the **pgdraw** package written by Daniel F. Schmidt and Enes Makalic. Their code implements Algorithm 6 in PhD thesis of Jesse Bennett Windle (2013) <https://repositories.lib.utexas.edu/handle/2152/21842>.

Author(s)

Jeffrey W. Doser <doserjef@msu.edu>

References

- Polson, N.G., J.G. Scott, and J. Windle. (2013) Bayesian Inference for Logistic Models Using Polya-Gamma Latent Variables. *Journal of the American Statistical Association*, 108:1339-1349.
- Bates, Douglas, Martin Maechler, Ben Bolker, Steve Walker (2015). Fitting Linear Mixed-Effects Models Using lme4. *Journal of Statistical Software*, 67(1), 1-48. doi:10.18637/jss.v067.i01.

Examples

```
set.seed(332)

# Simulate Data -----
# Number of locations in each direction. This is the total region of interest
# where some sites may or may not have a data source.
J.x <- 15
J.y <- 15
J.all <- J.x * J.y
# Number of data sources.
n.data <- 3
# Sites for each data source.
J.obs <- sample(ceiling(0.2 * J.all):ceiling(0.4 * J.all), n.data, replace = TRUE)
# Maximum number of years for each data set
n.time.max <- c(4, 8, 10)
# Number of years each site in each data set is sampled
n.time <- list()
for (i in 1:n.data) {
  n.time[[i]] <- sample(1:n.time.max[i], J.obs[i], replace = TRUE)
}
# Replicates for each data source.
n.rep <- list()
for (i in 1:n.data) {
  n.rep[[i]] <- matrix(NA, J.obs[i], n.time.max[i])
  for (j in 1:J.obs[i]) {
    n.rep[[i]][j, sample(1:n.time.max[i], n.time[[i]][j], replace = FALSE)] <-
      sample(1:4, n.time[[i]][j], replace = TRUE)
  }
}
# Total number of years across all data sets
n.time.total <- 10
# List denoting the specific years each data set was sampled during.
data.seasons <- list()
```

```

for (i in 1:n.data) {
  data.seasons[[i]] <- sort(sample(1:n.time.total, n.time.max[i], replace = FALSE))
}

# Occupancy covariates
beta <- c(0, 0.4, 0.3)
trend <- TRUE
# Random occupancy covariates
psi.RE <- list(levels = c(20),
               sigma.sq.psi = c(0.6))
p.occ <- length(beta)
# Detection covariates
alpha <- list()
alpha[[1]] <- c(0, 0.2, -0.5)
alpha[[2]] <- c(-1, 0.5, 0.3, -0.8)
alpha[[3]] <- c(-0.5, 1)

p.RE <- list()
p.det.long <- sapply(alpha, length)
p.det <- sum(p.det.long)

# Simulate occupancy data.
dat <- simTIntOcc(n.data = n.data, J.x = J.x, J.y = J.y, J.obs = J.obs,
                 n.time = n.time, data.seasons = data.seasons, n.rep = n.rep,
                 beta = beta, alpha = alpha, trend = trend,
                 psi.RE = psi.RE, p.RE = p.RE)

y <- dat$y
X <- dat$X.obs
X.re <- dat$X.re.obs
X.p <- dat$X.p
sites <- dat$sites

# Package all data into a list
occ.covs <- list(trend = X[, , 2],
                 occ.cov.1 = X[, , 3],
                 occ.factor.1 = X.re[, , 1])
det.covs <- list()
# Add covariates one by one
det.covs[[1]] <- list(det.cov.1.1 = X.p[[1]][, , 2],
                     det.cov.1.2 = X.p[[1]][, , 3])
det.covs[[2]] <- list(det.cov.2.1 = X.p[[2]][, , 2],
                     det.cov.2.2 = X.p[[2]][, , 3],
                     det.cov.2.3 = X.p[[2]][, , 4])
det.covs[[3]] <- list(det.cov.3.1 = X.p[[3]][, , 2])
data.list <- list(y = y, occ.covs = occ.covs, det.covs = det.covs,
                 sites = sites, seasons = data.seasons)

# Testing
occ.formula <- ~ trend + occ.cov.1 + (1 | occ.factor.1)
# Note that the names are not necessary.
det.formula <- list(f.1 = ~ det.cov.1.1 + det.cov.1.2,
                   f.2 = ~ det.cov.2.1 + det.cov.2.2 + det.cov.2.3,

```



```

f.3 = ~ det.cov.3.1)

# NOTE: this is a short run of the model, in reality we would run the
#       model for much longer.
out <- tIntPGOcc(occ.formula = occ.formula,
                 det.formula = det.formula,
                 data = data.list,
                 n.batch = 3,
                 batch.length = 25,
                 n.report = 1,
                 n.burn = 25,
                 n.thin = 1,
                 n.chains = 1)

summary(out)

```

tMsPGOcc

Function for Fitting Multi-Species Multi-Season Occupancy Models

Description

The function `tMsPGOcc` fits multi-species multi-season occupancy models using Polya-Gamma data augmentation.

Usage

```

tMsPGOcc(occ.formula, det.formula, data, inits, priors, tuning,
         n.batch, batch.length,
         accept.rate = 0.43, n.omp.threads = 1,
         verbose = TRUE, ar1 = FALSE, n.report = 100,
         n.burn = round(.10 * n.batch * batch.length), n.thin = 1,
         n.chains = 1, ...)

```

Arguments

<code>occ.formula</code>	a symbolic description of the model to be fit for the occurrence portion of the model using R's model syntax. Random intercepts are allowed using lme4 syntax (Bates et al. 2015). Only right-hand side of formula is specified. See example below.
<code>det.formula</code>	a symbolic description of the model to be fit for the detection portion of the model using R's model syntax. Only right-hand side of formula is specified. See example below. Random intercepts are allowed using lme4 syntax (Bates et al. 2015).
<code>data</code>	a list containing data necessary for model fitting. Valid tags are <code>y</code> , <code>occ.covs</code> , and <code>det.covs</code> . <code>y</code> is a four-dimensional array with first dimension equal to the number of species, second dimension equal to the number of sites, third dimension equal to the number of primary time periods, and fourth dimension equal to the maximum number of secondary replicates at a given site. <code>occ.covs</code> is a

list of variables included in the occurrence portion of the model. Each list element is a different occurrence covariate, which can be site level or site/primary time period level. Site-level covariates are specified as a vector of length J while site/primary time period level covariates are specified as a matrix with rows corresponding to sites and columns correspond to primary time periods. Similarly, `det.covs` is a list of variables included in the detection portion of the model, with each list element corresponding to an individual variable. In addition to site-level and/or site/primary time period-level, detection covariates can also be observational-level. Observation-level covariates are specified as a three-dimensional array with first dimension corresponding to sites, second dimension corresponding to primary time period, and third dimension corresponding to replicate.

<code>inits</code>	a list with each tag corresponding to a parameter name. Valid tags are <code>alpha.comm</code> , <code>beta.comm</code> , <code>beta</code> , <code>alpha</code> , <code>tau.sq.beta</code> , <code>tau.sq.alpha</code> , <code>sigma.sq.psi</code> , <code>sigma.sq.p</code> , <code>z</code> , <code>sigma.sq.t</code> , and <code>rho</code> . <code>sigma.sq.t</code> and <code>rho</code> are only relevant when <code>ar1 = TRUE</code> , and <code>sigma.sq.psi</code> and <code>sigma.sq.p</code> are only specified if random effects are included in <code>occ.formula</code> or <code>det.formula</code> , respectively. The value portion of each tag is the parameter's initial value. See <code>priors</code> description for definition of each parameter name. Additionally, the tag <code>fix</code> can be set to <code>TRUE</code> to fix the starting values across all chains. If <code>fix</code> is not specified (the default), starting values are varied randomly across chains.
<code>priors</code>	a list with each tag corresponding to a parameter name. Valid tags are <code>beta.comm.normal</code> , <code>alpha.comm.normal</code> , <code>tau.sq.beta.ig</code> , <code>tau.sq.alpha.ig</code> , <code>sigma.sq.psi</code> , <code>sigma.sq.p</code> , <code>sigma.sq.t.ig</code> , and <code>rho.unif</code> . Community-level occurrence (<code>beta.comm</code>) and detection (<code>alpha.comm</code>) regression coefficients are assumed to follow a normal distribution. The hyperparameters of the normal distribution are passed as a list of length two with the first and second elements corresponding to the mean and variance of the normal distribution, which are each specified as vectors of length equal to the number of coefficients to be estimated or of length one if priors are the same for all coefficients. If not specified, prior means are set to 0 and prior variances set to 2.72. By default, community-level variance parameters for occupancy (<code>tau.sq.beta</code>) and detection (<code>tau.sq.alpha</code>) are assumed to follow an inverse Gamma distribution. The hyperparameters of the inverse gamma distribution are passed as a list of length two with the first and second elements corresponding to the shape and scale parameters, which are each specified as vectors of length equal to the number of coefficients to be estimated or a single value if priors are the same for all parameters. If not specified, prior shape and scale parameters are set to 0.1. <code>sigma.sq.t</code> and <code>rho</code> are the AR(1) variance and correlation parameters for the AR(1) zero-mean temporal random effects, respectively. <code>sigma.sq.t</code> is assumed to follow an inverse-Gamma distribution, where the hyperparameters are specified as a list of length two with the first and second elements corresponding to the shape and scale parameters, respectively, which can each be specified as vector equal to the number of species in the model or a single value if the same prior is used for all species. <code>rho</code> is assumed to follow a uniform distribution, where the hyperparameters are specified similarly as a list of length two with the first and second elements corresponding to the lower and upper bounds of the uniform prior, which can each be specified as vector equal to the number of species in the model or a single value if the same

	prior is used for all species. <code>sigma.sq.psi</code> and <code>sigma.sq.p</code> are the random effect variances for any occurrence or detection random effects, respectively, and are assumed to follow an inverse Gamma distribution. The hyperparameters of the inverse-Gamma distribution are passed as a list of length two with first and second elements corresponding to the shape and scale parameters, respectively, which are each specified as vectors of length equal to the number of random intercepts or of length one if priors are the same for all random effect variances.
<code>tuning</code>	a list with each tag corresponding to a parameter name. Valid tags are <code>rho</code> . The value portion of each tag defines the initial tuning variance of the Adaptive sampler. See Roberts and Rosenthal (2009) for details.
<code>n.batch</code>	the number of MCMC batches in each chain to run for the Adaptive MCMC sampler. See Roberts and Rosenthal (2009) for details.
<code>batch.length</code>	the length of each MCMC batch to run for the Adaptive MCMC sampler. See Roberts and Rosenthal (2009) for details.
<code>accept.rate</code>	target acceptance rate for Adaptive MCMC. Default is 0.43. See Roberts and Rosenthal (2009) for details.
<code>n.omp.threads</code>	a positive integer indicating the number of threads to use for SMP parallel processing within chains. This will have no impact on model run times for non-spatial models. The package must be compiled for OpenMP support. For most Intel-based machines, we recommend setting <code>n.omp.threads</code> up to the number of hyperthreaded cores. Note, <code>n.omp.threads > 1</code> might not work on some systems.
<code>verbose</code>	if TRUE, messages about data preparation, model specification, and progress of the sampler are printed to the screen. Otherwise, no messages are printed.
<code>ar1</code>	logical value indicating whether to include an AR(1) zero-mean temporal random effect in the model for each species. If FALSE, the model is fit without an AR(1) temporal autocovariance structure. If TRUE, a species-specific AR(1) random effect is included in the model to account for temporal autocorrelation across the primary time periods.
<code>n.report</code>	the interval to report Metropolis sampler acceptance and MCMC progress. Note this is specified in terms of batches and not overall samples for spatial models.
<code>n.burn</code>	the number of samples out of the total <code>n.samples</code> to discard as burn-in for each chain. By default, the first 10% of samples is discarded.
<code>n.thin</code>	the thinning interval for collection of MCMC samples. The thinning occurs after the <code>n.burn</code> samples are discarded. Default value is set to 1.
<code>n.chains</code>	the number of chains to run in sequence.
<code>...</code>	currently no additional arguments

Value

An object of class `tMsPGOcc` that is a list comprised of:

`beta.comm.samples`
a coda object of posterior samples for the community level occurrence regression coefficients.

<code>alpha.comm.samples</code>	a coda object of posterior samples for the community level detection regression coefficients.
<code>tau.sq.beta.samples</code>	a coda object of posterior samples for the occurrence community variance parameters.
<code>tau.sq.alpha.samples</code>	a coda object of posterior samples for the detection community variance parameters.
<code>beta.samples</code>	a coda object of posterior samples for the species level occurrence regression coefficients.
<code>alpha.samples</code>	a coda object of posterior samples for the species level detection regression coefficients.
<code>theta.samples</code>	a coda object of posterior samples for the species level AR(1) variance (<code>sigma.sq.t</code>) and correlation (<code>rho</code>) parameters. Only included if <code>ar1 = TRUE</code> .
<code>eta.samples</code>	a three-dimensional array of posterior samples for the species-specific AR(1) random effects for each primary time period. Dimensions correspond to MCMC sample, species, and primary time period.
<code>z.samples</code>	a four-dimensional array of posterior samples for the latent occurrence values for each species. Dimensions correspond to MCMC sample, species, site, and primary time period.
<code>psi.samples</code>	a four-dimensional array of posterior samples for the latent occupancy probability values for each species. Dimensions correspond to MCMC sample, species, site, and primary time period.
<code>sigma.sq.psi.samples</code>	a coda object of posterior samples for variances of random intercepts included in the occurrence portion of the model. Only included if random intercepts are specified in <code>occ.formula</code> .
<code>sigma.sq.p.samples</code>	a coda object of posterior samples for variances of random intercepts included in the detection portion of the model. Only included if random intercepts are specified in <code>det.formula</code> .
<code>beta.star.samples</code>	a coda object of posterior samples for the occurrence random effects. Only included if random intercepts are specified in <code>occ.formula</code> .
<code>alpha.star.samples</code>	a coda object of posterior samples for the detection random effects. Only included if random intercepts are specified in <code>det.formula</code> .
<code>like.samples</code>	a four-dimensional array of posterior samples for the likelihood value used for calculating WAIC. Dimensions correspond to MCMC sample, species, site, and time period.
<code>rhat</code>	a list of Gelman-Rubin diagnostic values for some of the model parameters.
<code>ESS</code>	a list of effective sample sizes for some of the model parameters.
<code>run.time</code>	MCMC sampler execution time reported using <code>proc.time()</code> .

The return object will include additional objects used for subsequent prediction and/or model fit evaluation. Note that detection probability estimated values are not included in the model object, but can be extracted using `fitted()`.

Note

Some of the underlying code used for generating random numbers from the Polya-Gamma distribution is taken from the **pgdraw** package written by Daniel F. Schmidt and Enes Makalic. Their code implements Algorithm 6 in PhD thesis of Jesse Bennett Windle (2013) <https://repositories.lib.utexas.edu/handle/2152/21842>.

Author(s)

Jeffrey W. Doser <doserjef@msu.edu>,
Andrew O. Finley <finleya@msu.edu>

References

- Polson, N.G., J.G. Scott, and J. Windle. (2013) Bayesian Inference for Logistic Models Using Polya-Gamma Latent Variables. *Journal of the American Statistical Association*, 108:1339-1349.
- Roberts, G.O. and Rosenthal J.S. (2009) Examples of adaptive MCMC. *Journal of Computational and Graphical Statistics*, 18(2):349-367.
- Bates, Douglas, Martin Maechler, Ben Bolker, Steve Walker (2015). Fitting Linear Mixed-Effects Models Using lme4. *Journal of Statistical Software*, 67(1), 1-48. doi:10.18637/jss.v067.i01.
- Kery, M., & Royle, J. A. (2021). Applied hierarchical modeling in ecology: Analysis of distribution, abundance and species richness in R and BUGS: Volume 2: Dynamic and advanced models. Academic Press. Section 4.6.

Examples

```
# Simulate Data -----
set.seed(500)
J.x <- 8
J.y <- 8
J <- J.x * J.y
# Years sampled
n.time <- sample(3:10, J, replace = TRUE)
# n.time <- rep(10, J)
n.time.max <- max(n.time)
# Replicates
n.rep <- matrix(NA, J, max(n.time))
for (j in 1:J) {
  n.rep[j, 1:n.time[j]] <- sample(2:4, n.time[j], replace = TRUE)
}
N <- 7
# Community-level covariate effects
# Occurrence
beta.mean <- c(-3, -0.2, 0.5)
trend <- FALSE
sp.only <- 0
```

```

p.occ <- length(beta.mean)
tau.sq.beta <- c(0.6, 1.5, 1.4)
# Detection
alpha.mean <- c(0, 1.2, -1.5)
tau.sq.alpha <- c(1, 0.5, 2.3)
p.det <- length(alpha.mean)
# Random effects
psi.RE <- list()
p.RE <- list()
# Draw species-level effects from community means.
beta <- matrix(NA, nrow = N, ncol = p.occ)
alpha <- matrix(NA, nrow = N, ncol = p.det)
for (i in 1:p.occ) {
  beta[, i] <- rnorm(N, beta.mean[i], sqrt(tau.sq.beta[i]))
}
for (i in 1:p.det) {
  alpha[, i] <- rnorm(N, alpha.mean[i], sqrt(tau.sq.alpha[i]))
}
sp <- FALSE

dat <- simTMsOcc(J.x = J.x, J.y = J.y, n.time = n.time, n.rep = n.rep, N = N,
  beta = beta, alpha = alpha, sp.only = sp.only, trend = trend,
  psi.RE = psi.RE, p.RE = p.RE, sp = sp)

y <- dat$y
X <- dat$X
X.p <- dat$X.p
X.re <- dat$X.re
X.p.re <- dat$X.p.re

occ.covs <- list(occ.cov.1 = X[, , 2],
  occ.cov.2 = X[, , 3])
det.covs <- list(det.cov.1 = X.p[, , 2],
  det.cov.2 = X.p[, , 3])

data.list <- list(y = y, occ.covs = occ.covs,
  det.covs = det.covs)
# Priors
prior.list <- list(beta.comm.normal = list(mean = 0, var = 2.72),
  alpha.comm.normal = list(mean = 0, var = 2.72),
  tau.sq.beta.ig = list(a = 0.1, b = 0.1),
  tau.sq.alpha.ig = list(a = 0.1, b = 0.1))
z.init <- apply(y, c(1, 2, 3), function(a) as.numeric(sum(a, na.rm = TRUE) > 0))
inits.list <- list(alpha.comm = 0, beta.comm = 0, beta = 0,
  alpha = 0, tau.sq.beta = 1, tau.sq.alpha = 1,
  z = z.init)
# Tuning
tuning.list <- list(phi = 1)

# Number of batches
n.batch <- 5
# Batch length
batch.length <- 25

```

```

n.burn <- 25
n.thin <- 1
n.samples <- n.batch * batch.length

# Note that this is just a test case and more iterations/chains may need to
# be run to ensure convergence.
out <- tMsPGOcc(occ.formula = ~ occ.cov.1 + occ.cov.2,
               det.formula = ~ det.cov.1 + det.cov.2,
               data = data.list,
               inits = inits.list,
               n.batch = n.batch,
               batch.length = batch.length,
               accept.rate = 0.43,
               priors = prior.list,
               n.omp.threads = 1,
               verbose = TRUE,
               n.report = 1,
               n.burn = n.burn,
               n.thin = n.thin,
               n.chains = 1)

summary(out)

```

tPGOcc

*Function for Fitting Multi-Season Single-Species Occupancy Models
Using Polya-Gamma Latent Variables*

Description

Function for fitting multi-season single-species occupancy models using Polya-Gamma latent variables.

Usage

```

tPGOcc(occ.formula, det.formula, data, inits, priors, tuning,
       n.batch, batch.length, accept.rate = 0.43, n.omp.threads = 1,
       verbose = TRUE, ar1 = FALSE, n.report = 100,
       n.burn = round(.10 * n.batch * batch.length), n.thin = 1, n.chains = 1,
       k.fold, k.fold.threads = 1,
       k.fold.seed = 100, k.fold.only = FALSE, ...)

```

Arguments

occ.formula a symbolic description of the model to be fit for the occurrence portion of the model using R's model syntax. Only right-hand side of formula is specified. See example below. Random intercepts are allowed using lme4 syntax (Bates et al. 2015).

<code>det.formula</code>	a symbolic description of the model to be fit for the detection portion of the model using R's model syntax. Only right-hand side of formula is specified. See example below. Random intercepts are allowed using lme4 syntax (Bates et al. 2015).
<code>data</code>	a list containing data necessary for model fitting. Valid tags are <code>y</code> , <code>occ.covs</code> , and <code>det.covs</code> . <code>y</code> is a three-dimensional array with first dimension equal to the number of sites (J), second dimension equal to the maximum number of primary time periods (i.e., years or seasons), and third dimension equal to the maximum number of replicates at a given site. <code>occ.covs</code> is a list of variables included in the occurrence portion of the model. Each list element is a different occurrence covariate, which can be site level or site/primary time period level. Site-level covariates are specified as a vector of length J while site/primary time period level covariates are specified as a matrix with rows corresponding to sites and columns correspond to primary time periods. Similarly, <code>det.covs</code> is a list of variables included in the detection portion of the model, with each list element corresponding to an individual variable. In addition to site-level and/or site/primary time period-level, detection covariates can also be observational-level. Observation-level covariates are specified as a three-dimensional array with first dimension corresponding to sites, second dimension corresponding to primary time period, and third dimension corresponding to replicate.
<code>inits</code>	a list with each tag corresponding to a parameter name. Valid tags are <code>z</code> , <code>beta</code> , <code>alpha</code> , <code>sigma.sq.psi</code> , <code>sigma.sq.p</code> , <code>sigma.sq.t</code> , and <code>rho</code> . The value portion of each tag is the parameter's initial value. <code>sigma.sq.psi</code> and <code>sigma.sq.p</code> are only relevant when including random effects in the occurrence and detection portion of the occupancy model, respectively. <code>sigma.sq.t</code> and <code>rho</code> are only relevant when <code>ar1 = TRUE</code> . See priors description for definition of each parameter name. Additionally, the tag <code>fix</code> can be set to <code>TRUE</code> to fix the starting values across all chains. If <code>fix</code> is not specified (the default), starting values are varied randomly across chains.
<code>priors</code>	a list with each tag corresponding to a parameter name. Valid tags are <code>beta.normal</code> , <code>alpha.normal</code> , <code>sigma.sq.psi.ig</code> , <code>sigma.sq.p.ig</code> , <code>sigma.sq.t.ig</code> , and <code>rho.unif</code> . Occupancy (<code>beta</code>) and detection (<code>alpha</code>) regression coefficients are assumed to follow a normal distribution. The hyperparameters of the normal distribution are passed as a list of length two with the first and second elements corresponding to the mean and variance of the normal distribution, which are each specified as vectors of length equal to the number of coefficients to be estimated or of length one if priors are the same for all coefficients. If not specified, prior means are set to 0 and prior variances set to 2.72. <code>sigma.sq.psi</code> and <code>sigma.sq.p</code> are the random effect variances for any unstructured occurrence or detection random effects, respectively, and are assumed to follow an inverse Gamma distribution. The hyperparameters of the inverse-Gamma distribution are passed as a list of length two with first and second elements corresponding to the shape and scale parameters, respectively, which are each specified as vectors of length equal to the number of random intercepts or of length one if priors are the same for all random effect variances. <code>sigma.sq.t</code> and <code>rho</code> are the AR(1) variance and correlation parameters for the AR(1) zero-mean temporal random effects, respectively. <code>sigma.sq.t</code> is assumed to follow an inverse-Gamma distribution, where the hyperparameters are specified as a vector with elements correspond-

	ing to the shape and scale parameters, respectively. <code>rho</code> is assumed to follow a uniform distribution, where the hyperparameters are specified in a vector of length two with elements corresponding to the lower and upper bounds of the uniform prior.
<code>tuning</code>	a list with each tag corresponding to a parameter name. Valid tags are <code>rho</code> . The value portion of each tag defines the initial tuning variance of the Adaptive sampler. See Roberts and Rosenthal (2009) for details.
<code>n.batch</code>	the number of MCMC batches in each chain to run for the Adaptive MCMC sampler. See Roberts and Rosenthal (2009) for details.
<code>batch.length</code>	the length of each MCMC batch in each chain to run for the Adaptive MCMC sampler. See Roberts and Rosenthal (2009) for details.
<code>accept.rate</code>	target acceptance rate for Adaptive MCMC. Default is 0.43. See Roberts and Rosenthal (2009) for details.
<code>n.omp.threads</code>	a positive integer indicating the number of threads to use for SMP parallel processing within chains. This will have no impact on model run times for non-spatial models. The package must be compiled for OpenMP support. For most Intel-based machines, we recommend setting <code>n.omp.threads</code> up to the number of hyperthreaded cores. Note, <code>n.omp.threads > 1</code> might not work on some systems. Currently only relevant for spatial models.
<code>verbose</code>	if TRUE, messages about data preparation, model specification, and progress of the sampler are printed to the screen. Otherwise, no messages are printed.
<code>ar1</code>	logical value indicating whether to include an AR(1) zero-mean temporal random effect in the model. If FALSE, the model is fit without an AR(1) temporal autocovariance structure. If TRUE, an AR(1) random effect is included in the model to account for temporal autocorrelation across the primary time periods.
<code>n.report</code>	the interval to report MCMC progress. Note this is specified in terms of batches, not MCMC samples.
<code>n.burn</code>	the number of samples out of the total <code>n.samples</code> to discard as burn-in for each chain. By default, the first 10% of samples is discarded.
<code>n.thin</code>	the thinning interval for collection of MCMC samples. The thinning occurs after the <code>n.burn</code> samples are discarded. Default value is set to 1.
<code>n.chains</code>	the number of chains to run.
<code>k.fold</code>	specifies the number of k folds for cross-validation. If not specified as an argument, then cross-validation is not performed and <code>k.fold.threads</code> and <code>k.fold.seed</code> are ignored. In k -fold cross-validation, the data specified in <code>data</code> is randomly partitioned into k equal sized subsamples. Of the k subsamples, $k - 1$ subsamples are used to fit the model and the remaining k samples are used for prediction. The cross-validation process is repeated k times (the folds). As a scoring rule, we use the model deviance as described in Hooten and Hobbs (2015). For cross-validation in multi-season models, the data are split along the site dimension, such that each hold-out data set consists of $J / k.fold$ sites sampled over all primary time periods during which data are available at each given site. Cross-validation is performed after the full model is fit using all the data. Cross-validation results are reported in the <code>k.fold.deviance</code> object in the return list.

<code>k.fold.threads</code>	number of threads to use for cross-validation. If <code>k.fold.threads > 1</code> parallel processing is accomplished using the foreach and doParallel packages. Ignored if <code>k.fold</code> is not specified.
<code>k.fold.seed</code>	seed used to split data set into <code>k.fold</code> parts for k-fold cross-validation. Ignored if <code>k.fold</code> is not specified.
<code>k.fold.only</code>	a logical value indicating whether to only perform cross-validation (TRUE) or perform cross-validation after fitting the full model (FALSE). Default value is FALSE.
<code>...</code>	currently no additional arguments

Value

An object of class `tPGOcc` that is a list comprised of:

<code>beta.samples</code>	a coda object of posterior samples for the occupancy regression coefficients.
<code>alpha.samples</code>	a coda object of posterior samples for the detection regression coefficients.
<code>z.samples</code>	a three-dimensional array of posterior samples for the latent occupancy values, with dimensions corresponding to posterior sample, site, and primary time period. Note this object will contain predicted occupancy values for sites/primary time periods that were not sampled.
<code>psi.samples</code>	a three-dimensional array of posterior samples for the latent occupancy probability values, with dimensions corresponding to posterior sample, site, and primary time period. Note this object will contain predicted occupancy probabilities for sites/primary time periods that were not sampled.
<code>sigma.sq.psi.samples</code>	a coda object of posterior samples for variances of random intercepts included in the occupancy portion of the model. Only included if random intercepts are specified in <code>occ.formula</code> .
<code>sigma.sq.p.samples</code>	a coda object of posterior samples for variances of random intercepts included in the detection portion of the model. Only included if random intercepts are specified in <code>det.formula</code> .
<code>beta.star.samples</code>	a coda object of posterior samples for the occurrence random effects. Only included if random intercepts are specified in <code>occ.formula</code> .
<code>alpha.star.samples</code>	a coda object of posterior samples for the detection random effects. Only included if random intercepts are specified in <code>det.formula</code> .
<code>theta.samples</code>	a coda object of posterior samples for the AR(1) variance (<code>sigma.sq.t</code>) and correlation (<code>rho</code>) parameters. Only included if <code>ar1 = TRUE</code> .
<code>eta.samples</code>	a coda object of posterior samples for the AR(1) random effects for each primary time period. Only included if <code>ar1 = TRUE</code> .
<code>like.samples</code>	a three-dimensional array of posterior samples for the likelihood values associated with each site and primary time period. Used for calculating WAIC.
<code>rhat</code>	a list of Gelman-Rubin diagnostic values for some of the model parameters.

ESS a list of effective sample sizes for some of the model parameters.

run.time execution time reported using `proc.time()`.

k.fold.deviance scoring rule (deviance) from k-fold cross-validation. Only included if `k.fold` is specified in function call.

The return object will include additional objects used for subsequent prediction and/or model fit evaluation. Note that detection probability estimated values are not included in the model object, but can be extracted using `fitted()`. Note that if `k.fold.only = TRUE`, the return list object will only contain `run.time` and `k.fold.deviance`.

Note

Some of the underlying code used for generating random numbers from the Polya-Gamma distribution is taken from the **pgdraw** package written by Daniel F. Schmidt and Enes Makalic. Their code implements Algorithm 6 in PhD thesis of Jesse Bennett Windle (2013) <https://repositories.lib.utexas.edu/handle/2152/21842>.

Author(s)

Jeffrey W. Doser <doserjef@msu.edu>,
Andrew O. Finley <finleya@msu.edu>

References

- Polson, N.G., J.G. Scott, and J. Windle. (2013) Bayesian Inference for Logistic Models Using Polya-Gamma Latent Variables. *Journal of the American Statistical Association*, 108:1339-1349.
- Bates, Douglas, Martin Maechler, Ben Bolker, Steve Walker (2015). Fitting Linear Mixed-Effects Models Using lme4. *Journal of Statistical Software*, 67(1), 1-48. doi:10.18637/jss.v067.i01.
- Kery, M., & Royle, J. A. (2021). Applied hierarchical modeling in ecology: Analysis of distribution, abundance and species richness in R and BUGS: Volume 2: Dynamic and advanced models. Academic Press. Section 4.6.
- Hooten, M. B., and Hobbs, N. T. (2015). A guide to Bayesian model selection for ecologists. *Ecological monographs*, 85(1), 3-28.
- MacKenzie, D. I., J. D. Nichols, G. B. Lachman, S. Droege, J. Andrew Royle, and C. A. Langtimm. 2002. Estimating Site Occupancy Rates When Detection Probabilities Are Less Than One. *Ecology* 83: 2248-2255.

Examples

```
set.seed(500)
# Sites
J.x <- 10
J.y <- 10
J <- J.x * J.y
# Primary time periods
n.time <- sample(5:10, J, replace = TRUE)
n.time.max <- max(n.time)
```

```

# Replicates
n.rep <- matrix(NA, J, max(n.time))
for (j in 1:J) {
  n.rep[j, 1:n.time[j]] <- sample(1:4, n.time[j], replace = TRUE)
}
# Occurrence -----
beta <- c(0.4, 0.5, -0.9)
trend <- TRUE
sp.only <- 0
psi.RE <- list()
# Detection -----
alpha <- c(-1, 0.7, -0.5)
p.RE <- list()
# Temporal parameters -----
rho <- 0.7
sigma.sq.t <- 0.6

# Get all the data
dat <- simTOcc(J.x = J.x, J.y = J.y, n.time = n.time, n.rep = n.rep,
              beta = beta, alpha = alpha, sp.only = sp.only, trend = trend,
              psi.RE = psi.RE, p.RE = p.RE, sp = FALSE, ar1 = TRUE,
              sigma.sq.t = sigma.sq.t, rho = rho)

# Package all data into a list
# Occurrence
occ.covs <- list(int = dat$X[, , 1],
                 trend = dat$X[, , 2],
                 occ.cov.1 = dat$X[, , 3])
# Detection
det.covs <- list(det.cov.1 = dat$X.p[, , 2],
                 det.cov.2 = dat$X.p[, , 3])
# Data list bundle
data.list <- list(y = dat$y,
                 occ.covs = occ.covs,
                 det.covs = det.covs)
# Priors
prior.list <- list(beta.normal = list(mean = 0, var = 2.72),
                  alpha.normal = list(mean = 0, var = 2.72),
                  rho.unif = c(-1, 1),
                  sigma.sq.t.ig = c(2, 0.5))

# Starting values
z.init <- apply(dat$y, c(1, 2), function(a) as.numeric(sum(a, na.rm = TRUE) > 0))
inits.list <- list(beta = 0, alpha = 0, z = z.init)

# Tuning
tuning.list <- list(rho = 0.5)

n.batch <- 20
batch.length <- 25
n.samples <- n.batch * batch.length
n.burn <- 100
n.thin <- 1

```

```

# Run the model
# Note that this is just a test case and more iterations/chains may need to
# be run to ensure convergence.
out <- tPGOcc(occ.formula = ~ trend + occ.cov.1,
              det.formula = ~ det.cov.1 + det.cov.2,
              data = data.list,
              inits = inits.list,
              priors = prior.list,
              tuning = tuning.list,
              n.batch = n.batch,
              batch.length = batch.length,
              verbose = TRUE,
              ar1 = TRUE,
              n.report = 25,
              n.burn = n.burn,
              n.thin = n.thin,
              n.chains = 1)

summary(out)

```

updateMCMC

Update a spOccupancy or spAbundance model run with more MCMC iterations

Description

Function for updating a previously run spOccupancy or spAbundance model with additional MCMC iterations. This function is useful for situations where a model is run for a long time but convergence/adequate mixing of the MCMC chains is not reached. Instead of re-running the entire model again, this function allows you to pick up where you left off. This function is currently in development, and only currently works with the following spOccupancy and spAbundance model objects: msAbund, sfJSDM, lfJSDM. Note that cross-validation is not possible when updating the model.

Usage

```

updateMCMC(object, n.batch, n.samples, n.burn = 0, n.thin,
            keep.orig = TRUE, verbose = TRUE, n.report = 100,
            save.fitted = TRUE, ...)

```

Arguments

object	a spOccupancy or spAbundance model object. Currently supports objects of class msAbund and sfJSDM.
n.batch	the number of additional MCMC batches in each chain to run for the adaptive MCMC sampler. Only valid for model types fit with an adaptive MCMC sampler
n.samples	the number of posterior samples to collect in each chain. Only valid for model types that are run with a fully Gibbs sampler and have n.samples as an argument in the original model fitting function.

<code>n.burn</code>	the number of samples out of the total <code>n.batch * batchlength</code> to discard as burn-in for each chain from the updated samples. Note this argument does not discard samples from the previous model run, and rather only applies to the samples in the updated run of the model. Defaults to 0
<code>n.thin</code>	the thinning interval for collection of MCMC samples in the updated model run. The thinning occurs after the <code>n.burn</code> samples are discarded. Default value is set to 1.
<code>keep.orig</code>	A logical value indicating whether or not the samples from the original run of the model should be kept or discarded.
<code>verbose</code>	if TRUE, messages about data preparation, model specification, and progress of the sampler are printed to the screen. Otherwise, no messages are printed.
<code>n.report</code>	the interval to report Metropolis sampler acceptance and MCMC progress.
<code>save.fitted</code>	logical value indicating whether or not fitted values and likelihood values should be saved in the resulting model object. This is only relevant for models of class <code>msAbund</code> . If <code>save.fitted = FALSE</code> , the components <code>y.rep.samples</code> , <code>mu.samples</code> , and <code>like.samples</code> will not be included in the model object, and subsequent functions for calculating WAIC, fitted values, and posterior predictive checks will not work, although they all can be calculated manually if desired. Setting <code>save.fitted = FALSE</code> can be useful when working with very large data sets to minimize the amount of RAM needed when fitting and storing the model object in memory.
<code>...</code>	currently no additional arguments

Value

An object of the same class as the original model fit provided in the argument object. See the manual page for the original model type for complete details.

Author(s)

Jeffrey W. Doser <doserjef@msu.edu>,

Examples

```
J.x <- 8
J.y <- 8
J <- J.x * J.y
n.rep<- sample(2:4, size = J, replace = TRUE)
N <- 6
# Community-level covariate effects
# Occurrence
beta.mean <- c(0.2)
p.occ <- length(beta.mean)
tau.sq.beta <- c(0.6)
# Detection
alpha.mean <- c(0)
tau.sq.alpha <- c(1)
```

```

p.det <- length(alpha.mean)
# Random effects
psi.RE <- list()
p.RE <- list()
# Draw species-level effects from community means.
beta <- matrix(NA, nrow = N, ncol = p.occ)
alpha <- matrix(NA, nrow = N, ncol = p.det)
for (i in 1:p.occ) {
  beta[, i] <- rnorm(N, beta.mean[i], sqrt(tau.sq.beta[i]))
}
for (i in 1:p.det) {
  alpha[, i] <- rnorm(N, alpha.mean[i], sqrt(tau.sq.alpha[i]))
}
alpha.true <- alpha
n.factors <- 3
phi <- rep(3 / .7, n.factors)
sigma.sq <- rep(2, n.factors)
nu <- rep(2, n.factors)

dat <- simMsOcc(J.x = J.x, J.y = J.y, n.rep = n.rep, N = N, beta = beta, alpha = alpha,
               psi.RE = psi.RE, p.RE = p.RE, sp = TRUE, sigma.sq = sigma.sq,
               phi = phi, nu = nu, cov.model = 'matern', factor.model = TRUE,
               n.factors = n.factors)

pred.indx <- sample(1:J, round(J * .25), replace = FALSE)
y <- dat$y[, -pred.indx, , drop = FALSE]
# Occupancy covariates
X <- dat$X[-pred.indx, , drop = FALSE]
coords <- as.matrix(dat$coords[-pred.indx, , drop = FALSE])
# Prediction covariates
X.0 <- dat$X[pred.indx, , drop = FALSE]
coords.0 <- as.matrix(dat$coords[pred.indx, , drop = FALSE])
# Detection covariates
X.p <- dat$X.p[-pred.indx, , , drop = FALSE]

y <- apply(y, c(1, 2), max, na.rm = TRUE)
data.list <- list(y = y, coords = coords)
# Priors
prior.list <- list(beta.comm.normal = list(mean = 0, var = 2.72),
                  tau.sq.beta.ig = list(a = 0.1, b = 0.1),
                  nu.unif = list(0.5, 2.5))

# Starting values
inits.list <- list(beta.comm = 0,
                  beta = 0,
                  fix = TRUE,
                  tau.sq.beta = 1)

# Tuning
tuning.list <- list(phi = 1, nu = 0.25)

batch.length <- 25
n.batch <- 2
n.report <- 100
formula <- ~ 1

```

```
out <- sfJSDM(formula = formula,
              data = data.list,
              inits = inits.list,
              n.batch = n.batch,
              batch.length = batch.length,
              accept.rate = 0.43,
              priors = prior.list,
              cov.model = "matern",
              tuning = tuning.list,
              n.factors = 3,
              n.omp.threads = 1,
              verbose = TRUE,
              NNGP = TRUE,
              n.neighbors = 5,
              search.type = 'cb',
              n.report = 10,
              n.burn = 0,
              n.thin = 1,
              n.chains = 2)

summary(out)

# Update the initial model fit
out.new <- updateMCMC(out, n.batch = 1, keep.orig = TRUE,
                     verbose = TRUE, n.report = 1)
summary(out.new)
```

waicOcc	<i>Compute Widely Applicable Information Criterion for spOccupancy Model Objects</i>
---------	--

Description

Function for computing the Widely Applicable Information Criterion (WAIC; Watanabe 2010) for spOccupancy model objects.

Usage

```
waicOcc(object, by.sp = FALSE, ...)
```

Arguments

object	an object of class PGOcc, spPGOcc, msPGOcc, spMsPGOcc, intPGOcc, spIntPGOcc, lfJSDM, sfJSDM, lfMsPGOcc, sfMsPGOcc, tPGOcc, stPGOcc, svcPGBinom, svcPGOcc, svcTPGBinom, svcTPGOcc, or intMsPGOcc, svcMsPGOcc, tMsPGOcc, stMsPGOcc, svcTMsPGOcc.
by.sp	a logical value indicating whether to return a separate WAIC value for each species in a multi-species occupancy model or a single value for all species.
...	currently no additional arguments

Details

The effective number of parameters is calculated following the recommendations of Gelman et al. (2014). Note that when fitting multi-species occupancy models with the `range.ind` tag, it is not valid to use WAIC to compare a model that uses `range.ind` (i.e., restricts certain species to a subset of the locations) with a model that does not use `range.ind` (i.e., assumes all species can occur at all locations in the data set) or that uses different `range.ind` values.

Value

When object is of class `PGOcc`, `spPGOcc`, `msPGOcc`, `spMsPGOcc`, `lfJSDM`, `sfJSDM`, `lfMsPGOcc`, `sfMsPGOcc`, `tPGOcc`, `stPGOcc`, `svcPGBinom`, `svcPGOcc`, `svcTPGOcc`, `svcTPGBinom`, `svcMsPGOcc`, `tMsPGOcc`, `stMsPGOcc`, `svcTMsPGOcc` returns a vector with three elements corresponding to estimates of the expected log pointwise predictive density (elpd), the effective number of parameters (pD), and the WAIC. When `by.sp = TRUE` for multi-species models, object is a data frame with each row corresponding to a different species. When object is of class `intPGOcc` or `spIntPGOcc`, returns a data frame with columns `elpd`, `pD`, and `WAIC`, with each row corresponding to the estimated values for each data source in the integrated model.

Author(s)

Jeffrey W. Doser <doserjef@msu.edu>,
Andrew O. Finley <finleya@msu.edu>

References

- Watanabe, S. (2010). Asymptotic equivalence of Bayes cross validation and widely applicable information criterion in singular learning theory. *Journal of Machine Learning Research*, 11:3571-3594.
- Gelman, A., J. B. Carlin, H. S. Stern, D. B. Dunson, A. Vehtari, and D. B. Rubin. (2013). Bayesian Data Analysis. 3rd edition. CRC Press, Taylor and Francis Group
- Gelman, A., J. Hwang, and A. Vehtari (2014). Understanding predictive information criteria for Bayesian models. *Statistics and Computing*, 24:997-1016.

Examples

```
set.seed(400)
# Simulate Data -----
J.x <- 8
J.y <- 8
J <- J.x * J.y
n.rep <- sample(2:4, J, replace = TRUE)
beta <- c(0.5, -0.15)
p.occ <- length(beta)
alpha <- c(0.7, 0.4)
p.det <- length(alpha)
dat <- simOcc(J.x = J.x, J.y = J.y, n.rep = n.rep, beta = beta, alpha = alpha,
             sp = FALSE)
occ.covs <- dat$X[, 2, drop = FALSE]
colnames(occ.covs) <- c('occ.cov')
```

```
det.covs <- list(det.cov = dat$X.p[, , 2])
# Data bundle
data.list <- list(y = dat$y,
                 occ.covs = occ.covs,
                 det.covs = det.covs)

# Priors
prior.list <- list(beta.normal = list(mean = rep(0, p.occ),
                                       var = rep(2.72, p.occ)),
                  alpha.normal = list(mean = rep(0, p.det),
                                       var = rep(2.72, p.det)))

# Initial values
inits.list <- list(alpha = rep(0, p.det),
                  beta = rep(0, p.occ),
                  z = apply(data.list$y, 1, max, na.rm = TRUE))

n.samples <- 5000
n.report <- 1000

out <- PGOcc(occ.formula = ~ occ.cov,
            det.formula = ~ det.cov,
            data = data.list,
            inits = inits.list,
            n.samples = n.samples,
            priors = prior.list,
            n.omp.threads = 1,
            verbose = TRUE,
            n.report = n.report,
            n.burn = 4000,
            n.thin = 1)

# Calculate WAIC
waicOcc(out)
```

Index

* datasets

hbf2015, [25](#)
hbfElev, [26](#)
hbfTrends, [27](#)
neon2015, [54](#)

* model

fitted.intPGOcc, [6](#)
fitted.lfJSDM, [7](#)
fitted.lfMsPGOcc, [8](#)
fitted.msPGOcc, [8](#)
fitted.PGOcc, [9](#)
fitted.sfJSDM, [10](#)
fitted.sfMsPGOcc, [11](#)
fitted.spIntPGOcc, [11](#)
fitted.spMsPGOcc, [12](#)
fitted.spPGOcc, [13](#)
fitted.stIntPGOcc, [14](#)
fitted.stMsPGOcc, [14](#)
fitted.stPGOcc, [15](#)
fitted.svcMsPGOcc, [16](#)
fitted.svcPGBinom, [17](#)
fitted.svcPGOcc, [17](#)
fitted.svcTIntPGOcc, [18](#)
fitted.svcTMsPGOcc, [19](#)
fitted.svcTPGBinom, [19](#)
fitted.svcTPGOcc, [20](#)
fitted.tIntPGOcc, [21](#)
fitted.tMsPGOcc, [21](#)
fitted.tPGOcc, [22](#)
summary.intMsPGOcc, [248](#)
summary.intPGOcc, [249](#)
summary.lfJSDM, [250](#)
summary.lfMsPGOcc, [251](#)
summary.msPGOcc, [252](#)
summary.PGOcc, [253](#)
summary.postHocLM, [254](#)
summary.sfJSDM, [255](#)
summary.sfMsPGOcc, [256](#)
summary.spIntPGOcc, [257](#)

summary.spMsPGOcc, [258](#)
summary.spPGOcc, [259](#)
summary.stIntPGOcc, [260](#)
summary.stMsPGOcc, [261](#)
summary.stPGOcc, [262](#)
summary.svcMsPGOcc, [263](#)
summary.svcPGBinom, [264](#)
summary.svcPGOcc, [265](#)
summary.svcTIntPGOcc, [266](#)
summary.svcTMsPGOcc, [267](#)
summary.svcTPGBinom, [268](#)
summary.svcTPGOcc, [269](#)
summary.tIntPGOcc, [270](#)
summary.tMsPGOcc, [271](#)
summary.tPGOcc, [272](#)

* package

spOccupancy-package, [4](#)

fitted, [7–22](#)
fitted.intPGOcc, [6](#)
fitted.lfJSDM, [7](#)
fitted.lfMsPGOcc, [8](#)
fitted.msPGOcc, [8](#)
fitted.PGOcc, [9](#)
fitted.sfJSDM, [10](#)
fitted.sfMsPGOcc, [11](#)
fitted.spIntPGOcc, [11](#)
fitted.spMsPGOcc, [12](#)
fitted.spPGOcc, [13](#)
fitted.stIntPGOcc, [14](#)
fitted.stMsPGOcc, [14](#)
fitted.stPGOcc, [15](#)
fitted.svcMsPGOcc, [16](#)
fitted.svcPGBinom, [17](#)
fitted.svcPGOcc, [17](#)
fitted.svcTIntPGOcc, [18](#)
fitted.svcTMsPGOcc, [19](#)
fitted.svcTPGBinom, [19](#)
fitted.svcTPGOcc, [20](#)
fitted.tIntPGOcc, [21](#)

- fitted.tMsPGOcc, [21](#)
- fitted.tPGOcc, [22](#)
- getSVCSamples, [6](#), [23](#)
- hbf2015, [25](#)
- hbfElev, [26](#)
- hbfTrends, [27](#)
- intMsPGOcc, [28](#)
- intPGOcc, [5](#), [33](#)
- lfJSDM, [5](#), [38](#)
- lfMsPGOcc, [5](#), [43](#)
- msPGOcc, [5](#), [49](#)
- neon2015, [54](#)
- PGOcc, [5](#), [56](#)
- plot, [248–253](#), [256–272](#)
- plot.intMsPGOcc (summary.intMsPGOcc), [248](#)
- plot.intPGOcc (summary.intPGOcc), [249](#)
- plot.lfJSDM (summary.lfJSDM), [250](#)
- plot.lfMsPGOcc (summary.lfMsPGOcc), [251](#)
- plot.msPGOcc (summary.msPGOcc), [252](#)
- plot.PGOcc (summary.PGOcc), [253](#)
- plot.sfJSDM (summary.sfJSDM), [255](#)
- plot.sfMsPGOcc (summary.sfMsPGOcc), [256](#)
- plot.spIntPGOcc (summary.spIntPGOcc), [257](#)
- plot.spMsPGOcc (summary.spMsPGOcc), [258](#)
- plot.spPGOcc (summary.spPGOcc), [259](#)
- plot.stIntPGOcc (summary.stIntPGOcc), [260](#)
- plot.stMsPGOcc (summary.stMsPGOcc), [261](#)
- plot.stPGOcc (summary.stPGOcc), [262](#)
- plot.svcMsPGOcc (summary.svcMsPGOcc), [263](#)
- plot.svcPGBinom (summary.svcPGBinom), [264](#)
- plot.svcPGOcc (summary.svcPGOcc), [265](#)
- plot.svcTIntPGOcc (summary.svcTIntPGOcc), [266](#)
- plot.svcTMsPGOcc (summary.svcTMsPGOcc), [267](#)
- plot.svcTPGBinom (summary.svcTPGBinom), [268](#)
- plot.svcTPGOcc (summary.svcTPGOcc), [269](#)
- plot.tIntPGOcc (summary.tIntPGOcc), [270](#)
- plot.tMsPGOcc (summary.tMsPGOcc), [271](#)
- plot.tPGOcc (summary.tPGOcc), [272](#)
- postHocLM, [6](#), [60](#)
- ppcOcc, [5](#), [63](#)
- predict.intMsPGOcc, [65](#)
- predict.intPGOcc, [69](#)
- predict.lfJSDM, [72](#)
- predict.lfMsPGOcc, [75](#)
- predict.msPGOcc, [78](#)
- predict.PGOcc, [81](#)
- predict.sfJSDM, [83](#)
- predict.sfMsPGOcc, [87](#)
- predict.spIntPGOcc, [91](#)
- predict.spMsPGOcc, [94](#)
- predict.spPGOcc, [98](#)
- predict.stIntPGOcc, [102](#)
- predict.stMsPGOcc, [106](#)
- predict.stPGOcc, [111](#)
- predict.svcMsPGOcc, [115](#)
- predict.svcPGBinom, [119](#)
- predict.svcPGOcc, [123](#)
- predict.svcTIntPGOcc, [126](#)
- predict.svcTMsPGOcc, [131](#)
- predict.svcTPGBinom, [135](#)
- predict.svcTPGOcc, [139](#)
- predict.tIntPGOcc, [144](#)
- predict.tMsPGOcc, [147](#)
- predict.tPGOcc, [151](#)
- print, [248–254](#), [256–272](#)
- print.intMsPGOcc (summary.intMsPGOcc), [248](#)
- print.intPGOcc (summary.intPGOcc), [249](#)
- print.lfJSDM (summary.lfJSDM), [250](#)
- print.lfMsPGOcc (summary.lfMsPGOcc), [251](#)
- print.msPGOcc (summary.msPGOcc), [252](#)
- print.PGOcc (summary.PGOcc), [253](#)
- print.postHocLM (summary.postHocLM), [254](#)
- print.sfJSDM (summary.sfJSDM), [255](#)
- print.sfMsPGOcc (summary.sfMsPGOcc), [256](#)
- print.spIntPGOcc (summary.spIntPGOcc), [257](#)
- print.spMsPGOcc (summary.spMsPGOcc), [258](#)
- print.spPGOcc (summary.spPGOcc), [259](#)
- print.stIntPGOcc (summary.stIntPGOcc), [260](#)
- print.stMsPGOcc (summary.stMsPGOcc), [261](#)
- print.stPGOcc (summary.stPGOcc), [262](#)

print.svcMsPGOcc (summary.svcMsPGOcc),
 263
 print.svcPGBinom (summary.svcPGBinom),
 264
 print.svcPGOcc (summary.svcPGOcc), 265
 print.svcTIntPGOcc
 (summary.svcTIntPGOcc), 266
 print.svcTMsPGOcc
 (summary.svcTMsPGOcc), 267
 print.svcTPGBinom
 (summary.svcTPGBinom), 268
 print.svcTPGOcc (summary.svcTPGOcc), 269
 print.tIntPGOcc (summary.tIntPGOcc), 270
 print.tMsPGOcc (summary.tMsPGOcc), 271
 print.tPGOcc (summary.tPGOcc), 272

 residuals.PGOcc, 155
 residuals.spPGOcc, 156
 residuals.svcPGOcc, 157

 sfJSDM, 5, 158
 sfMsPGOcc, 5, 165
 simBinom, 5, 173
 simIntMsOcc, 175
 simIntOcc, 6, 179
 simMsOcc, 5, 182
 simOcc, 5, 186
 simTBinom, 5, 189
 simTIntOcc, 192
 simTMsOcc, 6, 197
 simTOcc, 5, 202
 spIntPGOcc, 5, 206
 spMsPGOcc, 5, 213
 spOccupancy (spOccupancy-package), 4
 spOccupancy-package, 4
 spPGOcc, 5, 220
 stIntPGOcc, 226
 stMsPGOcc, 5, 233
 stPGOcc, 5, 241
 summary, 248–272
 summary.intMsPGOcc, 248
 summary.intPGOcc, 249
 summary.lfJSDM, 250
 summary.lfMsPGOcc, 251
 summary.msPGOcc, 252
 summary.PGOcc, 253
 summary.postHocLM, 254
 summary.ppcOcc, 254
 summary.sfJSDM, 255
 summary.sfMsPGOcc, 256
 summary.spIntPGOcc, 257
 summary.spMsPGOcc, 258
 summary.spPGOcc, 259
 summary.stIntPGOcc, 260
 summary.stMsPGOcc, 261
 summary.stPGOcc, 262
 summary.svcMsPGOcc, 263
 summary.svcPGBinom, 264
 summary.svcPGOcc, 265
 summary.svcTIntPGOcc, 266
 summary.svcTMsPGOcc, 267
 summary.svcTPGBinom, 268
 summary.svcTPGOcc, 269
 summary.tIntPGOcc, 270
 summary.tMsPGOcc, 271
 summary.tPGOcc, 272
 svcMsPGOcc, 5, 273
 svcPGBinom, 5, 280
 svcPGOcc, 5, 286
 svcTIntPGOcc, 293
 svcTMsPGOcc, 5, 300
 svcTPGBinom, 5, 309
 svcTPGOcc, 5, 315

 tIntPGOcc, 323
 tMsPGOcc, 5, 329
 tPGOcc, 5, 335

 updateMCMC, 6, 341

 waicOcc, 5, 344