

# Package ‘stmgui’

July 23, 2025

**Type** Package

**Title** Shiny Application for Creating STM Models

**Version** 0.1.6

**Date** 2016-12-15

**Author** Dan Zangri [aut, cre], Dustin Tingley [ctb], Brandon Stewart [ctb]

**Maintainer** Dan Zangri <dzangri@gmail.com>

**Description** Provides an application that acts as a GUI for the 'stm' text analysis package.

**Depends** stm, markdown, shinyjs, shinythemes, tm

**Imports** shiny, shinyBS

**LazyData** yes

**License** MIT + file LICENSE

**RoxygenNote** 5.0.1

**Suggests** testthat

**NeedsCompilation** no

**Repository** CRAN

**Date/Publication** 2016-12-20 08:16:24

## Contents

stmgui-package . . . . .	2
gadarian . . . . .	2
runStmGui . . . . .	3

<b>Index</b>	<b>4</b>
--------------	----------

---

stmgui-package

*Shiny Application for Creating STM Models*


---

## Description

Provides an application that acts as a GUI for the 'stm' text analysis package.

## Details

stmgui is a simple Shiny application that makes it easy to work with the stm text processing package. Simply run `runStmGui()` to launch the application.

The application intends to make it easy to perform the end-to-end process for creating an stm model with visualizations.

## Author(s)

Dan Zangri [aut, cre], Dustin Tingley [ctb], Brandon Stewart [ctb]

Maintainer: Dan Zangri <dzangri@gmail.com>

## References

See the [stm](#) documentation for more details and usage

---

gadarian

*Gadarian and Albertson data*


---

## Description

This data set contains variables from Gadarian and Albertson (2014). Taken from the [stm](#) package.

The experiment had those in the treatment condition write about what made them anxious about immigration. The control condition just had subjects write about immigration.

## Usage

```
data(gadarian)
```

## Format

A data frame with 351 observations on the following variables.

`MetaID` a numeric vector containing identification numbers; not used for analysis

`treatment` a numeric vector indicating treatment condition

`pid_rep` a numeric vector of party identification

`open.ended.response` a character vector of the subject's open ended response

**Source**

Gadarian, Shana Kushner, and Bethany Albertson. "Anxiety, immigration, and the search for information." *Political Psychology* 35.2 (2014): 133-164. Roberts, Margaret E., Brandon M. Stewart, Dustin Tingley, Christopher Lucas, Jetson Leder-Luis, Shana Kushner Gadarian, Bethany Albertson, and David G. Rand. "Structural Topic Models for Open-Ended Survey Responses." *American Journal of Political Science* 58, no 4 (2014): 1064-1082.

---

`runStmGui`*Helper function to launch the stm shiny app*

---

**Description**

`runStmGui` launches the shiny app to help with walking through the creation of stm models

**Usage**

```
runStmGui()
```

# Index

\* **stm, shiny**

stmgui-package, [2](#)

gadarian, [2](#)

gadarianFit (gadarian), [2](#)

runStmGui, [3](#)

stm, [2](#)

stmgui (stmgui-package), [2](#)

stmgui-package, [2](#)