

# Package ‘stocks’

July 23, 2025

**Type** Package

**Title** Stock Market Analysis

**Version** 1.1.4

**License** GPL-3

**Date** 2018-08-30

**Author** Dane R. Van Domelen

**Maintainer** Dane R. Van Domelen <vandomed@gmail.com>

**Description** Functions for analyzing stocks or other investments. Main features are loading and aligning historical data for ticker symbols, calculating performance metrics for individual funds or portfolios (e.g. annualized growth, maximum drawdown, Sharpe/Sortino ratio), and creating graphs. C++ code is used to improve processing speed where possible.

**Depends** rbenchmark, quantmod

**Imports** dvmisc, graphics, grDevices, Hmisc, lubridate, methods,  
RColorBrewer, Rcpp (>= 0.12.15), stats, TTR, zoo

**Suggests** knitr, rmarkdown, pander, printr

**LinkingTo** Rcpp

**RoxygenNote** 6.0.1

**NeedsCompilation** yes

**Repository** CRAN

**Date/Publication** 2018-08-31 04:30:03 UTC

## Contents

beta_trailing50 . . . . .	3
contango_hedged . . . . .	4
contango_simple . . . . .	5
convert_gain . . . . .	7
daily_yearly . . . . .	8
diffs . . . . .	8
gains_graph . . . . .	9
gains_prices . . . . .	10

gains_rate . . . . .	11
growth_graph . . . . .	12
highyield_etfs . . . . .	13
largest_etfs . . . . .	14
load_gains . . . . .	14
load_prices . . . . .	15
mdd . . . . .	17
metrics . . . . .	18
onemetric_graph . . . . .	19
onemetric_overtime_graph . . . . .	20
pchanges . . . . .	22
pdiffs . . . . .	23
prices_gains . . . . .	23
prices_rate . . . . .	24
ratios . . . . .	25
rrr . . . . .	26
sector_spdr_etfs . . . . .	27
sharpe . . . . .	27
sortino . . . . .	28
stocks . . . . .	28
targetall . . . . .	29
targetbeta_twofunds . . . . .	30
threefunds_graph . . . . .	33
ticker_dates . . . . .	35
twofunds_graph . . . . .	36
twometrics_graph . . . . .	39
vanguard_balanced_funds . . . . .	40
vanguard_bond_etfs . . . . .	41
vanguard_bond_funds . . . . .	41
vanguard_etfs . . . . .	41
vanguard_funds . . . . .	41
vanguard_igrade_etfs . . . . .	42
vanguard_igrade_funds . . . . .	42
vanguard_international_etfs . . . . .	42
vanguard_international_funds . . . . .	43
vanguard_largecap_etfs . . . . .	43
vanguard_largecap_funds . . . . .	43
vanguard_midcap_etfs . . . . .	44
vanguard_midcap_funds . . . . .	44
vanguard_sector_etfs . . . . .	44
vanguard_sector_funds . . . . .	44
vanguard_smallcap_etfs . . . . .	45
vanguard_smallcap_funds . . . . .	45
vanguard_stock_etfs . . . . .	45
vanguard_stock_funds . . . . .	46
vanguard_targetdate_funds . . . . .	46
vanguard_targetrisk_funds . . . . .	46
vanguard_taxexempt_bond_funds . . . . .	47

*beta\_trailing50* 3

vanguard\_traditional\_funds . . . . . 47  
vanguard\_treasury\_etfs . . . . . 47  
vanguard\_treasury\_funds . . . . . 48

**Index** 49

---

beta_trailing50	<i>Beta for Last 50 Daily Gains</i>
-----------------	-------------------------------------

---

## Description

Calculates beta for a ticker symbol based on the previous 50 daily gains.

## Usage

```
beta_trailing50(ticker, bench = "SPY", ...)
```

## Arguments

ticker	Character string with ticker symbols that Yahoo! Finance recognizes.
bench	Character string with ticker symbol for benchmark.
...	Arguments to pass to <a href="#">load_gains</a> .

## Value

Numeric value.

## References

Ryan, J.A. and Ulrich, J.M. (2017) quantmod: Quantitative Financial Modelling Framework. R package version 0.4-12, <https://CRAN.R-project.org/package=quantmod>.

## Examples

```
## Not run:  
# Calculate TLT's beta based on the previous 50 daily gains  
beta_trailing50("TLT")  
  
## End(Not run)
```

---

contango\_hedged

*Backtest a Hedged Contango-Based Volatility Trading Strategy*


---

## Description

Implements the following strategy: Each day, hold XIV/SPXU (weighted for zero beta) if `contango > xiv.spxu.cutpoint`, hold VXX/UPRO (weighted for zero beta) if `contango < vxx.upro.cutpoint`, and hold cash otherwise. Perhaps not very useful since XIV closed on Feb. 20, 2018.

## Usage

```
contango_hedged(contango, xiv.spxu.gains = NULL, vxx.upro.gains = NULL,
  xiv.spxu.cutpoint = 6.36, vxx.upro.cutpoint = 5.45,
  xiv.allocation = 0.46, vxx.allocation = 0.46, xiv.beta = NULL,
  vxx.beta = NULL, initial = 10000)
```

## Arguments

- |                                |  |
|--------------------------------|--|
| <code>contango</code>          | Numeric vector of contango values at the end of each trading day.  |
| <code>xiv.spxu.gains</code>    | 2-column numeric matrix with gains for XIV and SPXU. Should have the same number of rows as <code>contango</code> and be date-shifted one value to the right. For example, the first row should have the XIV and SPXU gains for the day AFTER the first <code>contango</code> value. |
| <code>vxx.upro.gains</code>    | 2-column numeric matrix with gains for VXX and UPRO. Should have the same number of rows as <code>contango</code> and be date-shifted one value to the right. For example, the first row should have the VXX and UPRO gains for the day AFTER the first <code>contango</code> value. |
| <code>xiv.spxu.cutpoint</code> | Numeric value giving the contango cutpoint for XIV/SPXU position. For example, if <code>xiv.spxu.cutpoint = 5</code> , XIV/SPXU will be held whenever <code>contango</code> is greater than 5%.  |
| <code>vxx.upro.cutpoint</code> | Numeric value giving the contango cutpoint for VXX/UPRO position. For example, if <code>vxx.upro.cutpoint = -5</code> , VXX/UPRO will be held whenever <code>contango</code> is less than -5%.   |
| <code>xiv.allocation</code>    | Numeric value specifying XIV allocation for XIV/SPXU position. For example, if set to 0.46, 46% is allocated to XIV and 54% to SPXU when <code>contango &gt; xiv.spxu.cutpoint</code> .  |
| <code>vxx.allocation</code>    | Numeric value specifying VXX allocation for VXX/UPRO position. For example, if set to 0.46, 46% is allocated to VXX and 54% to UPRO when <code>contango &lt; vxx.upro.cutpoint</code> .  |
| <code>xiv.beta</code>          | Numeric value specifying XIV's beta. If specified, the function figures out what <code>xiv.allocation</code> needs to be for zero-beta XIV/SPXU positions. For example, if set to 3.5, then 46.2% XIV/53.8% SPXU achieves zero beta.   |

vxx.beta	Numeric value indicating VXX's beta. If specified, the function figures out what vxx.allocation needs to be for zero-beta VXX/UPRO positions. For example, if set to -3.5, then 46.2% VXX/53.8% UPRO achieves zero beta.
initial	Numeric value giving the initial value of the portfolio.

## Details

You can find historical contango values from The Intelligent Investor Blog. You can click the first link at <http://investing.kuchita.com/2012/06/28/xiv-data-and-pricing-model-since-vix-futures-available> to download a zip file containing an Excel spreadsheet. Then, you will need to calculate whatever version of "contango" you prefer. I typically define contango as what percent higher the second-month VIX futures are compared to the first-month futures, i.e. dividing the "2nd mth" column by the "1st mth" column, subtracting 1, and then multiplying by 100.

To load daily gains for XIV, SPXU, VXX, and UPRO, you can use [load\\_gains](#), which uses the **quantmod** package to load data from Yahoo! Finance. You will have to specify the from and to inputs to match the date range for your contango values.

## Value

List containing:

1. Character vector named `holdings` indicating what fund was held each day (XIV/SPXU, VXX/UPRO, or cash).
2. Numeric vector named `port.gains` giving the portfolio gain for each day, which will be 0 for days that cash was held and the weighted XIV/SPXU or VXX/UPRO gain for days that one of those positions was held.
3. Numeric vector named `port.balances` giving the portfolio balance each day.
4. Numeric value named `trades` giving the total number of trades executed.

## References

Ryan, J.A. and Ulrich, J.M. (2017) **quantmod: Quantitative Financial Modelling Framework**. R package version 0.4-12, <https://CRAN.R-project.org/package=quantmod>.

---

contango_simple	<i>Backtest a Simple Contango-Based Volatility Trading Strategy</i>
-----------------	---

---

## Description

Simple strategy: Each day, hold XIV if `contango > xiv.cutpoint`, hold VXX if `contango < vxx.cutpoint`, and hold cash otherwise. Perhaps not very useful since XIV closed on Feb. 20, 2018.

## Usage

```
contango_simple(contango, xiv.gains = NULL, vxx.gains = NULL,
  xiv.cutpoint = 0, vxx.cutpoint = -Inf, initial = 10000)
```

### Arguments

<code>contango</code>	Numeric vector of contango values at the end of each trading day.
<code>xiv.gains</code>	Numeric vector of gains for XIV. Should be same length as <code>contango</code> and date-shifted one value to the right. For example, the first value of <code>xiv.gains</code> should be the XIV gain for the day AFTER the first <code>contango</code> value.
<code>vxx.gains</code>	Numeric vector of gains for VXX. Should be same length as <code>contango</code> and date-shifted one value to the right. For example, the first value of <code>vxx.gains</code> should be the VXX gain for the day AFTER the first <code>contango</code> value.
<code>xiv.cutpoint</code>	Numeric value giving the contango cutpoint for XIV, in percent.
<code>vxx.cutpoint</code>	Numeric value giving the contango cutpoint for VXX, in percent.
<code>initial</code>	Numeric value giving the initial value of the portfolio.

### Details

You can find historical contango values from The Intelligent Investor Blog. You can click the first link at <http://investing.kuchita.com/2012/06/28/xiv-data-and-pricing-model-since-vix-futures-availabl> to download a zip file containing an Excel spreadsheet. Then, you will need to calculate whatever version of "contango" you prefer. I typically define contango as what percent higher the second-month VIX futures are compared to the first-month futures, i.e. dividing the "2nd mth" column by the "1st mth" column, subtracting 1, and then multiplying by 100.

I think the most common approach for contango-based volatility strategies is holding XIV (inverse volatility) when contango is above some value (e.g. 0%, 5%, or 10%), and holding cash otherwise. You can do that with this function by leaving `vxx.cutpoint` as `-Inf`. However, you may also want to hold VXX (volatility) when contango is below some value (e.g. 0%, -5%, -10%), also known as "backwardation". You can implement an XIV-only, VXX-only, or XIV and VXX strategy with this function.

To load daily gains for XIV and/or VXX, you can use [load\\_gains](#), which uses the **quantmod** package [1] to load data from Yahoo! Finance. You will have to specify the `from` and `to` inputs to match the date range for your contango values.

### Value

List containing:

1. Character vector named `holdings` indicating what fund was held each day (XIV, VXX, or cash).
2. Numeric vector named `port.gains` giving the portfolio gain for each day, which will be 0 for days that cash was held and the XIV or VXX gain for days that XIV or VXX was held.
3. Numeric vector named `port.balances` giving the portfolio balance each day.
4. Numeric value named `trades` giving the total number of trades executed.

### References

Ryan, J.A. and Ulrich, J.M. (2017) **quantmod: Quantitative Financial Modelling Framework**. R package version 0.4-12, <https://CRAN.R-project.org/package=quantmod>.

---

`convert_gain`*Convert Gain from One Time Interval to Another*

---

**Description**

For example, you can use this function to figure out that an 8 trading days is 31.9

**Usage**

```
convert_gain(gain, units.in = 1, units.out = 1)
```

**Arguments**

<code>gain</code>	Numeric value specifying a gain, e.g. 0.005 for 0.5 a vector of gains.
<code>units.in</code>	Numeric value giving the time period over which the gain was achieved.
<code>units.out</code>	Numeric value giving the time period you want to convert to.

**Value**

Numeric value or vector.

**Examples**

```
# Calculate annualized gain for an 8% gain over a 70-day period
convert_gain(gain = 0.08, units.in = 70, units.out = 252)

# Calculate the annual growth rate of a fund that gains 0.02% per day
convert_gain(gain = 0.0002, units.in = 1, units.out = 252)

# Calculate the annual growth rate of a fund that gains 1% per week
convert_gain(gain = 0.01, units.in = 1, units.out = 52)

# You invest in AAPL and gain 0.5% in 17 business days. Express as a 5-year
# growth rate.
convert_gain(gain = 0.005, units.in = 17, units.out = 252 * 5)

# Your portfolio has tripled in a 13-year period. Calculate your average
# annual gain.
convert_gain(gain = 2, units.in = 13, units.out = 1)
```

---

daily_yearly	<i>Convert Daily Gain to X-year Gain</i>
--------------	--

---

**Description**

For example, you can use this function to calculate that an investment that gains 0.1 days).

**Usage**

```
daily_yearly(gain, years = 1)
```

**Arguments**

gain	Numeric value specifying a gain, e.g. 0.005 for 0.5 a vector of gains.
years	Numeric value.

**Value**

Numeric value or vector.

**Examples**

```
# Calculate annual gain for an investment that gains 0.1% per day
daily_yearly(gain = 0.001)

# Calculate 5-year gains corresponding to various daily gains
daily_yearly(gain = seq(0, 0.001, 0.0001), years = 5)
```

---

diffs	<i>Lagged Differences (Alternate Implementation)</i>
-------	--

---

**Description**

Calculates differences between subsequent (or lagged) elements of a vector. Very similar to [diff](#), but written in C++.

**Usage**

```
diffs(x, lag = 1L)
```

**Arguments**

x	Numeric vector.
lag	Numeric value (e.g. 2 for differences between 1st and 3rd element, 2nd and 4th, ...).



**Value**

Numeric vector.

**Examples**

```
# Generate 1 million values from Poisson(3) distribution
x <- rpois(100000, 3)

# Calculate vector of differences between subsequent values
y <- diffs(x)

# Could get same result from base R function diff
z <- diff(x)
all.equal(y, z)

# But diffs is faster
benchmark(diffs(x), diff(x), replications = 100)
```

---

gains\_graph

*Scatterplot of Investment Gains*


---

**Description**

Useful for visualizing relationship between one (or several) investments and a benchmark. First fund in tickers, gains, or prices is used as the benchmark.

**Usage**

```
gains_graph(tickers = NULL, ..., gains = NULL, prices = NULL,
  orders = 1, add.plot = FALSE, include.legend = TRUE, colors = NULL,
  lty = NULL, plot.list = NULL, points.list = NULL, legend.list = NULL,
  pdf.list = NULL, bmp.list = NULL, jpeg.list = NULL, png.list = NULL,
  tiff.list = NULL)
```

**Arguments**

tickers	Character vector of ticker symbols that Yahoo! Finance recognizes, if you want to download data on the fly.
...	Arguments to pass along with tickers to <a href="#">load_gains</a> .
gains	Numeric matrix with 1 column of gains for each investment (can be a vector if there is only one).
prices	Numeric matrix with 1 column of prices for each investment (can be a vector if there is only one).

orders	Numeric vector specifying the orders of linear regression models for each y-axis investment. Set to 1 for simple linear regression, 2 for linear regression with first- and second-order terms, and so on.
add.plot	Logical value for whether to add plot data to current plot frame rather than open a new one.
include.legend	Logical value.
colors	Character vector of colors for each curve.
lty	Numeric vector specifying line types for each curve.
plot.list	List of arguments to pass to <a href="#">plot</a> .
points.list	List of arguments to pass to <a href="#">points</a> .
legend.list	List of arguments to pass to <a href="#">legend</a> .
pdf.list	List of arguments to pass to <a href="#">pdf</a> .
bmp.list	List of arguments to pass to <a href="#">bmp</a> .
jpeg.list	List of arguments to pass to <a href="#">jpeg</a> .
png.list	List of arguments to pass to <a href="#">png</a> .
tiff.list	List of arguments to pass to <a href="#">tiff</a> .

### Value

In addition to the graph, a list containing fitted linear regression models returned by [lm](#) for each investment vs. the benchmark.

### References

Ryan, J.A. and Ulrich, J.M. (2017) quantmod: Quantitative Financial Modelling Framework. R package version 0.4-12, <https://CRAN.R-project.org/package=quantmod>.

### Examples

```
## Not run:
# Plot daily gains for SSO and UPRO vs. VFINX
fig <- gains_graph(c("VFINX", "SSO", "UPRO"))

## End(Not run)
```

---

gains\_prices

---

*Convert Gains to Prices*


---

### Description

Calculates prices based on initial balance and vector of gains.

**Usage**

```
gains_prices(gains, initial = 10000)
```

**Arguments**

gains	Numeric matrix with 1 column of gains for each investment (can be a vector if there is only one).
initial	Numeric value.

**Value**

Numeric value if gains is a vector, numeric matrix if gains is a matrix.

**Examples**

```
# Simulate daily gains over a 5-year period
set.seed(123)
gains <- rnorm(n = 252 * 5, mean = 0.001, sd = 0.02)

# Plot balance over time if initial balance is $10,000
prices <- gains_prices(gains)
plot(prices)
```

gains\_rate

*Calculate Growth Rate From a Vector of Gains***Description**

The formula is simply:  $\text{prod}(\text{gains} + 1) - 1$ . If `units.rate` is specified, then it converts to x-unit growth rate.

**Usage**

```
gains_rate(gains, units.rate = NULL)
```

**Arguments**

gains	Numeric matrix with 1 column of gains for each investment (can be a vector if there is only one).
units.rate	Numeric value specifying the number of units for growth rate calculation, if you want something other than total growth. For annualized growth rate, set to 252 if gains has daily gains, 12 if gains has monthly gains, etc.

**Value**

Numeric value if gains is a vector, numeric matrix if gains is a matrix.

## Examples

```
# Create vector of daily gains for a hypothetical stock
daily.gains <- c(-0.02, -0.01, 0.01, 0.02, 0.01)

# Overall growth is 0.95%
gains_rate(daily.gains)

# Average daily growth is 0.19%
gains_rate(daily.gains, 1)

# Corresponds to 61.0% annual growth
gains_rate(daily.gains, 252)
```

---

growth\_graph

*Graph Investment Growth*

---

## Description

Useful for comparing performance of investments over time.

## Usage

```
growth_graph(tickers = NULL, ..., gains = NULL, prices = NULL,
  initial = "10k", add.plot = FALSE, colors = NULL, lty = NULL,
  plot.list = NULL, points.list = NULL, grid.list = NULL,
  legend.list = NULL, pdf.list = NULL, bmp.list = NULL,
  jpeg.list = NULL, png.list = NULL, tiff.list = NULL)
```

## Arguments

tickers	Character vector of ticker symbols that Yahoo! Finance recognizes, if you want to download data on the fly.
...	Arguments to pass along with tickers to <a href="#">load_gains</a> .
gains	Numeric matrix with 1 column of gains for each investment (can be a vector if there is only one).
prices	Numeric matrix with 1 column of prices for each investment (can be a vector if there is only one).
initial	Numeric value specifying what value to scale initial prices to. Can also be character string ending in "k", e.g. "10k" to graph growth of \$10k without all the 0's.
add.plot	Logical value for whether to add plot data to current plot frame rather than open a new one.
colors	Character vector of colors for each curve.
lty	Numeric vector specifying line types for each curve.

plot.list	List of arguments to pass to <a href="#">plot</a> .
points.list	List of arguments to pass to <a href="#">points</a> .
grid.list	List of arguments to pass to <a href="#">grid</a> .
legend.list	List of arguments to pass to <a href="#">legend</a> .
pdf.list	List of arguments to pass to <a href="#">pdf</a> .
bmp.list	List of arguments to pass to <a href="#">bmp</a> .
jpeg.list	List of arguments to pass to <a href="#">jpeg</a> .
png.list	List of arguments to pass to <a href="#">png</a> .
tiff.list	List of arguments to pass to <a href="#">tiff</a> .

### Value

In addition to the graph, a list containing:

1. Numeric matrix named `prices` with prices for each investment.
2. Numeric vector named `means` with mean of gains for each investment.
3. Numeric matrix named `corr.matrix` with correlation matrix for gains for each investment.

### References

Ryan, J.A. and Ulrich, J.M. (2017) `quantmod`: Quantitative Financial Modelling Framework. R package version 0.4-12, <https://CRAN.R-project.org/package=quantmod>.

### Examples

```
## Not run:
# Plot growth of $10k in VFINX and BRK-B
fig <- growth_graph(c("VFINX", "BRK-B"))

## End(Not run)
```

---

highyield\_etfs

*High-Yield ETFs from ETFdb.com and Inception Dates*

---

### Description

High-Yield ETFs from ETFdb.com and Inception Dates

### Source

[http://etfdb.com/etfdb-category/high-yield-bonds/#etfs&sort\\_name=assets\\_under\\_management&sort\\_order=desc&page=2](http://etfdb.com/etfdb-category/high-yield-bonds/#etfs&sort_name=assets_under_management&sort_order=desc&page=2)

---

largest\_etfs

*Largest 100 Market Cap ETFs (as of 3/2/18) and Inception Dates*


---

**Description**

Largest 100 Market Cap ETFs (as of 3/2/18) and Inception Dates

**Source**

<http://etfdb.com/compare/market-cap/>

---

load\_gains

*Download and Align Gains for a Set of Tickers*


---

**Description**

Downloads and aligns historical investment gains for specified tickers from Yahoo! Finance, using the **quantmod** package.

**Usage**

```
load_gains(tickers, intercepts = NULL, slopes = NULL, from = "1950-01-01",
           to = Sys.Date(), time.scale = "daily", preto.days = NULL,
           prefrom.days = NULL, earliest = FALSE, latest = FALSE)
```

**Arguments**

tickers	Character vector with ticker symbols that Yahoo! Finance recognizes.
intercepts	Numeric vector of values to add to daily gains for each ticker.
slopes	Numeric vector of values to multiply daily gains for each ticker by. Slopes are multiplied prior to adding intercepts.
from	Date or character string (e.g. "2015-01-15").
to	Date or character string (e.g. "2016-01-30").
time.scale	Character string controlling time frame for gains. Choices are "daily", "monthly", and "yearly".
preto.days	Numeric value. If specified, function returns gains for preto.days trading days prior to to. To illustrate, to load the most recent 50 daily gains, you would leave to and time.scale as the defaults and set preto.days = 50.
prefrom.days	Numeric value. If specified, function returns gains for prefrom.days trading days prior to from. Useful when you want to test a trading strategy starting on a particular date, but the strategy requires data leading up to that date (e.g. trailing beta).

earliest	Logical value for whether to retain only the subset of tickers with data going the furthest back. Set to FALSE if you want all tickers retained and gains over their mutual lifetimes.
latest	Logical value for whether to retain only the subset of tickers with data going the furthest forward, e.g. dropping funds that were discontinued at some point.

### Details

In aligning historical prices, dates on which not all funds have data are simply dropped. Messages are printed indicating which dates are dropped for which tickers.

### Value

Numeric matrix.

### References

Ryan, J.A. and Ulrich, J.M. (2017) quantmod: Quantitative Financial Modelling Framework. R package version 0.4-12, <https://CRAN.R-project.org/package=quantmod>.

### Examples

```
## Not run:
# Load gains for Netflix and Amazon over their mutual lifetimes
gains <- load_gains(c("NFLX", "AMZN"))

## End(Not run)
```

---

load\_prices

*Download and Align Historical Prices for a Set of Tickers*


---

### Description

Downloads and aligns historical prices for specified tickers from Yahoo! Finance, using the **quantmod** package.

### Usage

```
load_prices(tickers, intercepts = NULL, slopes = NULL,
  from = "1950-01-01", to = Sys.Date(), time.scale = "daily",
  preto.days = NULL, prefrom.days = NULL, initial = NULL,
  earliest = FALSE, latest = FALSE)
```

**Arguments**

<code>tickers</code>	Character vector with ticker symbols that Yahoo! Finance recognizes.
<code>intercepts</code>	Numeric vector of values to add to daily gains for each ticker.
<code>slopes</code>	Numeric vector of values to multiply daily gains for each ticker by. Slopes are multiplied prior to adding intercepts.
<code>from</code>	Date or character string (e.g. "2015-01-15").
<code>to</code>	Date or character string (e.g. "2016-01-30").
<code>time.scale</code>	Character string controlling time frame for gains. Choices are "daily", "monthly", and "yearly".
<code>preto.days</code>	Numeric value. If specified, function returns gains for <code>preto.days</code> trading days prior to <code>to</code> . To illustrate, to load the most recent 50 daily gains, you would leave <code>to</code> and <code>time.scale</code> as the defaults and set <code>preto.days = 50</code> .
<code>prefrom.days</code>	Numeric value. If specified, function returns gains for <code>prefrom.days</code> trading days prior to <code>from</code> . Useful when you want to test a trading strategy starting on a particular date, but the strategy requires data leading up to that date (e.g. trailing beta).
<code>initial</code>	Numeric value specifying what value to scale initial prices to.
<code>earliest</code>	Logical value for whether to retain only the subset of tickers with data going the furthest back. Set to <code>FALSE</code> if you want all tickers retained and gains over their mutual lifetimes.
<code>latest</code>	Logical value for whether to retain only the subset of tickers with data going the furthest forward, e.g. dropping funds that were discontinued at some point.

**Details**

In aligning historical prices, dates on which not all funds have data are simply dropped. Messages are printed indicating which dates are dropped for which tickers.

**Value**

Numeric matrix.

**References**

Ryan, J.A. and Ulrich, J.M. (2017) `quantmod`: Quantitative Financial Modelling Framework. R package version 0.4-12, <https://CRAN.R-project.org/package=quantmod>.

**Examples**

```
## Not run:
# Load prices for Netflix and Amazon over their mutual lifetimes
prices <- load_prices(c("NFLX", "AMZN"))

## End(Not run)
```



---

mdd	<i>Maximum Drawdown</i>
-----	-------------------------

---

**Description**

Calculates maximum drawdown from vector of closing prices, highs and lows, or gains.

**Usage**

```
mdd(prices = NULL, highs = NULL, lows = NULL, gains = NULL,
    indices = FALSE)
```

**Arguments**

prices	Numeric matrix with 1 column of prices for each investment (can be a vector if there is only one).
highs	Numeric vector of daily high prices.
lows	Numeric vector of daily low prices.
gains	Numeric matrix with 1 column of gains for each investment (can be a vector if there is only one).
indices	Logical value for whether to include indices for when the maximum drawdown occurred.

**Value**

Numeric value, vector, or matrix depending on indices and whether there is 1 fund or several.

**Examples**

```
## Not run:
# Simulate minute-to-minute stock gains over a 2-year period
set.seed(123)
stock.gains <- rnorm(6.5 * 60 * 252 * 2, 0.000005, 0.001)

# Convert to stock prices assuming an initial price of $9.50 per share
stock.prices <- gains_prices(gains = stock.gains, initial = 9.50)

# Plot minute-to-minute stock prices (200k data point, may be slow)
plot(stock.prices)

# Maximum drawdown based on stock prices
mdd(prices = stock.prices)

# Same answer using gains rather than prices
mdd(gains = stock.gains)

## End(Not run)
```

metrics

*Calculate Various Performance Metrics***Description**

Useful for comparing metrics for several investments. The first investment is used as the benchmark if requested metrics require one.

**Usage**

```
metrics(tickers = NULL, ..., gains = NULL, prices = NULL,
        perf.metrics = c("mean", "sd", "growth", "cagr", "mdd", "sharpe", "sortino",
                          "alpha", "beta", "r.squared", "pearson", "spearman", "auto.pearson",
                          "auto.spearman"))
```

**Arguments**

<code>tickers</code>	Character vector of ticker symbols that Yahoo! Finance recognizes, if you want to download data on the fly.
<code>...</code>	Arguments to pass along with <code>tickers</code> to <a href="#">load_gains</a> .
<code>gains</code>	Numeric matrix with 1 column of gains for each investment (can be a vector if there is only one).
<code>prices</code>	Numeric matrix with 1 column of prices for each investment (can be a vector if there is only one).
<code>perf.metrics</code>	Character vector specifying metrics to calculate.

**Value**

List containing:

1. Numeric matrix named `perf.metrics` with performance metrics.
2. Numeric matrix named `cor.mat` with correlation matrix for gains for the various investments.

**References**

Ryan, J.A. and Ulrich, J.M. (2017) quantmod: Quantitative Financial Modelling Framework. R package version 0.4-12, <https://CRAN.R-project.org/package=quantmod>.

**Examples**

```
## Not run:
# Calculate performance metrics for SSO and UPRO, using SPY as benchmark
# for alpha and beta
metrics1 <- metrics(tickers = c("SPY", "SSO", "UPRO"))

## End(Not run)
```

**Description**

Useful for visualizing the performance of a group of investments. The first investment is used as the benchmark if the requested metric requires one.

**Usage**

```
onemetric_graph(tickers = NULL, ..., gains = NULL, prices = NULL,
  y.metric = "cagr", add.plot = FALSE, sort.tickers = TRUE,
  plot.list = NULL, points.list = NULL, axis.list = NULL,
  pdf.list = NULL, bmp.list = NULL, jpeg.list = NULL, png.list = NULL,
  tiff.list = NULL)
```

**Arguments**

tickers	Character vector of ticker symbols that Yahoo! Finance recognizes, if you want to download data on the fly.
...	Arguments to pass along with tickers to <a href="#">load_gains</a> .
gains	Numeric matrix with 1 column of gains for each investment (can be a vector if there is only one).
prices	Numeric matrix with 1 column of prices for each investment (can be a vector if there is only one).
y.metric	Character string specifying y-axis performance metric. Choices are: "mean" or "sd" for mean or standard deviation of gains. "growth" or "cagr" for total or annualized growth. "mdd" for maximum drawdown. "sharpe" or "sortino" for Sharpe or Sortino ratio. "alpha", "beta", or "r.squared" for those metrics from a fitted linear regression on benchmark fund. "pearson" or "spearman" for Pearson or Spearman correlation with benchmark fund. "auto.pearson" or "auto.spearman" for Pearson or Spearman autocorrelation, defined as the correlation between subsequent gains.
add.plot	Logical value for whether to add plot data to current plot frame rather than open a new one.
sort.tickers	Logical value for whether to sort investments in decreasing order of the performance metric.
plot.list	List of arguments to pass to <a href="#">plot</a> .
points.list	List of arguments to pass to <a href="#">points</a> .
axis.list	List of arguments to pass to <a href="#">axis</a> .

pdf.list	List of arguments to pass to <a href="#">pdf</a> .
bmp.list	List of arguments to pass to <a href="#">bmp</a> .
jpeg.list	List of arguments to pass to <a href="#">jpeg</a> .
png.list	List of arguments to pass to <a href="#">png</a> .
tiff.list	List of arguments to pass to <a href="#">tiff</a> .

## Value

In addition to the graph, a data frame containing the performance metric for each investment.

## References

Ryan, J.A. and Ulrich, J.M. (2017) quantmod: Quantitative Financial Modelling Framework. R package version 0.4-12, <https://CRAN.R-project.org/package=quantmod>.

## Examples

```
## Not run:
# Compare annualized growth for VFINX, SSO, and UPRO
fig <- onemetric_graph(tickers = c("VFINX", "SSO", "UPRO"),
  plot.list = list(ylim = c(0, 50)))

## End(Not run)
```

---

onemetric\_overtime\_graph

*Graph Performance Metric Over Time for Various Investments*

---

## Description

Useful for visualizing the performance of a group of investments over time. The first investment is used as the benchmark if the requested metric requires one.

## Usage

```
onemetric_overtime_graph(tickers = NULL, ..., gains = NULL, prices = NULL,
  y.metric = "cagr", window.units = 50, add.plot = FALSE, colors = NULL,
  lty = NULL, plot.list = NULL, points.list = NULL, legend.list = NULL,
  pdf.list = NULL, bmp.list = NULL, jpeg.list = NULL, png.list = NULL,
  tiff.list = NULL)
```

**Arguments**

<code>tickers</code>	Character vector of ticker symbols that Yahoo! Finance recognizes, if you want to download data on the fly.
<code>...</code>	Arguments to pass along with <code>tickers</code> to <code>load_gains</code> .
<code>gains</code>	Numeric matrix with 1 column of gains for each investment (can be a vector if there is only one).
<code>prices</code>	Numeric matrix with 1 column of prices for each investment (can be a vector if there is only one).
<code>y.metric</code>	Character string specifying y-axis performance metric. Choices are: "mean" or "sd" for mean or standard deviation of gains. "growth" or "cagr" for total or annualized growth. "mdd" for maximum drawdown. "sharpe" or "sortino" for Sharpe or Sortino ratio. "alpha", "beta", or "r.squared" for those metrics from a fitted linear regression on benchmark fund. "pearson" or "spearman" for Pearson or Spearman correlation with benchmark fund. "auto.pearson" or "auto.spearman" for Pearson or Spearman autocorrelation, defined as the correlation between subsequent gains.
<code>window.units</code>	Numeric value specifying the width of the moving window.
<code>add.plot</code>	Logical value for whether to add plot data to current plot frame rather than open a new one.
<code>colors</code>	Character vector of colors for each curve.
<code>lty</code>	Numeric vector specifying line types for each curve.
<code>plot.list</code>	List of arguments to pass to <code>plot</code> .
<code>points.list</code>	List of arguments to pass to <code>points</code> .
<code>legend.list</code>	List of arguments to pass to <code>legend</code> .
<code>pdf.list</code>	List of arguments to pass to <code>pdf</code> .
<code>bmp.list</code>	List of arguments to pass to <code>bmp</code> .
<code>jpeg.list</code>	List of arguments to pass to <code>jpeg</code> .
<code>png.list</code>	List of arguments to pass to <code>png</code> .
<code>tiff.list</code>	List of arguments to pass to <code>tiff</code> .

**Value**

In addition to the graph, a numeric matrix containing the performance metric over time for each investment.

**References**

Ryan, J.A. and Ulrich, J.M. (2017) quantmod: Quantitative Financial Modelling Framework. R package version 0.4-12, <https://CRAN.R-project.org/package=quantmod>.

**Examples**

```
## Not run:
# Plot BRK-B's 50-day alpha over time since the start of 2016
fig <- onemetric_overtime_graph(tickers = c("VFINX", "BRK-B"),
                                y.metric = "alpha",
                                from = "2016-01-01")

## End(Not run)
```

pchanges

*Lagged Proportion Changes***Description**

Calculates proportion changes between subsequent (or lagged) elements of a vector.

**Usage**

```
pchanges(x, lag = 1L)
```

**Arguments**

x	Numeric vector.
lag	Numeric value (e.g. 2 for differences between 1st and 3rd element, 2nd and 4th, ...).

**Value**

Numeric vector.

**Examples**

```
# Generate 10 values from N(0, 1)
x <- rnorm(10)

# Calculate vector of proportion changes between subsequent values
(y <- pchanges(x))

# Equivalent base R computation
len <- length(x)
p1 <- x[2: len]
p2 <- x[1: (len - 1)]
y2 <- p1 / p2 - 1
all.equal(y, y2)
```

---

pdiffs *Lagged Proportion Differences*

---

**Description**

Calculates proportion differences between subsequent (or lagged) elements of a vector.

**Usage**

```
pdiffs(x, lag = 1L)
```

**Arguments**

**x** Numeric vector.

**lag** Numeric value (e.g. 2 for differences between 1st and 3rd element, 2nd and 4th, ...).

**Value**

Numeric vector.

**Examples**

```
# Generate 10 values from N(0, 1)
x <- rnorm(10)

# Calculate vector of proportion differences between subsequent values
(y <- pdiffs(x))

# Equivalent base R computation
len <- length(x)
p1 <- x[2: len]
p2 <- x[1: (len - 1)]
y2 <- (p1 - p2) / (0.5 * (p1 + p2))
all.equal(y, y2)
```

---

prices\_gains *Convert Prices to Gains*

---

**Description**

Calculates gains based on vector or matrix of prices.

**Usage**

```
prices_gains(prices)
```

**Arguments**

**prices**                Numeric matrix with 1 column of prices for each investment (can be a vector if there is only one).

**Value**

Numeric vector or matrix.

**Examples**

```
## Not run:
# Load 2017 prices for Netflix and Amazon, and calculate growth of $10k
prices <- load_prices(c("NFLX", "AMZN"), initial = 1000)

# Calculate gains
gains <- prices_gains(prices)

## End(Not run)
```

---

prices\_rate

*Calculate Growth Rate From a Vector of Prices*

---

**Description**

The formula is simply:  $\text{prices}[\text{length}(\text{prices})] / \text{prices}[1] - 1$ . If `units.rate` is specified, then it converts to x-unit growth rate.

**Usage**

```
prices_rate(prices, units.rate = NULL)
```

**Arguments**

**prices**                Numeric matrix with 1 column of prices for each investment (can be a vector if there is only one).

**units.rate**            Numeric value specifying the number of units for growth rate calculation, if you want something other than total growth. For annualized growth rate, set to 252 if prices has daily prices, 12 if prices has monthly prices, etc.

**Value**

Numeric value if prices is a vector, numeric matrix if prices is a matrix.



**Examples**

```
# Create vector of daily closing prices for a hypothetical stock
prices <- c(100.4, 98.7, 101.3, 101.0, 100.9)

# Overall growth is 0.50%
prices_rate(prices)

# Average daily growth is 0.12%
prices_rate(prices, 1)

# Corresponds to 36.7% annualized growth
prices_rate(prices, 252)
```

---

**ratios***Ratios of Subsequent Elements in a Vector*

---

**Description**

Calculates vector of ratios of a vector, i.e. ratio of  $x[2]$  to  $x[1]$ , ratio of  $x[3]$  to  $x[2]$ , and so forth.

**Usage**

```
ratios(x)
```

**Arguments**

**x**                      Numeric vector.

**Value**

Numeric vector.

**Examples**

```
# Generate 10 values from  $N(0, 1)$ 
x <- rnorm(10)

# Calculate vector of ratios
(y <- ratios(x))

# Slower base R computation
len <- length(x)
y2 <- x[2: len] / x[1: (len - 1)]
all.equal(y, y2)
```

---

rrr

*Risk-Return Ratio*


---

**Description**

Calculates risk-return ratio, defined as growth rate divided by maximum drawdown.

**Usage**

```
rrr(prices = NULL, gains = NULL)
```

**Arguments**

prices	Numeric matrix with 1 column of prices for each investment (can be a vector if there is only one).
gains	Numeric matrix with 1 column of gains for each investment (can be a vector if there is only one).

**Value**

Numeric value or vector.

**Examples**

```
# Simulate daily gains over a 5-year period
set.seed(123)
stock.gains <- rnorm(252 * 5, 0.0005, 0.01)

# Convert to daily balances assuming an initial balance of $10,000
daily.balances <- gains_prices(stock.gains + 1)

# Total return is about 1.23
daily.balances[length(daily.balances)] / daily.balances[1] - 1

# Maximum drawdown is about 0.19
mdd(prices = daily.balances)

# Ratio of these two is about 6.48
(daily.balances[length(daily.balances)] / daily.balances[1] - 1) /
mdd(daily.balances)

# Easier to calculate using rrr function
rrr(daily.balances)
```

---

sector_spdr_etfs	<i>Sector SPDR ETFs and Inception Dates</i>
------------------	---

---

**Description**

Sector SPDR ETFs and Inception Dates

**Source**

<http://www.sectorspdr.com/sectorspdr/sectors/performance>

---

sharpe	<i>Sharpe Ratio</i>
--------	---------------------

---

**Description**

Calculates Sharpe ratio from vector of gains or prices. The formula is:  $(\text{mean}(\text{gains}) - \text{rf}) / \text{sd}(\text{gains})$ , where rf is some risk-free rate of return.

**Usage**

```
sharpe(gains = NULL, prices = NULL, rf = 0)
```

**Arguments**

gains	Numeric matrix with 1 column of gains for each investment (can be a vector if there is only one).
prices	Numeric matrix with 1 column of prices for each investment (can be a vector if there is only one).
rf	Numeric value.

**Value**

Numeric value.

**Examples**

```
# Simulate daily gains over a 5-year period
set.seed(123)
stock.gains <- rnorm(252 * 5, 0.0005, 0.01)

# Calculate Sharpe ratio using risk-free return of 0
sharpe(stock.gains)
```

---

 sortino

*Sortino Ratio*


---

### Description

Calculates Sortino ratio from vector of gains or prices. The formula is:  $(\text{mean}(\text{gains}) - \text{rf}) / \text{sd}(\text{gains}[\text{gains} < 0])$ , where rf is some risk-free rate of return.

### Usage

```
sortino(gains = NULL, prices = NULL, rf = 0)
```

### Arguments

gains	Numeric matrix with 1 column of gains for each investment (can be a vector if there is only one).
prices	Numeric matrix with 1 column of prices for each investment (can be a vector if there is only one).
rf	Numeric value.

### Value

Numeric value or vector.

### Examples

```
# Simulate daily gains over a 5-year period
set.seed(123)
stock.gains <- rnorm(252 * 5, 0.0005, 0.01)

# Calculate Sortino ratio using risk-free return of 0
sortino(stock.gains)
```

---

 stocks

*Stock Market Analysis*


---

### Description

Functions for analyzing stocks or other investments. Main features are loading and aligning historical data for ticker symbols, calculating performance metrics for individual funds or portfolios (e.g. annualized growth, maximum drawdown, Sharpe/Sortino ratio), and creating graphs. C++ code is used to improve processing speed where possible.

## Details

Package: stocks  
Type: Package  
Version: 1.1.4  
Date: 2018-08-30  
License: GPL-3

See [CRAN documentation](#) for full list of functions and the [GitHub page](#) for an overview of the package with some examples.

## Author(s)

Dane R. Van Domelen  
<[vandomed@gmail.com](mailto:vandomed@gmail.com)>

## References

Eddelbuettel, D. and Francois, R. (2011) Rcpp: Seamless R and C++ Integration. Journal of Statistical Software, 40(8), 1-18. <http://www.jstatsoft.org/v40/i08/>.

Eddelbuettel, D. (2013) Seamless R and C++ Integration with Rcpp. Springer, New York. ISBN 978-1-4614-6867-7.

Eddelbuettel, D. and Balamuta, J.J. (2017). Extending R with C++: A Brief Introduction to Rcpp. PeerJ Preprints 5:e3188v1. <https://doi.org/10.7287/peerj.preprints.3188v1>.

Ryan, J.A. and Ulrich, J.M. (2017) quantmod: Quantitative Financial Modelling Framework. R package version 0.4-12, <https://CRAN.R-project.org/package=quantmod>.

Acknowledgment: This material is based upon work supported by the National Science Foundation Graduate Research Fellowship under Grant No. DGE-0940903.

---

targetall

*Backtest a Fixed-Allocation Trading Strategy*

---

## Description

Implements a trading strategy aimed at maintaining a fixed allocation to each of several funds, rebalancing when the effective allocations deviate too far from the targets.

## Usage

```
targetall(tickers = NULL, intercepts = NULL, slopes = NULL, ...,
  tickers.gains = NULL, target.all = NULL, tol = 0.05,
  rebalance.cost = 0, initial = 10000)
```

**Arguments**

<code>tickers</code>	Character vector of ticker symbols that Yahoo! Finance recognizes, if you want to download data on the fly.
<code>intercepts</code>	Numeric vector of values to add to daily gains for each ticker.
<code>slopes</code>	Numeric vector of values to multiply daily gains for each ticker by. Slopes are multiplied prior to adding intercepts.
<code>...</code>	Arguments to pass along with <code>tickers</code> to <code>load_gains</code> .
<code>tickers.gains</code>	Numeric matrix of gains, where each column has gains for a particular fund.
<code>target.all</code>	Numeric vector specifying target allocations to each fund. If unspecified, equal allocations are used (e.g. 1/3, 1/3, 1/3 if there are 3 funds).
<code>tol</code>	Numeric value indicating how far the effective allocations can drift away from the targets before rebalancing.
<code>rebalance.cost</code>	Numeric value specifying total cost of each rebalancing trade.
<code>initial</code>	Numeric value specifying what value to scale initial prices to.

**Value**

List containing:

1. Numeric matrix named `fund.balances` giving fund balances over time.
2. Numeric value named `rebalance.count` giving the number of rebalancing trades executed.

**References**

Ryan, J.A. and Ulrich, J.M. (2017) quantmod: Quantitative Financial Modelling Framework. R package version 0.4-12, <https://CRAN.R-project.org/package=quantmod>.

**Examples**

```
## Not run:
# Backtest equal-allocation UPRO/VBLTX/VWEHX strategy
port <- targetall(tickers = c("UPRO", "VBLTX", "VWEHX"))
plot(port$fund.balances[, "Portfolio"])

## End(Not run)
```

---

targetbeta_twofunds	<i>Backtest a Two-Fund Strategy that Targets a Certain Beta</i>
---------------------	---

---

**Description**

Implements a two-fund strategy where allocations to each fund are adjusted to maintain some user-specified portfolio beta. For example, you could back-test a zero-beta (i.e. market neutral) UPRO/VBLTX strategy using this function.

**Usage**

```
targetbeta_twofunds(tickers = NULL, intercepts = NULL, slopes = NULL, ...,
  benchmark.ticker = NULL, reference.tickers = NULL, tickers.gains = NULL,
  benchmark.gains = NULL, reference.gains = NULL, target.beta = 0,
  tol = 0.15, window.units = 50, failure.method = "closer",
  maxall.tol = tol - 0.05, initial = 10000)
```

**Arguments**

<code>tickers</code>	Character vector specifying 2 ticker symbols that Yahoo! Finance recognizes, if you want to download data on the fly.
<code>intercepts</code>	Numeric vector of values to add to daily gains for each ticker.
<code>slopes</code>	Numeric vector of values to multiply daily gains for each ticker by. Slopes are multiplied prior to adding intercepts.
<code>...</code>	Arguments to pass along with <code>tickers</code> to <a href="#">load_gains</a> .
<code>benchmark.ticker</code>	Character string specifying ticker symbol for benchmark index for calculating beta. If unspecified, the first fund in <code>tickers</code> is used as the benchmark.
<code>reference.tickers</code>	Character vector of ticker symbols to include on graph as data points for comparative purposes.
<code>tickers.gains</code>	Numeric matrix of gains, where each column has gains for a particular fund.
<code>benchmark.gains</code>	Numeric vector of gains for the benchmark index for calculating beta. If unspecified, the first fund in <code>tickers.gains</code> is used as the benchmark.
<code>reference.gains</code>	Numeric vector or matrix of gains for funds to include on graph as data points for comparative purposes.
<code>target.beta</code>	Numeric value.
<code>tol</code>	Numeric value specifying how far the effective portfolio beta has to deviate from <code>target.beta</code> to trigger a rebalancing trade.
<code>window.units</code>	Numeric value specifying the width of the trailing moving window used to estimate each fund's beta.
<code>failure.method</code>	Character string or vector specifying method(s) to use when fund betas are such that the target portfolio beta cannot be achieved. Choices are "cash", "fund1", "fund2", "fund1.maxall", "fund2.maxall", "inverse1", "inverse2", and "closer". See Details.
<code>maxall.tol</code>	Numeric value specifying tolerance to use when implementing the "fund1.maxall" or "fund2.maxall" failure method. To illustrate, if <code>target.beta = 0</code> , fund 1 has a current beta of 1, fund 2 has a current beta of 0.25, <code>failure.method = "fund2.maxall"</code> , and <code>maxall.tol = 0.1</code> , a trade will be triggered that results in 40% fund 2 and 60% cash. The portfolio beta is $0.4 \times 0.25 = 0.1$ . The reason you might want <code>maxall.tol</code> to be less than <code>tol</code> is to avoid frequently triggering another trade on the very next day, as fund 2's beta changes a little and moves the portfolio beta outside of $[\text{target.beta} - \text{tol}, \text{target.beta} + \text{tol}]$ .
<code>initial</code>	Numeric value specifying what value to scale initial prices to.

## Details

The general implementation is as follows. Beta for each of the two funds is estimated based on the first window.units gains. Initial allocations are selected to achieve portfolio beta of target.beta. If that is not possible - for example, if target.beta = 0 and both funds have positive beta - then the action taken depends on what method is selected through the failure.method input (details below).

Assuming the target beta is attainable, the function moves over 1 day, and applies each fund's gains for that day. It then re-calculates each fund's beta based on the window.units-width interval, and determines the effective portfolio beta based on fund allocations and betas. If the effective beta is outside of [target.beta - tol, target.beta + tol], a rebalancing trade is triggered. As before, if the target beta cannot be achieved, certain actions are taken depending on the selected method.

When outside of a trade because the target beta could not be achieved, the function attempts to rebalance each time it shifts over to a new day, regardless of the effective portfolio beta.

When failure.method = "cash", the entire portfolio balance is allocated to cash when the target beta cannot be achieved.

When failure.method = "fund1" (or "fund2"), the entire portfolio balance is allocated to the first (or second) fund when the target beta cannot be achieved.

When failure.method = "fund1.maxall" (or "fund2.maxall"), when the target beta cannot be achieved, fund 1 (or fund 2) is combined with cash, with the fund 1 (fund 2) allocation as high as possible while staying within maxall.tol of target.beta.

When failure.method = "inverse1" (or "inverse2"), an inverse version of the first (or second) fund is used when the target beta cannot be achieved. In many cases where the target beta cannot be achieved with the two funds, it can be achieved with an inverse version of one and the other. If the target beta still cannot be achieved, the entire portfolio balance is allocated to cash.

When failure.method = "closer", the entire portfolio balance is allocated to whichever fund has a beta closer to target.beta.

## Value

For each method, a 4-element list containing:

1. Numeric matrix named fund.balances giving fund balances over time.
2. Numeric matrix named fund.betas giving fund betas over time.
3. Numeric vector named effective.betas giving effective portfolio beta over time.
4. Numeric value named trades giving the total number of trades executed.

## References

Ryan, J.A. and Ulrich, J.M. (2017) quantmod: Quantitative Financial Modelling Framework. R package version 0.4-12, <https://CRAN.R-project.org/package=quantmod>.

## Examples

```
## Not run:
# Backtest zero-beta UPRO/VBLTX strategy
beta0 <- targetbeta_twofunds(tickers = c("UPRO", "VBLTX"), target.beta = 0)
```



```
plot(beta0$fund.balances[, "Portfolio"])

## End(Not run)
```

---

threefunds_graph	<i>Graph One Performance Metric vs. Another for Three-Fund Portfolio as Allocation Varies</i>
------------------	---

---

## Description

Useful for visualizing performance of three-fund portfolios, typically by plotting a measure of growth vs. a measure of volatility. Only works for one three-fund set at a time.

## Usage

```
threefunds_graph(tickers = NULL, intercepts = NULL, slopes = NULL, ...,
  benchmark.tickers = NULL, reference.tickers = NULL,
  tickers.gains = NULL, benchmark.gains = NULL, reference.gains = NULL,
  step.data = 0.0025, step.points = 0.1, step.curves = 0.2,
  x.metric = "sd", y.metric = "mean", tickerlabel.offsets = NULL,
  rellabel.offsets = NULL, add.plot = FALSE, colors = NULL, lty = NULL,
  plot.list = NULL, points.list = NULL, text.list = NULL,
  pdf.list = NULL, bmp.list = NULL, jpeg.list = NULL, png.list = NULL,
  tiff.list = NULL)
```

## Arguments

<code>tickers</code>	Character vector of ticker symbols that Yahoo! Finance recognizes, if you want to download data on the fly.
<code>intercepts</code>	Numeric vector of values to add to daily gains for each ticker.
<code>slopes</code>	Numeric vector of values to multiply daily gains for each ticker by. Slopes are multiplied prior to adding intercepts.
<code>...</code>	Arguments to pass along with <code>tickers</code> to <a href="#">load_gains</a> .
<code>benchmark.tickers</code>	Character vector of length 1 or 2 indicating ticker symbols for benchmark indexes. Only used if <code>x.metric</code> and/or <code>y.metric</code> require benchmark indexes to calculate. For example, to plot correlation with SPY on the x-axis and correlation with TLT on the y-axis, set <code>x.metric = "pearson"</code> , <code>y.metric = "pearson2"</code> (i.e. Pearson correlation with 2nd benchmark), and <code>benchmark.tickers = c("SPY", "TLT")</code> .
<code>reference.tickers</code>	Character vector of ticker symbols to include on graph as data points for comparative purposes.
<code>tickers.gains</code>	Numeric matrix of gains, where each column has gains for a particular fund.

benchmark.gains	Numeric vector or matrix of gains for 1 or 2 benchmark indexes. Only used if x.metric and/or y.metric require benchmark indexes to calculate. For example, to plot correlation with SPY on the x-axis and correlation with TLT on the y-axis, set x.metric = "pearson" and y.metric = "pearson2", and input benchmark.gains as a 2-column matrix of gains for SPY and TLT.
reference.gains	Numeric vector or matrix of gains for funds to include on graph as data points for comparative purposes.
step.data	Numeric value specifying allocation increments for plotting curves.
step.points	Numeric value specifying allocation increments for adding data points on top of curves. Set to NULL to suppress data points.
step.curves	Numeric value specifying allocation increments for first fund in each set.
x.metric	Character string specifying x-axis performance metric. Choices are: "mean" or "sd" for mean or standard deviation of gains "growth" or "cagr" for total or annualized growth "mdd" for maximum drawdown "sharpe" or "sortino" for Sharpe or Sortino ratio "alpha", "beta", or "r.squared" for those metrics from a fitted linear regression on benchmark fund "pearson" or "spearman" for Pearson or Spearman correlation with benchmark fund "alpha2", "beta2", "r.squared2", "pearson2", or "spearman2" for same as previously described, but using the second benchmark index "auto.pearson" or "auto.spearman" for Pearson or Spearman autocorrelation, defined as the correlation between subsequent gains "allocation" for allocation to first fund in each pair.
y.metric	Same as x.metric, but for the y-axis
tickerlabel.offsets	Either a numeric vector of length 2 giving the x- and y-axis offsets for all ticker labels, or a 2-column matrix where each row gives the x- and y-axis offsets for a ticker.
relabel.offsets	Either a numeric vector of length 2 giving the x- and y-axis offsets for all reference ticker labels, or a 2-column matrix where each row gives the x- and y-axis offsets for a reference ticker.
add.plot	Logical value for whether to add plot data to current plot frame rather than open a new one.
colors	Character vector of colors for each curve.
lty	Numeric vector specifying line types for each curve.
plot.list	List of arguments to pass to <a href="#">plot</a> .
points.list	List of arguments to pass to <a href="#">points</a> .
text.list	List of arguments to pass to <a href="#">text</a> .

pdf.list	List of arguments to pass to <a href="#">pdf</a> .
bmp.list	List of arguments to pass to <a href="#">bmp</a> .
jpeg.list	List of arguments to pass to <a href="#">jpeg</a> .
png.list	List of arguments to pass to <a href="#">png</a> .
tiff.list	List of arguments to pass to <a href="#">tiff</a> .

## Value

In addition to the graph, a list containing:

1. List named `portfolio.xy` where each element is a two-column matrix of x- and y-axis values for a curve.
2. Numeric vector named `means` with mean gains for each fund.
3. Numeric matrix named `corr.matrix` with a correlation matrix for gains for each fund.

## References

Ryan, J.A. and Ulrich, J.M. (2017) `quantmod`: Quantitative Financial Modelling Framework. R package version 0.4-12, <https://CRAN.R-project.org/package=quantmod>.

## Examples

```
## Not run:
# Plot mean vs. SD for UPRO/VBLTX/VWEHX portfolio, and compare to VFINX and
# BRK-B
fig <- threefunds_graph(tickers = c("VWEHX", "VBLTX", "UPRO"),
                        reference.tickers = c("VFINX", "BRK-B"))

## End(Not run)
```

---

ticker_dates	<i>Get Yahoo! Finance Start/End Dates for Tickers</i>
--------------	---

---

## Description

Typically useful for determining a time period over which to compare several funds.

## Usage

```
ticker_dates(tickers, from = "1950-01-01", to = Sys.Date())
```

## Arguments

tickers	Character vector with ticker symbols that Yahoo! Finance recognizes.
from	Date or character string (e.g. "2015-01-15").
to	Date or character string (e.g. "2016-01-30").

**Value**

Data frame with ticker symbol, start date, end date, and number of trading days for each ticker.

**References**

Ryan, J.A. and Ulrich, J.M. (2017) quantmod: Quantitative Financial Modelling Framework. R package version 0.4-12, <https://CRAN.R-project.org/package=quantmod>.

**Examples**

```
## Not run:
# See what dates are available for Apple and Amazon
ticker_dates(c("AAPL", "AMZN"))

## End(Not run)
```

---

twofunds_graph	<i>Graph One Performance Metric vs. Another for Two-Fund Portfolios as Allocation Varies</i>
----------------	--

---

**Description**

Useful for visualizing performance of two-fund portfolios, typically by plotting a measure of growth vs. a measure of volatility. First two investments are used as the first two-fund pair, next two as the second two-fund pair, and so on.

**Usage**

```
twofunds_graph(tickers = NULL, intercepts = NULL, slopes = NULL, ...,
  benchmark.tickers = NULL, reference.tickers = NULL,
  tickers.gains = NULL, benchmark.gains = NULL, reference.gains = NULL,
  step.data = 0.0025, step.points = 0.1, x.metric = "sd",
  y.metric = "mean", tickerlabel.offsets = NULL, rellabel.offsets = NULL,
  add.plot = FALSE, colors = NULL, lty = NULL, plot.list = NULL,
  points.list = NULL, text.list = NULL, pdf.list = NULL,
  bmp.list = NULL, jpeg.list = NULL, png.list = NULL, tiff.list = NULL)
```

**Arguments**

tickers	Character vector of ticker symbols that Yahoo! Finance recognizes, if you want to download data on the fly.
intercepts	Numeric vector of values to add to daily gains for each ticker.
slopes	Numeric vector of values to multiply daily gains for each ticker by. Slopes are multiplied prior to adding intercepts.
...	Arguments to pass along with tickers to <a href="#">load_gains</a> .

<code>benchmark.tickers</code>	Character vector of length 1 or 2 indicating ticker symbols for benchmark indexes. Only used if <code>x.metric</code> and/or <code>y.metric</code> require benchmark indexes to calculate. For example, to plot correlation with SPY on the x-axis and correlation with TLT on the y-axis, set <code>x.metric = "pearson"</code> , <code>y.metric = "pearson2"</code> (i.e. Pearson correlation with 2nd benchmark), and <code>benchmark.tickers = c("SPY", "TLT")</code> .
<code>reference.tickers</code>	Character vector of ticker symbols to include on graph as data points for comparative purposes.
<code>tickers.gains</code>	Numeric matrix of gains, where each column has gains for a particular fund.
<code>benchmark.gains</code>	Numeric vector or matrix of gains for 1 or 2 benchmark indexes. Only used if <code>x.metric</code> and/or <code>y.metric</code> require benchmark indexes to calculate. For example, to plot correlation with SPY on the x-axis and correlation with TLT on the y-axis, set <code>x.metric = "pearson"</code> and <code>y.metric = "pearson2"</code> , and input <code>benchmark.gains</code> as a 2-column matrix of gains for SPY and TLT.
<code>reference.gains</code>	Numeric vector or matrix of gains for funds to include on graph as data points for comparative purposes.
<code>step.data</code>	Numeric value specifying allocation increments for plotting curves.
<code>step.points</code>	Numeric value specifying allocation increments for adding data points on top of curves. Set to NULL to suppress data points.
<code>x.metric</code>	Character string specifying x-axis performance metric. Choices are: "mean" or "sd" for mean or standard deviation of gains "growth" or "cagr" for total or annualized growth "mdd" for maximum drawdown "sharpe" or "sortino" for Sharpe or Sortino ratio "alpha", "beta", or "r.squared" for those metrics from a fitted linear regression on benchmark fund "pearson" or "spearman" for Pearson or Spearman correlation with benchmark fund "alpha2", "beta2", "r.squared2", "pearson2", or "spearman2" for same as previously described, but using the second benchmark index "auto.pearson" or "auto.spearman" for Pearson or Spearman autocorrelation, defined as the correlation between subsequent gains "allocation" for allocation to first fund in each pair.
<code>y.metric</code>	Same as <code>x.metric</code> , but for the y-axis
<code>tickerlabel.offsets</code>	Either a numeric vector of length 2 giving the x- and y-axis offsets for all ticker labels, or a 2-column matrix where each row gives the x- and y-axis offsets for a ticker.
<code>relabel.offsets</code>	Either a numeric vector of length 2 giving the x- and y-axis offsets for all reference ticker labels, or a 2-column matrix where each row gives the x- and y-axis offsets for a reference ticker.

add.plot	Logical value for whether to add plot data to current plot frame rather than open a new one.
colors	Character vector of colors for each curve.
lty	Numeric vector specifying line types for each curve.
plot.list	List of arguments to pass to <code>plot</code> .
points.list	List of arguments to pass to <code>points</code> .
text.list	List of arguments to pass to <code>text</code> .
pdf.list	List of arguments to pass to <code>pdf</code> .
bmp.list	List of arguments to pass to <code>bmp</code> .
jpeg.list	List of arguments to pass to <code>jpeg</code> .
png.list	List of arguments to pass to <code>png</code> .
tiff.list	List of arguments to pass to <code>tiff</code> .

## Value

In addition to the graph, a list containing:

1. List named `portfolio.xy` where each element is a two-column matrix of x- and y-axis values for a fund pair.
2. Numeric vector named `means` with mean gains for each fund.
3. Numeric matrix named `corr.matrix` with a correlation matrix for gains for each fund.

## References

Ryan, J.A. and Ulrich, J.M. (2017) `quantmod`: Quantitative Financial Modelling Framework. R package version 0.4-12, <https://CRAN.R-project.org/package=quantmod>.

## Examples

```
## Not run:
# Plot mean vs. SD for UPRO/VBLTX portfolio, and compare to VFINX and BRK-B
fig1 <- twofunds_graph(tickers = c("UPRO", "VBLTX"),
                      reference.tickers = c("VFINX", "BRK-B"))

# Same funds, but annualized growth vs. maximum drawdown
fig2 <- twofunds_graph(tickers = c("UPRO", "VBLTX"),
                      reference.tickers = c("VFINX", "BRK-B"),
                      x.metric = "mdd", y.metric = "cagr")

## End(Not run)
```

twometrics\_graph

*Graph One Performance Metric vs. Another for Various Investments***Description**

Useful for visualizing the performance of a group of investments. The first investment is used as the benchmark if `x.metric` or `y.metric` require one benchmark, and the first two investments are used as benchmarks if `x.metric` and `y.metric` require different benchmarks.

**Usage**

```
twometrics_graph(tickers = NULL, ..., gains = NULL, prices = NULL,
  x.metric = "mdd", y.metric = "cagr", tickerlabel.offsets = NULL,
  add.plot = FALSE, colors = NULL, plot.list = NULL, points.list = NULL,
  text.list = NULL, pdf.list = NULL, bmp.list = NULL, jpeg.list = NULL,
  png.list = NULL, tiff.list = NULL)
```

**Arguments**

<code>tickers</code>	Character vector of ticker symbols that Yahoo! Finance recognizes, if you want to download data on the fly.
<code>...</code>	Arguments to pass along with <code>tickers</code> to <a href="#">load_gains</a> .
<code>gains</code>	Numeric matrix with 1 column of gains for each investment (can be a vector if there is only one).
<code>prices</code>	Numeric matrix with 1 column of prices for each investment (can be a vector if there is only one).
<code>x.metric</code>	Character string specifying x-axis performance metric. Choices are: "mean" or "sd" for mean or standard deviation of gains. "growth" or "cagr" for total or annualized growth. "mdd" for maximum drawdown. "sharpe" or "sortino" for Sharpe or Sortino ratio. "alpha", "beta", or "r.squared" for those metrics from a fitted linear regression on benchmark fund. "pearson" or "spearman" for Pearson or Spearman correlation with benchmark fund. "alpha2", "beta2", "r.squared2", "pearson2", or "spearman2" for same as previously described, but using the second benchmark index. "auto.pearson" or "auto.spearman" for Pearson or Spearman autocorrelation, defined as the correlation between subsequent gains.
<code>y.metric</code>	Same as <code>x.metric</code> , but for the y-axis.
<code>tickerlabel.offsets</code>	Either a numeric vector of length 2 giving the x- and y-axis offsets for all ticker labels, or a 2-column matrix where each row gives the x- and y-axis offsets for a ticker.

<code>add.plot</code>	Logical value for whether to add plot data to current plot frame rather than open a new one.
<code>colors</code>	Character vector of colors for each curve.
<code>plot.list</code>	List of arguments to pass to <code>plot</code> .
<code>points.list</code>	List of arguments to pass to <code>points</code> .
<code>text.list</code>	List of arguments to pass to <code>text</code> .
<code>pdf.list</code>	List of arguments to pass to <code>pdf</code> .
<code>bmp.list</code>	List of arguments to pass to <code>bmp</code> .
<code>jpeg.list</code>	List of arguments to pass to <code>jpeg</code> .
<code>png.list</code>	List of arguments to pass to <code>png</code> .
<code>tiff.list</code>	List of arguments to pass to <code>tiff</code> .

### Value

In addition to the graph, a data frame containing the performance metrics for each investment.

### References

Ryan, J.A. and Ulrich, J.M. (2017) quantmod: Quantitative Financial Modelling Framework. R package version 0.4-12, <https://CRAN.R-project.org/package=quantmod>.

### Examples

```
## Not run:
# Plot annualized growth vs. maximum drawdown for VFINX, SSO, and UPRO
fig <- twometrics_graph(tickers = c("VFINX", "SSO", "UPRO"))

## End(Not run)
```

---

vanguard\_balanced\_funds

*Vanguard Balanced Mutual Funds and Inception Dates*

---

### Description

Vanguard Balanced Mutual Funds and Inception Dates

### Source

<https://investor.vanguard.com/mutual-funds/list?assetclass=bond#/mutual-funds/asset-class/month-end-returns>



---

vanguard_bond_etfs	<i>Vanguard Bond ETFs and Inception Dates</i>
--------------------	---

---

**Description**

Vanguard Bond ETFs and Inception Dates

**Source**

<https://investor.vanguard.com/etf/list?assetclass=bond#/etf/asset-class/month-end-returns>

---

vanguard_bond_funds	<i>Vanguard Bond Mutual Funds</i>
---------------------	-----------------------------------

---

**Description**

Vanguard Bond Mutual Funds

**Source**

<https://investor.vanguard.com/mutual-funds/list?assetclass=bond#/mutual-funds/asset-class/month-end-returns>

---

vanguard_etfs	<i>Vanguard ETFs and Inception Dates</i>
---------------	--

---

**Description**

Vanguard ETFs and Inception Dates

**Source**

<https://investor.vanguard.com/etf/list?assetclass=bond#/etf/asset-class/month-end-returns>

---

vanguard_funds	<i>Vanguard Mutual Funds and Inception Dates</i>
----------------	--

---

**Description**

Vanguard Mutual Funds and Inception Dates

**Source**

<https://investor.vanguard.com/mutual-funds/list?assetclass=bond#/mutual-funds/asset-class/month-end-returns>

---

vanguard_igrade_etfs	<i>Vanguard Investment-grade Bond ETFs and Inception Dates</i>
----------------------	--

---

**Description**

Vanguard Investment-grade Bond ETFs and Inception Dates

**Source**

<https://investor.vanguard.com/etf/list?assetclass=bond#/etf/asset-class/month-end-returns>

---

vanguard_igrade_funds	<i>Vanguard Investment-grade Bond Mutual Funds and Inception Dates</i>
-----------------------	--

---

**Description**

Vanguard Investment-grade Bond Mutual Funds and Inception Dates

**Source**

<https://investor.vanguard.com/mutual-funds/list?assetclass=bond#/mutual-funds/asset-class/month-end-returns>

---

vanguard_international_etfs	<i>Vanguard International ETFs and Inception Dates</i>
-----------------------------	--

---

**Description**

Vanguard International ETFs and Inception Dates

**Source**

<https://investor.vanguard.com/etf/list?assetclass=bond#/etf/asset-class/month-end-returns>

---

vanguard\_international\_funds

*Vanguard International Mutual Funds and Inception Dates*

---

**Description**

Vanguard International Mutual Funds and Inception Dates

**Source**

<https://investor.vanguard.com/mutual-funds/list?assetclass=bond#/mutual-funds/asset-class/month-end-returns>

---

vanguard\_largecap\_etfs

*Vanguard Large-cap Stock ETFs and Inception Dates*

---

**Description**

Vanguard Large-cap Stock ETFs and Inception Dates

**Source**

<https://investor.vanguard.com/etf/list?assetclass=bond#/etf/asset-class/month-end-returns>

---

vanguard\_largecap\_funds

*Vanguard Large-cap Stock Mutual Funds and Inception Dates*

---

**Description**

Vanguard Large-cap Stock Mutual Funds and Inception Dates

**Source**

<https://investor.vanguard.com/mutual-funds/list?assetclass=bond#/mutual-funds/asset-class/month-end-returns>

---

vanguard\_midcap\_etfs    *Vanguard Mid-cap Stock ETFs and Inception Dates*

---

**Description**

Vanguard Mid-cap Stock ETFs and Inception Dates

**Source**

<https://investor.vanguard.com/etf/list?assetclass=bond#/etf/asset-class/month-end-returns>

---

vanguard\_midcap\_funds    *Vanguard Mid-cap Stock Mutual Funds and Inception Dates*

---

**Description**

Vanguard Mid-cap Stock Mutual Funds and Inception Dates

**Source**

<https://investor.vanguard.com/mutual-funds/list?assetclass=bond#/mutual-funds/asset-class/month-end-returns>

---

vanguard\_sector\_etfs    *Vanguard Sector & Specialty ETFs and Inception Dates*

---

**Description**

Vanguard Sector & Specialty ETFs and Inception Dates

**Source**

<https://investor.vanguard.com/etf/list?assetclass=bond#/etf/asset-class/month-end-returns>

---

vanguard\_sector\_funds    *Vanguard Sector Mutual Funds and Inception Dates*

---

**Description**

Vanguard Sector Mutual Funds and Inception Dates

**Source**

<https://investor.vanguard.com/mutual-funds/list?assetclass=bond#/mutual-funds/asset-class/month-end-returns>

---

vanguard_smallcap_etfs	<i>Vanguard Small-cap Stock ETFs and Inception Dates</i>
------------------------	--

---

**Description**

Vanguard Small-cap Stock ETFs and Inception Dates

**Source**

<https://investor.vanguard.com/etf/list?assetclass=bond#/etf/asset-class/month-end-returns>

---

vanguard_smallcap_funds	<i>Vanguard Small-cap Stock Mutual Funds and Inception Dates</i>
-------------------------	--

---

**Description**

Vanguard Small-cap Stock Mutual Funds and Inception Dates

**Source**

<https://investor.vanguard.com/mutual-funds/list?assetclass=bond#/mutual-funds/asset-class/month-end-returns>

---

vanguard_stock_etfs	<i>Vanguard Stock ETFs and Inception Dates</i>
---------------------	--

---

**Description**

Vanguard Stock ETFs and Inception Dates

**Source**

<https://investor.vanguard.com/etf/list?assetclass=bond#/etf/asset-class/month-end-returns>

---

vanguard\_stock\_funds     *Vanguard Stock Mutual Funds and Inception Dates*

---

**Description**

Vanguard Stock Mutual Funds and Inception Dates

**Source**

<https://investor.vanguard.com/mutual-funds/list?assetclass=bond#/mutual-funds/asset-class/month-end-returns>

---

vanguard\_targetdate\_funds  
                                  *Vanguard Target Date Mutual Funds*

---

**Description**

Vanguard Target Date Mutual Funds

**Source**

<https://investor.vanguard.com/etf/list?assetclass=bond#/etf/asset-class/month-end-returns>

---

vanguard\_targetrisk\_funds  
                                  *Vanguard Target Risk Mutual Funds and Inception Dates*

---

**Description**

Vanguard Target Risk Mutual Funds and Inception Dates

**Source**

<https://investor.vanguard.com/etf/list?assetclass=bond#/etf/asset-class/month-end-returns>

---

vanguard\_taxexempt\_bond\_funds

*Vanguard Tax-exempt Bond Mutual Funds and Inception Dates*

---

**Description**

Vanguard Tax-exempt Bond Mutual Funds and Inception Dates

**Source**

<https://investor.vanguard.com/etf/list?assetclass=bond#/etf/asset-class/month-end-returns>

---

vanguard\_traditional\_funds

*Vanguard Traditional Mutual Funds and Inception Dates*

---

**Description**

Vanguard Traditional Mutual Funds and Inception Dates

**Source**

<https://investor.vanguard.com/etf/list?assetclass=bond#/etf/asset-class/month-end-returns>

---

vanguard\_treasury\_etfs

*Vanguard Treasury/Agency Bond ETFs and Inception Dates*

---

**Description**

Vanguard Treasury/Agency Bond ETFs and Inception Dates

**Source**

<https://investor.vanguard.com/etf/list?assetclass=bond#/etf/asset-class/month-end-returns>

---

vanguard\_treasury\_funds

*Vanguard Treasury/Agency Bond Mutual Funds and Inception Dates*

---

**Description**

Vanguard Treasury/Agency Bond Mutual Funds and Inception Dates

**Source**

<https://investor.vanguard.com/etf/list?assetclass=bond#/etf/asset-class/month-end-returns>



# Index

axis, [19](#)

beta\_trailing50, [3](#)

bmp, [10](#), [13](#), [20](#), [21](#), [35](#), [38](#), [40](#)

contango\_hedged, [4](#)

contango\_simple, [5](#)

convert\_gain, [7](#)

daily\_yearly, [8](#)

diff, [8](#)

diffs, [8](#)

gains\_graph, [9](#)

gains\_prices, [10](#)

gains\_rate, [11](#)

grid, [13](#)

growth\_graph, [12](#)

highyield\_etfs, [13](#)

jpeg, [10](#), [13](#), [20](#), [21](#), [35](#), [38](#), [40](#)

largest\_etfs, [14](#)

legend, [10](#), [13](#), [21](#)

lm, [10](#)

load\_gains, [3](#), [5](#), [6](#), [9](#), [12](#), [14](#), [18](#), [19](#), [21](#), [30](#), [31](#), [33](#), [36](#), [39](#)

load\_prices, [15](#)

mdd, [17](#)

metrics, [18](#)

onemetric\_graph, [19](#)

onemetric\_overtime\_graph, [20](#)

pchanges, [22](#)

pdf, [10](#), [13](#), [20](#), [21](#), [35](#), [38](#), [40](#)

pdiffs, [23](#)

plot, [10](#), [13](#), [19](#), [21](#), [34](#), [38](#), [40](#)

png, [10](#), [13](#), [20](#), [21](#), [35](#), [38](#), [40](#)

points, [10](#), [13](#), [19](#), [21](#), [34](#), [38](#), [40](#)

prices\_gains, [23](#)

prices\_rate, [24](#)

ratios, [25](#)

rrr, [26](#)

sector\_spdr\_etfs, [27](#)

sharpe, [27](#)

sortino, [28](#)

stocks, [28](#)

stocks-package (stocks), [28](#)

targetall, [29](#)

targetbeta\_twofunds, [30](#)

text, [34](#), [38](#), [40](#)

threefunds\_graph, [33](#)

ticker\_dates, [35](#)

tiff, [10](#), [13](#), [20](#), [21](#), [35](#), [38](#), [40](#)

twofunds\_graph, [36](#)

twometrics\_graph, [39](#)

vanguard\_balanced\_funds, [40](#)

vanguard\_bond\_etfs, [41](#)

vanguard\_bond\_funds, [41](#)

vanguard\_etfs, [41](#)

vanguard\_funds, [41](#)

vanguard\_igrade\_etfs, [42](#)

vanguard\_igrade\_funds, [42](#)

vanguard\_international\_etfs, [42](#)

vanguard\_international\_funds, [43](#)

vanguard\_largecap\_etfs, [43](#)

vanguard\_largecap\_funds, [43](#)

vanguard\_midcap\_etfs, [44](#)

vanguard\_midcap\_funds, [44](#)

vanguard\_sector\_etfs, [44](#)

vanguard\_sector\_funds, [44](#)

vanguard\_smallcap\_etfs, [45](#)

vanguard\_smallcap\_funds, [45](#)

vanguard\_stock\_etfs, [45](#)

vanguard\_stock\_funds, [46](#)  
vanguard\_targetdate\_funds, [46](#)  
vanguard\_targetrisk\_funds, [46](#)  
vanguard\_taxexempt\_bond\_funds, [47](#)  
vanguard\_traditional\_funds, [47](#)  
vanguard\_treasury\_etfs, [47](#)  
vanguard\_treasury\_funds, [48](#)