

# Package ‘strider’

July 23, 2025

**Type** Package

**Title** Strided Iterator and Range

**Version** 1.3

**Date** 2020-6-1

**Description** The strided iterator adapts multidimensional buffers to work with the C++ standard library and range-based for-loops. Given a pointer or iterator into a multidimensional data buffer, one can generate an iterator range using `make_strided` to construct strided versions of the standard library's `begin` and `end`. For constructing range-based for-loops, a `strided_range` class is provided. These help authors to avoid integer-based indexing, which in some cases can impede algorithm performance and introduce indexing errors. This library exists primarily to expose the header file to other R projects.

**License** MIT + file LICENSE

**Imports** Rcpp (>= 0.12.13)

**LinkingTo** Rcpp, BH

**Suggests** knitr, rmarkdown, testthat, microbenchmark, ggplot2, dplyr, covr, BH

**VignetteBuilder** knitr

**URL** <https://github.com/thk686/strider>

**BugReports** <https://github.com/thk686/strider/issues>

**SystemRequirements** C++11

**RoxygenNote** 6.1.1

**Encoding** UTF-8

**NeedsCompilation** yes

**Author** Tim Keitt [aut, cre]

**Maintainer** Tim Keitt <tkeitt@gmail.com>

**Repository** CRAN

**Date/Publication** 2020-06-03 06:30:02 UTC

Contents

convolve2 . . . . .	2
row_sums . . . . .	3
Index	4

---

convolve2	<i>Convolve Matrices</i>
-----------	--------------------------

---

Description

Demonstration of fast matrix convolution C++

Usage

convolve2(a, b)

Arguments

- a                    a numeric matrix
- b                    a numeric matrix

Details

A very efficient matrix convolution implementation that demonstrates the use of the strided pointer and strided range concepts. Performance will be improved if the smaller matrix is given as the second argument.

See Also

[convolve](#)

Examples

```
a = matrix(c(1, 2, 1,
             1, 1, 1), 2, 3, byrow = TRUE)
b = matrix(c(0, 0, 0,
             0, 0, 0,
             0, 1, 0,
             0, 0, 0), 4, 3, byrow = TRUE)
convolve2(a, b)
```

---

`row_sums`*Fast row sums*

---

**Description**

Demonstration of fast row and columns sums in C++

**Usage**

```
row_sums(x)
```

```
col_sums(x)
```

**Arguments**

`x`                      a numeric matrix

**Details**

A very efficient row summing algorithm that demonstrates the use of the strided pointer concept. The `row_sum` algorithm is roughly twice as fast as [rowSums](#). The `col_sum` algorithm matches [colSums](#) for speed.

**See Also**

[rowSums](#), [colSums](#)

**Examples**

```
row_sums(matrix(1:9, 3))  
col_sums(matrix(1:9, 3))
```

# Index

`col_sums (row_sums)`, [3](#)

`colSums`, [3](#)

`convolve`, [2](#)

`convolve2`, [2](#)

`row_sums`, [3](#)

`rowSums`, [3](#)