

Package ‘threewords’

July 22, 2025

Type Package

Title Represent Precise Coordinates in Three Words

Version 0.1.0

Date 2015-08-07

Author Oliver Keyes

Maintainer Oliver Keyes <ironholds@gmail.com>

Description A connector to the 'What3Words' (<http://what3words.com/>) service, which represents each 3m by 3m square on earth with a unique trio of English-language words.

License MIT + file LICENSE

LazyData TRUE

Imports httr

Suggests testthat

NeedsCompilation no

Repository CRAN

Date/Publication 2015-08-08 19:18:17

Contents

from_position	2
from_words	2
threewords	3

Index	4
--------------	----------

from_position	<i>Resolve a Position to Three Identifying Words</i>
---------------	--

Description

from_position takes latitude/longitude pair (or sequence of them) and resolves them to a word cluster used by what3words.

Usage

```
from_position(key, positions, ...)
```

Arguments

key	an API key obtained from what3words .
positions	either a vector containing a single latitude/longitude pair, or a <i>list</i> of vectors for vectorised operations.
...	further arguments to pass to httr's GET.

Value

A list containing the words, positions and language of those words.

See Also

[from_position](#) for the opposite operation.

Examples

```
## Not run:
# Ask for a single set of words from the what3words API (note: this requires an API key.
# Don't actually use 'ANAPIKEY'.)
results <- from_position(key = "ANAPIKEY", positions = c(6.385336,-36.293769))

## End(Not run)
```

from_words	<i>Resolve Three Identifying Words to a Position</i>
------------	--

Description

from_words takes a word cluster used by what3words and converts them back into latitude/longitude pairs.

Usage

```
from_words(key, words, ...)
```

Arguments

key	an API key obtained from what3words .
words	either a vector of words, for a single latitude/longitude pair, or a <i>list</i> of vectors for vectorised operations.
...	further arguments to pass to httr's GET.

Value

A list containing the words, positions and language of those words.

See Also

[from_position](#) for the opposite operation.

Examples

```
## Not run:  
# Ask for a single lat/long pair from the what3words API (note: this requires an API key.  
# Don't actually use 'ANAPIKEY'.)  
results <- from_words(key = "ANAPIKEY", words = c("turnip","basil","fruit"))  
  
## End(Not run)
```

threewords

Represent Precise Coordinates as Three Words

Description

This package provides a connector to [What3Words](#), a database that represents 3mx3m geographic areas as unique chains of 3 words

Index

from_position, [2](#), [2](#), [3](#)

from_words, [2](#)

threewords, [3](#)

threewords-package (threewords), [3](#)