

Package ‘optifunset’

July 22, 2025

Type Package
Title Set Options if Unset
Version 1.0
Date 2015-05-05
Author Nicholas Hamilton
Maintainer Nicholas Hamilton <n.hamilton@unsw.edu.au>
Description A single function 'options.ifunset(...)' is contained herewith, which allows the user to set a global option ONLY if it is not already set. By this token, for package maintainers this function can be used in preference to the standard 'options(...)' function, making provision for THEIR end user to place 'options(...)' directives within their '.Rprofile' file, which will not be overridden at the point when a package is loaded.
License GPL-2
Collate 'onLoad.R' 'options-ifunset.R'
NeedsCompilation no
Repository CRAN
Date/Publication 2015-05-05 06:43:05

Contents

optifunset	1
options.ifunset	2
Index	3

optifunset	<i>OptIfUnset Package</i>
------------	---------------------------

Description

Set an option only if is not currently set

Details

This package contains a single function which only updates the global options if the option is presently unset

Examples

```
options.ifunset(width=100) #NO CHANGE, ALREADY EXISTS
options.ifunset(myuniqueoption=TRUE) #NEW Option Created
```

options.ifunset	<i>Set Options if Unset</i>
-----------------	-----------------------------

Description

This function will set an option if it isn't already present within the global options returned by the options() function

Usage

```
options.ifunset(..., force = FALSE)
```

Arguments

...	any options can be defined, using name = value, if they are not already defined. Options can also be passed by giving a single unnamed argument which is a named list.
force	Force the Option to Be Set

Examples

```
options.ifunset(width=10)           #IGNORED, ALREADY EXISTS
options.ifunset(width=10,force=TRUE) #FORCED UPDATE TO OPTION
options.ifunset(myoption=TRUE)      #New Option is Created
```

Index

`optifunset`, [1](#)

`options.ifunset`, [2](#)